# Lab Tasks

<u>By</u> <u>Hajira Imran(44594)</u>



**Submitted to**: Ma'am Kausar

**Subject**: Operating System


**Date**:10/29/2024

BSCS SEMESTER – 5


RIPHAH INTERNATIONAL UNIVERSITY

ISLAMABAD, PAKISTAN

Q1. How do you create a basic for loop in a shell script to iterate over a list of numbers from 1 to 5?



Task 02
What is the syntax for a while loop that counts from 1 to 10 and prints each number?



```
the value is: 10

student@utudent-virtual-machine: $ pico task2.sh

student@utudent-virtual-machine: $ ./task2.sh

the value is: 1

the value is: 3

the value is: 4

the value is: 5

the value is: 6

the value is: 7

the value is: 8

the value is: 9

the value is: 9

the value is: 10

student@student-virtual-machine: $
```

. How would you write a nested loop in shell scripting to print a multiplication table from 1 to 3?








Write a for-in loop that iterates over the items in an array named fruits containing apple, banana, and cherry.

```
GNU nano 6.2 task4.s
#1/bin/bash
fruits=("apple" "banana" "cherry")
for fruits in "${fruits[@]}"
do
echo "fruits are $fruits"
done
```

```
student@student-virtual-machine:~$ pico task4.sh
fruits are apple
fruits are banana
fruits are cherry
student@student-virtual-machine:~$
```

Write a while loop that reads user input until the user types "exit".



```
enter the no:1
enter the no:2
enter the no:3
enter the no:5
enter the no:^C
student@student-virtual-machine:~$
```