John
Wayne
Mary
Smith
John
Wayne
JOHN
WayneJOHNOVO
WayneJane
This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row

\def\lbreak{\\\\} % use macro

2. \replacecontentin{A}{\lbreak}{x}  %the same

3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row

4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row

Unusual uses:

5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }

6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}

\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro

7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:
1. John_Wayne
2. JohnxWayne
3. John Wayne
4. John Wayne
Unusual uses:
5. **David** Wayne

6. Wayne **John**

7. John Wayne, John Wayne, John Wayne This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row
```

```
\def\lbreak{\\\\} % use macro
```

```
2. \replacecontentin{A}{\lbreak}{x}  %the same
```

```
3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row
```

```
4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row
```

```
Unusual uses:
```

```
5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }
```

```
6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}
```

```
\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro
```

```
7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:
1. Mary_Smith
2. MaryxSmith
3. Mary Smith
4. Mary Smith
Unusual uses:
5. Mary
Smith
6. Mary
Smith
7. Mary Smith, Mary Smith, Mary Smith This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row
```

```
\def\lbreak{\\\\} % use macro
```

```
2. \replacecontentin{A}{\lbreak}{x}  %the same
```

```
3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row
```

```
4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row
```

```
Unusual uses:
```

```
5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }
```

```
6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}
```

```
\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro
```

```
7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:
1. John_Wayne
2. JohnxWayne
3. John Wayne
4. John Wayne
Unusual uses:
5. **David** Wayne
6. Wayne **John**
7. John Wayne, John Wayne, John Wayne This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row
```

```
\def\lbreak{\\\\} % use macro
```

```
2. \replacecontentin{A}{\lbreak}{x}  %the same
```

```
3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row
```

```
4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row
```

```
Unusual uses:
```

```
5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }
```

```
6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}
```

```
\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro
```

```
7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:
1. Jane
2. Jane
3. Jane
4. Jane
Unusual uses:
5. Jane
6. Jane
7. Jane, Jane, Jane This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row
```

```
\def\lbreak{\\\\} % use macro
```

```
2. \replacecontentin{A}{\lbreak}{x}  %the same
```

```
3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row
```

```
4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row
```

```
Unusual uses:
```

```
5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }
```

```
6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}

\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro

7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:
1. Mary_Smith
2. MaryxSmith
3. Mary Smith
4. Mary Smith
Unusual uses:
5. Mary
Smith
6. Mary
Smith
7. Mary Smith, Mary Smith, Mary Smith This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row

\def\lbreak{\\\\} % use macro

2. \replacecontentin{A}{\lbreak}{x}  %the same

3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row

4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row

Unusual uses:

5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }

6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}

\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro

7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:

1. John_Wayne
2. JohnxWayne
3. John Wayne
4. John Wayne

Unusual uses:

5. **David** Wayne
6. Wayne **John**
7. John Wayne, John Wayne, John Wayne This examples:

```
1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row

\def\lbreak{\\\\} % use macro

2. \replacecontentin{A}{\lbreak}{x}  %the same

3. \replacecontentin{1}{\\\\}{ }  %subst. \\ to space in 1th colmn of current
row

4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row

Unusual uses:

5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }

6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}

\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{  }}% Your macro

7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]
```

Gets theese results:

1. Jane
2. Jane
3. Jane
4. Jane

Unusual uses:

5. Jane
6. Jane

7. Jane, Jane, Jane This examples:

1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row

\def\lbreak{\\\\} % use macro

2. \replacecontentin{A}{\lbreak}{x} %the same

3. \replacecontentin{1}{\\\\}{ } %subst. \\ to space in 1th colmn of current
row

4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row

Unusual uses:

5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }

6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}

\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{ }}% Your macro

7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]

Gets theese results:
1. Mary_Smith
2. MaryxSmith
3. Mary Smith
4. Mary Smith
Unusual uses:
5. Mary
Smith
6. Mary
Smith
7. Mary Smith, Mary Smith, Mary Smith This examples:

1. \replacecontentin{A}{\\\\}{_} %subst. \\ to x in colmn A of current
row

\def\lbreak{\\\\} % use macro

2. \replacecontentin{A}{\lbreak}{x}   %the same

3. \replacecontentin{1}{\\\\}{ } %subst. \\ to space in 1th colmn of current
row

4. \replacecontentin{cA}{\\\\}{ } %subst. \\ to space in \cA colmn of current
row

Unusual uses:

5. \replacecontentin{A}{John\\\\}{\\bgroup\\bf\\red David \\egroup }

6. \replacecontentin{1}{John\\\\Wayne}{Wayne \\bgroup\\bf\\blue John\\egroup
}

\def\gettextfrom[#1]{\replacecontentin{#1}{\\\\}{ }}% Your macro

7. \gettextfrom[1], \gettextfrom[A], \gettextfrom[cA]

Gets theese results:
1. Jane
2. Jane
3. Jane
4. Jane
Unusual uses:
5. Jane
6. Jane
7. Jane, Jane, Jane
1
2
3
4
5
6
7
8
9
10

XXXXXXXXXXHello
XXXXXXXXXXXXXXX

```
YYYYYYYYYYYYYHe
----Hello Hello
QQQQQQQQQQQQQQ1
999999999991234
_____Jane
<Jonathan Wayne
              1
%%%%%%%%%%%%%1
..............1
000000000000Jane
000000000000004
1
9
12
4
Jane
```