

CONFIDENTIAL CLINICAL DOCUMENT



FOLA Relational Assessment

Comprehensive Relationship Diagnostic Report

Partners: Alex & Jordan

Assessment Date: 6 June 2026

Report ID: MOCK-2026-0606-001

Prepared for: The Oasis by FOLA | Clinical Director: Hakeem

Executive Summary



OVERALL HEALTH

PRIMARY STRENGTH

Values & Vision

88% alignment

CRITICAL FRACTURE POINT

Trauma & History

45% alignment

CLINICAL RECOMMENDATIONS

- Individual trauma-informed sessions recommended before joint work. Consider Age Regression Therapy for Partner B.
- Begin with Communication Rewiring protocol in Phase 1.
- Attachment-focused sessions recommended in Phase 2.


Domain Scoring Matrix

Domain	Alex	Jordan	Alignment	Risk	Weight
Communication & Conflict	6/10	4/10	55% Critical	●	Critical
Attachment Style	7/10	5/10	65% Moderate	●	High
Trauma & History	5/10	3/10	45% Critical	●	Critical
Neurodivergence	8/10	7/10	82% Strong	●	Moderate
Values & Vision	9/10	8/10	88% Strong	●	High
Change Readiness	6/10	8/10	70% Moderate	●	Moderate
Future Vision	7/10	6/10	72% Moderate	●	Moderate
Prejudices & Biases	8/10	7/10	78% Moderate	●	Moderate


● Low Risk (80-100%) ● Medium Risk (60-79%) ● High Risk (<60%)

Visual Dashboard

PARTNER COMPARISON (RADAR)



ALIGNMENT BY DOMAIN



CLINICAL RISK MATRIX



Deep Domain Analysis

Communication & Conflict

Clinical Weight: Critical

55%

ALEX

JORDAN

GAP

6/10

4/10

2 pts

This domain represents a significant area of concern. The gap between partners suggests misalignment that could be a recurring source of conflict without targeted intervention.

Attachment Style

Clinical Weight: High

65%

ALEX

JORDAN

GAP

7/10

5/10

2 pts

This domain shows moderate alignment. While not an immediate concern, continued attention and open dialogue can prevent this area from becoming a source of tension.

Trauma & History

Clinical Weight: Critical

45%

ALEX

JORDAN

GAP

5/10

3/10

2 pts

This domain represents a significant area of concern. The gap between partners suggests misalignment that could be a recurring source of conflict without targeted intervention.

Neurodivergence

Clinical Weight: Moderate

82%

ALEX

JORDAN

GAP

8/10

7/10

1 pts

This domain represents a strength in your relationship. Continue nurturing this area of alignment as it provides a foundation for working through challenges in other domains.

Values & Vision

Clinical Weight: High

88%

ALEX

JORDAN

GAP

9/10

8/10

1 pts

This domain represents a strength in your relationship. Continue nurturing this area of alignment as it provides a foundation for working through challenges in other domains.

Change Readiness

70%

Clinical Weight: Moderate

ALEX

6/10

JORDAN

8/10

GAP

2 pts

This domain shows moderate alignment. While not an immediate concern, continued attention and open dialogue can prevent this area from becoming a source of tension.

Future Vision

72%

Clinical Weight: Moderate

ALEX

7/10

JORDAN

6/10

GAP

1 pts

This domain shows moderate alignment. While not an immediate concern, continued attention and open dialogue can prevent this area from becoming a source of tension.

Prejudices & Biases

78%

Clinical Weight: Moderate

ALEX

8/10

JORDAN

7/10

GAP

1 pts

This domain represents a strength in your relationship. Continue nurturing this area of alignment as it provides a foundation for working through challenges in other domains.

Clinical Flags & Considerations

TRAUMA DISCREPANCY — HIGH SEVERITY

Significant gap in trauma history awareness between partners. Partner B reports higher adverse experiences with limited disclosure to Partner A.

Individual trauma-informed sessions recommended before joint work. Consider Age Regression Therapy for Partner B.

COMMUNICATION BREAKDOWN — HIGH SEVERITY

Conflict resolution patterns show escalation risk. Both partners report feeling unheard during disagreements.

Begin with Communication Rewiring protocol in Phase 1.

ATTACHMENT INSECURITY — MEDIUM SEVERITY

Anxious-avoidant attachment dynamic detected. Partner A (anxious) pursues; Partner B (avoidant) withdraws under stress.

Attachment-focused sessions recommended in Phase 2.

Clinical Pathway Recommendation

PHASE 1		Weeks 1-4
Stabilisation & Safety		
Breakthrough Session (Joint)	R2,700	
Target: Establish therapeutic alliance and safety		
Individual Session — Partner B	R2,700	
Target: Trauma history mapping		
Communication Rewiring Session	R2,700	
Target: De-escalation tools and active listening		

PHASE 2		Weeks 5-10
Deepening & Repair		
Attachment-Focused Session	R2,700	
Target: Pattern interruption and secure bonding		
Age Regression Therapy — Partner B	R4,000	
Target: Childhood trauma processing		
Values & Vision Integration	R2,700	
Target: Shared future narrative		

PHASE 3		Weeks 11-16
Integration & Maintenance		
Maintenance Session	R2,000	
Target: Relapse prevention and skill consolidation		
Quarterly Re-assessment	R2,700	
Target: Progress measurement and plan adjustment		

ESTIMATED TOTAL INVESTMENT		
Across all recommended phases		
The DoLoveBetter Cohort (R6,000 individual / R9,000 couple) is the recommended starting point for most couples. Age Regression Therapy sessions are R4,000 each for deeper trauma work. Breakthrough & Maintenance sessions are R2,700 each.		
		R22,200

Action Items & Next Steps

Immediate Actions

- ☐ Review this report together in a calm, uninterrupted setting
- ☐ Discuss which findings resonate with your experience
- ☐ Book an initial consultation with The Oasis by FOLA
- ☐ Begin individual journaling about your identified growth areas

Pre-Session Journal Prompts

1. What did I learn about myself from this assessment that surprised me?
2. What did I learn about my partner that I want to understand better?
3. What is one thing I am willing to change or work on starting today?
4. What do I need from my partner to feel safe in this process?

Appendix

Scoring Methodology

Alignment scores are calculated using weighted domain analysis. Slider-based domains use mean absolute difference normalised to a 0-100% scale. Categorical domains (attachment, change readiness) use empirically-derived compatibility matrices. The overall score applies weighted averages with clinical significance as the weight factor.

References

- Bowlby, J. (1969). Attachment and Loss. Basic Books.
- Prochaska, J.O. & DiClemente, C.C. (1983). Stages of Change in the Modification of Problem Behaviors.
- Felitti, V.J. et al. (1998). Adverse Childhood Experiences Study.
- Barkley, R.A. (2015). ADHD and the Nature of Self-Control. Guilford Press.
- Gottman, J.M. (1999). The Seven Principles for Making Marriage Work.

Disclaimers

This report is a screening instrument and does not constitute a clinical diagnosis. Results are intended to inform and guide therapeutic conversations, not replace professional assessment. All data is processed locally and is not stored on any server. By using this tool, you acknowledge that The Oasis by FOLA and its practitioners are not liable for decisions made based on these results alone.

Assessment Price: R2500 | Base price R2,500 (dynamic pricing applied based on clinical complexity)

Report ID: MOCK-2026-0606-001 | Generated: 6 June 2026

The Oasis by FOLA | Clinical Director: Hakeem