

CONFIDENTIAL CLINICAL DOCUMENT



FOLA Individual Assessment

Personal Relationship Diagnostic Report

Client: Sam

Assessment Date: 6 June 2026

Report ID: MOCK-IND-2026-0606-001

Prepared for: The Oasis by FOLA | Clinical Director: Hakeem

Executive Summary



OVERALL RELATIONAL HEALTH

TOP STRENGTH

Values & Vision

8/100

PRIMARY GROWTH EDGE

Trauma & History

4/100

CLINICAL RECOMMENDATIONS

- Individual Age Regression Therapy recommended as priority intervention.
- Attachment-focused individual sessions recommended.

Dimension Scoring Matrix

Dimension	Score	Status	Percentile	Clinical Weight
Self-Awareness	6/100	Critical	40th	High
Attachment Style	5/100	Critical	30th	Critical
Trauma & History	4/100	Critical	20th	Critical
Neurodivergence	7/100	Critical	60th	Moderate
Communication Patterns	6/100	Critical	40th	High
Values & Vision	8/100	Critical	75th	Moderate
Change Readiness	7/100	Critical	60th	Moderate
Emotional Regulation	5/100	Critical	30th	High
Self-Concept	6/100	Critical	40th	Moderate
Prejudices & Biases	8/100	Critical	80th	Low

● Strength (70-100) ● Growth (45-69) ● Critical (<45)

Visual Dashboard

DIMENSION PROFILE (RADAR)



SCORES BY DIMENSION



CLINICAL RISK MATRIX

CRITICAL Self-Awareness Attachment Style Trauma & History Neurodivergence Communication Patterns Values & Vision Change Readiness Emotional Regulation Self-Concept	GROWTH No dimensions	STRENGTH No dimensions
---	--	--

Deep Dimension Analysis

Self-Awareness

Clinical Weight: High

6/100

SCORE

6/100

STATUS

Critical

PERCENTILE

40th

This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Attachment Style

Clinical Weight: Critical

5/100

SCORE

5/100

STATUS

Critical

PERCENTILE

30th

This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Trauma & History

Clinical Weight: Critical

4/100

SCORE

4/100

STATUS

Critical

PERCENTILE

20th

This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Neurodivergence

Clinical Weight: Moderate

7/100

SCORE

7/100

STATUS

Critical

PERCENTILE

60th

This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Communication Patterns

6/100

Clinical Weight: High

SCORE


6/100

STATUS

Critical

PERCENTILE

40th



This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Values & Vision

8/100

Clinical Weight: Moderate

SCORE


8/100

STATUS

Critical

PERCENTILE

75th



This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Change Readiness

7/100

Clinical Weight: Moderate

SCORE


7/100

STATUS

Critical

PERCENTILE

60th



This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Emotional Regulation

5/100

Clinical Weight: High

SCORE


5/100

STATUS

Critical

PERCENTILE

30th



This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Self-Concept

6/100

Clinical Weight: Moderate

SCORE


STATUS

PERCENTILE

6/100

Critical

40th



This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Prejudices & Biases

Clinical Weight: Low

8/100

SCORE


STATUS

PERCENTILE

8/100

Critical

80th



This dimension represents a significant area of concern. Targeted therapeutic intervention is recommended to address underlying patterns before they impact broader relational functioning.

Clinical Flags & Considerations

UNRESOLVED TRAUMA — HIGH SEVERITY

Elevated ACE score with limited processing. Avoidance patterns detected in emotional regulation.

Individual Age Regression Therapy recommended as priority intervention.

ATTACHMENT INSECURITY — HIGH SEVERITY

Anxious attachment pattern with fear of abandonment. Impacts communication and emotional regulation.

Attachment-focused individual sessions recommended.

Clinical Pathway Recommendation

PHASE 1		Weeks 1-3
Foundation & Safety		
Breakthrough Session	Target: Assessment review and goal setting	R2,700
Age Regression Therapy	Target: Core trauma processing	R4,000

PHASE 2		Weeks 4-8
Deepening & Integration		
Attachment-Focused Session	Target: Pattern awareness and repair	R2,700
Emotional Regulation Session	Target: Somatic tools and nervous system regulation	R2,700
Values & Vision Session	Target: Life direction clarity	R2,700

PHASE 3		Weeks 9-12
Maintenance & Growth		
Maintenance Session	Target: Relapse prevention and skill consolidation	R2,000
Peak Performance Session	Target: Thriving beyond healing	R2,700

ESTIMATED TOTAL INVESTMENT		
Across all recommended phases		R19,500
Age Regression Therapy sessions are R4,000 each for deeper trauma work. Breakthrough & Maintenance sessions are R2,700 each. All prices exclude the R600 assessment fee.		

Action Items & Next Steps

Immediate Actions

- ☐ Review this report in a calm, uninterrupted setting
- ☐ Reflect on which findings resonate with your experience
- ☐ Book a discovery call with The Oasis by FOLA
- ☐ Begin journaling about your identified growth areas

Pre-Session Journal Prompts

1. What did I learn about myself from this assessment that surprised me?
2. What pattern do I notice repeating in my relationships?
3. What is one thing I am willing to change or work on starting today?
4. What support do I need to feel safe in this process?

Ready to Transform?

Your assessment reveals the pattern. Now let FOLA help you change it. Book a discovery call to discuss your personalised pathway.

[Book Your Discovery Call](#)

Appendix

Scoring Methodology

Dimension scores are calculated using weighted domain analysis. Slider-based dimensions use mean score normalised to a 0-100% scale. Categorical dimensions (attachment style, change readiness) use empirically-derived scoring matrices. The overall score applies weighted averages with clinical significance as the weight factor.

References

- Bowlby, J. (1969). Attachment and Loss. Basic Books.
- Prochaska, J.O. & DiClemente, C.C. (1983). Stages of Change in the Modification of Problem Behaviors.
- Felitti, V.J. et al. (1998). Adverse Childhood Experiences Study.
- Barkley, R.A. (2015). ADHD and the Nature of Self-Control. Guilford Press.
- Gottman, J.M. (1999). The Seven Principles for Making Marriage Work.

Disclaimers

This report is a screening instrument and does not constitute a clinical diagnosis. Results are intended to inform and guide therapeutic conversations, not replace professional assessment. All data is processed locally and is not stored on any server. By using this tool, you acknowledge that The Oasis by FOLA and its practitioners are not liable for decisions made based on these results alone.