19.7.43 Windows Logon Options

This section is intentionally blank and exists to ensure the structure of Windows benchmarks is consistent.

This Group Policy section is provided by the Group Policy template WinLogon.admx/adml that is included with all versions of the Microsoft Windows Administrative Templates.

19.7.44 Windows Mail

This section is intentionally blank and exists to ensure the structure of Windows benchmarks is consistent.

This Group Policy section is provided by the Group Policy template WindowsMail.admx/adml that is only included with the Microsoft Windows Vista through the Windows 10 Release 1703 Administrative Templates.

19.7.45 Windows Media Center

This section is intentionally blank and exists to ensure the structure of Windows benchmarks is consistent.

This Group Policy section is provided by the Group Policy template

MediaCenter.admx/adml that is only included with the Microsoft Windows Vista through
Windows 10 Release 1511 Administrative Templates.

19.7.46 Windows Media Player

This section is intentionally blank and exists to ensure the structure of Windows benchmarks is consistent.

This Group Policy section is provided by the Group Policy template WindowsMediaPlayer.admx/adml that is included with all versions of the Microsoft Windows Administrative Templates.

Appendix: Summary Table

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
1	Account Policies		
1.1	Password Policy		
1.1.1	(L1) Ensure 'Enforce password history' is set to '24 or more passwords' (Automated)		
1.1.2	(L1) Ensure 'Maximum password age' is set to '365 or fewer days, but not 0' (Automated)		
1.1.3	(L1) Ensure 'Minimum password age' is set to '1 or more day(s)' (Automated)		
1.1.4	(L1) Ensure 'Minimum password length' is set to '14 or more characters' (Automated)		
1.1.5	(L1) Ensure 'Password must meet complexity requirements' is set to 'Numbers, lowercase, uppercase and special characters required' (Automated)		
1.2	Account Lockout Policy		
2	Local Policies		
2.1	Audit Policy		
2.2	User Rights Assignment		
2.2.1	(L1) Ensure 'Access Credential Manager as a trusted caller' is set to 'No One' (Automated)		
2.2.2	(L1) Ensure 'Access this computer from the network' is set to 'Administrators, Remote Desktop Users' (Automated)		
2.2.3	(L1) Ensure 'Act as part of the operating system' is set to 'No One' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
2.2.4	(L1) Ensure 'Allow log on locally' is set to 'Administrators, Users' (Automated)		
2.2.5	(L1) Ensure 'Back up files and directories' is set to 'Administrators' (Automated)		
2.2.6	(L1) Ensure 'Change the system time' is set to 'Administrators, LOCAL SERVICE' (Automated)		
2.2.7	(L1) Ensure 'Create a pagefile' is set to 'Administrators' (Automated)		
2.2.8	(L1) Ensure 'Create a token object' is set to 'No One' (Automated)		
2.2.9	(L1) Ensure 'Create global objects' is set to 'Administrators, LOCAL SERVICE, NETWORK SERVICE, SERVICE' (Automated)		
2.2.10	(L1) Ensure 'Create permanent shared objects' is set to 'No One' (Automated)		
2.2.11	(L1) Configure 'Create symbolic links' is set to 'Administrators' (Automated)		
2.2.12	(L1) Ensure 'Debug programs' is set to 'Administrators' (Automated)		
2.2.13	(L1) Ensure 'Deny access to this computer from the network' to include 'Guests, Local account' (Automated)		
2.2.14	(L1) Ensure 'Deny log on locally' to include 'Guests' (Automated)		
2.2.15	(L1) Ensure 'Deny log on through Remote Desktop Services' to include 'Guests, Local account' (Automated)		
2.2.16	(L1) Ensure 'Enable computer and user accounts to be trusted for delegation' is set to 'No One' (Automated)		
2.2.17	(L1) Ensure 'Force shutdown from a remote system' is set to 'Administrators' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
2.2.18	(L1) Ensure 'Generate security audits' is set to 'LOCAL SERVICE, NETWORK SERVICE' (Automated)		
2.2.19	(L1) Ensure 'Impersonate a client after authentication' is set to 'Administrators, LOCAL SERVICE, NETWORK SERVICE, SERVICE' (Automated)		
2.2.20	(L1) Ensure 'Increase scheduling priority' is set to 'Administrators, Window Manager\Window Manager Group' (Automated)		
2.2.21	(L1) Ensure 'Load and unload device drivers' is set to 'Administrators' (Automated)		
2.2.22	(L1) Ensure 'Lock pages in memory' is set to 'No One' (Automated)		
2.2.23	(L1) Ensure 'Manage auditing and security log' is set to 'Administrators' (Automated)		
2.2.24	(L1) Ensure 'Modify an object label' is set to 'No One' (Automated)		
2.2.25	(L1) Ensure 'Modify firmware environment values' is set to 'Administrators' (Automated)		
2.2.26	(L1) Ensure 'Perform volume maintenance tasks' is set to 'Administrators' (Automated)		
2.2.27	(L1) Ensure 'Profile single process' is set to 'Administrators' (Automated)		
2.2.28	(L1) Ensure 'Restore files and directories' is set to 'Administrators' (Automated)		
2.2.29	(L1) Ensure 'Take ownership of files or other objects' is set to 'Administrators' (Automated)		
2.3	Security Options		
2.3.1	Accounts		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
2.3.1.1	(L1) Ensure 'Accounts: Administrator account status' is set to 'Disabled' (Automated)		
2.3.1.2	(L1) Ensure 'Accounts: Block Microsoft accounts' is set to 'Blocked' (Automated)		
2.3.1.3	(L1) Ensure 'Accounts: Guest account status' is set to 'Disabled' (Automated)		
2.3.1.4	(L1) Ensure 'Accounts: Limit local account use of blank passwords to console logon only' is set to 'Enabled' (Automated)		
2.3.1.5	(L1) Configure 'Accounts: Rename administrator account' (Automated)		
2.3.1.6	(L1) Configure 'Accounts: Rename guest account' (Automated)		
2.3.2	Audit		
2.3.3	DCOM		
2.3.4	Devices		
2.3.4.1	(L1) Ensure 'Devices: Allowed to format and eject removable media' is set to 'Administrators and Interactive Users' (Automated)		
2.3.4.2	(L2) Ensure 'Devices: Prevent users from installing printer drivers' is set to 'Enabled' (Automated)		
2.3.5	Domain controller		
2.3.6	Domain member		
2.3.7	Interactive logon		
2.3.7.1	(L1) Ensure 'Interactive logon: Do not require CTRL+ALT+DEL' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
2.3.7.2	(L1) Ensure 'Interactive logon: Don't display last signed-in' is set to 'Enabled' (Automated)		
2.3.7.3	(L1) Ensure 'Interactive logon: Machine inactivity limit' is set to '900 or fewer second(s), but not 0' (Automated)		
2.3.7.4	(L1) Configure 'Interactive logon: Message text for users attempting to log on' (Automated)		
2.3.7.5	(L1) Configure 'Interactive logon: Message title for users attempting to log on' (Automated)		
2.3.7.6	(L1) Ensure 'Interactive logon: Smart card removal behavior' is set to 'Lock Workstation' or higher (Automated)		
2.3.8	Microsoft network client		
2.3.8.1	(L1) Ensure 'Microsoft network client: Digitally sign communications (always)' is set to 'Enabled' (Automated)		
2.3.8.2	(L1) Ensure 'Microsoft network client: Digitally sign communications (if server agrees)' is set to 'Enabled' (Automated)		
2.3.8.3	(L1) Ensure 'Microsoft network client: Send unencrypted password to third-party SMB servers' is set to 'Disabled' (Automated)		
2.3.9	Microsoft network server		
2.3.9.1	(L1) Ensure 'Microsoft network server: Digitally sign communications (always)' is set to 'Enabled' (Automated)		
2.3.9.2	(L1) Ensure 'Microsoft network server: Digitally sign communications (if client agrees)' is set to 'Enabled' (Automated)		
2.3.10	Network access		

CIS Benchmark Recommendation		Set Correctly		
		Yes	No	
2.3.10.1	(L1) Ensure 'Network access: Do not allow anonymous enumeration of SAM accounts' is set to 'Enabled' (Automated)			
2.3.10.2	(L1) Ensure 'Network access: Do not allow anonymous enumeration of SAM accounts and shares' is set to 'Enabled' (Automated)			
2.3.10.3	(L1) Ensure 'Network access: Restrict anonymous access to Named Pipes and Shares' is set to 'Enabled' (Automated)			
2.3.10.4	(L1) Ensure 'Network access: Restrict clients allowed to make remote calls to SAM' is set to 'Administrators: Remote Access: Allow' (Automated)			
2.3.11	Network security			
2.3.11.1	(L1) Ensure 'Network security: Allow Local System to use computer identity for NTLM' is set to 'Enabled' (Automated)			
2.3.11.2	(L1) Ensure 'Network Security: Allow PKU2U authentication requests to this computer to use online identities' is set to 'Disabled' (Automated)			
2.3.11.3	(L1) Ensure 'Network security: Do not store LAN Manager hash value on next password change' is set to 'Enabled' (Automated)			
2.3.11.4	(L1) Ensure 'Network security: LAN Manager authentication level' is set to 'Send NTLMv2 response only. Refuse LM & NTLM' (Automated)			
2.3.11.5	(L1) Ensure 'Network security: Minimum session security for NTLM SSP based (including secure RPC) clients' is set to 'Require NTLMv2 session security, Require 128-bit encryption' (Automated)			
2.3.12	Recovery console			
2.3.13	Shutdown			

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
2.3.14	System cryptography		
2.3.15	System objects		
2.3.16	System settings		
2.3.17	User Account Control		
2.3.17.1	(L1) Ensure 'User Account Control: Admin Approval Mode for the Built-in Administrator account' is set to 'Enabled' (Automated)		
2.3.17.2	(L1) Ensure 'User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode' is set to 'Prompt for consent on the secure desktop' (Automated)		
2.3.17.3	(L1) Ensure 'User Account Control: Behavior of the elevation prompt for standard users' is set to 'Automatically deny elevation requests' (Automated)		
2.3.17.4	(L1) Ensure 'User Account Control: Detect application installations and prompt for elevation' is set to 'Enabled' (Automated)		
2.3.17.5	(L1) Ensure 'User Account Control: Only elevate UIAccess applications that are installed in secure locations' is set to 'Enabled' (Automated)		
2.3.17.6	(L1) Ensure 'User Account Control: Run all administrators in Admin Approval Mode' is set to 'Enabled' (Automated)		
2.3.17.7	(L1) Ensure 'User Account Control: Switch to the secure desktop when prompting for elevation' is set to 'Enabled' (Automated)		
2.3.17.8	(L1) Ensure 'User Account Control: Virtualize file and registry write failures to per-user locations' is set to 'Enabled' (Automated)		
3	Event Log		

	CIS Benchmark Recommendation		et ectly
		Yes	No
4	Restricted Groups		
5	System Services		
5.1	(L1) Ensure 'Xbox Accessory Management Service (XboxGipSvc)' is set to 'Disabled' (Automated)		
5.2	(L1) Ensure 'Xbox Live Auth Manager (XblAuthManager)' is set to 'Disabled' (Automated)		
5.3	(L1) Ensure 'Xbox Live Game Save (XblGameSave)' is set to 'Disabled' (Automated)		
5.4	(L1) Ensure 'Xbox Live Networking Service (XboxNetApiSvc)' is set to 'Disabled' (Automated)		
6	Registry		
7	File System		
8	Wired Network (IEEE 802.3) Policies		
9	Windows Firewall with Advanced Security		
9.1	Domain Profile		
9.1.1	(L1) Ensure 'Windows Firewall: Domain: Firewall state' is set to 'Enabled' (Automated)		
9.1.2	(L1) Ensure 'Windows Firewall: Domain: Inbound connections' is set to 'Block' (Automated)		
9.1.3	(L1) Ensure 'Windows Firewall: Domain: Outbound connections' is set to 'Allow' (Automated)		
9.1.4	(L1) Ensure 'Windows Firewall: Domain: Settings: Display a notification' is set to 'Block' (Automated)		
9.2	Private Profile	•	
9.2.1	(L1) Ensure 'Windows Firewall: Private: Firewall state' is set to 'Enabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
9.2.2	(L1) Ensure 'Windows Firewall: Private: Inbound connections' is set to 'Block' (Automated)		
9.2.3	(L1) Ensure 'Windows Firewall: Private: Outbound connections' is set to 'Allow' (Automated)		
9.2.4	(L1) Ensure 'Windows Firewall: Private: Settings: Display a notification' is set to 'Block' (Automated)		
9.3	Public Profile		
9.3.1	(L1) Ensure 'Windows Firewall: Public: Firewall state' is set to 'Enabled' (Automated)		
9.3.2	(L1) Ensure 'Windows Firewall: Public: Inbound connections' is set to 'Block' (Automated)		
9.3.3	(L1) Ensure 'Windows Firewall: Public: Outbound connections' is set to 'Allow' (Automated)		
9.3.4	(L1) Ensure 'Windows Firewall: Public: Settings: Display a notification' is set to 'Block' (Automated)		
10	Network List Manager Policies		
11	Wireless Network (IEEE 802.11) Policies		
12	Public Key Policies		
13	Software Restriction Policies		
14	Network Access Protection NAP Client Configuration		
15	Application Control Policies		
16	IP Security Policies		
17	Advanced Audit Policy Configuration		
17.1	Account Logon		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
17.1.1	(L1) Ensure 'Audit Credential Validation' is set to 'Success and Failure' (Automated)		
17.2	Account Management		
17.2.1	(L1) Ensure 'Audit Application Group Management' is set to 'Success and Failure' (Automated)		
17.2.2	(L1) Ensure 'Audit Security Group Management' is set to include 'Success' (Automated)		
17.2.3	(L1) Ensure 'Audit User Account Management' is set to 'Success and Failure' (Automated)		
17.3	Detailed Tracking		
17.3.1	(L1) Ensure 'Audit PNP Activity' is set to include 'Success' (Automated)		
17.3.2	(L1) Ensure 'Audit Process Creation' is set to include 'Success' (Automated)		
17.4	DS Access		
17.5	Logon/Logoff		
17.5.1	(L1) Ensure 'Audit Account Lockout' is set to include 'Failure' (Automated)		
17.5.2	(L1) Ensure 'Audit Group Membership' is set to include 'Success' (Automated)		
17.5.3	(L1) Ensure 'Audit Logoff' is set to include 'Success' (Automated)		
17.5.4	(L1) Ensure 'Audit Logon' is set to 'Success and Failure' (Automated)		
17.5.5	(L1) Ensure 'Audit Other Logon/Logoff Events' is set to 'Success and Failure' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
17.5.6	(L1) Ensure 'Audit Special Logon' is set to include 'Success' (Automated)		
17.6	Object Access		
17.6.1	(L1) Ensure 'Audit Detailed File Share' is set to include 'Failure' (Automated)		
17.6.2	(L1) Ensure 'Audit File Share' is set to 'Success and Failure' (Automated)		
17.6.3	(L1) Ensure 'Audit Other Object Access Events' is set to 'Success and Failure' (Automated)		
17.6.4	(L1) Ensure 'Audit Removable Storage' is set to 'Success and Failure' (Automated)		
17.7	Policy Change		
17.7.1	(L1) Ensure 'Audit Audit Policy Change' is set to include 'Success' (Automated)		
17.7.2	(L1) Ensure 'Audit Authentication Policy Change' is set to include 'Success' (Automated)		
17.7.3	(L1) Ensure 'Audit Authorization Policy Change' is set to include 'Success' (Automated)		
17.7.4	(L1) Ensure 'Audit MPSSVC Rule-Level Policy Change' is set to 'Success and Failure' (Automated)		
17.7.5	(L1) Ensure 'Audit Other Policy Change Events' is set to include 'Failure' (Automated)		
17.8	Privilege Use		
17.8.1	(L1) Ensure 'Audit Sensitive Privilege Use' is set to 'Success and Failure' (Automated)		
17.9	System		_

CIS Benchmark Recommendation			et ectly
		Yes	No
17.9.1	(L1) Ensure 'Audit IPsec Driver' is set to 'Success and Failure' (Automated)		
17.9.2	(L1) Ensure 'Audit Other System Events' is set to 'Success and Failure' (Automated)		
17.9.3	(L1) Ensure 'Audit Security State Change' is set to include 'Success' (Automated)		
17.9.4	(L1) Ensure 'Audit Security System Extension' is set to include 'Success' (Automated)		
17.9.5	(L1) Ensure 'Audit System Integrity' is set to 'Success and Failure' (Automated)		
18	Administrative Templates (Computer)		
18.1	Control Panel		
18.1.1	Personalization		
18.1.1.1	(L1) Ensure 'Prevent enabling lock screen camera' is set to 'Enabled' (Automated)		
18.1.1.2	(L1) Ensure 'Prevent enabling lock screen slide show' is set to 'Enabled' (Automated)		
18.1.2	Regional and Language Options		
18.1.2.1	Handwriting personalization		
18.1.2.2	(L1) Ensure 'Allow users to enable online speech recognition services' is set to 'Disabled' (Automated)		
18.1.3	(L2) Ensure 'Allow Online Tips' is set to 'Disabled' (Automated)		
18.2	LAPS		
18.2.1	(L1) Ensure LAPS AdmPwd GPO Extension / CSE is installed (Automated)		

	CIS Benchmark Recommendation	_	et ectly
		Yes	No
18.2.2	(L1) Ensure 'Do not allow password expiration time longer than required by policy' is set to 'Enabled' (Automated)		
18.2.3	(L1) Ensure 'Enable Local Admin Password Management' is set to 'Enabled' (Automated)		
18.2.4	(L1) Ensure 'Password Settings: Password Complexity' is set to 'Enabled: Large letters + small letters + numbers + special characters' (Automated)		
18.2.5	(L1) Ensure 'Password Settings: Password Length' is set to 'Enabled: 15 or more' (Automated)		
18.2.6	(L1) Ensure 'Password Settings: Password Age (Days)' is set to 'Enabled: 30 or fewer' (Automated)		
18.3	MS Security Guide		
18.3.1	(L1) Ensure 'Apply UAC restrictions to local accounts on network logons' is set to 'Enabled' (Automated)		
18.3.2	(L1) Ensure 'Configure SMB v1 client driver' is set to 'Enabled: Disable driver (recommended)' (Automated)		
18.3.3	(L1) Ensure 'Configure SMB v1 server' is set to 'Disabled' (Automated)		
18.3.4	(L1) Ensure 'Enable Structured Exception Handling Overwrite Protection (SEHOP)' is set to 'Enabled' (Automated)		
18.3.5	(L1) Ensure 'WDigest Authentication' is set to 'Disabled' (Automated)		
18.4	MSS (Legacy)		
18.4.1	(L1) Ensure 'MSS: (AutoAdminLogon) Enable Automatic Logon (not recommended)' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.4.2	(L1) Ensure 'MSS: (DisableIPSourceRouting IPv6) IP source routing protection level (protects against packet spoofing)' is set to 'Enabled: Highest protection, source routing is completely disabled' (Automated)		
18.4.3	(L1) Ensure 'MSS: (DisableIPSourceRouting) IP source routing protection level (protects against packet spoofing)' is set to 'Enabled: Highest protection, source routing is completely disabled' (Automated)		
18.4.4	(L2) Ensure 'MSS: (DisableSavePassword) Prevent the dial-up password from being saved' is set to 'Enabled' (Automated)		
18.4.5	(L1) Ensure 'MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes' is set to 'Disabled' (Automated)		
18.4.6	(L2) Ensure 'MSS: (KeepAliveTime) How often keepalive packets are sent in milliseconds' is set to 'Enabled: 300,000 or 5 minutes (recommended)' (Automated)		
18.4.7	(L1) Ensure 'MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests except from WINS servers' is set to 'Enabled' (Automated)		
18.4.8	(L1) Ensure 'MSS: (SafeDIISearchMode) Enable Safe DLL search mode (recommended)' is set to 'Enabled' (Automated)		
18.4.9	(L2) Ensure 'MSS: (PerformRouterDiscovery) Allow IRDP to detect and configure Default Gateway addresses (could lead to DoS)' is set to 'Disabled' (Automated)		
18.4.10	(L1) Ensure 'MSS: (ScreenSaverGracePeriod) The time in seconds before the screen saver grace period expires (0 recommended)' is set to 'Enabled: 5 or fewer seconds' (Automated)		

	CIS Benchmark Recommendation	_	et ectly
		Yes	No
18.4.11	(L2) Ensure 'MSS: (TcpMaxDataRetransmissions) How many times unacknowledged data is retransmitted' is set to 'Enabled: 3' (Automated)		
18.4.12	(L2) Ensure 'MSS: (TcpMaxDataRetransmissions IPv6) How many times unacknowledged data is retransmitted' is set to 'Enabled: 3' (Automated)		
18.4.13	(L1) Ensure 'MSS: (WarningLevel) Percentage threshold for the security event log at which the system will generate a warning' is set to 'Enabled: 90% or less' (Automated)		
18.5	Network		
18.5.1	Background Intelligent Transfer Service (BITS)		
18.5.2	BranchCache		
18.5.3	DirectAccess Client Experience Settings		
18.5.4	DNS Client		
18.5.4.1	(L1) Ensure 'Turn off multicast name resolution' is set to 'Enabled' (Automated)		
18.5.5	Fonts		
18.5.5.1	(L2) Ensure 'Enable Font Providers' is set to 'Disabled' (Automated)		
18.5.6	Hotspot Authentication		
18.5.7	Lanman Server		
18.5.8	Lanman Workstation		
18.5.8.1	(L1) Ensure 'Enable insecure guest logons' is set to 'Disabled' (Automated)		
18.5.9	Link-Layer Topology Discovery		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.5.9.1	(L2) Ensure 'Turn on Mapper I/O (LLTDIO) driver' is set to 'Disabled' (Automated)		
18.5.9.2	(L2) Ensure 'Turn on Responder (RSPNDR) driver' is set to 'Disabled' (Automated)		
18.5.10	Microsoft Peer-to-Peer Networking Services		
18.5.11	Network Connections		
18.5.11.1	Windows Defender Firewall (formerly Windows Firewa	II)	
18.5.11.2	(L1) Ensure 'Prohibit installation and configuration of Network Bridge on your DNS domain network' is set to 'Enabled' (Automated)		
18.5.11.3	(L1) Ensure 'Prohibit use of Internet Connection Sharing on your DNS domain network' is set to 'Enabled' (Automated)		
18.5.11.4	(L1) Ensure 'Require domain users to elevate when setting a network's location' is set to 'Enabled' (Automated)		
18.5.12	Network Connectivity Status Indicator		
18.5.13	Network Isolation		
18.5.14	Network Provider		
18.5.14.1	(L1) Ensure 'Hardened UNC Paths' is set to 'Enabled, with "Require Mutual Authentication" and "Require Integrity" set for all NETLOGON and SYSVOL shares' (Automated)		
18.5.15	Offline Files		
18.5.16	QoS Packet Scheduler		
18.5.17	SNMP		
18.5.18	SSL Configuration Settings		

	CIS Benchmark Recommendation	_	et ectly	
		Yes	No	
18.5.19	TCPIP Settings			
18.5.20	Windows Connect Now			
18.5.20.1	(L2) Ensure 'Configuration of wireless settings using Windows Connect Now' is set to 'Disabled' (Automated)			
18.5.20.2	(L2) Ensure 'Prohibit access of the Windows Connect Now wizards' is set to 'Enabled' (Automated)			
18.5.21	Windows Connection Manager			
18.5.21.1	(L1) Ensure 'Prohibit connection to non-domain networks when connected to domain authenticated network' is set to 'Enabled' (Automated)			
18.5.21.2	(L1) Ensure 'Minimize the number of simultaneous connections to the Internet or a Windows Domain' is set to 'Enabled: 3 = Prevent Wi-Fi when on Ethernet' (Automated)			
18.5.22	Wireless Display			
18.5.23	WLAN Service			
18.5.23.1	WLAN Media Cost			
18.5.23.2	WLAN Settings			
18.5.23.2.1	(L1) Ensure 'Allow Windows to automatically connect to suggested open hotspots, to networks shared by contacts, and to hotspots offering paid services' is set to 'Disabled' (Automated)			
18.6	Printers			
18.6.1	(L1) Ensure 'Allow Print Spooler to accept client connections' is set to 'Disabled' (Automated)			
18.6.2	(L1) Ensure 'Point and Print Restrictions: When installing drivers for a new connection' is set to 'Enabled: Show warning and elevation prompt' (Automated)			

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.6.3	(L1) Ensure 'Point and Print Restrictions: When updating drivers for an existing connection' is set to 'Enabled: Show warning and elevation prompt' (Automated)		
18.7	Start Menu and Taskbar		
18.7.1	Notifications		
18.7.1.1	(L2) Ensure 'Turn off notifications network usage' is set to 'Enabled' (Automated)		
18.8	System		
18.8.1	Access-Denied Assistance		
18.8.2	App-V		
18.8.3	Audit Process Creation		
18.8.3.1	(L1) Ensure 'Include command line in process creation events' is set to 'Enabled' (Automated)		
18.8.4	Credentials Delegation		
18.8.4.1	(L1) Ensure 'Remote host allows delegation of non- exportable credentials' is set to 'Enabled' (Automated)		
18.8.4.2	(L1) Ensure 'Encryption Oracle Remediation' is set to 'Enabled: Force Updated Clients' (Automated)		
18.8.5	Device Guard		
18.8.5.1	(NG) Ensure 'Turn On Virtualization Based Security' is set to 'Enabled' (Automated)		
18.8.5.2	(NG) Ensure 'Turn On Virtualization Based Security: Select Platform Security Level' is set to 'Secure Boot and DMA Protection' (Automated)		
18.8.5.3	(NG) Ensure 'Turn On Virtualization Based Security: Credential Guard Configuration' is set to 'Enabled with UEFI lock' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.5.4	(NG) Ensure 'Turn On Virtualization Based Security: Secure Launch Configuration' is set to 'Enabled' (Automated)		
18.8.6	Device Health Attestation Service		
18.8.7	Device Installation		
18.8.7.1	Device Installation Restrictions		
18.8.7.1.1	(BL) Ensure 'Prevent installation of devices that match any of these device IDs' is set to 'Enabled' (Automated)		
18.8.7.1.2	(BL) Ensure 'Prevent installation of devices that match any of these device IDs: Prevent installation of devices that match any of these device IDs' is set to 'PCI\CC_0C0A' (Automated)		
18.8.7.1.3	(BL) Ensure 'Prevent installation of devices that match any of these device IDs: Also apply to matching devices that are already installed.' is set to 'True' (checked) (Automated)		
18.8.7.1.4	(BL) Ensure 'Prevent installation of devices using drivers that match these device setup classes' is set to 'Enabled' (Automated)		
18.8.7.1.5	(BL) Ensure 'Prevent installation of devices using drivers that match these device setup classes: Also apply to matching devices that are already installed.' is set to 'True' (checked) (Automated)		
18.8.7.1.6	(BL) Ensure 'Prevent installation of devices using drivers that match these device setup classes: Prevent installation of devices using drivers for these device setup' is set to 'IEEE 1394 device setup classes' (Automated)		
18.8.7.2	(L1) Ensure 'Prevent device metadata retrieval from the Internet' is set to 'Enabled' (Automated)		
18.8.8	Device Redirection		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.9	Disk NV Cache		
18.8.10	Disk Quotas		
18.8.11	Display		
18.8.12	Distributed COM		
18.8.13	Driver Installation		
18.8.14	Early Launch Antimalware		
18.8.14.1	(L1) Ensure 'Boot-Start Driver Initialization Policy' is set to 'Enabled: Good, unknown and bad but critical' (Automated)		
18.8.15	Enhanced Storage Access		
18.8.16	File Classification Infrastructure		
18.8.17	File Share Shadow Copy Agent		
18.8.18	File Share Shadow Copy Provider		
18.8.19	Filesystem (formerly NTFS Filesystem)		
18.8.20	Folder Redirection		
18.8.21	Group Policy		
18.8.21.1	(L1) Ensure 'Configure registry policy processing: Do not apply during periodic background processing' is set to 'Enabled: FALSE' (Automated)		
18.8.21.2	(L1) Ensure 'Configure registry policy processing: Process even if the Group Policy objects have not changed' is set to 'Enabled: TRUE' (Automated)		
18.8.21.3	(L1) Ensure 'Continue experiences on this device' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.21.4	(L1) Ensure 'Turn off background refresh of Group Policy' is set to 'Disabled' (Automated)		
18.8.22	Internet Communication Management	•	
18.8.22.1	Internet Communication settings		
18.8.22.1.1	(L2) Ensure 'Turn off access to the Store' is set to 'Enabled' (Automated)		
18.8.22.1.2	(L1) Ensure 'Turn off downloading of print drivers over HTTP' is set to 'Enabled' (Automated)		
18.8.22.1.3	(L2) Ensure 'Turn off Internet Connection Wizard if URL connection is referring to Microsoft.com' is set to 'Enabled' (Automated)		
18.8.22.1.4	(L1) Ensure 'Turn off Internet download for Web publishing and online ordering wizards' is set to 'Enabled' (Automated)		
18.8.22.1.5	(L2) Ensure 'Turn off printing over HTTP' is set to 'Enabled' (Automated)		
18.8.22.1.6	(L2) Ensure 'Turn off Registration if URL connection is referring to Microsoft.com' is set to 'Enabled' (Automated)		
18.8.22.1.7	(L2) Ensure 'Turn off Search Companion content file updates' is set to 'Enabled' (Automated)		
18.8.22.1.8	(L2) Ensure 'Turn off the "Order Prints" picture task' is set to 'Enabled' (Automated)		
18.8.22.1.9	(L2) Ensure 'Turn off the "Publish to Web" task for files and folders' is set to 'Enabled' (Automated)		
18.8.22.1.10	(L2) Ensure 'Turn off the Windows Messenger Customer Experience Improvement Program' is set to 'Enabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.22.1.11	(L2) Ensure 'Turn off Windows Customer Experience Improvement Program' is set to 'Enabled' (Automated)		
18.8.22.1.12	(L2) Ensure 'Turn off Windows Error Reporting' is set to 'Enabled' (Automated)		
18.8.23	iscsi		
18.8.24	KDC		
18.8.25	Kerberos		
18.8.25.1	(L2) Ensure 'Support device authentication using certificate' is set to 'Enabled: Automatic' (Automated)		
18.8.26	Kernel DMA Protection		
18.8.26.1	(BL) Ensure 'Enumeration policy for external devices incompatible with Kernel DMA Protection' is set to 'Enabled: Block All' (Automated)		
18.8.27	Locale Services		
18.8.27.1	(L2) Ensure 'Disallow copying of user input methods to the system account for sign-in' is set to 'Enabled' (Automated)		
18.8.28	Logon		
18.8.28.1	(L1) Ensure 'Block user from showing account details on sign-in' is set to 'Enabled' (Automated)		
18.8.28.2	(L1) Ensure 'Do not display network selection UI' is set to 'Enabled' (Automated)		
18.8.28.3	(L1) Ensure 'Do not enumerate connected users on domain-joined computers' is set to 'Enabled' (Automated)		
18.8.28.4	(L1) Ensure 'Enumerate local users on domain-joined computers' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.28.5	(L1) Ensure 'Turn off app notifications on the lock screen' is set to 'Enabled' (Automated)		
18.8.28.6	(L1) Ensure 'Turn off picture password sign-in' is set to 'Enabled' (Automated)		
18.8.28.7	(L1) Ensure 'Turn on convenience PIN sign-in' is set to 'Disabled' (Automated)		
18.8.29	Mitigation Options		
18.8.30	Net Logon		
18.8.31	OS Policies		
18.8.31.1	(L2) Ensure 'Allow Clipboard synchronization across devices' is set to 'Disabled' (Automated)		
18.8.31.2	(L2) Ensure 'Allow upload of User Activities' is set to 'Disabled' (Automated)		
18.8.32	Performance Control Panel		
18.8.33	PIN Complexity		
18.8.34	Power Management		
18.8.34.1	Button Settings		
18.8.34.2	Energy Saver Settings		
18.8.34.3	Hard Disk Settings		
18.8.34.4	Notification Settings		
18.8.34.5	Power Throttling Settings		
18.8.34.6	Sleep Settings		
18.8.34.6.1	(L1) Ensure 'Allow network connectivity during connected-standby (on battery)' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.34.6.2	(L1) Ensure 'Allow network connectivity during connected-standby (plugged in)' is set to 'Disabled' (Automated)		
18.8.34.6.3	(BL) Ensure 'Allow standby states (S1-S3) when sleeping (on battery)' is set to 'Disabled' (Automated)		
18.8.34.6.4	(BL) Ensure 'Allow standby states (S1-S3) when sleeping (plugged in)' is set to 'Disabled' (Automated)		
18.8.34.6.5	(L1) Ensure 'Require a password when a computer wakes (on battery)' is set to 'Enabled' (Automated)		
18.8.34.6.6	(L1) Ensure 'Require a password when a computer wakes (plugged in)' is set to 'Enabled' (Automated)		
18.8.35	Recovery		
18.8.36	Remote Assistance		
18.8.36.1	(L1) Ensure 'Configure Offer Remote Assistance' is set to 'Disabled' (Automated)		
18.8.36.2	(L1) Ensure 'Configure Solicited Remote Assistance' is set to 'Disabled' (Automated)		
18.8.37	Remote Procedure Call		
18.8.37.1	(L1) Ensure 'Enable RPC Endpoint Mapper Client Authentication' is set to 'Enabled' (Automated)		
18.8.37.2	(L1) Ensure 'Restrict Unauthenticated RPC clients' is set to 'Enabled: Authenticated' (Automated)		
18.8.38	Removable Storage Access		
18.8.39	Scripts		
18.8.40	Security Account Manager		
18.8.41	Server Manager		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.8.42	Service Control Manager Settings		
18.8.43	Shutdown		
18.8.44	Shutdown Options		
18.8.45	Storage Health		
18.8.46	Storage Sense		
18.8.47	System Restore		
18.8.48	Troubleshooting and Diagnostics		
18.8.48.1	Microsoft Support Diagnostic Tool		
18.8.48.1.1	(L2) Ensure 'Microsoft Support Diagnostic Tool: Turn on MSDT interactive communication with support provider' is set to 'Disabled' (Automated)		
18.8.49	Trusted Platform Module Services		
18.8.50	User Profiles		
18.8.50.1	(L2) Ensure 'Turn off the advertising ID' is set to 'Enabled' (Automated)		
18.8.51	Windows File Protection		
18.8.52	Windows HotStart		
18.8.53	Windows Time Service		
18.8.53.1	Windows Time Service		
18.8.53.1.1	Time Providers		
18.8.53.1.1.1	(L2) Ensure 'Enable Windows NTP Client' is set to 'Enabled' (Automated)		
18.8.53.1.1.2	(L2) Ensure 'Enable Windows NTP Server' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9	Windows Components		
18.9.1	Active Directory Federation Services		
18.9.2	ActiveX Installer Service		
18.9.3	Add features to Windows 8 / 8.1 / 10 (formerly Window Upgrade)	s Any	time
18.9.4	App Package Deployment		
18.9.4.1	(L2) Ensure 'Allow a Windows app to share application data between users' is set to 'Disabled' (Automated)		
18.9.4.2	(L1) Ensure 'Prevent non-admin users from installing packaged Windows apps' is set to 'Enabled' (Automated)		
18.9.5	App Privacy		
18.9.5.1	(L1) Ensure 'Let Windows apps activate with voice while the system is locked' is set to 'Disabled' (Automated)		
18.9.6	App runtime		
18.9.6.1	(L1) Ensure 'Allow Microsoft accounts to be optional' is set to 'Enabled' (Automated)		
18.9.6.2	(L2) Ensure 'Block launching Universal Windows apps with Windows Runtime API access from hosted content.' is set to 'Enabled' (Automated)		
18.9.7	Application Compatibility		
18.9.8	AutoPlay Policies		
18.9.8.1	(L1) Ensure 'Disallow Autoplay for non-volume devices' is set to 'Enabled' (Automated)		
18.9.8.2	(L1) Ensure 'Set the default behavior for AutoRun' is set to 'Enabled: Do not execute any autorun commands' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.8.3	(L1) Ensure 'Turn off Autoplay' is set to 'Enabled: All drives' (Automated)		
18.9.9	Backup		
18.9.10	Biometrics		
18.9.11	BitLocker Drive Encryption		
18.9.11.1	Fixed Data Drives		
18.9.11.1.1	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered' is set to 'Enabled' (Automated)		
18.9.11.1.2	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Allow data recovery agent' is set to 'Enabled: True' (Automated)		
18.9.11.1.3	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Recovery Password' is set to 'Enabled: Allow 48-digit recovery password' (Automated)		
18.9.11.1.4	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Omit recovery options from the BitLocker setup wizard' is set to 'Enabled: True' (Automated)		
18.9.11.1.5	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Save BitLocker recovery information to AD DS for fixed data drives' is set to 'Enabled: False' (Automated)		
18.9.11.1.6	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Configure storage of BitLocker recovery information to AD DS' is set to 'Enabled: Backup recovery passwords and key packages' (Automated)		
18.9.11.1.7	(BL) Ensure 'Choose how BitLocker-protected fixed drives can be recovered: Do not enable BitLocker until recovery information is stored to AD DS for fixed data drives' is set to 'Enabled: False' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.11.2	Operating System Drives		
18.9.11.2.1	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered' is set to 'Enabled' (Automated)		
18.9.11.2.2	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Allow data recovery agent' is set to 'Enabled: False' (Automated)		
18.9.11.2.3	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Recovery Password' is set to 'Enabled: Require 48-digit recovery password' (Automated)		
18.9.11.2.4	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Recovery Key' is set to 'Enabled: Do not allow 256-bit recovery key' (Automated)		
18.9.11.2.5	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Omit recovery options from the BitLocker setup wizard' is set to 'Enabled: True' (Automated)		
18.9.11.2.6	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Save BitLocker recovery information to AD DS for operating system drives' is set to 'Enabled: True' (Automated)		
18.9.11.2.7	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Configure storage of BitLocker recovery information to AD DS:' is set to 'Enabled: Store recovery passwords and key packages' (Automated)		
18.9.11.2.8	(BL) Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Do not enable BitLocker until recovery information is stored to AD DS for operating system drives' is set to 'Enabled: True' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.11.2.9	(BL) Ensure 'Require additional authentication at startup' is set to 'Enabled' (Automated)		
18.9.11.2.10	(BL) Ensure 'Require additional authentication at startup: Allow BitLocker without a compatible TPM' is set to 'Enabled: False' (Automated)		
18.9.11.3	Removable Data Drives		
18.9.11.3.1	(BL) Ensure 'Deny write access to removable drives not protected by BitLocker' is set to 'Enabled' (Automated)		
18.9.11.3.2	(BL) Ensure 'Deny write access to removable drives not protected by BitLocker: Do not allow write access to devices configured in another organization' is set to 'Enabled: False' (Automated)		
18.9.12	Camera		
18.9.12.1	(L2) Ensure 'Allow Use of Camera' is set to 'Disabled' (Automated)		
18.9.13	Chat		
18.9.14	Cloud Content		
18.9.14.1	(L1) Ensure 'Turn off Microsoft consumer experiences' is set to 'Enabled' (Automated)		
18.9.15	Connect		
18.9.15.1	(L1) Ensure 'Require pin for pairing' is set to 'Enabled' (Automated)		
18.9.16	Credential User Interface		
18.9.16.1	(L1) Ensure 'Do not display the password reveal button' is set to 'Enabled' (Automated)		
18.9.16.2	(L1) Ensure 'Enumerate administrator accounts on elevation' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.16.3	(L1) Ensure 'Prevent the use of security questions for local accounts' is set to 'Enabled' (Automated)		
18.9.17	Data Collection and Preview Builds		
18.9.17.1	(L1) Ensure 'Allow Diagnostic Data' is set to 'Enabled: Diagnostic data off (not recommended)' or 'Enabled: Send required diagnostic data' (Automated)		
18.9.17.2	(L2) Ensure 'Configure Authenticated Proxy usage for the Connected User Experience and Telemetry service' is set to 'Enabled: Disable Authenticated Proxy usage' (Automated)		
18.9.17.3	(L1) Ensure 'Do not show feedback notifications' is set to 'Enabled' (Automated)		
18.9.17.4	(L1) Ensure 'Toggle user control over Insider builds' is set to 'Disabled' (Automated)		
18.9.18	Delivery Optimization		
18.9.18.1	(L1) Ensure 'Download Mode' is NOT set to 'Enabled: Internet' (Automated)		
18.9.19	Desktop Gadgets		
18.9.20	Desktop Window Manager		
18.9.21	Device and Driver Compatibility		
18.9.22	Device Registration (formerly Workplace Join)		
18.9.23	Digital Locker		
18.9.24	Edge UI		
18.9.25	EMET		
18.9.26	Event Forwarding		
18.9.27	Event Log Service		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.27.1	Application		
18.9.27.1.1	(L1) Ensure 'Application: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Automated)		
18.9.27.1.2	(L1) Ensure 'Application: Specify the maximum log file size (KB)' is set to 'Enabled: 32,768 or greater' (Automated)		
18.9.27.2	Security	•	
18.9.27.2.1	(L1) Ensure 'Security: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Automated)		
18.9.27.2.2	(L1) Ensure 'Security: Specify the maximum log file size (KB)' is set to 'Enabled: 196,608 or greater' (Automated)		
18.9.27.3	Setup		
18.9.27.3.1	(L1) Ensure 'Setup: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Automated)		
18.9.27.3.2	(L1) Ensure 'Setup: Specify the maximum log file size (KB)' is set to 'Enabled: 32,768 or greater' (Automated)		
18.9.27.4	System		
18.9.27.4.1	(L1) Ensure 'System: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Automated)		
18.9.27.4.2	(L1) Ensure 'System: Specify the maximum log file size (KB)' is set to 'Enabled: 32,768 or greater' (Automated)		
18.9.28	Event Logging		
18.9.29	Event Viewer		
18.9.30	Family Safety (formerly Parental Controls)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.31	File Explorer (formerly Windows Explorer)		
18.9.31.1	Previous Versions		
18.9.31.2	(L1) Ensure 'Turn off Data Execution Prevention for Explorer' is set to 'Disabled' (Automated)		
18.9.31.3	(L1) Ensure 'Turn off heap termination on corruption' is set to 'Disabled' (Automated)		
18.9.31.4	(L1) Ensure 'Turn off shell protocol protected mode' is set to 'Disabled' (Automated)		
18.9.32	File History		
18.9.33	Find My Device		
18.9.34	Game Explorer		
18.9.35	Handwriting		
18.9.36	HomeGroup		
18.9.37	Human Presence		
18.9.38	Import Video		
18.9.39	Internet Explorer		
18.9.40	Internet Information Services		
18.9.41	Location and Sensors		
18.9.41.1	(L2) Ensure 'Turn off location' is set to 'Enabled' (Automated)		
18.9.42	Maintenance Scheduler		
18.9.43	Maps		
18.9.44	MDM		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.45	Messaging		
18.9.45.1	(L2) Ensure 'Allow Message Service Cloud Sync' is set to 'Disabled' (Automated)		
18.9.46	Microsoft account		
18.9.46.1	(L1) Ensure 'Block all consumer Microsoft account user authentication' is set to 'Enabled' (Automated)		
18.9.47	Microsoft Defender Antivirus (formerly Windows Defender Antivirus)	nder a	nd
18.9.47.1	Client Interface		
18.9.47.2	Exclusions		
18.9.47.3	MAPS		
18.9.47.3.1	(L1) Ensure 'Configure local setting override for reporting to Microsoft MAPS' is set to 'Disabled' (Automated)		
18.9.47.3.2	(L2) Ensure 'Join Microsoft MAPS' is set to 'Disabled' (Automated)		
18.9.47.4	Microsoft Defender Exploit Guard (formerly Windows Exploit Guard)	Defend	der
18.9.47.4.1	Attack Surface Reduction		
18.9.47.4.1.1	(L1) Ensure 'Configure Attack Surface Reduction rules' is set to 'Enabled' (Manual)		
18.9.47.4.1.2	(L1) Ensure 'Configure Attack Surface Reduction rules: Set the state for each ASR rule' is configured (Automated)		
18.9.47.4.2	Controlled Folder Access		
18.9.47.4.3	Network Protection		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.47.4.3.1	(L1) Ensure 'Prevent users and apps from accessing dangerous websites' is set to 'Enabled: Block' (Automated)		
18.9.47.5	MpEngine		
18.9.47.5.1	(L2) Ensure 'Enable file hash computation feature' is set to 'Enabled' (Automated)		
18.9.47.6	Network Inspection System		
18.9.47.7	Quarantine		
18.9.47.8	Real-time Protection		
18.9.47.8.1	(L1) Ensure 'Scan all downloaded files and attachments' is set to 'Enabled' (Automated)		
18.9.47.8.2	(L1) Ensure 'Turn off real-time protection' is set to 'Disabled' (Automated)		
18.9.47.8.3	(L1) Ensure 'Turn on behavior monitoring' is set to 'Enabled' (Automated)		
18.9.47.9	Remediation		
18.9.47.10	Reporting		
18.9.47.10.1	(L2) Ensure 'Configure Watson events' is set to 'Disabled' (Automated)		
18.9.47.11	Scan		
18.9.47.11.1	(L1) Ensure 'Scan removable drives' is set to 'Enabled' (Automated)		
18.9.47.11.2	(L1) Ensure 'Turn on e-mail scanning' is set to 'Enabled' (Automated)		
18.9.47.12	Security Intelligence Updates (formerly Signature Upd	lates)	
18.9.47.13	Threats		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.47.14	(L1) Ensure 'Configure detection for potentially unwanted applications' is set to 'Enabled: Block' (Automated)		
18.9.47.15	(L1) Ensure 'Turn off Microsoft Defender AntiVirus' is set to 'Disabled' (Automated)		
18.9.48	Microsoft Defender Application Guard (formerly Windo	ows	
18.9.49	Microsoft Defender Exploit Guard (formerly Windows Exploit Guard)	Defend	der
18.9.50	Microsoft Edge		
18.9.51	Microsoft FIDO Authentication		
18.9.52	Microsoft Secondary Authentication Factor		
18.9.53	Microsoft User Experience Virtualization		
18.9.54	NetMeeting		
18.9.55	Network Access Protection		
18.9.56	Network Projector		
18.9.57	News and interests		
18.9.58	OneDrive (formerly SkyDrive)		
18.9.58.1	(L1) Ensure 'Prevent the usage of OneDrive for file storage' is set to 'Enabled' (Automated)		
18.9.59	Online Assistance		
18.9.60	OOBE		
18.9.61	Password Synchronization		
18.9.62	Portable Operating System		
18.9.63	Presentation Settings		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.64	Push To Install		
18.9.64.1	(L2) Ensure 'Turn off Push To Install service' is set to 'Enabled' (Automated)		
18.9.65	Remote Desktop Services (formerly Terminal Services	s)	
18.9.65.1	RD Licensing (formerly TS Licensing)		
18.9.65.2	Remote Desktop Connection Client		
18.9.65.2.1	RemoteFX USB Device Redirection		
18.9.65.2.2	(L1) Ensure 'Do not allow passwords to be saved' is set to 'Enabled' (Automated)		
18.9.65.3	Remote Desktop Session Host (formerly Terminal Serv	ver)	
18.9.65.3.1	Application Compatibility		
18.9.65.3.2	Connections		
18.9.65.3.2.1	(L2) Ensure 'Allow users to connect remotely by using Remote Desktop Services' is set to 'Disabled' (Automated)		
18.9.65.3.3	Device and Resource Redirection	•	
18.9.65.3.3.1	(L2) Ensure 'Do not allow COM port redirection' is set to 'Enabled' (Automated)		
18.9.65.3.3.2	(L1) Ensure 'Do not allow drive redirection' is set to 'Enabled' (Automated)		
18.9.65.3.3.3	(L2) Ensure 'Do not allow LPT port redirection' is set to 'Enabled' (Automated)		
18.9.65.3.3.4	(L2) Ensure 'Do not allow supported Plug and Play device redirection' is set to 'Enabled' (Automated)		
18.9.65.3.4	Licensing		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.65.3.5	Printer Redirection		
18.9.65.3.6	Profiles		
18.9.65.3.7	RD Connection Broker (formerly TS Connection Broke	er)	
18.9.65.3.8	Remote Session Environment		
18.9.65.3.9	Security		
18.9.65.3.9.1	(L1) Ensure 'Always prompt for password upon connection' is set to 'Enabled' (Automated)		
18.9.65.3.9.2	(L1) Ensure 'Require secure RPC communication' is set to 'Enabled' (Automated)		
18.9.65.3.9.3	(L1) Ensure 'Require use of specific security layer for remote (RDP) connections' is set to 'Enabled: SSL' (Automated)		
18.9.65.3.9.4	(L1) Ensure 'Require user authentication for remote connections by using Network Level Authentication' is set to 'Enabled' (Automated)		
18.9.65.3.9.5	(L1) Ensure 'Set client connection encryption level' is set to 'Enabled: High Level' (Automated)		
18.9.65.3.10	Session Time Limits		
18.9.65.3.10. 1	(L2) Ensure 'Set time limit for active but idle Remote Desktop Services sessions' is set to 'Enabled: 15 minutes or less, but not Never (0)' (Automated)		
18.9.65.3.10. 2	(L2) Ensure 'Set time limit for disconnected sessions' is set to 'Enabled: 1 minute' (Automated)		
18.9.65.3.11	Temporary folders	•	
18.9.65.3.11. 1	(L1) Ensure 'Do not delete temp folders upon exit' is set to 'Disabled' (Automated)		
18.9.66	RSS Feeds		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.66.1	(L1) Ensure 'Prevent downloading of enclosures' is set to 'Enabled' (Automated)		
18.9.67	Search		
18.9.67.1	OCR		
18.9.67.2	(L2) Ensure 'Allow Cloud Search' is set to 'Enabled: Disable Cloud Search' (Automated)		
18.9.67.3	(L1) Ensure 'Allow Cortana' is set to 'Disabled' (Automated)		
18.9.67.4	(L1) Ensure 'Allow Cortana above lock screen' is set to 'Blocked' (Automated)		
18.9.67.5	(L1) Ensure 'Allow indexing of encrypted files' is set to 'Disabled' (Automated)		
18.9.67.6	(L1) Ensure 'Allow search and Cortana to use location' is set to 'Disabled' (Automated)		
18.9.68	Security Center		
18.9.69	Server for NIS		
18.9.70	Shutdown Options		
18.9.71	Smart Card		
18.9.72	Software Protection Platform		
18.9.72.1	(L2) Ensure 'Turn off KMS Client Online AVS Validation' is set to 'Enabled' (Automated)		
18.9.73	Sound Recorder		
18.9.74	Speech		
18.9.75	Store		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.75.1	(L2) Ensure 'Disable all apps from Microsoft Store' is set to 'Disabled' (Automated)		
18.9.75.2	(L1) Ensure 'Only display the private store within the Microsoft Store' is set to 'Enabled' (Automated)		
18.9.75.3	(L1) Ensure 'Turn off the offer to update to the latest version of Windows' is set to 'Enabled' (Automated)		
18.9.75.4	(L2) Ensure 'Turn off the Store application' is set to 'Enabled' (Automated)		
18.9.76	Sync your settings		
18.9.77	Tablet PC		
18.9.78	Task Scheduler		
18.9.79	Tenant Restrictions		
18.9.80	Text Input		
18.9.81	Widgets		
18.9.82	Windows Calendar		
18.9.83	Windows Color System		
18.9.84	Windows Customer Experience Improvement Progran	า	
18.9.85	Windows Defender SmartScreen		
18.9.85.1	Explorer		
18.9.85.2	Microsoft Edge		
18.9.85.2.1	(L1) Ensure 'Configure Windows Defender SmartScreen' is set to 'Enabled' (Automated)		
18.9.85.2.2	(L1) Ensure 'Prevent bypassing Windows Defender SmartScreen prompts for sites' is set to 'Enabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.86	Windows Error Reporting		
18.9.87	Windows Game Recording and Broadcasting		
18.9.87.1	(L1) Ensure 'Enables or disables Windows Game Recording and Broadcasting' is set to 'Disabled' (Automated)		
18.9.88	Windows Hello for Business (formerly Microsoft Passport for Work)		
18.9.89	Windows Ink Workspace		
18.9.89.1	(L2) Ensure 'Allow suggested apps in Windows Ink Workspace' is set to 'Disabled' (Automated)		
18.9.89.2	(L1) Ensure 'Allow Windows Ink Workspace' is set to 'Enabled: On, but disallow access above lock' OR 'Disabled' but not 'Enabled: On' (Automated)		
18.9.90	Windows Installer		
18.9.90.1	(L1) Ensure 'Allow user control over installs' is set to 'Disabled' (Automated)		
18.9.90.2	(L1) Ensure 'Always install with elevated privileges' is set to 'Disabled' (Automated)		
18.9.91	Windows Logon Options		
18.9.91.1	(L1) Ensure 'Sign-in and lock last interactive user automatically after a restart' is set to 'Disabled' (Automated)		
18.9.92	Windows Mail		
18.9.93	Windows Media Center		
18.9.94	Windows Media Digital Rights Management		
18.9.95	Windows Media Player		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
18.9.96	Windows Meeting Space		
18.9.97	Windows Messenger		
18.9.98	Windows Mobility Center		
18.9.99	Windows Movie Maker		
18.9.100	Windows PowerShell		
18.9.100.1	(L1) Ensure 'Turn on PowerShell Script Block Logging' is set to 'Enabled' (Automated)		
18.9.100.2	(L1) Ensure 'Turn on PowerShell Transcription' is set to 'Disabled' (Automated)		
18.9.101	Windows Reliability Analysis		
18.9.102	Windows Remote Management (WinRM)		
18.9.102.1	WinRM Client		
18.9.102.1.1	(L1) Ensure 'Allow Basic authentication' is set to 'Disabled' (Automated)		
18.9.102.1.2	(L1) Ensure 'Allow unencrypted traffic' is set to 'Disabled' (Automated)		
18.9.102.1.3	(L1) Ensure 'Disallow Digest authentication' is set to 'Enabled' (Automated)		
18.9.102.2	WinRM Service		
18.9.102.2.1	(L1) Ensure 'Allow Basic authentication' is set to 'Disabled' (Automated)		
18.9.102.2.2	(L2) Ensure 'Allow remote server management through WinRM' is set to 'Disabled' (Automated)		
18.9.102.2.3	(L1) Ensure 'Allow unencrypted traffic' is set to 'Disabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
			No
18.9.102.2.4	(L1) Ensure 'Disallow WinRM from storing RunAs credentials' is set to 'Enabled' (Automated)		
18.9.103	Windows Remote Shell		
18.9.103.1	(L2) Ensure 'Allow Remote Shell Access' is set to 'Disabled' (Automated)		
18.9.104	Windows Sandbox		
18.9.105	Windows Security (formerly Windows Defender Secur	ity Cer	nter)
18.9.105.1	Account protection		
18.9.105.2	App and browser protection		
18.9.105.2.1	(L1) Ensure 'Prevent users from modifying settings' is set to 'Enabled' (Automated)		
18.9.106	Windows SideShow		
18.9.107	Windows System Resource Manager		
18.9.108	Windows Update		
18.9.108.1	Legacy Policies		
18.9.108.2	Manage end user experience		
18.9.108.2.1	(L1) Ensure 'Configure Automatic Updates' is set to 'Enabled' (Automated)		
18.9.108.2.2	(L1) Ensure 'Configure Automatic Updates: Scheduled install day' is set to '0 - Every day' (Automated)		
18.9.108.2.3	(L1) Ensure 'Remove access to "Pause updates" feature' is set to 'Enabled' (Automated)		
18.9.108.3	Manage updates offered from Windows Server Update Service		
18.9.108.3.1	(L1) Ensure 'Manage preview builds' is set to 'Enabled: Disable preview builds' (Automated)		

CIS Benchmark Recommendation		Set Correctly		
		Yes	No	
18.9.108.3.2	(L1) Ensure 'Select when Quality Updates are received' is set to 'Enabled: 0 days' (Automated)			
18.9.108.4	Manage updates offered from Windows Update (formerly Defer Windows Updates and Windows Update for Business)			
19	Administrative Templates (User)			
19.1	Control Panel			
19.1.1	Add or Remove Programs			
19.1.2	Display			
19.1.3	Personalization (formerly Desktop Themes)			
19.1.3.1	(L1) Ensure 'Enable screen saver' is set to 'Enabled' (Automated)			
19.1.3.2	(L1) Ensure 'Password protect the screen saver' is set to 'Enabled' (Automated)			
19.1.3.3	(L1) Ensure 'Screen saver timeout' is set to 'Enabled: 900 seconds or fewer, but not 0' (Automated)			
19.2	Desktop			
19.3	Network			
19.4	Shared Folders			
19.5	Start Menu and Taskbar			
19.5.1	Notifications			
19.5.1.1	(L1) Ensure 'Turn off toast notifications on the lock screen' is set to 'Blocked' (Automated)			
19.6	System			
19.6.1	Ctrl+Alt+Del Options			

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
19.6.2	Display		
19.6.3	Driver Installation		
19.6.4	Folder Redirection		
19.6.5	Group Policy		
19.6.6	Internet Communication Management		
19.6.6.1	Internet Communication settings		
19.6.6.1.1	(L2) Ensure 'Turn off Help Experience Improvement Program' is set to 'Enabled' (Automated)		
19.7	Windows Components		
19.7.1	Add features to Windows 8 / 8.1 / 10 (formerly Windows Anytime Upgrade)		
19.7.2	App runtime		
19.7.3	Application Compatibility		
19.7.4	Attachment Manager		
19.7.4.1	(L1) Ensure 'Do not preserve zone information in file attachments' is set to 'Disabled' (Automated)		
19.7.4.2	(L1) Ensure 'Notify antivirus programs when opening attachments' is set to 'Enabled' (Automated)		
19.7.5	AutoPlay Policies		
19.7.6	Backup		
19.7.7	Calculator		
19.7.8	Cloud Content		
19.7.8.1	(L1) Ensure 'Do not suggest third-party content in Windows spotlight' is set to 'Enabled' (Automated)		

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
19.7.8.2	(L2) Ensure 'Do not use diagnostic data for tailored experiences' is set to 'Enabled' (Automated)		
19.7.9	Credential User Interface		
19.7.10	Data Collection and Preview Builds		
19.7.11	Desktop Gadgets		
19.7.12	Desktop Window Manager		
19.7.13	Digital Locker		
19.7.14	Edge UI		
19.7.15	File Explorer (formerly Windows Explorer)		
19.7.16	File Revocation		
19.7.17	IME		
19.7.18	Import Video		
19.7.19	Instant Search		
19.7.20	Internet Explorer		
19.7.21	Location and Sensors		
19.7.22	Microsoft Edge		
19.7.23	Microsoft Management Console		
19.7.24	Microsoft User Experience Virtualization		
19.7.25	NetMeeting		
19.7.26	Network Projector		
19.7.27	Network Sharing		
19.7.27.1	(L1) Ensure 'Prevent users from sharing files within their profile.' is set to 'Enabled' (Automated)		