1. **Masuk ke DB klinik_NIM**

   Karena User Adminklinik belum memiliki hak akses LOCK TABLE dan hak akses FILE, maka user Adminklinik terlebih dahulu diberi hak akses untuk menggunakan perintah tersebut.

   1) Hak Akses LOCK TABLE

```
Command Prompt - mysql -u root -p                                    —  □  X

MariaDB [(none)]> grant lock tables on klinik_312010177.* to 'Adminklinik'@'localhost';
Query OK, 0 rows affected (0.007 sec)
```

   2) Hak Akses FILE (SELECT…INTO OUTFILE dan LOAD DATA INFILE)

```
Command Prompt - mysql -u root -p                                    —  □  X
MariaDB [(none)]> grant file on*.* to 'Adminklinik'@'localhost';
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]>
```

   Masuk ke DB klinik_312010177 dengan user Adminklinik

```
C:\xampp\mysql\bin>mysql -u Adminklinik -p
Enter password: *********
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 15
Server version: 10.4.14-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> show databases;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| klinik_312010177   |
| test               |
+--------------------+
3 rows in set (0.001 sec)

MariaDB [(none)]> use klinik_312010177;
Database changed
MariaDB [klinik_312010177]> show tables;
+--------------------------+
| Tables_in_klinik_312010177 |
+--------------------------+
| berobat                  |
| dokter                   |
| obat                     |
| pasien                   |
| resep_obat               |
| users                    |
+--------------------------+
6 rows in set (0.001 sec)

MariaDB [klinik_312010177]> _
```

2. Lakukan proses backup dan recovery dengan sql dari DB klinik_312010177

1) Lakukan proses penguncian table

- Tabel Berobat

```
MariaDB [klinik_312010177]> lock table berobat write;
Query OK, 0 rows affected (0.001 sec)

MariaDB [klinik_312010177]> _
```

- Tabel Dokter

```
MariaDB [klinik_312010177]> lock table dokter write;
Query OK, 0 rows affected (0.000 sec)

MariaDB [klinik_312010177]>
```

- Tabel Obat

```
Command Prompt - mysql -u Adminklinik -p                                    —  □  X

MariaDB [klinik_312010177]> lock table obat write;
Query OK, 0 rows affected (0.010 sec)

MariaDB [klinik_312010177]>
```

- Tabel Pasien

```
Command Prompt - mysql -u Adminklinik -p                                    —  □  X

MariaDB [klinik_312010177]> lock table pasien write;
Query OK, 0 rows affected (0.016 sec)

MariaDB [klinik_312010177]>
```

- Tabel Resep_Obat

```
Command Prompt - mysql -u Adminklinik -p                                    —  □  X

MariaDB [klinik_312010177]> lock table resep_obat write;
Query OK, 0 rows affected (0.000 sec)
```

- Tabel Users

```
Command Prompt - mysql -u Adminklinik -p                                    —  □  X

MariaDB [klinik_312010177]> lock table users write;
Query OK, 0 rows affected (0.018 sec)

MariaDB [klinik_312010177]>
```

2) Lakukan proses backup table
   - Backup Tabel Berobat

```
Command Prompt - mysql -u Adminklinik -p                                    —  □  X

MariaDB [klinik_312010177]> select * into outfile 'backup_berobat' from berobat;
Query OK, 5 rows affected (0.008 sec)
```

- Backup Tabel Dokter

```
MariaDB [klinik_312010177]> select * into outfile 'backup_dokter' from dokter;
Query OK, 6 rows affected (0.002 sec)

MariaDB [klinik_312010177]>
```

- Backup Tabel Obat

```
MariaDB [klinik_312010177]> select * into outfile 'backup_obat' from obat;
Query OK, 5 rows affected (0.001 sec)
```

- Backup Tabel Pasien

```
MariaDB [klinik_312010177]> select * into outfile 'backup_pasein' from pasien;
Query OK, 5 rows affected (0.002 sec)

MariaDB [klinik_312010177]>
```

- Backup Tabel Resep_Obat

```
MariaDB [klinik_312010177]> select * into outfile 'backup_resepobat' from resep_obat;
Query OK, 5 rows affected (0.002 sec)

MariaDB [klinik_312010177]>
```

- Backup Tabel Users

```
MariaDB [klinik_312010177]> select * into outfile 'backup_users' from users;
Query OK, 4 rows affected (0.002 sec)

MariaDB [klinik_312010177]>
```

3) Restore Table
- Restore Tabel Berobat

```
Command Prompt - mysql -u Adminklinik -p                                        —  □  X

MariaDB [klinik_312010177]> delete from berobat;
Query OK, 5 rows affected (0.007 sec)

MariaDB [klinik_312010177]> select *from berobat;
Empty set (0.000 sec)

MariaDB [klinik_312010177]> load data infile 'backup_berobat' into table berobat;
Query OK, 5 rows affected (0.017 sec)
Records: 5  Deleted: 0  Skipped: 0  Warnings: 0

MariaDB [klinik_312010177]> select* from berobat;
+-----------+-----------+-----------+------------+-------------------------------------------------------+-----------------+----------------+
| id_berobat | id_pasien | id_dokter | tgl_berobat | keluhan_pasien                                        | hasil_diagnosa  | penatalaksanaan |
+-----------+-----------+-----------+------------+-------------------------------------------------------+-----------------+----------------+
|     12345 |     11111 |    300437 | 2022-04-30 | Demam >1 minggu, diare                                | Demam Tifoid    | Medis          |
|     12346 |     11112 |    300438 | 2022-04-25 | Heartburn, mual, nyeri ulu hati                       | Asam Lambung    | Medis          |
|     12347 |     11113 |    300439 | 2022-04-13 | Demam tinggi, BAB cair disertai darah, lemas, nyeri perut | Diare Cair Akut | Keperawatan |
|     12348 |     11114 |    300440 | 2022-04-20 | Demam, menggigil, sakit kepala                        | Influenza       | Medis          |
|     12349 |     11115 |    300441 | 2022-04-22 | Demam tinggi, sesak napas, pilek, batuk kering        | Covid 19        | Keperawatan    |
+-----------+-----------+-----------+------------+-------------------------------------------------------+-----------------+----------------+
5 rows in set (0.000 sec)

MariaDB [klinik_312010177]>
```

- Restore Tabel Dokter

```
Command Prompt - mysql -u Adminklinik -p                                        —  □  X

MariaDB [klinik_312010177]> delete from obat;
ERROR 1451 (23000): Cannot delete or update a parent row: a foreign key constraint fails (`klinik_312010177`.`resep_obat`, CONSTRAINT `id_obat` FOREIGN KEY (`id_obat`)
REFERENCES `obat` (`id_obat`))
```

```
MariaDB [klinik_312010177]> delete from dokter;
ERROR 1451 (23000): Cannot delete or update a parent row: a foreign key constraint fails (`klinik_312010177`.`berobat`, CONSTRAINT `id_dokter` FOREIGN KEY (`id_dokter`)
 REFERENCES `dokter` (`id_dokter`))
MariaDB [klinik_312010177]> alter table berobat drop  foreign key id_dokter;
Query OK, 0 rows affected (0.016 sec)
Records: 0  Duplicates: 0  Warnings: 0

MariaDB [klinik_312010177]> delete from dokter;
Query OK, 6 rows affected (0.004 sec)

MariaDB [klinik_312010177]> select* from dokter;
Empty set (0.000 sec)

MariaDB [klinik_312010177]> load data infile 'backup_dokter' into table dokter;
Query OK, 6 rows affected (0.004 sec)
Records: 6  Deleted: 0  Skipped: 0  Warnings: 0

MariaDB [klinik_312010177]> select* from dokter;
+-----------+----------------------+
| id_dokter | nama_dokter          |
+-----------+----------------------+
|    300437 | dr.Fauzi             |
|    300438 | dr.Sendi Jayanti     |
|    300439 | dr.Ryan Indra        |
|    300440 | dr.Dina Nurmala Sari |
|    300441 | dr.Rifian Arnanda    |
|    300442 | dr.Sugiyanto         |
+-----------+----------------------+
6 rows in set (0.000 sec)

MariaDB [klinik_312010177]>
```

- Restore Table Obat

```
MariaDB [klinik_312010177]> alter table resep_obat drop foreign key id_obat;
Query OK, 0 rows affected (0.014 sec)
Records: 0  Duplicates: 0  Warnings: 0

MariaDB [klinik_312010177]> delete from obat;
ERROR 1100 (HY000): Table 'obat' was not locked with LOCK TABLES
MariaDB [klinik_312010177]> lock table obat write;
Query OK, 0 rows affected (0.000 sec)

MariaDB [klinik_312010177]> delete from obat;
Query OK, 5 rows affected (0.003 sec)

MariaDB [klinik_312010177]> select *from obat;
Empty set (0.000 sec)

MariaDB [klinik_312010177]> load data infile 'backup_obat' into table obat;
Query OK, 5 rows affected (0.004 sec)
Records: 5  Deleted: 0  Skipped: 0  Warnings: 0

MariaDB [klinik_312010177]> select * from obat;
+---------+-------------+
| id_obat | nama_obat   |
+---------+-------------+
|    1001 | Amoxilin    |
|    1002 | Antasida    |
|    1003 | Paracetamol |
|    1004 | Oralit      |
|    1005 | Zinc 20 mg  |
+---------+-------------+
5 rows in set (0.000 sec)

MariaDB [klinik_312010177]>
```

Activate Windows
Go to Settings to activate Windows.

- Restore Table Pasien

```
MariaDB [klinik_312010177]> delete from pasien;
ERROR 1451 (23000): Cannot delete or update a parent row: a foreign key constraint fails (`klinik_312010177`.`berobat`, CONSTRAINT `id_pasien` FOREIGN KEY (`id_pasien`)
 REFERENCES `pasien` (`id_pasien`))
MariaDB [klinik_312010177]> alter table berobat drop foreign key id_pasien;
ERROR 1099 (HY000): Table 'berobat' was locked with a READ lock and can't be updated
MariaDB [klinik_312010177]> lock table berobat write;
Query OK, 0 rows affected (0.000 sec)

MariaDB [klinik_312010177]> alter table berobat drop foreign key id_pasien;
Query OK, 0 rows affected (0.013 sec)
Records: 0  Duplicates: 0  Warnings: 0

MariaDB [klinik_312010177]> delete from pasien;
ERROR 1100 (HY000): Table 'pasien' was not locked with LOCK TABLES
MariaDB [klinik_312010177]> lock table pasien write;
Query OK, 0 rows affected (0.000 sec)

MariaDB [klinik_312010177]> delete from pasien;
Query OK, 5 rows affected (0.007 sec)

MariaDB [klinik_312010177]> select *from pasien;
Empty set (0.000 sec)

MariaDB [klinik_312010177]> load data infile 'backup_pasien' into table pasien;
ERROR 29 (HY000): File 'C:\xampp\mysql\data\klinik_312010177\backup_pasien' not found (Errcode: 2 "No such file or directory")
MariaDB [klinik_312010177]> load data infile 'backup_pasein' into table pasien;
Query OK, 5 rows affected (0.005 sec)
Records: 5  Deleted: 0  Skipped: 0  Warnings: 0

MariaDB [klinik_312010177]> select* from pasien;
+-----------+---------------------+----------------+------+
| id_pasien | nama_pasien         | jenis_kelamin  | umur |
+-----------+---------------------+----------------+------+
|     11111 | Pangeran Antasari   | Pria           |   70 |
|     11112 | Jendral Soedirman   | Pria           |   50 |
|     11113 | Raden Ajeng Kartini | Wanita         |   40 |
|     11114 | Ade Irma Suryani    | Wanita         |   10 |
|     11115 | Pierre Tendean      | Pria           |   20 |
+-----------+---------------------+----------------+------+
5 rows in set (0.000 sec)

MariaDB [klinik_312010177]>
```

- Restore Table Resep_Obat

```
MariaDB [klinik_312010177]> delete from resep_obat;
Query OK, 5 rows affected (0.005 sec)

MariaDB [klinik_312010177]> select* from resep_obat;
Empty set (0.000 sec)

MariaDB [klinik_312010177]> load data infile 'backup_resepobat' into resep_obat;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'resep_obat'
 at line 1
MariaDB [klinik_312010177]> load data infile 'backup_resepobat' into table resep_obat;
Query OK, 5 rows affected (0.015 sec)
Records: 5  Deleted: 0  Skipped: 0  Warnings: 0

MariaDB [klinik_312010177]> select*from resep_obat;
+----------+-----------+--------+
| id_resep | id_berobat | id_obat |
+----------+-----------+--------+
|    67890 |     12345 |   1003 |
|    67893 |     12346 |   1002 |
|    67894 |     12347 |   1004 |
|    67895 |     12348 |   1001 |
|    67896 |     12349 |   1005 |
+----------+-----------+--------+
5 rows in set (0.000 sec)

MariaDB [klinik_312010177]>
```

- Restore Table Users

```
Command Prompt - mysql  -u Adminklinik -p                                    —  □  X
MariaDB [klinik_312010177]> delete from users;
Query OK, 4 rows affected (0.003 sec)

MariaDB [klinik_312010177]> select * from users;
Empty set (0.000 sec)

MariaDB [klinik_312010177]> load data infile 'backup_users' into table users;;
Query OK, 4 rows affected (0.004 sec)
Records: 4  Deleted: 0  Skipped: 0  Warnings: 0

ERROR: No query specified

MariaDB [klinik_312010177]> load data infile 'backup_users' into table users;
ERROR 1062 (23000): Duplicate entry '12344' for key 'PRIMARY'
MariaDB [klinik_312010177]> select *from users;
+-------+----------------+----------+-----------------+
| id    | username       | password | nama_lengkap    |
+-------+----------------+----------+-----------------+
| 12344 | Mmarquezt      | ghjkl    | Marc Marquezt   |
| 12345 | Valeyellow     | asdfg    | Valentino Rossi |
| 12346 | danivalle      | qwert    | Dani Valle      |
| 12347 | Fabioquartararo| yuiop    | Fabio Quartararo|
+-------+----------------+----------+-----------------+
4 rows in set (0.000 sec)

MariaDB [klinik_312010177]>
```

3. Lakukan proses backup dan recovery dengan sqldump dari DB klinik_NIM

```
C:\Windows\System32\cmd.exe                                                  —  □  X
Microsoft Windows [Version 10.0.18363.1440]
(c) 2019 Microsoft Corporation. All rights reserved.


C:\xampp\mysql\bin>mysqldump -u Adminklinik -p klinik_312010177 > C:\xampp\mysql\bin\backup_klinik.sql
Enter password: *********
```

```
C:\Windows\System32\cmd.exe                                                  —  □  X
Microsoft Windows [Version 10.0.18363.1440]
(c) 2019 Microsoft Corporation. All rights reserved.

C:\xampp\mysql\bin>mysqldump -u Adminklinik -p klinik_312010177 > C:\xampp\mysql\bin\backeup2.sql
Enter password: *********

C:\xampp\mysql\bin>mysqldump -u Adminklinik -p klinik_312010177 > C:\xampp\mysql\bin\backeup2.sql
Enter password: *********

C:\xampp\mysql\bin>mysqldump -u Adminklinik -p klinik_312010177 <C:\xampp\mysql\bin\backup_klinik.sql
Enter password: *********
-- MariaDB dump 10.17  Distrib 10.4.14-MariaDB, for Win64 (AMD64)
--
-- Host: localhost    Database: klinik_312010177
-- ------------------------------------------------------
-- Server version       10.4.14-MariaDB

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
```

```
--
-- Table structure for table `berobat`
--

DROP TABLE IF EXISTS `berobat`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `berobat` (
  `id_berobat` int(11) NOT NULL AUTO_INCREMENT,
  `id_pasien` int(5) DEFAULT NULL,
  `id_dokter` int(5) DEFAULT NULL,
  `tgl_berobat` date DEFAULT NULL,
  `keluhan_pasien` varchar(200) DEFAULT NULL,
  `hasil_diagnosa` varchar(200) DEFAULT NULL,
  `penatalaksanaan` enum('Medis','Keperawatan') DEFAULT NULL,
  PRIMARY KEY (`id_berobat`),
  KEY `id_dokter` (`id_dokter`),
  KEY `id_pasien` (`id_pasien`)
) ENGINE=InnoDB AUTO_INCREMENT=12354 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `berobat`
--

LOCK TABLES `berobat` WRITE;
/*!40000 ALTER TABLE `berobat` DISABLE KEYS */;
INSERT INTO `berobat` VALUES (12345,11111,300437,'2022-04-30','Demam >1 minggu, diare','Demam Tifoid','Medis'),(12346,11112,300438,'2022-04-25','Heartburn, mual, nyeri
ulu hati','Asam Lambung','Medis'),(12347,11113,300439,'2022-04-13','Demam tinggi, BAB cair disertai darah, lemas, nyeri perut','Diare Cair Akut','Keperawatan'),(12348,1
1114,300440,'2022-04-20','Demam, menggigil, sakit kepala','Influenza','Medis'),(12349,11115,300441,'2022-04-22','Demam tinggi, sesak napas, pilek, batuk kering','Covid
19','Keperawatan');
/*!40000 ALTER TABLE `berobat` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `dokter`
--

DROP TABLE IF EXISTS `dokter`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `dokter` (
  `id_dokter` int(5) NOT NULL AUTO_INCREMENT,
  `nama_dokter` varchar(50) DEFAULT NULL,
  PRIMARY KEY (`id_dokter`)
) ENGINE=InnoDB AUTO_INCREMENT=300443 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `dokter`
--

LOCK TABLES `dokter` WRITE;
/*!40000 ALTER TABLE `dokter` DISABLE KEYS */;
INSERT INTO `dokter` VALUES (300437,'dr.Fauzi'),(300438,'dr.Sendi Jayanti'),(300439,'dr.Ryan Indra'),(300440,'dr.Dina Nurmala Sari'),(300441,'dr.Rifian Arnanda'),(30044
2,'dr.Sugiyanto');
/*!40000 ALTER TABLE `dokter` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `obat`
--

DROP TABLE IF EXISTS `obat`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `obat` (
  `id_obat` int(5) NOT NULL AUTO_INCREMENT,
  `nama_obat` varchar(100) DEFAULT NULL,
  PRIMARY KEY (`id_obat`)
) ENGINE=InnoDB AUTO_INCREMENT=1006 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
-- Dumping data for table `obat`
--

LOCK TABLES `obat` WRITE;
/*!40000 ALTER TABLE `obat` DISABLE KEYS */;
INSERT INTO `obat` VALUES (1001,'Amoxilin'),(1002,'Antasida'),(1003,'Paracetamol'),(1004,'Oralit'),(1005,'Zinc 20 mg');
/*!40000 ALTER TABLE `obat` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `pasien`
--

DROP TABLE IF EXISTS `pasien`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `pasien` (
  `id_pasien` int(5) NOT NULL AUTO_INCREMENT,
  `nama_pasien` varchar(40) DEFAULT NULL,
  `jenis_kelamin` enum('Pria','Wanita') DEFAULT NULL,
  `umur` int(2) DEFAULT NULL,
  PRIMARY KEY (`id_pasien`)
) ENGINE=InnoDB AUTO_INCREMENT=11116 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character_set_client = @saved_cs_client */;


--
-- Dumping data for table `pasien`
--

LOCK TABLES `pasien` WRITE;
/*!40000 ALTER TABLE `pasien` DISABLE KEYS */;
INSERT INTO `pasien` VALUES (11111,'Pangeran Antasari','Pria',70),(11112,'Jendral Soedirman','Pria',50),(11113,'Raden Ajeng Kartini','Wanita',40),(11114,'Ade Irma Surya
ni','Wanita',10),(11115,'Pierre Tendean','Pria',20);
/*!40000 ALTER TABLE `pasien` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `resep_obat`
--

DROP TABLE IF EXISTS `resep_obat`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `resep_obat` (
  `id_resep` int(11) NOT NULL AUTO_INCREMENT,
  `id_berobat` int(11) DEFAULT NULL,
  `id_obat` int(5) DEFAULT NULL,
  PRIMARY KEY (`id_resep`),
  KEY `id_berobat` (`id_berobat`),
  KEY `id_obat` (`id_obat`)
) ENGINE=InnoDB AUTO_INCREMENT=67897 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `resep_obat`
--

LOCK TABLES `resep_obat` WRITE;
/*!40000 ALTER TABLE `resep_obat` DISABLE KEYS */;
INSERT INTO `resep_obat` VALUES (67890,12345,1003),(67893,12346,1002),(67894,12347,1004),(67895,12348,1001),(67896,12349,1005);
/*!40000 ALTER TABLE `resep_obat` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `users`
--

DROP TABLE IF EXISTS `users`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `users` (
  `id` int(5) NOT NULL AUTO_INCREMENT,
  `username` varchar(20) NOT NULL,
  `password` varchar(32) DEFAULT NULL,
  `nama_lengkap` varchar(40) NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=12348 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character_set_client = @saved_cs_client */;
```

Activate Windows
Go to Settings to activate Windows.

```
-- 
-- Dumping data for table `users`
-- 

LOCK TABLES `users` WRITE;
/*!40000 ALTER TABLE `users` DISABLE KEYS */;
INSERT INTO `users` VALUES (12344,'Mmarquezt','ghjkl','Marc Marquezt'),(12345,'Valeyellow','asdfg','Valentino Rossi'),(12346,'danivalle','qwert','Dani Valle'),(12347,'F
abioquartararo','yuiop','Fabio Quartararo');
/*!40000 ALTER TABLE `users` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2022-07-03  4:32:48

C:\xampp\mysql\bin>
```

4. **Tuliskan script cron job untuk melakukan backup otomatis setiap hari minggu jam 12 malam!**

   0 0 * * 0 mysqldump -u Adminklinik –p 312010177 klinik_312010177 >backupDBklinik.sql