

X API Feedback

Data shape improvements for `/get_official_tweets` and `/search_tweets`

To: Alaa | From: Gleb | 2026-04-09

We integrated the X API into the trading app's token page X feed. A few data-shape issues are making it hard to render the feed accurately. Flagging them in priority order.

1. Retweets return 0 for likes and comments

The RT record carries only a partial **retweets** count; **likes** and **comments** are always 0, and **views** is "0" or "1". Users see 0 | 29 | 0 on every retweet, which looks broken.

Fix: either (a) copy the source post's engagement metrics onto the RT record, or (b) embed the full source post under a `retweeted_tweet` key so we can render proper counts.

Current response:

```
{
  "tweet_id": "2041985053693976614",
  "tweet_text": "RT @Spectre__AI: Tick-tock new website...",
  "likes": 0,
  "retweets": 29,
  "comments": 0,
  "views": "1"
}
```

Expected:

```
{
  "tweet_id": "2041985053693976614",
  "tweet_text": "RT @Spectre__AI: Tick-tock new website...",
  "retweeted_tweet": {
    "tweet_id": "2041935585875476640",
    "username": "Spectre__AI",
    "likes": 65,
    "retweets": 29,
    "comments": 25,
    "views": "1409"
  }
}
```

Right now we work around this by scanning the full feed for a matching original post via normalized text matching. Fragile and only works when the source is already in our result set.

2. No `in_reply_to_tweet_id` / `conversation_id` field

Replies have no parent tweet ID or conversation ID. We can only match replies to parents by extracting `@handle` from the tweet text, which fails in two common cases.

Bug A - multi-user threads: Spectre posted `@CryptoWizardd @Gyokeres_eth` Way more! - a reply inside a thread. We have no way to tell which of the two tagged users is the actual parent. We ended up treating both as parents, which is a guess.

Bug B - self-replies (worse): When the project replies to its OWN tweet, X drops the @handle prefix entirely. Example: https://x.com/Spectre__AI/status/2042210023409881464

Current response:

```
{
  "tweet_id": "2042210023409881464",
  "tweet_text": "Rhetorical but we will type this out -
                this will power the Spectre AI upcoming new App.",
  "username": "Spectre__AI",
  "likes": 3,
  "retweets": 0,
  "comments": 0
}
```

No reply indicator at all. From our side it looks identical to a standalone post, so we render it as a "Project Post" instead of a "Reply", and users see a reply without the original tweet it's responding to. There is no client-side fix.

Fix: forward Twitter API v2's `referenced_tweets[]` (where `type: "replied_to"`), `in_reply_to_user_id`, and `conversation_id`. Twitter already provides these - they just need to pass through your scraper.

3. Thread-context tweets are mixed into the feed with no flag

`/get_official_tweets?username=Spectre__AI` returns 29 tweets, but 8 of them are from **third parties** (BlackholeDEX, adam3us, WatcherGuru, Grayscale, neutanent, Invubu, Gyokeres_eth, FrankLambeek) pulled in as thread parents because Spectre replied to them.

There is no flag distinguishing:

- Spectre's own posts
- Spectre's retweets
- Spectre's replies
- Third-party parent tweets (thread context)

We had to infer the third category by checking whether any Spectre reply's `replyingTo` handle matches. That is brittle.

Fix: add a `context_type` field:

```
{ "context_type": "authored" }           // Spectre's own post
{ "context_type": "retweet" }           // Spectre retweeted this
{ "context_type": "reply" }             // Spectre replied to this
{ "context_type": "thread_parent" }     // Thread context, not authored
```

4. views field type is inconsistent

Sometimes it is a string ("1409"), sometimes a number (1406). Pick one. We are currently `parseInt`-ing defensively on every tweet.

5. No pagination, max_results, or cursor

We get 29 tweets and do not know if that is the limit or the full set. Please add `max_results` query param and `next_cursor` in the response. Useful for loading more on scroll.

6. No rate limit headers

When the upstream hits a limit we just see a 502. Please forward X API's `x-rate-limit-remaining` and `x-rate-limit-reset` headers so we can back off client-side instead of spamming.

. Priority order

#	Issue	Severity	Effort
1	Retweet engagement metrics	High - breaks UI today	Small
2	<code>in_reply_to_tweet_id</code>	Medium - fixes thread match	Small
3	<code>context_type</code> flag	Medium - fixes filtering	Medium
4	views type consistency	Low - easy fix	Tiny
5	Pagination + cursor	Low - nice to have	Medium
6	Rate limit headers	Low - nice to have	Tiny

Let me know if you want to jump on a call to walk through the trading dashboard and see exactly where each one bites us.