

Question 1

Formatted Output:

Product Name: Apple, Price: \$2.99, Quantity: 5, Total: \$14.95

Which Python formatting method would NOT produce this output?

- A. f-string with {:.2f}
- B. .format() without {:.2f}
- C. .format() with {:.2f}

Correct Answer: B

Question 2

What is the output of `s.split(', ', 2)` where `s = 'one, two, three, four'`?

- A. ['one', 'two', 'three,four']
- B. ['one,two', 'three', 'four']
- C. ['one', 'two,three,four']
- D. ['one', 'two', 'three', 'four']

Correct Answer: A

Question 3

What is the output of `print(', '.join(['A', 'B', 3]))`?

- A. 'A,B,3'
- B. TypeError
- C. 'A,B,'
- D. 'A,B'

Correct Answer: B

Question 4

Equivalent f-string for `print('Hello, %s!' % name)`

- A. `print('Hello, {name}!')`
- B. `print('Hello, {name}!')`
- C. `print(f'Hello, {name}!')`
- D. `print(f'Hello, %s!' % name)`

Correct Answer: C

Question 5

What is the output of `s='hello'; s.upper(); print(s)`?

- A. AttributeError
- B. HELLO
- C. None
- D. hello

Correct Answer: D

Question 6

Valid percentage formatting using % operator ($0.756 \rightarrow 75.60\%$)

- A. %p
- B. %f%%
- C. %d%
- D. %.2f%%

Correct Answer: D