


ATIVIDADE				
DE				
Curso:	Superior de Tecnologia em ADS	Disciplina:	Laboratório de Programação Web II	
Docente:	Fábio dos Santos Lima	Turma:	5 ADS	Data:
Discente:	Halisson Breno Sousa Araujo			

ATIVIDADE ETAPA 2 – Inserir migrations: fornecedor, Model Fornecedor, Controller: FornecedorController

Tela com comandos no terminal




The screenshot shows the Laravel documentation website on the left and a terminal window on the right. The terminal window displays the following commands and output:

```
root@95cd48b6dcc0:/var/www/Projetoaula#
Microsoft Windows [versão 10.0.19042.1348]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Users\halis>cd C:\Users\halis\Documents\Projetos\laradock

C:\Users\halis\Documents\Projetos\laradock>docker-compose exec workspace bash
root@95cd48b6dcc0:/var/www# cd Projetoaula/
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan make:migration create_fornecedores_table
Created Migration: 2021_12_12_153949_create_fornecedores_table
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan make:controller FornecedoresController
Controller created successfully.
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan make:model Fornecedor
Model created successfully.
root@95cd48b6dcc0:/var/www/Projetoaula#
```

controller method. Instead, you may simply pass the name of the controller to the router:



```
root@95cd48b6dcc0:/var/www/Projetoaula#
Microsoft Windows [versão 10.0.19042.1348]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Users\halis>cd C:\Users\halis\Documents\Projetos\laradock

C:\Users\halis\Documents\Projetos\laradock>docker-compose exec workspace bash
root@95cd48b6dcc0:/var/www# cd Projetoaula/
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan make:migration create_fornecedores_table
Created Migration: 2021_12_12_153949_create_fornecedores_table
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan make:controller FornecedoresController
Controller created successfully.
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan make:model Fornecedor
Model created successfully.
root@95cd48b6dcc0:/var/www/Projetoaula# php artisan migrate:status
```

Batch	Migration	Batch
Yes	2014_10_12_000000_create_users_table	1
Yes	2014_10_12_100000_create_password_resets_table	1
Yes	2019_08_19_000000_create_failed_jobs_table	1
Yes	2019_12_14_000001_create_personal_access_tokens_table	1
Yes	2021_12_11_220420_create_clientes_table	5
No	2021_12_12_153949_create_fornecedores_table	


root@95cd48b6dcc0:/var/www/Projetoaula#

Controller Middleware


Middleware may be assigned to the controller's routes in your route files:

CÓDIGOS NO VSCODE:


Migrate da tabela fornecedores




Model Fornecedor



Controller FornecedoresController



Rota para exibir Fornecedores



The screenshot shows a terminal window with the following commands and output:

```

root@95c48bdc8:/var/www/Projetoola# php artisan make:controller FormecedoresController
Controller created successfully
root@95c48bdc8:/var/www/Projetoola# php artisan make:model Formecedor
Model created successfully
root@95c48bdc8:/var/www/Projetoola# php artisan migrate:status

+-----+-----+-----+
| Run | Migration | Batch |
+-----+-----+-----+
| Yes | 2014_10_12_000000_create_users_table | 1 |
| Yes | 2014_10_12_000000_create_password_resets_table | 1 |
| Yes | 2015_08_19_000000_create_failed_jobs_table | 1 |
| Yes | 2019_12_14_000001_create_personal_access_tokens_table | 1 |
| Yes | 2021_12_11_220429_create_clientes_table | 5 |
| No | 2021_12_13_153940_create_formecedores_table | 5 |
+-----+-----+-----+

root@95c48bdc8:/var/www/Projetoola# php artisan migrate
Migrating: 2021_12_13_153940_create_formecedores_table (100.47ms)
Migrated: 2021_12_13_153940_create_formecedores_table (100.47ms)
root@95c48bdc8:/var/www/Projetoola# php artisan migrate:status

+-----+-----+-----+
| Run | Migration | Batch |
+-----+-----+-----+
| Yes | 2014_10_12_000000_create_users_table | 1 |
| Yes | 2014_10_12_000000_create_password_resets_table | 1 |
| Yes | 2015_08_19_000000_create_failed_jobs_table | 1 |
| Yes | 2019_12_14_000001_create_personal_access_tokens_table | 1 |
| Yes | 2021_12-11-220429_create_clientes_table | 5 |
| Yes | 2021_12-13-153940_create_formecedores_table | 6 |
+-----+-----+-----+

root@95c48bdc8:/var/www/Projetoola#
  
```

The left sidebar shows the project structure with the following folders:

- PROJETOOLA
- Assets
- Models
- Formecedores.php
- User.php
- Providers
- bootstrap
- config
- factories
- migrations
- seeds
- gigantes
- public
- resources
- routes
- api.php
- channels.php

The screenshot displays the phpMyAdmin interface for a MySQL database named 'laravel'. The 'formecedores' table is selected, and its structure is shown. The table has the following columns:

#	Nome	Tipo	Agrupamento (Collation)	Atributos	Nulo	Predefinido	Comentários	Extra	Ações
1	id	bigint(20)	UNSIGNED		Não	Nenhum		AUTO_INCREMENT	Muda Elimina
2	created_at	timestamp		Sim	NUL				Muda Elimina
3	updated_at	timestamp		Sim	NUL				Muda Elimina
4	nome	varchar(100)	utf8mb4_unicode_ci		Não	Nenhum			Muda Elimina
5	cnpj	varchar(20)	utf8mb4_unicode_ci		Não	Nenhum			Muda Elimina
6	telefone	varchar(20)	utf8mb4_unicode_ci		Não	Nenhum			Muda Elimina
7	endereco	varchar(60)	utf8mb4_unicode_ci		Não	Nenhum			Muda Elimina

The interface also shows a sidebar with the database structure, a top navigation bar, and a bottom status bar indicating 16.0 KB of data.

On screen: A browser window showing the URL `localhost:3000/projetos/public/formecedores`. The address bar shows the URL and the page title "Formecedores". The page content displays a list of companies with the following JSON data:

```
[{"id":1,"created_at":"null","updated_at":"null","nome":"Capcom Co. Ltd. Desenvolvedor de jogos eletr\u00f4nicos","cnpj":"36418389-0001-06","telefone":"1140028922","endereco":"Avenida Brasil, 322, S\u00f3003o Paulo."}]
```