

SE-BEFORE-MID — Weeks 1–8 · 17 Aug – 11 Oct 2026 ·

MIDTERM (W8)

Scope: Weeks 1–8 (17 Aug – 11 Oct 2026) — software process models, requirements engineering, analysis modelling (DFD/ER), project management, software design & architecture, design patterns & agile development, ending at the Week 8 midterm. **Siblings:** `SE-NAV.md` (master map) · `SE-AFTER-MID.md` (Weeks 9–15) · `SE-LABS.md` (labs). Week-colored headers below match the NAV schedule. **Exam split:** ~60% theory + ~40% diagram/drill, midterm-weighted toward process models, requirements, DFD, and project management (90%/80%/75%/65% midterm prob — see NAV). **Exam order:** DFD / process-model questions first, theory second.

At a glance (W1–W8)

W	Dates	Variant	File	Topics
W1	17–23 Aug	P2	BEFORE	Software process models
W2	24–30 Aug	P2	BEFORE	Requirements engineering + IEEE 830
W3	31 Aug–06 Sep	P2	BEFORE	Analysis modelling — DFD & ER
W4	07–13 Sep	P0	BEFORE	Project management — WBS, Gantt, CPM, RMMM
W5	14–20 Sep	P0	BEFORE	Software design & architecture
W6	21–27 Sep	P2	BEFORE	Design patterns & Agile/Scrum
W7	28 Sep–04 Oct	P1	BEFORE	Midterm revision
W8	05–11 Oct	MIDTERM	BEFORE	Exam week — no new material

Tier key: **P0** = no exam pressure (front-load new material) · **P1** = light revision · **P2** = drill-heavy week. Variants editorial (SE manifests carry no variant field).

W1 — Software Process Models · 17–23 Aug · P2 · 4 hrs

Banner: Rotation SE (Thu+Fri) · Tier P2 · Time budget 4 hrs · P0 floor: pack pass + def/formula skim + same-problem drill.

Sources & offsets

Source	Where	Ref
Narrative	<code>Week-by-Week-Narrative.md</code> → Week 1	lines 17–35
Fear-Killer Pack	<code>Fear-Killer-Packs.md</code> → Week 1: topic-software-process-models	lines 11–16
Week manifest	<code>weeks/SE-W1.md</code>	full file
Chapter breakdown	— (no <code>03-Chapter-Breakdowns/</code> ; narrative-derived topic)	—

Definitions (verbatim)

Term	Definition
Agile	A software development methodology based on iterative development, where requirements and solutions evolve through collaboration. <i>(preview — full coverage W6)</i>

Formulas (verbatim)

Formula	Statement
—	(none in <code>Formula-Book.md</code> this week)

Type	Items
Diagrams	Diagram-Book.md #1 Waterfall model · #2 Spiral model
Numericals	— (none; drill = 4-model comparison table from blank page)
Tricky	— (deferred)
Top-100	— (deferred)

Books · Chapters · Media

Resource	Where
Pressman & Maxim	Ch.2
Gate Smashers	Software Engineering playlist videos 1–4

Fear-Killer Pack SE-W1 (verbatim)

Resources: Gate Smashers (Process models) • Pressman Ch.2-3 • Sommerville Ch.2

1. A defense system with hard real-time requirements has 50,000 LOC, needs full documentation for certification, and requirements are fully known upfront. Which process model should you choose and why? Design the complete lifecycle showing phases, milestones, and deliverables. Now take a startup building a food delivery app with uncertain requirements — which model fits and why?
2. Show the Waterfall, Incremental, and Spiral models side by side. For each, state: when requirements are fixed, when customer sees the product, how risk is handled, and what happens if requirements change mid-project. Construct a scenario where each model is the ONLY appropriate choice.
3. Compare plan-driven vs agile development across: documentation, customer involvement, team size, response to change, and project predictability. A 5-person team building an internal tool for a small company with a flexible stakeholder — which approach wins and why?

Narrative — Week 1 (verbatim)

Topics: Software engineering vs programming; Software process models: Waterfall, Incremental, Spiral, Reuse-oriented

Resources: Pressman Ch.2; Gate Smashers — Software Engineering playlist (videos 1-4)

Practice: - Create a comparison table: each model's phases, when to use, when NOT to use - For each model, write down: 1 real-world scenario where it's appropriate - **Form your group project team this week**

Lab: Form groups, choose project topic, submit proposal

⚠ **Group Project Risk Protocol (CRITICAL — read before forming teams):** See Shared/07-Master-Overview.md §Group Project Contingency Protocol. Key timeline: team charter with signed expectations by W2, first deliverable check W3 (escalate if <30% contribution), mid-course decision W6 (activate solo contingency if <50% complete), viva prep trigger W10. This protocol determines whether your GPA survives the semester. Do not skip it.

Deliverable: Group project proposal (half page) + process model comparison table

Time budget: 4 hrs

Lab pointer

Lab this week: SE-LABS.md → **Lab 1 — Documentation tools in SDLC** (proposal/SRS templates; derived map — no Lab-Schedule.md).

P0 floor · Drill target · Deliverable · Trap

- **P0 floor:** fear-killer pack pass (Q1 model-selection + Q2 side-by-side Waterfall/Incremental/Spiral) · def/formula skim (Agile preview) · same-problem drill (4-model comparison table)
- **Same-problem drill target:** comparison table (4 models × phases/risk/change-handling) < 15 min, closed book
- **Deliverable:** group project proposal (half page) + process model comparison table
- **Trap:** form the team this week — the group project is the GPA risk; do NOT treat W1 as a pure theory week

W2 — Requirements Engineering · 24–30 Aug · P2 · 4 hrs

Banner: Rotation SE (Thu+Fri) · Tier P2 · Time budget 4 hrs · ~~P0 floor:~~ pack pass + def/formula skim + same-problem drill.

Sources & offsets

Source	Where	Ref
Narrative	Week-by-Week-Narrative.md → Week 2	lines 38–54
Fear-Killer Pack	Fear-Killer-Packs.md → Week 2: topic-requirements-engineering	lines 18–23
Week manifest	weeks/SE-W2.md	full file
Chapter breakdown	— (no 03-Chapter-Breakdowns/; narrative-derived topic)	—

Definitions (verbatim)

Term	Definition
Functional Requirement	A requirement that specifies what a system must do (functions, features).
Non-Functional Requirement	A requirement that specifies constraints on the system (performance, security, usability).
SRS (Software Requirements Specification)	A document that describes what the software will do and how it will behave.

Formulas (verbatim)

Formula	Statement
—	(none in Formula-Book.md this week)

Diagrams · Numericals · Tricky · Top-100

Type	Items
Diagrams	— (none; IEEE 830 section list is the "structure" drill)
Numericals	— (none; drill = categorize 10 requirements < 10 min)
Tricky	— (deferred)
Top-100	— (deferred)

Books · Chapters · Media

Resource	Where
Pressman & Maxim	Ch.5
Gate Smashers	Requirements Engineering video

Fear-Killer Pack SE-W2 (verbatim)

Resources: Pressman Ch.5-6 • Sommerville Ch.4

1. Write functional and non-functional requirements for an ATM system. Give 5 functional and 5 non-functional requirements. Then classify the NFRs into: product, organizational, and external requirements. Show how a functional requirement like "dispense cash" traces to specific NFRs like "dispense within 2 seconds" and "dispense correct amount with 99.999% accuracy."
2. Elicit requirements for a library management system. Use at least 4 elicitation techniques (interviews, surveys, domain analysis, observation). For each technique, state what type of requirement it uncovers best and what its blind spot is. Create a sample interview question set for a librarian stakeholder.
3. Write an SRS excerpt (IEEE 830 format) for the ATM system's "cash withdrawal" use case. Include: functional requirement, performance requirement, interface requirement, and a constraint. Show how each section of IEEE 830 maps to your content.

Narrative — Week 2 (verbatim)

Topics: Functional vs non-functional vs domain requirements; Requirements engineering process (elicitation, analysis, specification, validation); IEEE 830 SRS standard

Resources: Pressman Ch.5; Gate Smashers — Requirements Engineering

Practice: - For your chosen project: write 5 functional and 5 non-functional requirements - Distinguish non-functional from domain

requirements (common exam trap) - IEEE 830 SRS structure: memorize the main sections

Lab: Start SRS document for your project

Deliverable: Draft SRS outline with 10 requirements categorized

Time budget: 4 hrs

Lab pointer

Lab this week: SE-LABS.md → **Lab 1 — Documentation tools in SDLC** (SRS templates; derived map — no Lab-Schedule.md).

P0 floor · Drill target · Deliverable · Trap

- **P0 floor:** fear-killer pack pass (Q1 FR→NFR traceability + Q2 elicitation techniques) · def/formula skim (Functional/NFR/SRS) · same-problem drill (10-requirement categorization)
- **Same-problem drill target:** FR→NFR trace ("dispense cash" → "within 2 s" / "99.999% accuracy") < 10 min; IEEE 830 section list from memory
- **Deliverable:** draft SRS outline with 10 requirements categorized
- **Trap:** distinguishing NFR from domain requirements is a common exam trap — drill unfamiliar scenarios (W7 red flag repeats this)

W3 — Analysis Modelling · 31 Aug–06 Sep · P2 · 5 hrs

Banner: Rotation SE (Thu+Fri) · Tier P2 · Time budget 5 hrs · P0 floor: revision-cycle checklist + def/formula skim + same-problem drill.

Sources & offsets

Source	Where	Ref
Narrative	Week-by-Week-Narrative.md → Week 3	lines 57–74
Fear-Killer Pack	— (no pack — DFD/ER not in Fear-Killer-Packs.md)	—
Week manifest	weeks/SE-W3.md	full file
Chapter breakdown	— (no 03-Chapter-Breakdowns/; narrative-derived topic)	—

Definitions (verbatim)

Term	Definition
DFD (Data Flow Diagram)	A graphical representation of data flow through a system, showing processes, data stores, and external entities.

Formulas (verbatim)

Formula	Statement
—	(none in Formula-Book.md this week)

Diagrams · Numericals · Tricky · Top-100

Type	Items
Diagrams	Diagram-Book.md #3 Context diagram (DFD Level 0) · #4 Level 0 DFD · #5 Level 1 DFD (balancing) · #6 ER diagram
Numericals	— (none; drill = Level 0 → Level 1 balancing of one process)
Tricky	— (deferred)
Top-100	— (deferred)

Books · Chapters · Media

Resource	Where
Pressman & Maxim	Ch.6
DFD examples	past papers

Fear-Killer Pack — none this week

No pack (SE-W3). Deep study from narrative + DFD examples from past papers.

Narrative — Week 3 (verbatim)

Topics: DFD (context, Level 0, Level 1); ER diagrams; Data dictionary; Balancing across levels

Resources: Pressman Ch.6; DFD examples from past papers

Practice: - Draw context diagram for your project - Draw Level 0 DFD (major processes + data stores + external entities) - Draw Level 1 DFD for one process (verify balance with Level 0) - Trap: Data conservation across levels — every data flow at Level 0 must appear in Level 1

Lab: Complete DFDs for your project

Deliverable: Context diagram + Level 0 + Level 1 DFD with balancing verified

Time budget: 5 hrs

Lab pointer

Lab this week: SE-LABS.md → Lab 4 — Data Flow Diagram (derived map — no Lab-Schedule.md).

P0 floor · Drill target · Deliverable · Trap

- **P0 floor:** revision-cycle checklist (04-Revision-Cycles.md DFD balancing trace) · def skim (DFD) · same-problem drill (Level 0 → Level 1)
- **Same-problem drill target:** context + Level 0 DFD for your project < 20 min; Level 1 balancing verified
- **Deliverable:** context diagram + Level 0 + Level 1 DFD with balancing verified
- **Trap:** data conservation across levels — every Level 0 data flow must appear in Level 1 (killer trap)

W4 — Project Management · 07–13 Sep · P0 · 5 hrs

Banner: Rotation SE (Thu+Fri) · Tier P0 · Time budget 5 hrs · P0 floor: pack pass + def/formula skim + same-problem drill.

Sources & offsets

Source	Where	Ref
Narrative	Week-by-Week-Narrative.md → Week 4	lines 77–93
Fear-Killer Pack	Fear-Killer-Packs.md → Week 3: topic-project-management (pack key lags narrative week — see weeks/README.md)	lines 25–30
Week manifest	weeks/SE-W4.md	full file
Chapter breakdown	— (no 03-Chapter-Breakdowns/; narrative-derived topic)	—

Definitions (verbatim)

Term	Definition
WBS (Work Breakdown Structure)	A hierarchical decomposition of the total scope of work.

Formulas (verbatim)

Formula	Statement
—	(none in Formula-Book.md this week; CPM forward/backward pass is procedural)

Diagrams · Numericals · Tricky · Top-100

Type	Items
Diagrams	Diagram-Book.md #7 WBS · #8 Gantt chart
Numericals	— (CPM not indexed in Numerical-Book.md; drill via pack Q1)
Tricky	— (deferred)

Top-100	— (deferred)
---------	--------------

Books · Chapters · Media

Resource	Where
Pressman & Maxim	Ch.7
ProjectLibre	tutorial

Fear-Killer Pack SE-W4 (verbatim)

Resources: Pressman Ch.21-22 • Sommerville Ch.22

1. A software project has tasks: A(5 days, precedes B,C), B(3 days, precedes D), C(4 days, precedes D,E), D(2 days, precedes F), E(6 days, precedes F), F(3 days, no successors). Draw the network diagram using CPM. Calculate ES, EF, LS, LF, slack for each task. Identify the critical path and total project duration. What happens if task C takes 7 days instead of 4?
2. Identify 5 risks for a web development project: one technology risk, one people risk, one organizational risk, one requirements risk, and one estimation risk. For each, apply RMMM: state the probability, impact, mitigation strategy (what you do proactively), and management plan (what you do if it occurs).
3. Draw a Work Breakdown Structure (WBS) for building a mobile banking app. Decompose to at least level 3 (4 levels total: project → phase → deliverable → work package). Show at least 15 work packages. How does the WBS feed into the Gantt chart and cost estimation?

Narrative — Week 4 (verbatim)

Topics: Project planning; Work Breakdown Structure (WBS); Gantt charts; CPM/PERT; Risk management (RMMM)

Resources: Pressman Ch.7; ProjectLibre tutorial

Practice: - Create WBS for your project (4+ levels of decomposition) - Draw Gantt chart in ProjectLibre: identify critical path - Risk management: identify 3 risks, propose mitigation, monitoring, management plan

Lab: Project scheduling using ProjectLibre; begin risk register

Deliverable: WBS + Gantt chart + risk assessment table

Time budget: 5 hrs

Lab pointer

Lab this week: SE-LABS.md → Lab 2 — Project management tool / project plan (derived map — no Lab-Schedule.md).

P0 floor · Drill target · Deliverable · Trap

- **P0 floor:** fear-killer pack pass (Q1 CPM network + critical path + Q2 RMMM) · def skim (WBS) · same-problem drill (CPM forward/backward pass)
- **Same-problem drill target:** CPM trace (ES/EF/LS/LF/slack) < 15 min; critical path identified correctly
- **Deliverable:** WBS + Gantt chart + risk assessment table
- **Trap:** first deliverable check W3 escalation — <30% contribution → escalate per Group Project Risk Protocol

W5 — Software Design & Architecture · 14–20 Sep · P0 · 5 hrs

Banner: Rotation SE (Thu+Fri) · Tier P0 · Time budget 5 hrs · P0 floor: pack pass + def/formula skim + same-problem drill.

Sources & offsets

Source	Where	Ref
Narrative	Week-by-Week-Narrative.md → Week 5	lines 96–112
Fear-Killer Pack	Fear-Killer-Packs.md → Week 4: topic-software-design	lines 32–38
Week manifest	weeks/SE-W5.md	full file
Chapter breakdown	— (no 03-Chapter-Breakdowns/; narrative-derived topic)	—

Definitions (verbatim)

Term	Definition
------	------------

Cohesion	The degree to which elements within a module belong together (high cohesion is good).
Coupling	The degree of interdependence between modules (low coupling is good).

Formulas (verbatim)

Formula	Statement
—	(none in <code>Formula-Book.md</code> this week)

Diagrams · Numericals · Tricky · Top-100

Type	Items
Diagrams	<code>Diagram-Book.md</code> #9 Architectural styles (layered, data-centered, data flow) · #10 UML class diagram · #15/#16/#17 pattern UML (preview for W6)
Numericals	— (none; drill = rank 7 cohesion + 7 coupling types best-to-worst)
Tricky	— (deferred)
Top-100	— (deferred)

Books · Chapters · Media

Resource	Where
Pressman & Maxim	Ch.8
Gate Smashers	Software Design video

Fear-Killer Pack SE-W5 (verbatim)

Resources: Pressman Ch.8-9, 12 • Sommerville Ch.6-7 • Refactoring.Guru

- For a library management system, identify modules with high cohesion and low coupling. Given two designs: Design A has a single "LibraryManager" class handling books, members, loans, and fines. Design B separates BookManager, MemberManager, LoanManager, FineManager. Evaluate both for cohesion and coupling. Which is better and why?
- Explain and give a concrete example for each of the 7 types of cohesion (coincidental to functional) and 7 types of coupling (content to data). Order them best to worst. For a given code snippet showing tight coupling, refactor to achieve data coupling.
- Implement a Singleton pattern for a database connection manager. Draw the UML class diagram with all relationships. Then implement an Observer pattern for a notification system where EmailNotifier, SMSNotifier, and PushNotifier observe a OrderStatus subject. Show the sequence diagram for a status change.
- Compare layered architecture, data-centered architecture, and call-and-return architecture. For a hospital management system, which architecture? Draw the architectural diagram showing all layers/components and the data flow between them.

Narrative — Week 5 (verbatim)

Topics: Design concepts (abstraction, refinement, modularity); Architectural styles (data-centered, data flow, call-and-return, layered); Cohesion vs coupling

Resources: Pressman Ch.8; Gate Smashers — Software Design

Practice: - Identify architectural style for your project — justify your choice - Cohesion vs coupling: rank examples from best to worst - Draw architectural design diagram for your project

Trap: High cohesion + low coupling is the target. Students memorize this but cannot apply it to unfamiliar scenarios. Practice with 3 case studies.

Lab: Architectural design document for project

Time budget: 5 hrs

Lab pointer

Lab this week: `SE-LABS.md` → **Labs 3 + 6 — UML Modeling** (class + collaboration/deployment; derived map — no `Lab-Schedule.md`).

P0 floor · Drill target · Deliverable · Trap

- P0 floor:** fear-killer pack pass (Q1 design A-vs-B evaluation + Q2 7 types) · def skim (Cohesion/Coupling) · same-problem drill

- (7+7 ranking)
- **Same-problem drill target:** cohesion/coupling ordering < 10 min; architecture style selection + justification for your project
 - **Deliverable:** architectural design document for project
 - **Trap:** high cohesion + low coupling is memorized but NOT applied — practice with 3 unfamiliar case studies

W6 — Design Patterns & Agile Development · 21–27 Sep · P2 · 5 hrs

Banner: Rotation SE (Thu+Fri) · Tier P2 · Time budget 5 hrs · P0 floor: pack pass + def/formula skim + same-problem drill.

Sources & offsets

Source	Where	Ref
Narrative	Week-by-Week-Narrative.md → Week 6	lines 115–133
Fear-Killer Pack	Fear-Killer-Packs.md → Week 5: topic-agile-and-scrum (+ Week 4 Q3 patterns)	lines 40–45 (+ L37)
Week manifest	weeks/SE-W6.md	full file
Chapter breakdown	— (no 03-Chapter-Breakdowns/; narrative-derived topic)	—

Definitions (verbatim)

Term	Definition
Agile	A software development methodology based on iterative development, where requirements and solutions evolve through collaboration.
Scrum	An agile framework for managing software development with sprints, roles (Product Owner, Scrum Master, Dev Team), and ceremonies.

Formulas (verbatim)

Formula	Statement
—	(none in Formula-Book.md this week)

Diagrams · Numericals · Tricky · Top-100

Type	Items
Diagrams	Diagram-Book.md #15 Singleton pattern UML · #16 Factory Method UML · #17 Observer pattern UML · #18 Scrum framework diagram
Numericals	— (none; drill = sprint planning from 10 story points at velocity 20 — pack Q3)
Tricky	— (deferred)
Top-100	— (deferred)

Books · Chapters · Media

Resource	Where
Pressman & Maxim	Ch.3
Refactoring.Guru	design patterns catalog
Gate Smashers	Scrum video

Fear-Killer Pack SE-W6 (verbatim)

Resources: Gate Smashers (Agile videos) · Pressman Ch.4 · Sommerville Ch.3

1. A team of 7 is building a food delivery app with a tight 3-month deadline and a product owner who wants to see progress every 2 weeks. Set up the complete Scrum framework: define all 3 roles (PO, SM, Dev Team), all 5 events (Sprint Planning, Daily Scrum, Sprint Review, Retrospective, Backlog Refinement), and all 3 artifacts (Product Backlog, Sprint Backlog, Increment). Show the first Sprint Backlog with 5 user stories and acceptance criteria.
2. Write the four values of the Agile Manifesto. For each value, give a concrete development practice that exemplifies it. Then list

- 12 XP practices and for each, state the problem it solves (e.g., pair programming solves code quality and knowledge silos).
3. Given 10 user stories with story points 3,5,8,2,3,13,5,8,3,5 and a team velocity of 20 points per sprint, plan the first two sprints. Show which stories go in Sprint 1 vs Sprint 2. Track using a burndown chart showing ideal vs actual progress for Sprint 1.

Narrative — Week 6 (verbatim)

Topics: GoF design patterns (Singleton, Factory, Abstract Factory, Observer, Strategy); Agile manifesto; Scrum (roles, ceremonies, artifacts); Extreme Programming

Resources: Refactoring.Guru (best resource); Gate Smashers — Scrum; Pressman Ch.3

Practice: - For each pattern: UML diagram + when to use + real example - Scrum roles: Product Owner, Scrum Master, Development Team — do NOT confuse these - Sprint planning: estimate story points for your project

Trap: Factory vs Abstract Factory distinction. Factory Method = one product family. Abstract Factory = multiple related families.

Lab: Implement one design pattern in your project codebase

Deliverable: Design patterns comparison table + Sprint backlog for your project

Time budget: 5 hrs

Lab pointer

Lab this week: SE-LABS.md → Lab 7 — Design Patterns in SDLC (derived map — no Lab-Schedule.md).

P0 floor · Drill target · Deliverable · Trap

- **P0 floor:** fear-killer pack pass (Q1 full Scrum setup + Q3 sprint planning) · def skim (Agile/Scrum) · same-problem drill (sprint allocation from velocity)
- **Same-problem drill target:** Scrum roles/events/artifacts from memory < 10 min; Sprint 1 vs Sprint 2 story allocation
- **Deliverable:** design patterns comparison table + Sprint backlog for your project
- **Trap:** Factory vs Abstract Factory — one product family vs multiple related families (killer trap); mid-course decision W6 → solo contingency if <50% complete

W7 — Midterm Revision · 28 Sep–04 Oct · P1 · 7 hrs

Banner: Rotation SE (Thu+Fri) · Tier P1 · Time budget 7 hrs · P0 floor: revision-cycle checklist + def/formula skim + same-problem drill. **No new material.**

Sources & offsets

Source	Where	Ref
Narrative	Week-by-Week-Narrative.md → Week 7	lines 136–152
Fear-Killer Pack	— (revision — no pack; review SE-W1/2/4/5/6)	—
Week manifest	weeks/SE-W7.md	full file
Chapter breakdown	— (all W1–W6 topics)	—

Definitions (verbatim) — full W1–W6 sweep

Term	Definition
Agile	A software development methodology based on iterative development, where requirements and solutions evolve through collaboration.
Cohesion	The degree to which elements within a module belong together (high cohesion is good).
Coupling	The degree of interdependence between modules (low coupling is good).
DFD (Data Flow Diagram)	A graphical representation of data flow through a system, showing processes, data stores, and external entities.
Functional Requirement	A requirement that specifies what a system must do (functions, features).
Non-Functional Requirement	A requirement that specifies constraints on the system (performance, security, usability).

Scrum	An agile framework for managing software development with sprints, roles (Product Owner, Scrum Master, Dev Team), and ceremonies.
SRS (Software Requirements Specification)	A document that describes what the software will do and how it will behave.
WBS (Work Breakdown Structure)	A hierarchical decomposition of the total scope of work.

Formulas (verbatim) — full sweep

Formula	Statement
—	(no formula appears before W10 cyclomatic — first formula is next week's midterm-adjacent review)

Diagrams · Numericals · Tricky · Top-100

Type	Items
Diagrams	<code>Diagram-Book.md</code> #1–#12 sweep (process models, DFD, ER, WBS, Gantt, architecture, UML)
Numericals	— (none before midterm; CPM + DFD drills only)
Tricky	— (deferred)
Top-100	— (deferred)

Books · Chapters · Media

Resource	Where
Weeks 1–6 packs	timed past papers

Fear-Killer Pack — revision (SE-W1/2/4/5/6)

No single pack this week. Re-run the SE-W1/W2/W4/W5/W6 packs under timed conditions.

Narrative — Week 7 (verbatim)

Topics: Comprehensive review of Weeks 1-6

Practice: - Timed past paper (2 hrs, closed book) - DFD drawing: context through Level 1 - Process model selection scenario - Scrum roles and ceremonies - Cohesion/coupling ranking

Red flag: If you cannot distinguish functional vs non-functional requirements in an unfamiliar scenario, drill 10 more case studies.

Sleep banking: Bedtime moves to 22:00 for 5 nights (Weeks 6-7). Sleep 9 hours. This protects memory consolidation of process models, DFD balancing, and Scrum ceremonies during deep sleep.

Time budget: 7 hrs

P0 floor · Drill target · Deliverable · Trap

- **P0 floor:** revision-cycle checklist (`04-Revision-Cycles.md`: process-model table, DFD context→L1, Scrum, cohesion/coupling — blank page) · def skim (all W1–W6) · same-problem drill (timed past paper + 10 requirement case studies)
- **Same-problem drill target:** timed past paper (2 h); DFD balancing verified; functional-vs-NFR distinction in unfamiliar scenarios
- **Deliverable:** solved timed past paper
- **Trap:** retrieval only — no passive re-reading; if functional-vs-NFR fails in unfamiliar scenarios, drill 10 more case studies (red flag); sleep banking 22:00 × 5 nights

W8 — MIDTERM EXAM WEEK · 05–11 Oct · Exam

Banner: Rotation SE (Thu+Fri) · Tier MIDTERM · No new deep study, no floor accrual. Ledger frozen during W8.

Sources

Source	Where	Ref
Narrative	<code>Week-by-Week-Narrative.md</code> → Week 8	lines 155–162

