



NAME : HAMDAN ALI

WEEK 3 : Day 11

DAY 11 — JAVASCRIPT BASICS

Logging My Name, Age, and Country to the Console

Task 11: Screenshots Of Output

WEEK 3 — DAY 11 • JAVASCRIPT BASICS

Variables, Data Types And console.log()

Open your browser's dev tools console to see the output

How to view the output

- 1 Right-click anywhere on this page and choose **Inspect**, or press `F12`.
- 2 Switch to the **Console** tab.
- 3 You'll see the name, age, and country logged, along with a short data-type breakdown.

What this task covers

This page loads `script.js`, which declares a few variables, logs each one to the console individually, combines them into a single sentence using a template literal, checks their data types with `typeof`, and finally groups them into one object.

Hamdan Ali • Week 3, Day 11 — Full Stack Web Development Internship

After right click on the browser and open the Console , Here is the Output:

WEEK 3 — DAY 11 • JAVASCRIPT BASICS

Variables, Data Types And console.log()

Open your browser's dev tools console to see the output

How to view the output

- Right-click anywhere on this page and choose **Inspect**, or press **F12**.
- Switch to the **Console** tab.
- You'll see the name, age, and country logged, along with a short data-type breakdown.

What this task covers

This page loads `script.js`, which declares a few variables, logs each one to the console individually, combines them into a single sentence using a template literal, checks their data types with `typeof`, and finally groups them into one object.

Hamdan Ali • Week 3, Day 11 — Full Stack Web Development Internship

Elements
Console
Sources
Network
Performance
Memory
>>

top
Filter
Default levels
No Issues

```

Name: Hamdan Ali
Age: 21
Country: Pakistan
Hi, I'm Hamdan Ali, 21 years old, from Pakistan.
---- Data type check ----
typeof name:    string
typeof age:     number
typeof country: string
typeof isStudent: boolean
---- Profile object ----
▶ Object

```

⚠ Unsafe attempt to load URL [index.html:1](#)
file:///D:/tasks/Hamdan_FullStack_Internship_Week1_Week2/internship/Week3/Day11/index.html
from frame with URL
file:///D:/tasks/Hamdan_FullStack_Internship_Week1_Week2/internship/Week3/Day11/index.html.
'file:' URLs are treated as unique security origins.

What This Task Was About

On paper, Day 11 is about as simple as it gets log a name, an age, and a country to the console. I could have written three lines and closed the laptop. But since the learning topics for the day were “variables, data types, and console.log(),” I treated it as a chance to actually get comfortable with those basics instead of just producing the minimum output the task asked for.

Everything lives in a single file, `script.js`, loaded by a small `index.html` page so the output is easy to check . open the page, press F12, and the console tab shows everything without needing Node or a terminal.



Setting Up the Variables

I declared four variables at the top of the file: name, age, country, and one extra, isStudent.

```
const name = "Hamdan Ali";    // string
const age = 21;               // number
const country = "Pakistan";   // string
const isStudent = true;       // boolean
```

I used const rather than let on purpose. None of these values change while the script is running, so const is the more honest choice and it tells anyone reading the code that these are fixed, not values that get reassigned somewhere later. I added isStudent mainly so the file had more than one data type to work with. Three strings and a number would have covered the task, but it wouldn't have said much about data types as a topic.

Logging the Values

The task itself only asked for three console.log lines, so that's where I started:

```
console.log("Name:", name);
console.log("Age:", age);
console.log("Country:", country);
```

After that I combined all three into a single sentence using a template literal and the backtick string with `${ }` placeholders:

```
console.log(`Hi, I'm ${name}, ${age} years old, from ${country}.`);
```

This isn't strictly required by the task, but it's the more natural way to build a sentence out of variables. interconnect everything with + signs works too, but it gets messy fast and is easy to get wrong with spacing. Template literals read closer to plain English.



Checking Data Types

Since data types were listed as a learning topic, I added a short block that checks each variable with `typeof`:

```
console.log(`typeof name:    ${typeof name}`);  
console.log(`typeof age:     ${typeof age}`);  
console.log(`typeof country:  ${typeof country}`);  
console.log(`typeof isStudent: ${typeof isStudent}`);
```

The task didn't ask for `typeof`, but it's still worth knowing. Right now I typed all the values myself, so I already know what type they are. But later on, data won't always come from you — it might come from a form the user fills in, or from an API. In those cases you can't always be sure what type you're getting. That's when `typeof` becomes useful, it lets you check a value before you use it.

Grouping Everything Into an Object

The last part of the file pulls all four variables into one object, `profile`:

```
const profile = {  
  name: name,  
  age: age,  
  country: country,  
  isStudent: isStudent,  
};  
  
console.log(profile);
```

For four values this is arguably more structure than necessary, but it's the pattern I'll need as soon as this data has to travel somewhere — passed into a function, rendered onto a page, sent in a request. Grouping it now instead of later is a small habit, not a requirement of the task.

What the Console Actually Shows

Running the file prints the following, in order:

```
Name: Hamdan Ali
Age: 21
Country: Pakistan
Hi, I'm Hamdan Ali, 21 years old, from Pakistan.
---- Data type check ----
typeof name:    string
typeof age:     number
typeof country: string
typeof isStudent: boolean
---- Profile object ----
{ name: 'Hamdan Ali', age: 21, country: 'Pakistan', isStudent: true }
```

A Few Notes on What I Took From This

- const vs. let isn't just a style choice , picking const by default and only switching to let when a value genuinely needs to change makes the code easier to trust later.
- Template literals replace most of the string concatenation I used to reach for out of habit, and they're noticeably easier to read once a sentence has more than one variable in it.
- typeof is a small operator but a useful habit , it's the first thing I'd reach for if a value ever looked wrong.
- Objects are worth introducing early, even in a task this small, because almost everything past Day 11 involves passing grouped data around rather than loose variables.

References Used

I went through the W3Schools JavaScript basics section for the syntax around variables and data types, and watched the linked YouTube walkthrough to see the same fundamentals applied in a live example rather than just read about.

Article: [w3schools.com/js](https://www.w3schools.com/js)

Video: [youtube.com/watch?v=NrhP53Divco](https://www.youtube.com/watch?v=NrhP53Divco)

Files Submitted

- script.js — the JavaScript file with all logic described above.



- index.html — a small page that loads script.js so the console output can be viewed directly in a browser.

THANK YOU!