

Wireshark Labs

Overview: Using Wireshark, to trace Hyper Text Transfer Protocol (HTTP)based websites using HTTP filter.

Network: Home Wi-Fi

Date: 25th September 2026


Learning how to use Wireshark, which is a powerful tool used to trace packets. Basic knowledge of Computer Networks is needed to get started on it.

In this lab, I traced an http website. It was a simple website [[website link](#)]. Before starting the lab make sure the browser you are using does not allow QUIC protocols as they are hidden from Wireshark.

About QUIC protocol: HTTP/3 used this protocol and what it does it keeps the core rules of HTTP as they are but also uses TLS protocol. TLS is the same protocol which encrypts data in HTTPS and makes it secure and doesn't allow packet tracing. Because of that Wireshark will not be able to trace HTTP/3 website.


Starting with the lab, search for any known HTTP based website, the browser also shows the warning sign right before the link to the website, showing that the website is not secure. In this case, the website mentioned above is used. After searching the website, open wireshark (download it on your machine). Select the wi-fi you are using. The wireshark will open and start tracing packets and multiple lines will start to appear on the screen. Wait up to three minutes and then stop the packet tracing (red button around the top right corner next to wireshark symbol which itself is used to start tracing). In the search bar, write 'http' (lowercase, without ' '). All the websites using the http protocols will be shown there.

In the HTTP section, GET method would display the website link showing that it read from this website as shown below:



Furthermore, I tried another website [[website link](#)].

The website is based on HTTP 1.1 protocol and was also visible on the wireshark but with a small twist.



In the attached photo it is kept hidden but if search the address is not like the usual IP address. As this time, it shows something like 2606*****. Reason being the versioning of IP. IPv4 (older version) uses 192 as the starting point while IPv6 uses 2606.

The point to be noted here is, wireshark is capable of tracing the version of IP via which it further breaks down things for users.