Results narrative:

AraELECTRA-base-discriminator Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
1	Custom dataset			First Run on Dataset	We ran for 10 epochs. With enhancements on the learning rate by applying warmup phase. "learning_rate": 3.2e-05, "initial_learning_rate": 5e-6, Linear increase from initial to LR. Then applying cosine_annealing, where it smoothly decreases the learning rate according to a cosine function.

Confusion Matrix on Validation Set



Epoch 1



Epoch 2



Epoch 3



Epoch 4



Epoch 5



Epoch 6
Loss: 0.0002



Epoch 7



Epoch 8

Confusion Matrix of Testing Set



Epoch 9



Epoch 10



Loss and Accuracy Over Time





AraELECTRA-base-discriminator Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
2	-		Large dataset	Using Weights from Evaluation Index [1]	No training or validation. Evaluating directly using the best weights.

Confusion Matrix of Testing Set



AraELECTRA-base-discriminator Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
3	-		AIRABIC	Using Weights from Evaluation Index [1]	No training or validation. Evaluating directly using the best weights.

Without Dediacritization Filter Layer



With Dediacritization Filter Layer



AraELECTRA-base-discriminator Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
4	Large dataset			First Run on Dataset	We ran for 10 epochs. With enhancements on the learning rate by applying warmup phase. "learning_rate": 3.2e-5, "initial_learning_rate": 5e-6, Linear increase from initial to LR. Then, cosine_annealing is applied, which smoothly decreases the learning rate according to a cosine function.

Confusion Matrix on Validation Set



Epoch 1



Epoch 2



Epoch 3



Epoch 4



Epoch 5



Epoch 6



Epoch 7



Epoch 8

Confusion Matrix of Testing Set



Epoch 9



Epoch 10



Loss and Accuracy Over Time



AraELECTRA-base-discriminator Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
5	-		Custom dataset	Using Weights from Evaluation Index [4]	No training or validation. Evaluating directly using the best weights.

Confusion Matrix of Testing Set



AraELECTRA-base-discriminator Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
6	-		AIRABIC	Using Weights from Evaluation Index [4]	No training or validation. Evaluating directly using the best weights.

Without Dediacritization Filter Layer	With Dediacritization Filter Layer
	

XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
7	Custom dataset			First Run on Dataset	We ran for 10 epochs. Batch size 32 with enhancements on the learning rate by applying warmup phase. "learning_rate": 3.2e-05, "initial_learning_rate": 5e-6, Linear increase from initial to LR. Then, apply cosine_annealing, which smoothly decreases the learning rate according to a cosine function.

Confusion Matrix on Validation Set



Epoch 1



Epoch 2



Epoch 3



Epoch 4



Epoch 5



Epoch 6



Epoch 7



Epoch 8

Confusion Matrix of Testing Set



Epoch 9



Epoch 10



Loss and Accuracy Over Time



XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
7.2	Custom dataset			First Run on Dataset	We ran for 8 epochs. Batch size 32 with enhancements on the learning rate by applying warmup phase. "learning_rate": 3.2e-05, "initial_learning_rate": 1e-8, Linear increase from initial to LR. "warmup_epochs": 2, Then, apply cosine_annealing, which smoothly decreases the learning rate according to a cosine function.

Confusion Matrix on Validation Set



Epoch 1



Epoch 2



Epoch 3



Epoch 4



Epoch 5



Epoch 6
Loss: 0.0002



Epoch 7



Epoch 8

Confusion Matrix of Testing Set & Loss and Accuracy Over Time


Testing Confusion Matrix
Sensitivity: 0.96, Specificity: 1.00
AI-generated
Human-written
153
0
6
147
Actual Class
Predicted Class
AI-generated
Human-written
140
120
100
80
60
40
20
0


Loss over time
Training Loss
Validation Loss
Accuracy over time
Training Accuracy
Validation Accuracy

XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
8	-		Large dataset	Using Weights from Evaluation Index [7]	No training or validation. Evaluating directly using the best weights.

Confusion Matrix of Testing Set



XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
8.2	-		Large dataset	Using Weights from Evaluation Index [7.2]	No training or validation. Evaluating directly using the best weights.

Confusion Matrix of Testing Set



XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
9	-		AIRABIC	Using Weights from Evaluation Index [7.2]	No training or validation. Evaluating directly using the best weights.

Without Dediacritization Filter Layer	With Dediacritization Filter Layer
	

XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
9.2	-		AIRABIC	Using Weights from Evaluation Index [7.2]	No training or validation. Evaluating directly using the best weights.

Without Dediacritization Filter Layer	With Dediacritization Filter Layer
	

XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
10	Large dataset			First Run on Dataset	We ran for 10 epochs, batch size 64 with enhancements on the learning rate by applying warmup linear phase. "learning_rate": 3.2e-06, "initial_learning_rate": 5e-8, "warmup_epochs": 5, Then, apply cosine_annealing, which smoothly decreases the learning rate according to a cosine function.

Confusion Matrix on Validation Set



Epoch 1



Epoch 2



Epoch 3



Epoch 4



Epoch 5



Epoch 6



Epoch 7



Epoch 8

Confusion Matrix of Testing Set

Epoch 9





Loss and Accuracy Over Time



XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
11	-		Custom dataset	Using Weights from Evaluation Index [10]	No training or validation. Evaluating directly using the best weights.

Confusion Matrix of Testing Set and ROC-AUC





XLM-Roberta-base Model

Evaluation Index	Trained	Validated	Tested	Experiment Weight Origin	Note
12	-		AIRABIC	Using Weights from Evaluation Index [10]	No training or validation. Evaluating directly using the best weights.

Without Dediacritization Filter Layer	With Dediacritization Filter Layer
	
ROC-AUC	ROC-AUC