```
/*==================================================================
  1 - إنشاء المستخدم (Login + User)
==================================================================*/
IF NOT EXISTS (SELECT * FROM sys.server_principals WHERE name = N'zezo')
BEGIN
    CREATE LOGIN [zezo] WITH PASSWORD = N'123', CHECK_POLICY = OFF;
END
GO

USE [master];
GO

IF NOT EXISTS (SELECT * FROM sys.databases WHERE name = N'ZAD')
BEGIN
    CREATE DATABASE [ZAD];
END
GO

USE [ZAD];
GO

IF NOT EXISTS (SELECT * FROM sys.database_principals WHERE name = N'zezo')
BEGIN
    CREATE USER [zezo] FOR LOGIN [zezo];
    EXEC sp_addrolemember N'db_owner', N'zezo';
END
GO

/*-----------------------------------
  2 - جدول SystemProgram
-----------------------------------*/
USE [ZAD];
GO

/*----------------------------------*/
/* جدول Bank */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Bank]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Bank](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Storage] [nvarchar](50) NULL,
            [NumHesab] [nvarchar](50) NOT NULL,
            [Name] [nvarchar](150) NULL,
            [Alomala] [nvarchar](50) NULL,
            [PriceSarf] [float] NULL,
            [BankName] [nvarchar](150) NULL,
            [Department] [nvarchar](50) NULL,
            [Type] [char](10) NULL,
            [Address] [text] NULL,
            [Tel1] [nchar](20) NULL,
            [Tel2] [nchar](20) NULL,
            [Tel3] [nchar](20) NULL,
            [Fax] [nchar](20) NULL,
            [Rased] [float] NULL,
            [DateLast] [datetime] NULL,
            [Note] [text] NULL,
        CONSTRAINT [PK_Bank] PRIMARY KEY CLUSTERED ([NumHesab] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول BankHesab */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[BankHesab]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[BankHesab](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [NumHesab] [nvarchar](50) NOT NULL,
            [BankName] [nvarchar](150) NULL,
            [Department] [nvarchar](50) NULL,
            [Date] [datetime] NULL,
            [Move] [nvarchar](50) NULL,
```

```
            [Remaining1] [float] NULL,
            [Maden] [float] NULL,
            [Daen] [float] NULL,
            [Remaining] [float] NULL,
            [NumSkeek] [nvarchar](50) NULL,
            [Name] [nvarchar](50) NULL,
            [ValueSheek] [float] NULL,
            [dateDay] [datetime] NULL,
            [DateElestehkak] [datetime] NULL,
            [Note] [text] NULL
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Barcode_Seting */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Barcode_Seting]') AND type = 'U↙
    ')
BEGIN
    CREATE TABLE [dbo].[Barcode_Seting](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [BarcodeStart] [bigint] NULL,
            [BarcodePrinter] [nvarchar](150) NULL,
            [BarcodeSize] [nvarchar](50) NULL,
            [BarcodeTypeFont] [nvarchar](150) NULL,
            [BarcodeFontSize] [float] NULL,
            [ProductSize] [float] NULL,
            [MarginsCompaneyX] [float] NULL,
            [MarginsCompaneyY] [float] NULL,
            [MarginsBarcodeX] [float] NULL,
            [MarginsBarcodeY] [float] NULL,
            [MarginsCategorysX] [float] NULL,
            [MarginsCategorysY] [float] NULL,
            [MarginsCategoryIDX] [float] NULL,
            [MarginsCategoryIDY] [float] NULL,
            [MarginsPriceX] [float] NULL,
            [MarginsPriceY] [float] NULL,
        CONSTRAINT [PK_Barcode_Seting] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Billing */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Billing]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Billing](
            [NumBill] [bigint] NULL,
            [Num] [int] NULL,
            [ClinentID] [bigint] NULL,
            [ClientName] [nvarchar](150) NULL,
            [CategoryID] [bigint] NULL,
            [Storage] [nvarchar](50) NULL,
            [Category] [nvarchar](150) NULL,
            [Date] [datetime] NULL,
            [Quantity] [float] NULL,
            [Type] [nvarchar](50) NULL,
            [Price] [float] NULL,
            [Discount] [float] NULL,
            [Total] [float] NULL,
            [CategorySN] [nvarchar](100) NULL
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Billing1 */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Billing1]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Billing1](
            [NumBill] [bigint] NULL,
```

```
            [Num] [int] NULL,
            [ClinentID] [bigint] NULL,
            [ClientName] [nvarchar](150) NULL,
            [CategoryID] [bigint] NULL,
            [Storage] [nvarchar](50) NULL,
            [Category] [nvarchar](150) NULL,
            [Date] [datetime] NULL,
            [Quantity] [float] NULL,
            [Type] [nvarchar](50) NULL,
            [Price] [float] NULL,
            [Discount] [float] NULL,
            [Total] [float] NULL,
            [CategorySN] [nvarchar](100) NULL
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول BillingData */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[BillingData]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[BillingData](
            [NumBill] [bigint] NOT NULL,
            [ClientID] [bigint] NULL,
            [Name] [nvarchar](150) NULL,
            [Type] [nvarchar](50) NULL,
            [Date] [datetime] NULL,
            [Move] [text] NULL,
            [TimePrint] [time](7) NULL,
            [TypeBill] [nchar](10) NULL,
            [NamePrint] [nvarchar](50) NULL,
            [NameMandop] [nvarchar](50) NULL,
            [TotalBill] [float] NULL,
            [TotalBillBuy] [float] NULL,
            [DiscountBuy] [float] NULL,
            [TotalBillInvalid] [float] NULL,
            [TotalBillBuyInvalid] [float] NULL,
            [NumberCategory] [int] NULL,
            [PreviousBalance] [float] NULL,
            [Creditor] [float] NULL,
            [Total] [float] NULL,
            [Discount] [float] NULL,
            [ReasonDiscount] [text] NULL,
            [Adding] [float] NULL,
            [ReasonAdd] [text] NULL,
            [Pay] [float] NULL,
            [Paid] [float] NULL,
            [Remaining] [float] NULL,
            [State] [varchar](50) NULL,
        CONSTRAINT [PK_بيانات الفاتورة] PRIMARY KEY CLUSTERED ([NumBill] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول BillingData1 */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[BillingData1]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[BillingData1](
            [NumBill] [bigint] NOT NULL,
            [NumBillBillingData] [bigint] NULL,
            [ClientID] [bigint] NULL,
            [Name] [nvarchar](150) NULL,
            [Date] [datetime] NULL,
            [Move] [text] NULL,
            [TotalBill] [float] NULL,
            [NumberCategory] [int] NULL,
            [PreviousBalance] [float] NULL,
            [Creditor] [float] NULL,
            [Total] [float] NULL,
            [Discount] [float] NULL,
            [ReasonDiscount] [text] NULL,
```

```
            [Adding] [float] NULL,
            [ReasonAdd] [text] NULL,
            [Paid] [float] NULL,
            [Remaining] [float] NULL,
            [State] [varchar](50) NULL,
        CONSTRAINT [PK_BillingData1] PRIMARY KEY CLUSTERED ([NumBill] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول BillingInvalid */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[BillingInvalid]') AND type = 'U↙
    ')
BEGIN
    CREATE TABLE [dbo].[BillingInvalid](
        [NumBill] [bigint] NULL,
        [Num] [int] NULL,
        [ClinetID] [int] NULL,
        [ClinetName] [nvarchar](150) NULL,
        [Catogory] [nvarchar](150) NULL,
        [Date] [datetime] NULL,
        [Quantity] [int] NULL,
        [Type] [char](10) NULL,
        [Price] [float] NULL,
        [Total] [float] NULL,
        [DateReplacement] [nvarchar](50) NULL,
        [Notes] [text] NULL,
        [Importer] [nvarchar](50) NULL
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول BoxMove */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[BoxMove]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[BoxMove](
        [ID] [int] NOT NULL,
        [Date] [datetime] NULL,
        [Move] [nvarchar](150) NULL,
        [Name] [nvarchar](150) NULL,
        [NumBill] [bigint] NOT NULL,
        [Remaining] [float] NULL,
        [Sader] [float] NULL,
        [Wared] [float] NULL,
        [Total] [float] NULL,
        [Note] [text] NULL,
        CONSTRAINT [PK_BoxMove_1] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Car */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Car]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Car](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [TypeLicense] [char](10) NULL,
            [TypeCar] [char](10) NULL,
            [TypeLoha] [nvarchar](50) NULL,
            [CharCar] [char](10) NULL,
            [NumCar] [int] NOT NULL,
            [NumShaseh] [text] NULL,
            [NumMotor] [text] NULL,
            [Mark] [char](10) NULL,
            [CapacityLiter] [bigint] NULL,
            [DateMake] [bigint] NULL,
            [Model] [char](10) NULL,
            [Price] [float] NULL,
```

```
        CONSTRAINT [PK_Car] PRIMARY KEY CLUSTERED ([NumCar] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Category */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Category]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Category](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Barcode] [nvarchar](10) NULL,
            [Category] [nvarchar](150) NULL,
            [Storage] [nvarchar](50) NULL,
            [Group_Name] [nvarchar](150) NULL,
            [Date] [datetime] NULL,
            [Quantity] [float] NULL,
            [QuantityT] [float] NULL,
            [Unity] [int] NULL,
            [Faction] [nvarchar](50) NULL,
            [Total] [float] NULL,
            [Price] [float] NULL,
            [PriceGomla] [float] NULL,
            [PriceMostahlek] [float] NULL,
            [Value] [float] NULL,
            [Near] [int] NULL,
            [Available] [char](10) NULL,
            [Emwared] [nvarchar](80) NULL,
            [Image] [image] NULL,
            [Barcode_Factory] [nvarchar](150) NULL,
            [PriceGomlaAlgomla] [float] NULL,
            [PriceNesfAlgomla] [float] NULL,
        CONSTRAINT [PK_Category1] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Category_BestSeller */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Category_BestSeller]') AND type↙
     = 'U')
BEGIN
    CREATE TABLE [dbo].[Category_BestSeller](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [LastDate] [date] NULL,
            [Category_Barcode] [nvarchar](50) NULL,
            [Category] [nvarchar](150) NULL,
            [Number_Sales] [bigint] NULL,
            [Selection] [nvarchar](50) NULL,
        CONSTRAINT [PK_BestSeller] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryCart */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryCart]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[CategoryCart](
            [ID] [bigint] NULL,
            [Category] [nvarchar](150) NULL,
            [Almwared] [nvarchar](50) NULL,
            [PriceSH] [float] NULL,
            [PriceG] [float] NULL,
            [PriceK] [float] NULL,
            [RateRecession] [int] NULL
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
```

```
/* جدول CategoryFaction */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryFaction]') AND type = ↙
    'U')
BEGIN
    CREATE TABLE [dbo].[CategoryFaction](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Faction] [nvarchar](50) NULL,
            [Type] [nvarchar](50) NULL,
        CONSTRAINT [PK_CategoryFaction] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryGroup */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryGroup]') AND type = 'U'↙
    )
BEGIN
    CREATE TABLE [dbo].[CategoryGroup](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Group_Name] [nvarchar](150) NULL,
        CONSTRAINT [PK_CategoryGroup] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryIncomplete */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryIncomplete]') AND type ↙
    = 'U')
BEGIN
    CREATE TABLE [dbo].[CategoryIncomplete](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Barcode] [nvarchar](10) NOT NULL,
            [Category] [nvarchar](150) NULL,
            [Total] [float] NULL,
            [Faction] [nvarchar](50) NULL,
            [Price] [float] NULL,
            [Value] [float] NULL,
            [Emwared] [nvarchar](150) NULL,
        CONSTRAINT [PK_CategoryIncomplete] PRIMARY KEY CLUSTERED ([Barcode] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryMove */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryMove]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[CategoryMove](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Category] [nvarchar](150) NULL,
            [Num] [int] NULL,
            [Barcode] [nvarchar](50) NULL,
            [Storage] [nvarchar](50) NULL,
            [IDBill] [bigint] NULL,
            [Clients] [varchar](50) NULL,
            [Date] [datetime] NULL,
            [Move] [nvarchar](50) NULL,
            [Alwared] [float] NULL,
            [FactionAlwared] [nvarchar](50) NULL,
            [PriceSH] [float] NULL,
            [ValueAlwared] [float] NULL,
            [Alsader] [float] NULL,
            [FactionAlsader] [nvarchar](50) NULL,
            [PriceB] [float] NULL,
            [valueAlsader] [float] NULL,
            [BalanceK] [float] NULL,
            [BalanceT] [float] NULL,
        CONSTRAINT [PK_CategoryMove] PRIMARY KEY CLUSTERED ([ID] ASC)
```

```
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryMove2 */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryMove2]') AND type = 'U'↙
    )
BEGIN
    CREATE TABLE [dbo].[CategoryMove2](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Category] [nvarchar](150) NULL,
            [Num] [int] NULL,
            [Storage] [nvarchar](50) NULL,
            [CategoryFrom] [nvarchar](50) NULL,
            [CategoryTo] [nvarchar](50) NULL,
            [MoveBill] [nvarchar](50) NULL,
            [IDBill] [bigint] NULL,
            [Date] [date] NULL,
            [Move] [nvarchar](50) NULL,
            [Wared] [float] NULL,
            [Sader] [float] NULL,
            [Quantity] [float] NULL,
            [Total] [float] NULL,
            [Users] [nvarchar](50) NULL,
        CONSTRAINT [PK_CategoryMove2] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO


/*----------------------------------*/
/* جدول CategoryOthers */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryOthers]') AND type = 'U↙
    ')
BEGIN
    CREATE TABLE [dbo].[CategoryOthers](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Date] [date] NULL,
            [ExpensesOther] [float] NULL,
            [IncomeOther] [float] NULL,
            [Statement] [nvarchar](150) NULL,
        CONSTRAINT [PK_CategoryOthers] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryPrice */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryPrice]') AND type = 'U'↙
    )
BEGIN
    CREATE TABLE [dbo].[CategoryPrice](
            [ID] [int] NOT NULL,
            [Category] [nvarchar](50) NULL,
            [Date] [datetime] NULL,
            [PriceShraa] [float] NULL,
            [PriceGomla] [float] NULL,
            [PriceMostahlek] [float] NULL,
            [Faction] [nvarchar](50) NULL,
            [PriceGomlaAlgomla] [float] NULL,
            [PriceNesfAlgomla] [float] NULL,
        CONSTRAINT [PK_CategoryPrice] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategorysMaterials */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategorysMaterials]') AND type ↙
```

```
    = 'U')
BEGIN
    CREATE TABLE [dbo].[CategorysMaterials](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [NumBill] [nchar](10) NULL,
            [MaterialNum] [bigint] NULL,
            [CategoryID] [bigint] NULL,
            [Category] [nvarchar](150) NULL,
            [Date] [date] NULL,
            [MaterialCategory] [nvarchar](150) NULL,
            [Quantity] [float] NULL,
            [Faction] [nvarchar](50) NULL,
            [Price] [float] NULL,
            [Total] [float] NULL,
        CONSTRAINT [PK_CategorysMaterials_1] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategorysMaterialsData */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategorysMaterialsData]') AND ↙
    type = 'U')
BEGIN
    CREATE TABLE [dbo].[CategorysMaterialsData](
                [NumBill] [bigint] NOT NULL,
                [CategoryID] [bigint] NULL,
                [Category] [nvarchar](150) NULL,
                [Date] [date] NULL,
                [TotalCategorysMaterials] [float] NULL,
                [CategoryQuantity] [float] NULL,
                [CategoryCostPrice] [float] NULL,
                [CategoryPrice] [float] NULL,
                [State] [nvarchar](150) NULL,
        CONSTRAINT [PK_CategorysMaterialsData] PRIMARY KEY CLUSTERED ([NumBill] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategorySN */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategorySN]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[CategorySN](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [CategorySN] [nvarchar](100) NULL,
            [CategoryBarcode] [nvarchar](10) NULL,
            [CategoryName] [nvarchar](150) NULL,
        CONSTRAINT [PK_CategorySN] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول CategoryTotal */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[CategoryTotal]') AND type = 'U'↙
    )
BEGIN
    CREATE TABLE [dbo].[CategoryTotal](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Date] [date] NOT NULL,
            [Total_Category] [float] NULL,
        CONSTRAINT [PK_CategoryTotal] PRIMARY KEY CLUSTERED ([Date] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Clients */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Clients]') AND type = 'U')
```

```
BEGIN
    CREATE TABLE [dbo].[Clients](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Name] [nvarchar](150) NULL,
            [Company] [nvarchar](50) NULL,
            [TelHome] [char](11) NULL,
            [TelMobil] [nchar](11) NULL,
            [Address] [text] NULL,
            [PreviousBalance] [float] NULL,
            [Creditor] [float] NULL,
            [Image] [image] NULL,
            [StateRaseed] [nvarchar](30) NULL,
            [LimitCredit] [float] NULL,
        CONSTRAINT [PK_Clients] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول D */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[D]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[D](
            [NumBill] [bigint] NULL,
            [Num] [int] NULL,
            [ClinentID] [bigint] NULL,
            [ClientName] [nvarchar](50) NULL,
            [CategoryID] [bigint] NULL,
            [Storage] [nvarchar](50) NULL,
            [Category] [nvarchar](50) NULL,
            [Date] [nvarchar](50) NULL,
            [Quantity] [int] NULL,
            [Type] [char](10) NULL,
            [Price] [float] NULL,
            [Discount] [float] NULL,
            [Total] [float] NULL
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Employed */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Employed]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Employed](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Name] [nvarchar](max) NULL,
            [Address] [nvarchar](max) NULL,
            [NumIdentity] [bigint] NULL,
            [Tel] [char](11) NULL,
            [DateBirth] [datetime] NULL,
            [DateRegistry] [datetime] NULL,
            [Jop] [nchar](10) NULL,
            [Salary] [bigint] NULL,
            [DateEnd] [datetime] NULL,
            [State] [char](10) NULL,
            [Remaining] [float] NULL,
            [DateRemaining] [datetime] NULL,
        CONSTRAINT [PK_Employed] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO


/*----------------------------------*/
/* جدول EmployedSalary */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[EmployedSalary]') AND type = 'U↙
    ')
BEGIN
    CREATE TABLE [dbo].[EmployedSalary](
            [ID] [int] IDENTITY(1,1) NOT NULL,
```

```
            [Date] [datetime] NULL,
            [IdEmployed] [int] NULL,
            [Employed] [nvarchar](50) NULL,
            [Salary] [float] NULL,
            [RemainingSalary] [float] NULL,
            [Move] [nvarchar](50) NULL,
            [Sarf] [float] NULL,
            [AddSalary] [float] NULL,
            [Remaining] [float] NULL,
            [Notice] [text] NULL
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Events */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Events]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Events](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Date] [date] NULL,
            [Time] [nvarchar](20) NULL,
            [Users] [nvarchar](50) NULL,
            [Events] [text] NULL,
        CONSTRAINT [PK_Events] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Expended */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Expended]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Expended](
            [ID] [int] NOT NULL,
            [Date] [datetime] NULL,
            [Name] [nvarchar](150) NULL,
            [move] [nvarchar](30) NULL,
            [Report] [text] NULL,
            [Paid] [float] NULL
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Expended1 */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Expended1]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Expended1](
            [ID] [int] NOT NULL,
            [Date] [nvarchar](50) NULL,
            [Name] [nvarchar](150) NULL,
            [Report] [text] NULL,
            [Paid] [float] NULL,
        CONSTRAINT [PK_Expended1] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Final */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Final]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Final](
            [ID] [bigint] NOT NULL,
            [Name] [nvarchar](max) NULL,
            [date] [date] NULL,
            [Company] [nvarchar](max) NULL,
            [mab] [float] NULL,
            [mosh] [float] NULL,
```

```
            [mard] [float] NULL,
            [mardBuy] [float] NULL,
            [discount] [float] NULL,
            [discountBuy] [float] NULL,
            [added] [float] NULL,
            [tahsel] [float] NULL,
            [daf] [float] NULL,
            [nesba] [float] NULL,
            [final] [float] NULL,
        CONSTRAINT [PK_Final] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول FristGard */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[FristGard]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[FristGard](
            [ID] [int] NOT NULL,
            [Date] [datetime] NULL,
            [Move] [nvarchar](50) NULL,
            [NumBill] [bigint] NULL,
            [Name] [nvarchar](50) NULL,
            [GardFrist] [float] NULL,
            [Madenon] [float] NULL,
            [Daenon] [float] NULL,
            [Box] [float] NULL,
            [Building] [float] NULL,
            [Electronic] [float] NULL,
            [BasisOFFICE] [float] NULL,
            [Bank] [float] NULL,
            [adv] [float] NULL,
        CONSTRAINT [PK_FristGard] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Groups */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Groups]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Groups](
        [ID] [int] IDENTITY(1,1) NOT NULL,
        [GroupName] [nvarchar](100) NULL,
        [Information] [nvarchar](150) NULL
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Installment */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Installment]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Installment](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [InstallmentID] [bigint] NULL,
            [NumBill] [bigint] NULL,
            [InstallmentHistory] [date] NULL,
            [Recipient] [nvarchar](150) NULL,
            [Date] [nvarchar](50) NULL,
            [Paid] [float] NULL,
        CONSTRAINT [PK_Installment] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول InstallmentData */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[InstallmentData]') AND type =
```

```
    'U')
BEGIN
    CREATE TABLE [dbo].[InstallmentData](
            [InstallmentID] [bigint] IDENTITY(1,1) NOT NULL,
            [ClientID] [bigint] NULL,
            [ClientName] [nvarchar](150) NULL,
            [ClientNumCard] [nvarchar](14) NULL,
            [ClientPhone] [nvarchar](15) NULL,
            [ClientImageCard] [image] NULL,
            [GuarantorName] [nvarchar](100) NULL,
            [GuarantorNumCard] [nvarchar](14) NULL,
            [GuarantorPhone] [nvarchar](15) NULL,
            [GuarantorImageCard] [image] NULL,
            [NumBill] [bigint] NULL,
            [Date] [date] NULL,
            [TotalBill] [float] NULL,
            [Paid] [float] NULL,
            [Remeaning] [float] NULL,
            [DateFristInstallment] [date] NULL,
            [NumInstallment] [int] NULL,
            [TypeInstallment] [nvarchar](15) NULL,
            [State] [nvarchar](20) NULL,
        CONSTRAINT [PK_InstallmentData] PRIMARY KEY CLUSTERED ([InstallmentID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول Invalid */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Invalid]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Invalid](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [NumBill] [bigint] NULL,
            [Name] [nvarchar](150) NULL,
            [Storage] [nvarchar](50) NULL,
            [Category] [nvarchar](150) NULL,
            [Unity] [int] NULL,
            [Notes] [text] NULL,
            [DateReceiving] [datetime] NULL,
            [DateReplacement] [datetime] NULL,
            [Importer] [nvarchar](50) NULL,
        CONSTRAINT [PK_Invalid] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول KaematEldakhel */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[KaematEldakhel]') AND type = 'U↙
    ')
BEGIN
    CREATE TABLE [dbo].[KaematEldakhel](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Date] [datetime] NULL,
            [Frist] [float] NULL,
            [ShraaTotal] [float] NULL,
            [MardodatMabeat] [float] NULL,
            [MasarefNasria] [float] NULL,
            [MasarefCar] [float] NULL,
            [DiscountMabeat] [float] NULL,
            [HalekTotal] [float] NULL,
            [Total] [float] NULL,
            [Last] [float] NULL,
            [MabeatTotal] [float] NULL,
            [MardodatSheraa] [float] NULL,
            [DiscountSheraa] [float] NULL,
            [Total1] [float] NULL
    ) ON [PRIMARY];
END
GO
```

```
/*-----------------------------------*/
/* جدول Materials */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Materials]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Materials](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [MaterialsName] [nvarchar](150) NULL,
            [Price] [float] NULL,
            [Qunt] [float] NULL,
            [DateExpiry] [date] NULL,
        CONSTRAINT [PK_Materials] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول MaterialsBill */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[MaterialsBill]') AND type = 'U'↙
    )
BEGIN
    CREATE TABLE [dbo].[MaterialsBill](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [BoxID] [int] NULL,
            [Date] [date] NULL,
            [MaterialsName] [nvarchar](150) NULL,
            [MaterialsID] [bigint] NULL,
            [Price] [float] NULL,
            [Qunt] [float] NULL,
            [Total] [float] NULL,
            [DateExpiry] [date] NULL,
            [Note] [nvarchar](150) NULL,
        CONSTRAINT [PK_MaterialsBill] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول Mortagaat */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Mortagaat]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Mortagaat](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Date] [datetime] NULL,
            [Name] [nvarchar](150) NULL,
            [Move] [nvarchar](50) NULL,
            [State] [nvarchar](50) NULL,
            [DateState] [datetime] NULL,
        CONSTRAINT [PK_Mortagaat] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول Movemoney */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Movemoney]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Movemoney](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Date] [date] NULL,
            [Name] [nvarchar](150) NULL,
            [Report] [nvarchar](50) NULL,
            [Sader] [float] NULL,
            [Wared] [float] NULL,
        CONSTRAINT [PK_Movemoney] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول OsolSabta */
```

```
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[OsolSabta]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[OsolSabta](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Date] [date] NULL,
            [Report] [text] NULL,
            [Akaar] [float] NULL,
            [Arady] [float] NULL,
            [Electric] [float] NULL,
            [Asas] [float] NULL,
            [Total] [float] NULL,
            [Users] [nvarchar](50) NULL,
            [Movement] [nvarchar](150) NULL
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول PriceUpdateDate */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[PriceUpdateDate]') AND type =  ↙
    'U')
BEGIN
    CREATE TABLE [dbo].[PriceUpdateDate](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Date] [date] NULL,
            [Move] [nvarchar](50) NULL,
            [Ratio] [float] NULL,
            [DecimalNumber] [int] NULL,
            [Shera] [float] NULL,
            [Gomla] [float] NULL,
            [Kataee] [float] NULL,
        CONSTRAINT [PK_PriceUpdateDate] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول Profit */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Profit]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Profit](
            [NumBill] [bigint] NULL,
            [Date] [date] NULL,
            [Category] [nvarchar](150) NULL,
            [Num] [int] NULL,
            [Quantity] [float] NULL,
            [Type] [nvarchar](50) NULL,
            [PriceShraa] [float] NULL,
            [PriceBeaa] [float] NOT NULL,
            [Profit] [float] NULL
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول ProjectTotal */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[ProjectTotal]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[ProjectTotal](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Month] [int] NULL,
            [Year] [int] NULL,
            [Date] [nvarchar](8) NOT NULL,
            [StoreValue] [float] NULL,
            [CustomerValue] [float] NULL,
            [BoxValue] [float] NULL,
            [Profits] [float] NULL,
            [DailyExpenses] [float] NULL,
            [AdvExpenses] [float] NULL,
            [SeianaExpenses] [float] NULL,
```

```
            [RentExpenses] [float] NULL,
            [ElectricityExpenses] [float] NULL,
            [WaterExpenses] [float] NULL,
            [PhoneExpenses] [float] NULL,
            [InternetExpenses] [float] NULL,
            [CarExpenses] [float] NULL,
            [Salaries] [float] NULL,
            [WithdrawProfits] [float] NULL,
            [TotalExpenses] [float] NULL,
            [PurchasingExpenses] [float] NULL,
            [AddMoneyBox] [float] NULL,
            [DiscMoneyBox] [float] NULL,
            [Sales] [float] NULL,
            [DiscSales] [float] NULL,
            [Purchases] [float] NULL,
            [DiscPurchases] [float] NULL,
            [PurchaseReturns] [float] NULL,
            [SalesReturns] [float] NULL,
            [Taweredat] [float] NULL,
            [Tahselat] [float] NULL,
        CONSTRAINT [PK_ProjectTotal] PRIMARY KEY CLUSTERED ([Date] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول RasMoney */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[RasMoney]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[RasMoney](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Date] [datetime] NOT NULL,
            [Building] [float] NULL,
            [Electronic] [float] NULL,
            [BasisOFFICE] [float] NULL,
            [Bank] [float] NULL,
            [AddBox] [float] NULL,
            [Total] [float] NULL,
        CONSTRAINT [PK_RasMoney] PRIMARY KEY CLUSTERED ([Date] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول SavePass */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[SavePass]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[SavePass](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Name] [nvarchar](50) NOT NULL,
            [Pass] [nvarchar](50) NULL,
            [SavePass] [nchar](10) NULL,
        CONSTRAINT [PK_SavePass] PRIMARY KEY CLUSTERED ([Name] ASC)
    ) ON [PRIMARY];
END
GO

/*-----------------------------------*/
/* جدول SearchCar */
/*-----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[SearchCar]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[SearchCar](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [NumCar] [int] NULL,
            [Date] [date] NULL,
            [Washed] [float] NULL,
            [Filter] [float] NULL,
            [Petroleum] [float] NULL,
            [Oil] [float] NULL,
            [Mechanical] [float] NULL,
            [PartChange] [float] NULL,
```

```
            [Total] [float] NULL,
            [Notice] [text] NULL,
            [Driver] [nvarchar](150) NULL,
        CONSTRAINT [PK_SearchCar] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول SheekSave */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[SheekSave]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[SheekSave](
            [ID] [int] IDENTITY(1,1) NOT NULL,
            [Move] [nchar](10) NULL,
            [TypeMove] [nchar](10) NULL,
            [Name] [nvarchar](50) NULL,
            [Storage] [nvarchar](50) NULL,
            [NumSkeek] [nvarchar](50) NOT NULL,
            [ValueSheek] [float] NULL,
            [dateDay] [date] NULL,
            [DateElestehkak] [date] NULL,
            [NumHesab] [nvarchar](50) NULL,
            [BankName] [nvarchar](50) NULL,
            [Note] [text] NULL,
            [State] [nvarchar](50) NULL,
        CONSTRAINT [PK_SheekSave] PRIMARY KEY CLUSTERED ([NumSkeek] ASC)
    ) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
END
GO

/*----------------------------------*/
/* جدول Storage */
/*----------------------------------*/
IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[Storage]') AND type = 'U')
BEGIN
    CREATE TABLE [dbo].[Storage](
            [ID] [bigint] IDENTITY(1,1) NOT NULL,
            [Storage] [nvarchar](50) NULL,
            [Place] [nvarchar](50) NULL,
            [Phone] [numeric](18, 0) NULL,
        CONSTRAINT [PK_Storage] PRIMARY KEY CLUSTERED ([ID] ASC)
    ) ON [PRIMARY];
END
GO

/****** Table: SystemProgram ******/
CREATE TABLE [dbo].[SystemProgram](
 [ID] [int] IDENTITY(1,1) NOT NULL,
    [GomlaKataey] [int] NULL,
    [Kataey] [int] NULL,
    [Company_Name] [nvarchar](100) NULL,
    [Company_Description] [nvarchar](150) NULL,
    [Company_Address] [nvarchar](150) NULL,
    [Company_Phone] [nvarchar](50) NULL,
    [NoteToBill] [nvarchar](max) NULL,
    [PrinterBill] [nvarchar](50) NULL,
    [SizePaperBill] [nvarchar](50) NULL,
    [PrinterBarcode] [nvarchar](50) NULL,
    [PrintNameComToBill] [int] NULL,
    [PrintLogoComToBill] [int] NULL,
    [FontSizeBarcode] [float] NULL,
    [PriceSheraaAcount] [nvarchar](50) NULL,
    [BathBackup] [nvarchar](1000) NULL,
    [Comp_Logo] [nvarchar](1000) NULL,
    [BarcodeStart] [bigint] NULL,
    [TypeBillDefoult] [nvarchar](20) NULL,
    [TypeCurrency] [nvarchar](20) NULL,
    [TypeFont] [nvarchar](100) NULL,
    [UseLimitCredit] [int] NULL,
    [DiscountBill] [float] NULL,
    [BarcodeSales] [int] NULL,
    [CollectionProduct] [int] NULL,
```

```
    [HideBalance] [int] NULL,
    [TypePrinter] [nvarchar](200) NULL,
    [BarcodeSize] [nvarchar](30) NULL,
    [BarcodeSalesType] [int] NULL,
    [OpenFormOther] [int] NULL,
    [PricesAll] [int] NULL,
 CONSTRAINT [PK_SystemProgram] PRIMARY KEY CLUSTERED ([ID] ASC)
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO

/****** Table: Transport ******/
CREATE TABLE [dbo].[Transport](
        [ID] [bigint] IDENTITY(1,1) NOT NULL,
        [Date] [date] NULL,
        [Category] [nvarchar](150) NULL,
        [Quantity] [int] NULL,
        [Part] [int] NULL,
        [FromStorage] [nvarchar](50) NULL,
        [ToStorage] [nvarchar](50) NULL,
 CONSTRAINT [PK_Transport] PRIMARY KEY CLUSTERED ([ID] ASC)
) ON [PRIMARY]
GO

/****** Table: Treasury ******/
CREATE TABLE [dbo].[Treasury](
    [ID] [int] IDENTITY(1,1) NOT NULL,
    [Date] [datetime] NOT NULL,
      NULL,
    [BalanceStored] [float] NULL,
    [Tahseel] [float] NULL,
    [Tawred] [float] NULL,
    [MassarefStored] [float] NULL,
    [MassarefCar] [float] NULL,
    [SafyStored] [float] NULL,
    [AddStored] [float] NULL,
    [ExporTtreasury] [float] NULL,
    [Remaining] [float] NULL,
    [Notice] [text] NULL,
 CONSTRAINT [PK_Treasury] PRIMARY KEY CLUSTERED ([Date] ASC)
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY];
GO

/****** Table: TreasuryRemaning ******/
CREATE TABLE [dbo].[TreasuryRemaning](
    [ID] [int] NULL,
    [Date] [date] NULL,
    [RemaningTreasury] [float] NULL,
    [BedaaaHalia] [float] NULL,
    [Madioniat] [float] NULL,
    [Daenat] [float] NULL,
    [Akarat] [float] NULL,
    [HesabBank] [float] NULL,
    [Total] [float] NULL,
    [FarkMaKablh] [float] NULL
) ON [PRIMARY]
GO

/****** Table: Users ******/
CREATE TABLE [dbo].[Users](
    [ID] [bigint] IDENTITY(1,1) NOT NULL,
    [UserName] [nvarchar](50) NULL,
    [Bassword] [nvarchar](50) NULL,
    [Sales] [int] NULL,
    [Purchases] [int] NULL,
    [Expenses] [int] NULL,
    [MoneyToBox] [int] NULL,
    [MoneyFromBox] [int] NULL,
    [GroupAdd] [int] NULL,
    [EmployeeAdd] [int] NULL,
    [EmployeeSalaryPayment] [int] NULL,
    [EmployeeSalaryMovement] [int] NULL,
    [EmployeeBonusAdd] [int] NULL,
    [EmployeePenaltyAdd] [int] NULL,
    [CarsAdd] [int] NULL,
```

```
    [CarsExpenses] [int] NULL,
    [CarsExpensesMovement] [int] NULL,
    [BackupSave] [int] NULL,
    [BackupRestore] [int] NULL,
    [SettingsGeneral] [int] NULL,
    [SystemReset] [int] NULL,
    [License] [int] NULL,
    [CallUs] [int] NULL,
    [ClientAdd] [int] NULL,
    [ClientsMoney] [int] NULL,
    [ExplainSystem] [int] NULL,
    [Connection] [int] NULL,
    [ProducerNewAdd] [int] NULL,
    [StoreNewAdd] [int] NULL,
    [Prices] [int] NULL,
    [ProducerUpdate] [int] NULL,
    [Inventory] [int] NULL,
    [Barcode] [int] NULL,
    [ProducerIncomplete] [int] NULL,
    [StoreToStore] [int] NULL,
    [ProductMovement] [int] NULL,
    [BoxMovement] [int] NULL,
    [ClientsList] [int] NULL,
    [BanksList] [int] NULL,
    [Profits] [int] NULL,
    [DailySalesPurchases] [int] NULL,
    [DailyTransactions] [int] NULL,
    [FinancialStatements] [int] NULL,
    [BankAddAccount] [int] NULL,
    [CheckSaderWared] [int] NULL,
    [CheckSave] [int] NULL,
    [BankStatement] [int] NULL,
    [BankToBank] [int] NULL,
    [ClientAccountStatement] [int] NULL,
    [UserAdd1] [int] NULL,
    [FirstAccounts] [int] NULL,
    [AllowUser] [int] NULL,
    [b] [int] NULL,
    [c] [int] NULL,
    [d] [int] NULL,
    [g] [int] NULL,
    [Statistical] [int] NULL
) ON [PRIMARY]
GO

/***===================     END CREAT TABLE      ===================****/
/***===================     END CREAT TABLE      ===================****/
/***===================     END CREAT TABLE      ===================****/


-- ********************   البيانات الافتراضية   ******************************

/*-------------------------  CategoryFaction  -------------------------*/
SET IDENTITY_INSERT [dbo].[CategoryFaction] ON;
INSERT INTO [dbo].[CategoryFaction] ([ID], [Faction], [Type]) VALUES
(1, N'كرتونه', N'G'),
(2, N'قطعه', N'G'),
(3, N'دسته', N'G'),
(4, N'قطعه', N'K'),
(5, N'علبه', N'K'),
(6, N'كيلو', N'K');
SET IDENTITY_INSERT [dbo].[CategoryFaction] OFF;
GO

/*-------------------------  Clients  -------------------------*/
SET IDENTITY_INSERT [dbo].[Clients] ON;
INSERT INTO [dbo].[Clients] ([ID], [Name], [Company], [TelHome], [TelMobil], [Address], [PreviousBalance],
    [Creditor], [Image], [StateRaseed], [LimitCredit])
VALUES (1, N'عميل نقدى', N'عملاء', N'0', N'0', N'0 ,0 ,'المنصورة, NULL, N'فعال', NULL);
SET IDENTITY_INSERT [dbo].[Clients] OFF;
GO

/*-------------------------  Groups  -------------------------*/
```

```
SET IDENTITY_INSERT [dbo].[Groups] ON;
INSERT INTO [dbo].[Groups] ([ID], [GroupName], [Information]) VALUES
(1, N'عملاء', N'عملائنا الذين يعملون معنا'),
(2, N'موردين', N'الشركات والمصانع التى اتعامل معها');
SET IDENTITY_INSERT [dbo].[Groups] OFF;
GO

/*-------------------------  Storage  -------------------------*/
SET IDENTITY_INSERT [dbo].[Storage] ON;
INSERT INTO [dbo].[Storage] ([ID], [Storage], [Place], [Phone]) VALUES (1, N'الرئيسى', NULL, NULL);
SET IDENTITY_INSERT [dbo].[Storage] OFF;
GO

/*-------------------------  SystemProgram  -------------------------*/
SET IDENTITY_INSERT [dbo].[SystemProgram] ON;

INSERT INTO [dbo].[SystemProgram] (
    [ID], [GomlaKataey], [Kataey], [Company_Name], [Company_Description], [Company_Address], [Company_Phone],↙

    [NoteToBill], [PrinterBill], [SizePaperBill], [PrinterBarcode], [PrintNameComToBill],                    ↙
    [PrintLogoComToBill],
    [FontSizeBarcode], [PriceSheraaAcount], [BathBackup], [Comp_Logo], [BarcodeStart], [TypeBillDefoult],
    [TypeCurrency], [TypeFont], [UseLimitCredit], [DiscountBill], [BarcodeSales], [CollectionProduct],       ↙
    [HideBalance],
    [TypePrinter], [BarcodeSize], [BarcodeSalesType], [OpenFormOther], [PricesAll]
) VALUES (
    1, 0, 1, N'الوصيف', N'للدعاية والاعلان', N'طناح: منتصف شارع النقطة القديمة ', N'01224349933',
    N'شكرا لزيارتكم', N'HP LaserJet Professional P 1102w', N'A5', N'HP LaserJet Professional P 1102w',
    1, 1, 14, N'السعر الجديد', N'D:\Alwasif\DATA\Backup\Auto\ZadAuto.bak',
    N'D:\Alwasif\ZAD v5.0.0\logo.png', 100000, N'آجل', N'جنيه', N'IDAHC39M Code 39 Barcode',
    0, 20, 1, 0, 0, 0, 0, 14,0,0
);

SET IDENTITY_INSERT [dbo].[SystemProgram] OFF;
GO

/*-------------------------  Users  -------------------------*/
SET IDENTITY_INSERT [dbo].[Users] ON;

INSERT INTO [dbo].[Users] (
    [ID], [UserName], [Bassword], [Sales], [Purchases], [Expenses], [MoneyToBox], [MoneyFromBox], [GroupAdd],↙

    [EmployeeAdd], [EmployeeSalaryPayment], [EmployeeSalaryMovement], [EmployeeBonusAdd],                   ↙
    [EmployeePenaltyAdd],
    [CarsAdd], [CarsExpenses], [CarsExpensesMovement], [BackupSave], [BackupRestore], [SettingsGeneral],
    [SystemReset], [License], [CallUs], [ClientAdd], [ClientsMoney], [ExplainSystem], [Connection],         ↙
    [ProducerNewAdd],
    [StoreNewAdd], [Prices], [ProducerUpdate], [Inventory], [Barcode], [ProducerIncomplete], [StoreToStore],
    [ProductMovement], [BoxMovement], [ClientsList], [BanksList], [Profits], [DailySalesPurchases],
    [DailyTransactions], [FinancialStatements], [BankAddAccount], [CheckSaderWared], [CheckSave],           ↙
    [BankStatement],
    [BankToBank], [ClientAccountStatement], [UserAdd1], [FirstAccounts], [AllowUser], [b], [c], [d], [g],   ↙
    [Statistical]
) VALUES (
    1, N'1', N'1', 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, ↙
    1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
);

SET IDENTITY_INSERT [dbo].[Users] OFF;
GO

/*-------------------------  Barcode_Seting  -------------------------*/
SET IDENTITY_INSERT [dbo].[Barcode_Seting] ON;
INSERT INTO [dbo].[Barcode_Seting] (
    [ID], [BarcodeStart], [BarcodePrinter], [BarcodeSize], [BarcodeTypeFont], [BarcodeFontSize],            ↙
    [ProductSize],
    [MarginsCompaneyX], [MarginsCompaneyY], [MarginsBarcodeX], [MarginsBarcodeY], [MarginsCategorysX],
    [MarginsCategorysY], [MarginsCategoryIDX], [MarginsCategoryIDY], [MarginsPriceX], [MarginsPriceY]
) VALUES (
    1, 100000, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
);
SET IDENTITY_INSERT [dbo].[Barcode_Seting] OFF;
GO
```