Data from: "Classification of pseudocalcium visual responses from mouse retinal ganglion cells".

The dataset includes spike times of 9 different recordings of retina ganglion cells and *pseudocalcium* traces after convolving spikes with OGB kernel. Extracellular data is recorded with multielectrode array (Multi Channel Systems).

• visualization_script: this code plots the clusters and generates following variables:

data for different stimuli converted to pseudocalcium traces (processed data)

Variable name	Dim1	Dim2	Dim3	Remark
condition	#cell			Cells after removing noisy data (653 of 892 cells were used for final clustering).
sidx	#cell			Indices of cells sorted by cluster numbers
With_sta	#cell			Indices of cells with significant STA
cluster_idx	#cell			Cluster numbers for data sorted by sidx
chirp_avg	#cell	Time sample		Median of chirp response. Normalized to max(abs())
chirp_time	time sample			Time base of chirp response
color_avg	#cell	Time sample		Median of color response. Normalized to max(abs())
color_time	time sample			Time base of chirp response
flash_avg	#cell	Time sample		Median of flash response. Normalized to max(abs())
flash_time	time sample			Time base of chirp response
bar_avg	#cell	Time sample		Average of bar response. Normalized to max(abs())
bar_time	time sample			Time base of moving bar response
bar_trials	#recording	#cell	#direction	Response of individual cells to average of closest bar and two neighboring bars for each direction.
SPK	Spike time	#trial	#cell	Spike times for all 892 cells
with_sta	#cell			Cells with a significant STA
e_STAs	#cell			STA of each cell with clusters
trace_norm	sample			Normalized OGB kernel
trace_norm_auc	sample			OGB kernel with area under the curve normalized to 1
ts_trace	time sample			Time base of OGB kernel
HT_dataname				Nested structures with hitting time of each moving bar stimulus for each channel
ds_list				Metadata for each recording including corresponding hitting time file

• DATA: includes the raw data of each recording. Spike times and trigger times of both visual and electrical stimulation.

Variables in each recording file (raw data)

Variables name	Remarks		
A1a	Photodiode signal monitoring the global visual stimulation brightness. (used only for calibration and 'reality check'.		
A2a A3a	TTL triggers of electrical stimulation. TTL triggers of visual stimulation.		
adch_channel_unit	Spike time of each unit. One channel can have more than one unit.		
trgss	Triggers of visual stimulation sorted by name of stimulus		

• HT_'recordingname': This data contains geometrical information of MEAs for each recording. From this information, we compute the hitting times for the moving-bar stimuli. The moving bar stimulus includes 8 different directions and for each channel, we can estimate when the stimulus hits the given channel (electrode) of the MEA.

Geometrical information for each MEA during recording

Variables name	Remarks		
HT	Hitting time tables of individual recordings, i.e. The time that the leading edge of the moving bar hits the electrode.		
xy_diff	the distance of each electrode to the center of MEA in um. These data are used to compute HT. • First row shows x coordinate • Second row shows y coordinate		

• Matlab_results: this folder contains normal and OGB PSTHs:

PSTH for each stimulus

Variables name	Remarks
BG	Spike times and average of normal and ogb PSTHs of each channel over trials for color stimulus. Normalized to max(abs())
Flash	Spike times and average of normal and ogb PSTHs of each channel over trials for flash stimulus. Normalized to max(abs())
Chirp	Spike times and average of normal and ogb PSTHs of each channel over trials for chirp stimulus. Normalized to max(abs())
Moving bar	Spike times for each cell and each location, and average of normal and ogb PSTHs of each channel over trials for moving bar stimulus. Normalized to max(abs())
e_STA_'recordingname'	Spike times and electrical STA of each channel