

MOBILE APPLICATION DEVELOPMENT

Shoaib Farooq

Department of Computer Science


Instructor Information

Instructor	Shoaib Farooq	E-mail	m.shoaib1050@gmail.com
 GitHub	https://github.com/SHOAIB1050		
 YouTube	https://www.youtube.com/c/pakithub		
 LinkedIn	https://www.linkedin.com/in/shoaib-farooq-b5b190105/		

Let's Start

Lecture # 3

TARGET PLATFORM TOOLS & DEVICES SETUP



ABOUT MATERIAL DESIGN

Google's flexible design system

A set of suggestions, rules & guidelines that help you build beautiful user interfaces

Highly customizable and extendable

ABOUT THIS COURSE

Beyond the Basics

Animating apps, connecting a backend, using native device features (e.g., camera) & more

Advanced Features

Handling user interactions, customizing styles, building multi-screen apps

Dart & Flutter Fundamentals


Base syntax, core features & foundational concepts needed to build mobile app user interfaces

Flutter & Dart Fundamentals


Basic Syntax & Features

- ▶ Explore Core Flutter & Dart Syntax Understanding
- ▶ & Writing Flutter and Dart Code Working with Flutter
- ▶ Widgets

DART & FLUTTER CODE IS COMPILED



PROGRAMMING?



TWO CATEGORIES OF “WORDS”



Keywords

Built into the
programming
language

Have clear, specific
meanings




Identifiers

Defined by
developers

Used for identifying
“things” in code


UNDERSTANDING TYPES



Flutter & Dart Fundamentals

- [Numbers](#) (int, double)
- [Strings](#) (String)
- [Booleans](#) (bool)
- [Records](#) ((value1, value2)) var record = ('first', a: 2, b: true, 'last');
- [Functions](#) (Function)
- [Lists](#) (List, also known as arrays)
- [Sets](#) (Set)
- [Maps](#) (Map)
- The value null (Null)

UNDERSTANDING TYPES




SOME CORE TYPES

<code>int</code>	Integer numbers	Numbers without decimal places	29, -15
<code>double</code>	Fractional numbers	Numbers with decimal places	3.91, -12.81
<code>num</code>	Integer or fractional numbers	Numbers with or without decimal places	15, 15.01, -2.91
<code>String</code>	Text	Text, wrapped with single or double quotes	'Hello World'
<code>bool</code>	Boolean values	true or false	true, false
<code>Object</code>	Any kind of object	The base type of all values	'Hi', 29, false

UNDERSTANDING “CONST”

`const` helps Dart optimize runtime performance



Links

- <https://dart.dev/language/variables>
- <https://api.dart.dev/stable/3.2.5/dart-core/String-class.html>
- <https://dart.dev/guides>

Thank You 😊