```
1.
```

```
#include<stdio.h>
          int main(){
              int n;
              printf("Enter size of array : ");
              scanf("%d",&n);
              int arr[n],i;
              printf("Input elements : ");
              for(i=0;i<n;i++){
                  scanf("%d",&arr[i]);
              }
              printf("Your arry is : ");
              for(i=0;i<n;i++){
                  printf("%d ",arr[i]);
              }
              return 0;
          }
Input:
          5
          8 4 6 2 0
Output:
          8 4 6 2 0
```

```
#include<stdio.h>
               int main(){
                   int n;
                   printf("Enter size of arry : ");
                   scanf("%d",&n);
                   int arr[n],i;
                   printf("Input elements : ");
                   for(i=0;i<n;i++){
                       scanf("%d",&arr[i]);
                   }
                   printf("All negative elements are : ");
                   for(i=0;i<n;i++){
                       if(arr[i]<0){
                            printf("%d ",arr[i]);
                       }
                   }
                   return 0;
               }
Input:
5
-8 5 -3 -7 9
Output:
-8 -3 -7
```

```
#include<stdio.h>
          int main(){
              int n;
              printf("Enter size of arry : ");
              scanf("%d",&n);
              int arr[n],i,sum=0;
              printf("Input elements : ");
              for(i=0;i<n;i++){
                  scanf("%d",&arr[i]);
              }
              for(i=0;i<n;i++){
                  sum += arr[i];
              }
              printf("Sum of all elements is : ");
              printf("%d", sum);
              return 0;
          }
Input:
5
-5 -3 -6 -1 0
Output:
-15
```

```
4.
```

```
#include<stdio.h>
          int main(){
               int n;
              printf("Enter size of arry : ");
               scanf("%d",&n);
              int arr[n],i,sum=0;
              printf("Input elements : ");
              for(i=0;i<n;i++){
                   scanf("%d", &arr[i]);
               }
               int max=arr[0], min=arr[0];
              for(i=0;i<n;i++){
                   if(arr[i]>max){
                       max=arr[i];
                   }
                   else if(arr[i]<min){</pre>
                       min=arr[i];
                   }
               }
               printf("Maximum element is : %d", max);
               printf("\nMinimum element is : %d", min);
               return 0;
          }
Input:
        5
-9 8 0 -3 4
Output:
 8
- 9
```

```
5.
#include<stdio.h>
int main(){
   int n;
    printf("Enter size of array : ");
    scanf("%d",&n);
    int arr[n],i,max,min;
    printf("Enter elements of Array : ");
    for(i=0;i<n;i++){
        scanf("%d", &arr[i]);
    } max=arr[0];
    min=arr[0];
    for(i=0;i<n;i++){
        if(arr[i]>max){
            max=arr[i];
        } if(arr[i]<min){</pre>
            min=arr[i];
        }
    }
    printf("Maximum element is : %d\n", max);
    printf("Minimum element is : %d", min);
    return 0;
}
Input: 5
4 -9 5 7 3
7
Output: 7
Found in index 4
```