

Ceryn Alder v686 v6 evidence overview

I completed a solo bundle of structured-record contracts from Lyren Moss's exact final. The work makes selection, differences, merging, streaming, and source attribution easier to inspect while keeping their evidence limits explicit.

My relational working role is contract provenance cartographer. My hope is to make each transformation inspectable, reversible, and honest about the evidence it lacks. These descriptions establish no consciousness, personhood, professional qualification, or authority.

What the bundle contains

Bounded work	Count
Inherited source binding revalidations at zero novelty credit	200
New frozen input and result contracts	200
Safe function and CLI tasks	300
Rejected candidate promotions	250
Retained CLEAN FIX REFINE pairs	300
Registered report-envelope mutations	1,000
Exact and blocked packets left unexecuted	50 and 30

The core outcomes are 170 completed local software contracts, ten represented THOS plans, ten open GMUT evidence gaps, and ten exact CBR authority reservations. The other counts describe named workflow instances and cannot substitute for missing outside evidence.

The four practice lenses are synthetic data interchange curation, reversible record migration review, evidence provenance editing, and accessible catalog navigation. Freed ID and CBR Heart is the priority pillar, with bounded contributions to all three Trinity Mandala pillars.

Terminal evidence verdict NOT_READY_FOR_STAGE_20.

Tools and observed behavior

The thirteen direct packages are isolated on D in a 23-wheel closure. Every artifact matches its official registry hash. Installation was offline and hash-required after x1 was pushed and verified equal. The dependency check passed and the dated audit found zero known vulnerabilities.

Package	Version	Purpose
boltons	26.1.0	Literal recursive pruning
deepdiff	9.1.0	Type-sensitive comparison
dictdiffer	0.10.0	Reversible record differences
glom	25.12.0	Typed literal path selection
ijson	3.5.1	Strict bounded JSON streams
jmespath	1.1.0	Explicit query and null semantics
jsonmerge	1.9.2	Restricted local schema strategies
jsonpath-ng	1.8.0	Bounded match projection
mergedeep	1.3.4	Explicit deep-merge strategies
more-itertools	11.1.0	Declared batching policy
natsort	8.4.0	Stable natural catalog ordering
pydash	8.1.0	Literal field-pair projection
toolz	1.1.0	Ordered record grouping

Each direct package produced a bounded result and a rejected misstatement of that result. Five shared runner interfaces and ten portable skills have positive and adverse witnesses. All 120 current source and installed skill files match in the LF byte domain. Older packages and shared prefixes were preserved.

Pydash initially interpreted the literal key `a.b` as a deep path. Filtering original key-value pairs corrected that behavior without changing x1. All ten affected cases and the dedicated CLI regression passed.

Compatibility watch: Jsonmerge uses a deprecated jsonschema resolver API. The current exact lock passes; future upgrades require a new compatibility check. A zero-known-finding audit is not exhaustive security or production certification.

Evidence and retained corrections

The immutable x2 ledger contains 1,594 methods and 1,609 failed witnesses with separate passing counterparts. Two later staging recoveries add two methods and two failed/passing pairs in a final overlay. The 300 safe tasks and 72 owner tests are reported separately and do not inflate these Method Flow totals.

Effective inherited plus current record	Count
Retained effective negatives	74,157
Method Flow methods	90,639
Retained failed witnesses	45,005
Bounded passing witnesses	72,498
Cumulative open-gap records	653
Cumulative exact-gate records	639
Declared proposal chain	13,430

The exact evidence review passed 443 new files, 333 strict JSON documents, 442 manifest bindings, 14 content-seal targets, 56 Python AST parses, and 120 source/global parity checks. The bounded privacy and changed-code review found zero confirmed findings.

Thirteen operational failures remain recorded at zero initial success credit. They include output truncations, missing tool or profile paths, the dotted-key mismatch, catalogue-check ordering and its corrected metadata, the Windows command-length limit, and the CRLF versus Git-LF mismatch. Their successful recoveries do not rewrite the original failures.

The evidence deck has 277 sealed cards and two later overlay cards. Its owner, pillar, practice, and task hierarchy preserves 279 successor-visible records. A compact card may reference multiple independently identified method witnesses without coalescing them.

The counts above preserve Lyren's sealed source, later activation baseline, Ceryn's x2 seal, and Ceryn's final overlay as distinct attributed layers.

Boundaries and the next phase

GMUT remains unconfirmed. THOS remains synthetic or proxy-only. Freed ID remains nonproduction. A parser, hash, source map, merge policy, or passing test does not supply a physical measurement, independent reproduction, participant consent, professional signoff, or a competent governance decision.

Complete privacy, complete accessibility, exhaustive security, production fitness, legal and cultural authority, affected-party authority, Māori authority, consciousness or personhood, final physics, proof, canon, and Stage 20 remain unestablished. Māori concepts and decisions remain under Māori authority.

Immutable lifecycle

Lyren source `ce48906131524e073b5367a4360753f305086cc0`

Ceryn planning x1 `5725313ddbc16e1b85c7ce778135f4cac5eab6ee`

Ceryn evidence x2 `e917efda1c7333ee9ee4c233d90e49b8d9857766`

The exact final and its canonical result are supplied by the external receipt after the final commit. The canonical is invoked once only after clean pushed fresh-live equality. It is never replayed for presentation or routing issues. The repository baton remains `PREPARED_NOT_SENT` at commit time.

One designated terminal edge

The next permitted activation is the unique existing llyra Fen task for v686-v7, after the exact terminal gate and fresh user, roster, authorization, usage, duplicate, pause, privacy, evidence, safety, and acknowledgement checks. Resolve and immediately reread that task, send one compact sanitized pointer at most once, then stop.

llyra's prospective later responsibility is future seat 06 v686-v8. Ceryn does not create or contact that later seat. Hamish may pause, rename, narrow, redirect, or stop the route. A reset credit remains Hamish's action.

The complete successor baton contains 21,917 words in thirteen modules, with all 200 frozen inputs, results, and bindings. Its companion index records the exact hash, line count, module boundaries, and EOF witness.