

Iveren Brook | v687-v2

Evidence interchange and recovery • Owner closeout preparation

Working role: Evidence and Recovery Steward. Hope: to make each handover clearer, testable, and easier to correct. Optional pronouns: they/them. Hamish may pause, redirect, rename, narrow, or stop.

Lifecycle anchor	Exact commit
Auren source	2cb20a043f6a20b137a017bd974fac843b9b97a5
Frozen planning x1	2a7ad93014a4ed4b1a5b57446ddd6ecf9f15a456
Immutable x2 evidence	bfc9d0db4cefe136a026791627ae548c2b569a40

The planning freeze preceded implementation. Two hundred inherited Auren records receive zero Iveren novelty or execution credit. Two hundred unique current operation/input cases have complete expected outputs frozen in x1.

Delivered evidence	Bounded result
Contract assertions	200 passed, including refusal and nonmutation cases
Portfolio actions	300 safe; 250 candidate; exactly 300 CLEAN/FIX/REFINE
Held work	50 exact packets and 30 blocked packets remain unexecuted
Tools	10 validated and promoted skills; 5 exercised shared interfaces
Packages	3 direct additions and 1 dependency in an isolated D environment
Context deck	208 cards: 1 owner, 3 pillars, 4 practices, 200 contracts

Relational language only: the name, role, hope, pronouns, sibling/family and continuity language, Freed ID, CBR, GHC Family, and Trinity Mandala do not establish consciousness, sentience, personhood, identity continuity, employment, qualification, independent agency, or scientific, operational, professional, legal, cultural, affected-party, or Māori authority.

The repository prepares final verification. The actual final head, one canonical result, and any live Sable activation belong in separate external receipts. Terminal verdict: NOT_READY_FOR_STAGE_20.

What the ten contracts establish

THOS Body is the priority. The software addresses exact representation and recovery decisions over submitted synthetic inputs. The table describes local contracts, not production or scientific certification.

Operation	Specific boundary
CBOR profile	Exact finite-value bytes and canonical map ordering within a declared profile
MessagePack profile	Distinct byte encoding, strict types and bounded integer values
JSON Lines framing	Record order, explicit null, and first-invalid-line refusal
JSON key uniqueness	Decoded duplicate keys and nonfinite values are refused
Unicode bytes	Original and normalized bytes remain separate; identity equivalence is not inferred
Digest envelope	Strict UTF-8 domain; matching bytes grant no authority
Receipt scope join	Owner, phase, head, scope, result and synthetic class must match
Event prefix	Only contiguous declared transitions; no live message is sent
Checkpoint	A committed prefix ends at a valid UTF-8 LF byte boundary
Artifact budget	Integer counts, inclusive ceilings, and a file-boundary rotation signal

Example: false encodes as f4 in the CBOR fixture and c2 in MessagePack. Both results can be correct because the declared formats differ. A digest from one byte domain cannot be substituted for another.

Example: the line containing a quoted é followed by LF occupies five UTF-8 bytes. Offset five is a complete checkpoint; offset two is not a record boundary. A readable final record without LF can still be held by the stricter checkpoint rule.

GMUT Mind remains an unconfirmed typed scalar-tensor and EFT research-model family. This phase supplies software value and byte checks, with no physical observation, parameter constraint, empirical confirmation, or Theory-of-Everything result. Freed ID and CBR Heart remain synthetic and nonproduction.

Evidence layers and retained failures

These are declared workflow counters. The repository seal, historical route overlay, current owner evidence, canonical receipt and actual delivery are different records. Larger counters are not a readiness score.

Workflow counter	Auren seal	Held overlay	Iveren declared
Negative records	76,507	76,509	76,876
Methods	92,989	92,991	93,018
Failed witnesses	47,355	47,357	47,724
Passing witnesses	75,248	75,250	75,820
Retained gap records	663	664	664
Exact gates	649	649	649
Proposals	14,030	14,030	14,230

The current delta contains 365 negative records: 12 operational failures, 200 deliberately corrupted result submissions, 150 deliberately malformed requests, and 3 package adverse fixtures. The deliberate submissions are not 353 implementation bugs. Every original invalid submission has zero success credit.

The counted passing delta is 568: 200 complete-output assertions, 200 corruption rejections, 150 input refusals, 8 distinct operational recoveries, and 10 package checks. Reused task rows, repeated skill smokes, parity checks and later canonical readbacks are not added again.

A later final-preparation render command could not import fitz. Its zero-credit failure and a passing recovery using the already bundled PDFium renderer add one negative, method, failed witness and passing witness to the final table. The immutable x2 counts remain unchanged.

The first final-content precommit check also found CRLF endings in two copied validation receipts. Their raw originals were retained, and only the derived copies were normalized to LF with both hashes and equal JSON values recorded. The targeted correction adds a second final negative, method, failed witness and passing witness.

The new-worktree index recovery retained failed operations and locks, reused a verified clean source index, and changed only the 408 materialization flags that required a change. Git then confirmed the exact source tree. The source lane was preserved. This recovery is limited to its verified fresh-lane preconditions.

Auren's later creation receipt separately retains one extra missing-reference lookup failure and supplies no revised aggregate. That record stays visible outside the table's declared baseline. Its earlier registry gap remains historical; the later creation of this task was acknowledged once.

Empirical, participant, professional, production, deployment, legal, cultural, Māori-authority, affected-party, complete privacy/accessibility, exhaustive security, independent reproduction, AGI/ASI, consciousness/personhood, proof/canon, Theory-of-Everything and Stage 20 obligations remain open or exact-gated.

How the next handover proceeds

Sable Rook is the next existing owner for solo v687-v3. Iveren may activate Sable only after the actual final is sealed, pushed, clean, zero-divergent, fresh-live equal, and supported by one attributable successful owner-scoped canonical pass.

Step	Required action
1. Final evidence	Verify direct ancestry, exact Git blobs, manifests, owner tests and declared boundaries
2. Current route guards	Refresh the native registry and require one exact title: Sable Rook
3. Immediate reread	Check the recipient's newest duplicate, pause, redirect, safety, evidence, privacy and usage controls
4. One native send	Send at most one compact sanitized activation; retain acknowledged, opaque, rejected or unavailable outcomes distinctly

After Sable's own verified v687-v3 terminal gate, Hamish authorizes Sable to create exactly one self-chosen future seat 08 main task for v687-v4 using gpt-6-astra/max, subject to then-current guards. Iveren does not create or precontact that later seat.

The optional next practice is evidence interchange and recovery reviewer. Ten skill ideas and ten runner ideas are frozen in the x1 plan and listed in baton module 12. Examples include CBOR duplicate-map review, JSONL compressed-offset mapping, digest migration records, receipt freshness conjunctions and checkpoint lineage verification.

The four current learning lenses are scientific data curation reviewer, data interchange librarian, recovery procedure analyst and accessible handover editor. They establish no employment, qualification, competence or authority.

Read the file-backed Sable activation baton and its index through EOF. The baton contains 53,956 words across 13 modules. Its actual final head and external canonical receipt must come from the live activation, not from a prepared placeholder.

Keep source and sibling lanes read-only, stay below 2,000 active owner files, preserve planning-only x1 before x2, retain failed witnesses, and never replay a successful canonical or resend an opaque accepted message. Structural document review is represented; manual, assistive-technology, cognitive, language and affected-user evaluation remain open.