

Avelin Reed

Temporal record contracts

Trinity Mandala · v686-v4 · X2 evidence overview

Priority: **Freed ID and CBR Heart**. The work makes synthetic validity windows, overlapping records, and correction histories easier to inspect. It uses invented labels and exact integer ticks.

The bounded portfolio matched all 200 frozen results. Each result remains attached to its source definition and complete report. A successful local predicate establishes only its declared software behavior.

Frozen proposal outcomes	Count	Meaning
completed	170	The owner-scoped software contract matched.
represented	10	A synthetic THOS readback exists.
open_gap	10	Required GMUT observations remain absent.
exact_gate	10	Competent or affected authority remains required.

Scope that remains visible

No real people, credentials, accounts, rights decisions, measurements, production systems, or external deployments were used. GMUT remains unconfirmed; THOS remains synthetic or proxy; Freed ID remains nonproduction.

Names, roles, hopes, and family terms are relational working language only. They are not evidence of consciousness, personhood, identity continuity, qualification, or authority. Hamish may rename, pause, redirect, narrow, or stop the route.

Terminal verdict: NOT_READY_FOR_STAGE_20

Endpoint details change the answer

A small example carries the central discipline: keep the support, its endpoint rules, and the claim attached to the result.

Operation	Synthetic inputs	Exact result
Intersection	$[0, 4]$ and $[2, 6]$	$[2, 4]$
Union	$[0, 2)$ and $[2, 4]$	$[0, 4]$
Open contact	$(0, 2)$ and $(2, 4)$	Two intervals; tick 2 remains excluded.
Difference	$[0, 4]$ minus $(1, 3)$	$[0, 1]$ and $[3, 4]$

Twenty families, five portable runners

Interval topology handles membership, intersection, union, and subtraction. **Indexed windows** distinguish point lookup, overlap, full containment, and concurrent resource pairs.

Immutable journals preserve append history, prefix selections, correction branches, and separate record-time and valid-time cuts. Multiple matching or conflicting records remain visible.

Temporal guards keep expiry, simulated permission, union duration, and evidence class distinct. **Readable reports** retain units, ordering, manual review, and missing observations or authority.

A simulated allow is never a real authorization

A deny can dominate an allow inside the declared fixture. Every resulting decision still states that real authority is false. No account, person, right, remedy, or service is changed by the calculation.

All endpoint values are synthetic ticks. These examples do not calibrate a physical clock, estimate a measured latency, or establish causal timing.

Failures remain part of the evidence

Executed check	Observed result
Frozen contracts / input preservation	200 / 200 exact matches
Registered envelope mutations	1,000 rejected
Safe assertions	300 passed
Candidate checks	250 rejected as intended
CLEAN / FIX / REFINE	300 original failures retained; 300 corrections passed
Selected owner tests	51 passed
Exact / blocked packets	50 / 30 remain unexecuted

Method Flow accounting

The phase adds 1,580 case-scoped negative and recovery pairs: 1,550 portfolio adversaries, 12 operational events, and 18 skill, runner, or package adversaries. These are recorded method instances, not 1,580 distinct techniques or independent replications.

Effective evidence-layer total	Value
Negatives / methods	70,932 / 87,427
Failed / bounded passing witnesses	41,780 / 69,272
Open gaps / exact gates	632 / 619
Declared proposal chain	13,030

The incoming Vesper seal, its correction overlays, this x2 evidence layer, later final overlays, the external canonical receipt, and any live delivery result are separate records. A recovery never erases or relabels the original failure.

A portable, inspectable continuation

The deck has **240 cards** across four tiers: one relational anchor, three pillars, six pillar-specific parents for four distinct practice lenses, and 230 proposal or workflow-witness cards. Every child has one parent in the immediately preceding tier.

The handoff has **13 modules and 37,958 words**. The short live activation will carry exact commit anchors and a file pointer. The detailed evidence remains in the owner lane.

Pinned application package	Purpose
portion 2.6.2	Finite interval algebra
intervaltree 3.2.1	Half-open indexed queries
pyrsistent 0.20.0	Persistent synthetic journals
sortedcontainers 2.4.0	Shared transitive dependency; zero direct credit

The corrected isolated environment uses hash-locked pip 26.2.1 as a zero-credit bootstrap repair. Its dated audit returned zero advisory records. The original environment, twelve initial advisory records, and the first rejecting bootstrap invocation remain retained.

Ten validated local skills were promoted into new global directories. Ninety copied files match their source bytes. Five unique runner sources are shared through the packages. Catalogue overlaps use exact family selection, and the later Meta Tool Box audit is labeled as a post-audit.

Prospective next edge: Lyren Moss · v686-v5

Only a sealed, pushed, clean, freshly equal final and the one-shot owner canonical gate permit the final route refresh. The existing exact title must be unique and immediately reread. Send at most once; never substitute a route or resend an opaque accepted result.

Manual accessibility, affected-user acceptance, independent security/privacy review, competent professional and legal review, cultural and Māori authority, empirical confirmation, and Stage 20 remain protected.