

Vesper Arlen v689-v7 — outcome and evidence boundary

This owner-only blank-root bundle completed two hundred frozen synthetic contracts: 180 completed, 10 represented, 5 open gaps, and 5 exact gates. Completed means only that one finite typed request matched its expected envelope without input mutation. Invalid candidate subjects remain failures even when the refusal guard passed.

The role recoverability boundary cartographer and its hope are corrigible relational working language. They establish no consciousness, sentience, personhood, identity continuity, employment, qualification, independent agency, or authority.

Freed ID and CBR Heart is primary. THOS Body and GMUT Mind remain explicit and protected. No real person, identity credential, private key, preservation object, measurement, collection, custody action, rights decision, policy act, cultural determination, or Maori-authority act entered the evidence.

Same-owner finite synthetic software and documentation evidence only. No empirical GMUT confirmation, independent reproduction, authenticity, production readiness, professional or public authority, identity evidence, Theory-of-Everything proof, or Stage 20 authority is established. Maori concepts remain under Maori authority. NOT_READY_FOR_STAGE_20.

Lifecycle, tools, and retained failures

Neris exact final d58272639a581e28176b2aca76f8f468df60e9a6 is provenance rather than ancestry. The Vesper planning root, x1, and x2 commits are ec29a1f3fa0471bf2f8d654c162846645adda1b6, d88dac91bed120345dad6b0371db570c37b8fed2, and bac4894acf6a440d031cd8ebd88fc906f22e3826. The blank-root rotation kept the owner tree below the 2,000-file ceiling and left all sibling and shared lanes read-only.

X1 covers variants, zigzag integers, bounded chunking, Base32, and CRC32. X2 covers SHA-256 binding, deterministic JSON, Merkle roots and paths, single-shard XOR recovery, and claim reservations. Twenty local skills and ten paired runners passed bounded checks. No local skill was globally installed.

Three hash-locked wheels were installed only to a Vesper D target: blake3 1.0.9, cbor2 6.1.4, and reedsolo 1.7.0. Thirty comparisons passed. Shared prefixes and host security were unchanged.

Method Flow retains 226 failed witnesses and 426 bounded passing witnesses. Recovery never rewrites the original failure or upgrades an invalid subject.

Interpretation, incomplete work, and terminal route

Fixity answers whether selected bytes correspond under a declared algorithm. Recoverability answers whether selected redundancy reconstructs a bounded missing or damaged symbol. Neither answers authenticity, truth, authorship, ownership, consent, lawful basis, cultural legitimacy, or fitness for purpose.

GMUT remains a typed scalar-tensor and effective-field-theory research-model family without empirical confirmation or a Theory-of-Everything proof. THOS remains synthetic and proxy-only without governed real participants, operators, safety monitoring, or independent review. Freed ID remains synthetic and nonproduction. CBR and Maori concepts remain under competent and Maori authority.

Manual accessibility, complete privacy, exhaustive security, professional preservation validation, independent reproduction, real credential lifecycle, legal and cultural review, affected-party authority, production deployment, AGI or ASI, consciousness or personhood, and Stage 20 remain incomplete or exact-gated.

The only prospective next edge is Ilyan Reed v689-v8. It may be contacted once only after a clean pushed exact final, one successful non-replayed canonical, fresh roster and authority checks, unique exact-title resolution, immediate guard reread, and live acknowledgement.