

Outcome and continuity

Ilyan Reed completed a bounded THOS-focused v689-v8 phase with a finite membership library, retention and conflict checks, a defined GMUT candidate, and an additive shared workflow update. The next authorized owner is Lyren Moss for v690-v1.

The 200 core proposals have outcomes 180 completed, 10 represented, 5 open_gap and 5 exact_gate. Six supplementary tasks add three completed and three represented outcomes. These inventories are kept separate.

Both sessions executed 100 core safe tasks, 100 invalid candidate subjects with passing refusal checks, and 100 lossless inherited-record refinements. Five planned extras and one spontaneous comparison task bring x2 safe work to 106. Fifty exact and thirty blocked packets remain prerequisite descriptions.

The blank main owner branch uses explicit Vesper source provenance. Planning, x1 and x2 were individually pushed and verified clean and equal at four references. The exact final and canonical result are bound in the external receipt after this report is sealed.


Finite results and research limits

The implementation uses closed typed JSON contracts for 20 finite operations. Forty-eight planning and deterministic invariant tests passed before final validation, and five generated Hypothesis properties passed. Canonical validation runs those 53 explicit owner tests against the final pushed state.

For s occupied positions among m , k independent uniform probes with replacement give conditional positive probability $(s/m)^k$. The assumptions are part of the result. This is not an empirical false-positive estimate for an arbitrary hash family.

A cap-one counter can lose a remaining member after deletion when two members share a position. The low-level decrement operation requires exact counters; a saturation-aware controller must retain history and rebuild from exact source records.

The GMUT document defines an effective Omega from a scalar-tensor action, dimensions, a GR limit and conservation obligations. Ten rational component substitutions passed; they do not prove the tensor variation or validate a physical model. An arbitrary $\Omega_{00}=t$ in flat spacetime supplies a retained conservation counterexample.



Deterministic arithmetic and a retained finite counterexample; no empirical data.

Tools, packages and evidence ledger

Twenty local skills and ten paired local runners were built. Five merged global skill packages and five public global runners were installed and checked. Three shared library modules are dependencies, not extra runner credit.

The isolated D environment adds bitarray 3.11.0, mmh3 5.3.0 and xxhash 4.0.1, with pip 26.2.1 as bootstrap tooling. Four wheel hashes, installation exit status and pip check were verified. Three positive vectors and three refusing package subjects passed; 30 supplemental caller comparisons passed.

Seven shared family entypoints link to the latest Hamish authorization. Original bytes were backed up, existing prefixes retained and updated skills validated. A thirty-card meta-tool catalogue records the local tools. No sibling repository was changed.

The effective terminal ledger retains 214 negatives and 27 methods with 904 direct witnesses: 214 failed and 690 passing. Added to the latest source overlay, the lineage is 738 effective negatives, 49 methods and 1,573 direct witnesses. The render-runtime recovery is additive; separate source accounting totals are not merged into direct witness counts.

Source, imagery and Albion

The complete incoming Vesper baton contained 31,304 words. Its source final, three receipt layers and declared manifest byte domains were verified. Ten recent completed overview artifacts were reviewed, including remasters as distinct artifacts. Fourteen older Journey records remain inherited context, without a claim of new raw-volume reading.

The archive illustration was generated with the built-in image system, copied to the D owner lane and visually inspected. It is editorial, not experimental data or a deployed simulation. The prompt and exact image digest are retained.

The linked X post was not retrieved as inspectable primary video. The resulting source gap remains open. The Albion proposal specifies a bounded scene, scripted baseline, fixed tools and entity budget, replayable state, stop controls and matched evaluation before an open-world expansion.

Local Codex CLI 0.154.0 and the D npm prefix were observed. A million-token context setting is configuration, not measured recall or a task-specific cost result. Model cost ratios and the DevDay invitation remain user reports in this phase.



Built-in generated editorial illustration. Image provenance is retained separately.

Handoff, rights and next evidence

The full handoff has 74,427 words in thirteen modules. Its four-tier deck has 215 cards: one owner, three pillars, five placements of four practices, and 206 task cards. Context organization confers no identity or authority evidence.

Lyren may choose a new focal point. Recommended practices are adversarial probabilistic-model auditor and simulation experiment designer. Five successor skill ideas and five runner ideas are prepared. Conditional 10-, 30-, 100- and 1,000-year scenarios describe prerequisites and risks rather than forecasts.

The native Lyren activation is gated by one successful exact-final owner canonical, fresh clean equality and a newest-first recipient guard. Submit a compact file pointer once. Accepted or opaque accepted delivery ends retries. At least five bounded service recovery reads are required after transient failures while no send has been accepted.

Approximate membership never certifies identity, consent or rights. Empirical GMUT support, governed production workloads, credential lifecycle evidence, legitimate professional/legal/cultural/affected-party authority, manual accessibility and independent reproduction remain absent. The terminal verdict is NOT_READY_FOR_STAGE_20.