

```
export module actions {
    class AsyncAction {
        private delegate;
        constructor(delegate) {
            this.delegate = delegate;
        public invoke(): number {
            return setTimeout(this.delegate, 0);
```

```
export module actions {
    class AsyncAction {
        private delegate;
        constructor(delegate) {
            this.delegate = delegate;
        public invoke(): number {
            return setTimeout(this.delegate, 0);
>> src/preso.ts[4, 1]: missing 'use strict'
```

```
export module actions {
    class AsyncAction {
        private delegate;
        constructor(delegate) {
             this.delegate = delegate;
        public invoke(): number {
             return setTimeout(this.delegate, 0);
>> src/preso.ts[4, 1]: missing 'use strict'
Microsoft SDL Violation
CWE 398 - Indicator of Poor Code Quality
CWE 710 - Coding Standards Violation
```

### https://cwe.mitre.org/index.html



#### **CWE List**

Full Dictionary View
Development View
Research View
Fault Pattern View
Reports
Mapping & Navigation

#### **About**

Sources

Process

Documents

FAQs

#### **Community**

Use & Citations SwA On-Ramp Discussion List Discussion Archives


#### Scoring

Contact Us

Prioritization CWSS CWRAF CWE/SANS Top 25

#### Compatibility

Requirements
Coverage Claims
Representation
Compatible Products



Enlarge

**CWE™** International in scope and free for public use, CWE provides a unified, measurable set of software weaknesses that is enabling more effective discussion, description, selection, and use of software security tools and services that can find these weaknesses in source code and operational systems as well as better understanding and management of software weaknesses related to architecture and design.

#### CWE in the Enterprise

- ▲ Software Assurance
- Application Security
- ▲ Supply Chain Risk Management
- ▲ System Assessment
- ▲ <u>Training</u>


- ▲ Code Analysis
- ▲ Remediation & Mitigation
- NVD (National Vulnerability Database)
- ▲ <u>Recommendation ITU-T X.1524</u> <u>CWE</u>, ITU-T CYBEX Series

#### Related Efforts

Vulnerabilities (CVE)

Weakness Scoring System (CWSS)

# https://www.microsoft.com/en-us/sdl/



```
"use strict";
export module actions {
    class AsyncAction {
        private delegate;
        constructor(delegate) {
            this.delegate = delegate;
        public invoke(): number {
            return setTimeout(this.delegate, 0);
```

```
"use strict";
export module actions {
    class AsyncAction {
        private delegate;
        constructor(delegate) {
            this.delegate = delegate;
        public invoke(): number {
            return setTimeout(this.delegate, 0);
```

>> src/preso.ts[14, 20]: Forbidden setTimeout string parameter: this.delegate

```
"use strict";
export module actions {
    class AsyncAction {
        private delegate;
        constructor(delegate) {
            this.delegate = delegate;
        public invoke(): number {
            return setTimeout(this.delegate, 0);
```

>> src/preso.ts[14, 20]: Forbidden setTimeout string parameter: this.delegate

#### Microsoft SDL Violation

CWE 95 - Improper Neutralization of Directives in Dynamically Evaluated Code ('Eval Injection')

CWE 676 - Use of Potentially Dangerous Function

CWE 242 - Use of Inherently Dangerous Function

CWE 116 - Improper Encoding or Escaping of Output"

```
"use strict";
           export module actions {
               class AsyncAction {
                   private delegate;
                   constructor(delegate) {
                       this.delegate = delegate;
                   public invoke(): number {
                       return setTimeout(this.delegate, 0);
>> src/preso.ts[14, 20]: Forbidden setTimeout string parameter: x
>> src/preso.ts[8, 29]: expected parameter: 'delegate' to have a typedef
```

```
"use strict";
export module actions {
    class AsyncAction {
        private delegate: () => void;
        constructor(delegate: () => void) {
            this.delegate = delegate;
        public invoke(): number {
            return setTimeout(this.delegate, 0);
```

```
let count = 0;
function wrapFunction(delegate) {
    count++;
    return new Function(delegate);
}
wrapFunction(() => {})();
wrapFunction(() => {})();
console.log(count);
```

```
let count = 0;
function wrapFunction(delegate) {
    count++;
    return new Function(delegate);
}
wrapFunction(() => {})();
wrapFunction(() => {})();
console.log(count);
```

>> src/preso.ts[5, 12]: forbidden: Function constructor with string arguments

#### Microsoft SDL Violation

CWE 95 - Improper Neutralization of Directives in Dynamically Evaluated Code ('Eval Injection')

CWE 676 - Use of Potentially Dangerous Function

CWE 242 - Use of Inherently Dangerous Function

CWE 116 - Improper Encoding or Escaping of Output

```
import React = require('react');

function renderTwitterStream() {
    return <iframe src={'/static/twitter.html'} />
}
```

```
import React = require('react');

function renderTwitterStream() {
    return <iframe src={'/static/twitter.html'} />
}
```

>> src/preso.tsx[4, 12]: An iframe element requires a sandbox attribute

CWE 915 - Improperly Controlled Modification of Dynamically-Determined Object Attributes

>> src/preso.tsx[4, 28]: An iframe element defines a sandbox with both allow-scripts and allow-same-origin

• When the embedded document has the same origin as the main page, it is strongly discouraged to use both allow-scripts and allow-same-origin at the same time, as that allows the embedded document to programmatically remove the sandbox attribute. Although it is accepted, this case is no more secure than not using the sandbox attribute.

# Other Security Rules...

- no-eval
- no-document-domain
- no-document-write
- no-inner-html
- no-http-string
- react-no-dangerous-html

```
* Common Bugs and Correctness. The following rules should be turned on because they
* find common bug patterns in the code or enforce type safety.
*/
```

```
"jquery-deferred-must-complete"
"mocha-no-side-effect-code"
"no-backbone-get-set-outside-model"
"no-bitwise"
"no-conditional-assignment"
"no-constant-condition"
"no-stateless-class"
"no-unnecessary-bind"
```

```
"no-unnecessary-override"
"no-unsafe-finally"
"promise-must-complete"
"react-this-binding-issue"
"react-unused-props-and-state"
"triple-equals"
"valid-typeof"
```

```
/**
 * Code Clarity. The following rules should be turned on because they
 * make the code generally more clear to the reader.
 */
                "chai-prefer-contains-to-index-of"
                "chai-vague-errors"
                "max-func-body-length"
                "no-function-expression"
                "no-unnecessary-field-initialization"
                "no-unsupported-browser-code"
                "prefer-const"
```

# Rulesets

- tslint-microsoft-contrib <a href="https://github.com/Microsoft/tslint-microsoft-contrib">https://github.com/Microsoft/tslint-microsoft-contrib</a>
- tslint https://github.com/palantir/tslint
- tslint-react <a href="https://github.com/palantir/tslint-react">https://github.com/palantir/tslint-react</a>
- tslint-eslint-rules <a href="https://github.com/buzinas/tslint-eslint-rules">https://github.com/buzinas/tslint-eslint-rules</a>
- codelyzer (Angular Rules)- <a href="https://github.com/mgechev/codelyzer">https://github.com/mgechev/codelyzer</a>
- vrsource-tslint-rules <a href="https://github.com/vrsource/vrsource-tslint-rules">https://github.com/vrsource/vrsource-tslint-rules</a>

# Resources

- recommended ruleset.js and recommended tslint.json
- grunt validate-config forces all rules to be defined
- <u>tslint-warnings.csv</u> All CWE mappings for all rules
- <u>Visual Studio Code</u> TSLint Plugin
- Microsoft Careers 46 Open Position in Switzerland

[].constructor.constructor

[].constructor.constructor('alert(1)')()