FOTOLAB



SONY

Sony Alpha A6600 Mirrorless Digital Camera (Body Only)

Rs.205,000

Description:

Sony Alpha a6600 Mirrorless Digital Camera (Body Only) Price & Specs

- 24.2MP APS-C Exmor CMOS Sensor
- BIONZ X Image Processor
- UHD 4K30p Video with HLG & S-Log3 Gammas
- XGA Tru-Finder 2.36m-Dot OLED EVF

Sony Alpha a6600 Mirrorless Digital Camera (Body Only) Overview

Sony Alpha A6600 price in Pakistan can't get better than this. It is made to work in any situation. This camera gives you stabilized and stunning images without breaking your bank. Sony Alpha A6600 comes with the fastest AF with real-time object tracking. It has a 24MP APS-C sensor with an ISO range up to 102400. There are a wide 424 phase-detection AF points on more than 84% of the sensor. It can capture 11fps shoots with AF and AE tracking.

The real-time AF tracking gives you great results on video content. Sony Alpha A6600 price in Pakistan should have been less, but looking at the current market, it isn't beyond the buyer's reach. This mirrorless beauty comes with an external mic jack and headphones for high-quality video shooting. There is touch tracking for moving subjects. High-quality Z batteries are designed to consume less power and help you shoot up to 810 shots in a single charge.

With an emphasis on speed and versatility, the Sony Alpha a6600 is a sleek-yet-fully-featured APS-C-format mirrorless camera well-suited for both stills and video. Sporting a revised 24.2MP CMOS sensor, the a6600 is capable of producing high-resolution photos and up to UHD 4K video with no recording time limit, more efficient processing, and faster focusing. The 4D FOCUS system, which covers 84% of the image frame, utilizes 425 phase-detection points along with 425 contrast-detection areas for especially quick and intuitive performance along with Real-time Eye AF for both photos and video. Complementing both stills and video, 5-axis SteadyShot INSIDE image stabilization minimizes the appearance of camera shake with all mounted lenses to support working with slower shutter speeds.

Beyond imaging capabilities, the a6600 also sports a robust magnesium alloy body that is dust- and moisture-resistant to permit working in harsh environments. The compact profile incorporates a high-resolution XGA Tru-Finder 2.36m-dot OLED electronic viewfinder for bright, clear, eye-level viewing, and this EVF features a 120-fps viewing mode for smooth tracking of fast-moving subjects. A rear 3.0" 921.6k-dot touchscreen LCD monitor is also available and has a tilting design to benefit from shooting from high and low working

angles, and the touchscreen design allows for intuitive touch-to-focus control. For video, both headphone and microphone ports have been incorporated, too, for improved audio control. Additionally, for wireless remote control over the camera, or for just sharing imagery online, built-in Wi-Fi with NFC permits linking with a mobile device for intuitive wireless control.

24.2MP Exmor CMOS Sensor

A revised APS-C-format 24.2MP Exmor CMOS sensor realizes smooth, nuanced image quality with minimal noise and high sensitivity from ISO 100-32000, which can further be expanded to ISO 102400 for working in low-light conditions. The sensor features a unique design that utilizes thin copper wiring, enhanced circuit processing, and an enhanced front-end LSI to boost light-gathering abilities, reduce noise, and increase readout speeds to benefit video recording. The sensor and BIONZ X processor combination also avails a top continuous shooting rate of 11 fps with AF and AE and permits 16-bit recording with 14-bit raw file output for a wider tonal and color scale.

UHD 4K Video Recording in XAVC S Format

Internal recording of UHD 4K movies is possible in multiple frame rates up to 30 fps and, based on the Super35mm recording area and effective 6K resolution, oversampling renders greater detail and full pixel readout is possible, that is void of pixel binning, for higher quality imagery with reduced moiré and aliasing. Full-frame 4K recording has also been dramatically improved for finer quality when working at mid to high sensitivities to permit full use of the entire sensor width. Full HD 1080p recording is also supported in frame rates up to 120 fps, and both resolutions utilize the 100 Mbps XAVC S format contained within an MP4 wrapper with 4:2:0 sampling. The high-speed, 120 fps recording also enables 4x and 5x slow-motion movie recording with the frame rate set to either 30p or 24p. The a6600 also has no recording time limit, allowing for extended clip lengths. In addition to high-resolution internal recording, uncompressed HDMI output also enables the use of an optional external recorder for clean 4K recording with 4:2:2 sampling.

4K video recording also avails the ability to produce 8MP stills during playback by taking a frame grab from a movie and storing it as a separate file.

Additional Video Features

Support for HDR Content:

Affording extensive customizable color and gamma controls, the a6600 allows users to adjust the gamma, black level, knee, color level, and more. Also, users can use the same S-Log2 Gamma Curve that is found on high-end Sony Cinema cameras that squeezes up to 1300% more dynamic range into the video signal than traditional REC709, for increased post-production flexibility. HLG (Hybrid Log-Gamma) support is also available, along with the BT.2020 color space, for recording within a wide color gamut and, in addition to S-Log2, S-Log3 is also available for producing an effective 14-stop dynamic range with increased grading control in the shadow to mid-tone regions of the image.

Slow & Quick Motion:

Take more control over your video capture capabilities with a variety of new frame rates available in an S&Q mode. This will allow shooters to capture Full HD video at one of either step between 1-120 fps. These settings will allow you to slow down action as well as speed up a slow-moving scene. This setting is also NTSC/PAL switchable.

Enhanced Zebra Function:

An enhanced Zebra function is ideally suited to aid in monitoring exposure values in high-contrast scenes. Video signal level targets can be set from 0 to 109, and specific ranges can be set to make exposure level adjustments easier.

Time Code and User Bit Settings:

A time code can be used to record hours, minutes, seconds, frames on image data for more precise editing while the User Bit function can record date, time, and scene number to aid in editing together footage from multiple cameras.

4D FOCUS

Covering nearly the entire sensor area, a powerful 4D FOCUS system incorporates 425 on-chip phase-detection points along with 425 contrast-detection areas for precise focusing in as little as 0.02 seconds. The density of focusing points from this hybrid AF system also enables High-density Tracking AF Technology, which is adept at tracking moving subjects in a variety of lighting conditions. Real-time Eye AF can be used to base focus on recognized subjects' eyes for portraits (either humans or animals) and is available for both AF-S and AF-C modes, for stills or video. The use of phase-detection points also enables the use of A-mount lenses via the optional LA-EA3 or LA-EA1 lens mount adapters with full AF compatibility.

The apt 4D FOCUS system also lends itself to a variety of focusing functions for refined accuracy, including Lock-on AF, which maintains focus on moving subjects throughout the use of a configurable frame that is set over the desired moving subject and Expand Flexible Spot, which employs neighboring focus points to retain focus on moving subjects even if the originally selected point loses focus. Autofocus can also be used in conjunction with the Focus Magnifier function for critical focus when homing in on minute subject details.

In addition to autofocus, the a6600 also features a Peaking MF function to benefit manual focus control by highlighted sharp edges of contrast for a more objective means of acquiring sharp focus.

5-Axis SteadyShot INSIDE Image Stabilization

Packed into the svelte body is a 5-stop effective 5-axis SteadyShot INSIDE image stabilization system that compensates for five different types of camera shake encountered during handheld shooting of stills and video. This allows users to confidently use any lens, even adapted lenses, for critical imaging without encountering blur from camera shake.

For long focal lengths, the system will correct for pitch and yaw adjustments. Macro and high-magnification imagery, on the other hand, will benefit from the inclusion of horizontal and vertical shift compensation. All shooting styles will get usage out of the roll compensation. All 5 axes of stabilization will function at all times, even when used with third-party lenses and adapters or lenses with built-in optical stabilization.

Body Design and Built-In Wi-Fi

- A robust magnesium alloy body offers a durable profile, and also incorporates dust and moisture seals to protect against harsh environments.
- The XGA Tru-Finder 2.36m-dot OLED electronic viewfinder offers a bright, high-resolution means for eye-level monitoring, and also sports a dedicated 120 fps mode for smoother viewing when tracking moving subjects.
- A 3.0" 921.6k-dot LCD touchscreen can be tilted 180° upward or 74° downward to suit working from high and low angles. The screen also incorporates White Magic technology with an RGBW pixel structure for increased brightness to support use in daylight conditions.
- The touchscreen design avails access to Touch Focus control, for immediate focus point selection, as well as a Touchpad function that lets you smoothly and intuitively select a focus point on the screen while you're looking into the viewfinder.

- Integrated 3.5mm headphone and microphone ports afford greater control over audio during video recording.
- The included NP-FZ100 rechargeable lithium-ion is rated for approximately 810 shots per charge when working with the LCD screen.
- In addition to the battery, the a6600 can also be powered via a USB connection to a computer or mobile battery. This connection can also be used to charge the battery.
- A rigid metal lens mounts better supports working with larger, heavier lens designs.
- An ergonomic grip structure is ideal for long shooting sessions and facilitates easy access to the main control buttons and dials.
- Built-in Wi-Fi enables the a6600 to instantly share imagery to mobile devices for direct sharing online to social networking, via email, and to cloud storage sites. NFC (Near Field Communication) is also supported, which allows for a one-touch connection between the camera and compatible mobile devices; no complex setup is required. Once connected, the linked mobile device can also display a live view image on its screen and remotely control the camera's shutter.
- Bluetooth connectivity allows for location data acquisition.

Pictures:







