



## **POSLink Java Android Release Notes**

Date: 2025.08.05  
Version: v1.16.00

## PREFACE

POSLink JAVA Android Release Notes

Status: [ ] Draft [★] Release [ ] Modify

Copyright © 2009\_2024 PAX Technology, Inc. All rights reserved

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompile of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

This document is provided to you for informational purposes only. All features and specifications are subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

Security Notice: No part of this publication may be copied, distributed, stored in a retrieval system, translated into any human or computer language, transmitted, in any form or by any means, without the prior written consent of PAX Technology, Inc.

PAX are either trademarks or registered trademarks of PAX Technology Limited in China and/or other countries. All other trademarks or brand names are the properties of their respective holders.  
Copyright PAX Technology Limited, All Rights Reserved.

### Technical Support

If you encounter a problem while installing, registering or operating this product, please make sure that you have read the documentation. If you cannot resolve the Issue, please contact us.

PAX support operates 24 hours a day, 7 days a week. Your level of access to this Service is governed by the support plan arrangements made between PAX and your Organization. Please consult this support plan for further information about your entitlements, including the hours when telephone support is available to you.

### Technical Support Contact Information:

Phone: (877) 859-0099

Email: [support@pax.us](mailto:support@pax.us)

URL: [www.pax.us](http://www.pax.us)

## Contents

|                                                |           |
|------------------------------------------------|-----------|
| <b>PREFACE .....</b>                           | <b>2</b>  |
| <b>1 Overview .....</b>                        | <b>12</b> |
| 1.1 Document Purpose .....                     | 12        |
| <b>2 Dependency Description .....</b>          | <b>12</b> |
| 2.1 Runtime Dependency Description .....       | 12        |
| <b>3 Fixed Issues and Feature Changes.....</b> | <b>12</b> |
| 3.1 V2050122-> V20250805.....                  | 12        |
| 3.1.1 Fixed Issues .....                       | 12        |
| 3.1.2 Feature Changes .....                    | 12        |
| 3.2 V20241023-> V20250122.....                 | 13        |
| 3.2.1 Fixed Issues .....                       | 13        |
| 3.2.2 Feature Changes .....                    | 14        |
| 3.3 V20240425-> V20241023.....                 | 14        |
| 3.3.1 Fixed Issues .....                       | 14        |
| 3.3.2 Feature Changes .....                    | 14        |
| 3.4 V20231101-> V20240425.....                 | 14        |
| 3.4.1 Fixed Issues .....                       | 14        |
| 3.4.2 Feature Changes .....                    | 15        |
| 3.5 V20230711-> V20231101.....                 | 15        |
| 3.5.1 Fixed Issues .....                       | 15        |
| 3.5.2 Feature Changes .....                    | 16        |
| 3.6 V20230606-> V20230711.....                 | 16        |
| 3.6.1 Fixed Issues .....                       | 16        |
| 3.6.2 Feature Changes .....                    | 16        |
| 3.7 V20220818-> V20230606.....                 | 16        |
| 3.7.1 Fixed Issues .....                       | 16        |
| 3.7.2 Feature Changes .....                    | 17        |
| 3.8 V20220426-> V20220818.....                 | 18        |
| 3.8.1 Fixed Issues .....                       | 18        |
| 3.8.2 Feature Changes .....                    | 18        |
| 3.9 V20220120-> V20220426.....                 | 20        |

|        |                            |    |
|--------|----------------------------|----|
| 3.9.1  | Fixed Issues .....         | 20 |
| 3.9.2  | Feature Changes .....      | 20 |
| 3.10   | V20211110-> V20220120..... | 21 |
| 3.10.1 | Fixed Issues .....         | 21 |
| 3.10.2 | Feature Changes .....      | 21 |
| 3.11   | V20210810-> V20211110..... | 22 |
| 3.11.1 | Fixed Issues .....         | 22 |
| 3.11.2 | Feature Changes .....      | 23 |
| 3.12   | V20210729-> V20210810..... | 24 |
| 3.12.1 | Fixed Issues .....         | 24 |
| 3.12.2 | Feature Changes .....      | 24 |
| 3.13   | V20210727-> V20210729..... | 24 |
| 3.13.1 | Fixed Issues .....         | 24 |
| 3.13.2 | Feature Changes .....      | 24 |
| 3.14   | V20210719-> V20210727..... | 24 |
| 3.14.1 | Fixed Issues .....         | 24 |
| 3.14.2 | Feature Changes .....      | 24 |
| 3.15   | V20210622-> V20210719..... | 24 |
| 3.15.1 | Fixed Issues .....         | 24 |
| 3.15.2 | Feature Changes .....      | 25 |
| 3.16   | V20210527-> V20210622..... | 25 |
| 3.16.1 | Fixed Issues .....         | 25 |
| 3.16.2 | Feature Changes .....      | 26 |
| 3.17   | V20210409-> V20210527..... | 26 |
| 3.17.1 | Fixed Issues .....         | 26 |
| 3.17.2 | Feature Changes .....      | 26 |
| 3.18   | V20210310-> V20210409..... | 27 |
| 3.18.1 | Fixed Issues .....         | 27 |
| 3.18.2 | Feature Changes .....      | 27 |
| 3.19   | V20210203-> V20210310..... | 27 |
| 3.19.1 | Fixed Issues .....         | 27 |
| 3.19.2 | Feature Changes .....      | 27 |
| 3.20   | V20210202-> V20210203..... | 28 |

|        |                            |    |
|--------|----------------------------|----|
| 3.20.1 | Fixed Issues .....         | 28 |
| 3.20.2 | Feature Changes .....      | 28 |
| 3.21   | V20210121-> V20210202..... | 28 |
| 3.21.1 | Fixed Issues .....         | 28 |
| 3.21.2 | Feature Changes .....      | 29 |
| 3.22   | V20201215-> V20210121..... | 29 |
| 3.22.1 | Fixed Issues .....         | 29 |
| 3.22.2 | Feature Changes .....      | 29 |
| 3.23   | V20201202-> V20201215..... | 30 |
| 3.23.1 | Fixed Issues .....         | 30 |
| 3.23.2 | Feature Changes .....      | 30 |
| 3.24   | V20201126-> V20201202..... | 30 |
| 3.24.1 | Fixed Issues .....         | 30 |
| 3.24.2 | Feature Changes .....      | 30 |
| 3.25   | V20201102-> V20201126..... | 30 |
| 3.25.1 | Fixed Issues .....         | 30 |
| 3.25.2 | Feature Changes .....      | 30 |
| 3.26   | V20201019-> V20201102..... | 31 |
| 3.26.1 | Fixed Issues .....         | 31 |
| 3.26.2 | Feature Changes .....      | 31 |
| 3.27   | V20201010-> V20201019..... | 31 |
| 3.27.1 | Fixed Issues .....         | 31 |
| 3.27.2 | Feature Changes .....      | 31 |
| 3.28   | V20200810-> V20201010..... | 32 |
| 3.28.1 | Fixed Issues .....         | 32 |
| 3.28.2 | Feature Changes .....      | 32 |
| 3.29   | V20200723-> V20200810..... | 33 |
| 3.29.1 | Fixed Issues .....         | 33 |
| 3.29.2 | Feature Changes .....      | 33 |
| 3.30   | V20200604-> V20200723..... | 34 |
| 3.30.1 | Fixed Issues .....         | 34 |
| 3.30.2 | Feature Changes .....      | 34 |
| 3.31   | V20200520-> V20200604..... | 35 |

|        |                            |    |
|--------|----------------------------|----|
| 3.31.1 | Fixed Issues .....         | 35 |
| 3.31.2 | Feature Changes .....      | 36 |
| 3.32   | V20200424-> V20200520..... | 36 |
| 3.32.1 | Fixed Issues .....         | 36 |
| 3.32.2 | Feature Changes .....      | 36 |
| 3.33   | V20200422-> V20200424..... | 36 |
| 3.33.1 | Fixed Issues .....         | 36 |
| 3.33.2 | Feature Changes .....      | 36 |
| 3.34   | V20200421-> V20200422..... | 37 |
| 3.34.1 | Fixed Issues .....         | 37 |
| 3.34.2 | Feature Changes .....      | 37 |
| 3.35   | V20200410-> V20200421..... | 37 |
| 3.35.1 | Fixed Issues .....         | 37 |
| 3.35.2 | Feature Changes .....      | 37 |
| 3.36   | V20200313-> V20200410..... | 37 |
| 3.36.1 | Fixed Issues .....         | 37 |
| 3.36.2 | Feature Changes .....      | 37 |
| 3.37   | V20200306-> V20200313..... | 38 |
| 3.37.1 | Fixed Issues .....         | 38 |
| 3.37.2 | Feature Changes .....      | 38 |
| 3.38   | V20191120-> V20200306..... | 38 |
| 3.38.1 | Fixed Issues .....         | 38 |
| 3.38.2 | Feature Changes .....      | 39 |
| 3.39   | V20191112-> V20191120..... | 41 |
| 3.39.1 | Fixed Issues .....         | 41 |
| 3.39.2 | Feature Changes .....      | 41 |
| 3.40   | V20191016-> V20191112..... | 41 |
| 3.40.1 | Fixed Issues .....         | 41 |
| 3.40.2 | Feature Changes .....      | 41 |
| 3.41   | V20190930-> V20191016..... | 42 |
| 3.41.1 | Fixed Issues .....         | 42 |
| 3.41.2 | Feature Changes .....      | 42 |
| 3.42   | V20190816-> V20190930..... | 42 |

|        |                            |    |
|--------|----------------------------|----|
| 3.42.1 | Fixed Issues .....         | 42 |
| 3.42.2 | Feature Changes .....      | 42 |
| 3.43   | V20190621-> V20190816..... | 43 |
| 3.43.1 | Fixed Issues .....         | 43 |
| 3.43.2 | Feature Changes .....      | 44 |
| 3.44   | V20190225-> V20190621..... | 45 |
| 3.44.1 | Fixed Issues .....         | 45 |
| 3.44.2 | Feature Changes .....      | 45 |
| 3.45   | V20190218-> V20190225..... | 46 |
| 3.45.1 | Fixed Issues .....         | 46 |
| 3.45.2 | Feature Changes .....      | 46 |
| 3.46   | V20190201-> V20190218..... | 46 |
| 3.46.1 | Fixed Issues .....         | 46 |
| 3.46.2 | Feature Changes .....      | 47 |
| 3.47   | V20190118-> V20190201..... | 47 |
| 3.47.1 | Fixed Issues .....         | 47 |
| 3.47.2 | Feature Changes .....      | 47 |
| 3.48   | V20190111-> V20190118..... | 47 |
| 3.48.1 | Fixed Issues .....         | 47 |
| 3.48.2 | Feature Changes .....      | 47 |
| 3.49   | V20181221-> V20190111..... | 48 |
| 3.49.1 | Fixed Issues .....         | 48 |
| 3.49.2 | Feature Changes .....      | 48 |
| 3.50   | V20181203-> V20181221..... | 48 |
| 3.50.1 | Fixed Issues .....         | 48 |
| 3.50.2 | Feature Changes .....      | 48 |
| 3.51   | V20181109-> V20181203..... | 48 |
| 3.51.1 | Fixed Issues .....         | 48 |
| 3.51.2 | Feature Changes .....      | 49 |
| 3.52   | V20181029-> V20181119..... | 49 |
| 3.52.1 | Fixed Issues .....         | 49 |
| 3.52.2 | Feature Changes .....      | 49 |
| 3.53   | V20181023-> V20181029..... | 50 |

|        |                             |    |
|--------|-----------------------------|----|
| 3.53.1 | Fixed Issues .....          | 50 |
| 3.53.2 | Feature Changes .....       | 50 |
| 3.54   | V20181017-> V20181023.....  | 50 |
| 3.54.1 | Fixed Issues .....          | 50 |
| 3.54.2 | Feature Changes .....       | 50 |
| 3.55   | V20180928-> V20181017.....  | 50 |
| 3.55.1 | Fixed Issues .....          | 50 |
| 3.55.2 | Feature Changes .....       | 50 |
| 3.56   | V20180712 -> V20180928..... | 51 |
| 3.56.1 | Fixed Issues .....          | 51 |
| 3.56.2 | Feature Changes .....       | 51 |
| 3.57   | V20180702 -> V20180712..... | 52 |
| 3.57.1 | Fixed Issues .....          | 52 |
| 3.57.2 | Feature Changes .....       | 52 |
| 3.58   | V20180613 -> V20180702..... | 52 |
| 3.58.1 | Fixed Issues .....          | 52 |
| 3.58.2 | Feature Changes .....       | 52 |
| 3.59   | V20180525 -> V20180613..... | 53 |
| 3.59.1 | Fixed Issues .....          | 53 |
| 3.59.2 | Feature Changes .....       | 53 |
| 3.60   | V20180521 -> V20180525..... | 53 |
| 3.60.1 | Fixed Issues .....          | 53 |
| 3.60.2 | Feature Changes .....       | 53 |
| 3.61   | V20180411 -> V20180521..... | 53 |
| 3.61.1 | Fixed Issues .....          | 53 |
| 3.61.2 | Feature Changes .....       | 54 |
| 3.62   | V20180312 -> V20180411..... | 54 |
| 3.62.1 | Fixed Issues .....          | 54 |
| 3.62.2 | Feature Changes .....       | 55 |
| 3.63   | V20180206 -> V20180312..... | 55 |
| 3.63.1 | Fixed Issues .....          | 55 |
| 3.63.2 | Feature Changes .....       | 55 |
| 3.64   | V20180129 -> V20180206..... | 55 |



|        |                             |    |
|--------|-----------------------------|----|
| 3.64.1 | Fixed Issues .....          | 55 |
| 3.64.2 | Feature Changes .....       | 55 |
| 3.65   | V20171211 -> V20180129..... | 56 |
| 3.65.1 | Fixed Issues .....          | 56 |
| 3.65.2 | Feature Changes .....       | 56 |
| 3.66   | V20171123 -> V20171211..... | 56 |
| 3.66.1 | Fixed Issues .....          | 56 |
| 3.66.2 | Feature Changes .....       | 56 |
| 3.67   | V20170828 -> V20171123..... | 57 |
| 3.67.1 | Fixed Issues .....          | 57 |
| 3.67.2 | Feature Changes .....       | 57 |
| 3.68   | V20170710 -> V20170828..... | 57 |
| 3.68.1 | Fixed Issues .....          | 57 |
| 3.68.2 | Feature Changes .....       | 58 |
| 3.69   | V20170525 -> V20170710..... | 58 |
| 3.69.1 | Fixed Issues .....          | 58 |
| 3.69.2 | Feature Changes .....       | 58 |
| 3.70   | V20170425 -> V20170525..... | 58 |
| 3.70.1 | Fixed Issues .....          | 58 |
| 3.70.2 | Feature Changes .....       | 59 |
| 3.71   | V20161230 -> V20170425..... | 59 |
| 3.71.1 | Fixed Issues .....          | 59 |
| 3.71.2 | Feature Changes .....       | 59 |
| 3.72   | V20161215 -> V20161230..... | 59 |
| 3.72.1 | Fixed Issues .....          | 59 |
| 3.72.2 | Feature Changes .....       | 60 |
| 3.73   | V20161205 -> V20161215..... | 60 |
| 3.73.1 | Fixed Issues .....          | 60 |
| 3.73.2 | Feature Changes .....       | 60 |
| 3.74   | V20161123 -> V20161205..... | 60 |
| 3.74.1 | Fixed Issues .....          | 60 |
| 3.74.2 | Feature Changes .....       | 60 |
| 3.75   | V20161115 -> V20161123..... | 61 |

|        |                             |    |
|--------|-----------------------------|----|
| 3.75.1 | Fixed Issues .....          | 61 |
| 3.75.2 | Feature Changes .....       | 61 |
| 3.76   | V20161109 -> V20161115..... | 61 |
| 3.76.1 | Fixed Issues .....          | 61 |
| 3.76.2 | Feature Changes .....       | 61 |
| 3.77   | V20161027 -> V20161109..... | 61 |
| 3.77.1 | Fixed Issues .....          | 61 |
| 3.77.2 | Feature Changes .....       | 62 |
| 3.78   | V20160926 -> V20161027..... | 62 |
| 3.78.1 | Fixed Issues .....          | 62 |
| 3.78.2 | Feature Changes .....       | 62 |
| 3.79   | V20160915 -> V20160926..... | 63 |
| 3.79.1 | Fixed Issues .....          | 63 |
| 3.79.2 | Feature Changes .....       | 63 |
| 3.80   | V20160902 -> V20160915..... | 63 |
| 3.80.1 | Fixed Issues .....          | 63 |
| 3.80.2 | Feature Changes .....       | 63 |
| 3.81   | V20160818 -> V20160902..... | 64 |
| 3.81.1 | Fixed Issues .....          | 64 |
| 3.81.2 | Feature Changes .....       | 64 |
| 3.82   | V20160713 -> V20160818..... | 64 |
| 3.82.1 | Fixed Issues .....          | 64 |
| 3.82.2 | Feature Changes .....       | 64 |
| 3.83   | V20160704 -> V20160713..... | 65 |
| 3.83.1 | Fixed Issues .....          | 65 |
| 3.83.2 | Feature Changes .....       | 66 |
| 3.84   | V20160617 -> V20160704..... | 66 |
| 3.84.1 | Fixed Issues .....          | 66 |
| 3.84.2 | Feature Changes .....       | 67 |
| 3.85   | V20160121 -> V20160617..... | 67 |
| 3.85.1 | Fixed Issues .....          | 67 |
| 3.85.2 | Feature Changes .....       | 68 |
| 3.86   | V20160106 -> V20160121..... | 68 |

|        |                             |    |
|--------|-----------------------------|----|
| 3.86.1 | Fixed Issues .....          | 68 |
| 3.86.2 | Feature Changes .....       | 68 |
| 3.87   | V20131128 -> V20160106..... | 68 |
| 3.87.1 | Fixed Issues .....          | 68 |
| 3.87.2 | Feature Changes .....       | 68 |
| 3.88   | V20130809 -> V20131128..... | 69 |
| 3.88.1 | Fixed Issues .....          | 69 |
| 3.88.2 | Feature Changes .....       | 69 |
| 3.89   | V20130731 -> V20130809..... | 69 |
| 3.89.1 | Fixed Issues .....          | 69 |
| 3.89.2 | Feature Changes .....       | 69 |
| 3.90   | V20130729 -> V20130731..... | 69 |
| 3.90.1 | Fixed Issues .....          | 69 |
| 3.90.2 | Feature Changes .....       | 69 |
| 3.91   | V20130724 -> V20130729..... | 70 |
| 3.91.1 | Fixed Issues .....          | 70 |
| 3.91.2 | Feature Changes .....       | 70 |
| 3.92   | V20130517 -> V20130724..... | 70 |
| 3.92.1 | Fixed Issues .....          | 70 |
| 3.92.2 | Feature Changes .....       | 71 |
| 3.93   | V20130515 -> V20130517..... | 71 |
| 3.93.1 | Fixed Issues .....          | 71 |
| 3.93.2 | Feature Changes .....       | 71 |
| 3.94   | V20130326 -> V20130515..... | 71 |
| 3.94.1 | Fixed Issues .....          | 71 |
| 3.94.2 | Feature Changes .....       | 72 |
| 3.95   | V20120213 -> V20130326..... | 72 |
| 3.95.1 | Fixed Issues .....          | 72 |
| 3.95.2 | Feature Changes .....       | 74 |
| 3.96   | V20120209 -> V20120213..... | 74 |
| 3.96.1 | Fixed Issues .....          | 74 |
| 3.96.2 | Feature Changes .....       | 74 |
| 3.97   | V20120119 -> V20120209..... | 74 |

|        |                                                   |    |
|--------|---------------------------------------------------|----|
| 3.97.1 | Fixed Issues .....                                | 74 |
| 3.97.2 | Feature Changes .....                             | 75 |
| 3.98   | V20120111 -> V20120119.....                       | 76 |
| 3.98.1 | Fixed Issues .....                                | 76 |
| 3.98.2 | Feature Changes .....                             | 76 |
| 4      | Known Issues, Limitations, and Restrictions ..... | 76 |
| 5      | Related Documentation .....                       | 76 |

## 1 Overview

### 1.1 Document Purpose

This document's purpose is to introduce the Casio Android ECR program for POSLink .

## 2 Dependency Description

### 2.1 Runtime Dependency Description

The program supports following OS:

- ✓ Casio VX-100 for android
- ✓ Casio VR-7000 for android
- ✓ Android 2.2 and above

## 3 Fixed Issues and Feature Changes

### 3.1 V2050122-> V20250805

#### 3.1.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                               |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z   | <ol style="list-style-type: none"> <li>1. POSLink use of USB Communication causing USB Endpoint conflict and Network conflicts for the Q20L</li> <li>2. Sending conditional unit separators without values</li> </ol> |

#### 3.1.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                               |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z   | <ol style="list-style-type: none"> <li>1. Add support for setBootAnimation and setBootLogo APIs</li> <li>2. Support Device Model E700 Mini</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <ul style="list-style-type: none"> <li>3. [M8] Adapt POSLink SDK</li> <li>4. Support Forced Transaction FRD V1.00</li> <li>5. Support Identify Card FRD V1.00</li> <li>6. Clarify the usage of Merchant Category Code</li> <li>7. Support updating Host Root CA cert file by UpdateResource command</li> <li>8. Support updating Host Root CA cert file by UpdateResource command</li> <li>9. Increase the maximum allowed length of CUSTOMIZEDATA fields to 800 characters</li> <li>10. Add MSR TLV tag to InputAccountWithEMV response</li> <li>11. Update Supported Encryption Flag Values For Padding Char</li> <li>12. Add new cardholder data fields, clarify and standardize existing fleet-related fields, and add fields for Visa Fleet 2.0 support - Fleet FRD V1.00</li> <li>13. Add CardKnox Specifics to Host Specific Remarks</li> <li>14. Update description of ScannerSettings to clarify functionality under POSLinkScanner and POSLinkScannerHw</li> <li>15. Update description for POSLinkScanner and POSLinkScannerHw</li> <li>16. Discrepancy in Encryption Flag Details Between POSLink_Java_Android's Index file and Low-Level Specification</li> <li>17. Adapt POSLINK for IM25</li> <li>18. Add "tipAmountThreshold" to Configurable Parameters</li> <li>19. Add targetSdkVersion requirements to the AIDL guide</li> <li>20. Support A8700 - Dual Screen FRD V1.00</li> <li>21. Adapt POSLINK for A8500</li> <li>22. Support POSLink Demo on IM30 Android 10</li> <li>23. Add JetPay Unattended Host Remarks to API Guide</li> <li>24. Support Apple VAS V1.01-Allow multiple PEM key files to be mapped to Merchant ID's in POSLink</li> <li>25. Add UserName and Password to Request Host Credential Info</li> <li>26. [Elys L1400] Adapt POSLink SDK</li> </ul> |

## 3.2 V20241023-> V20250122

### 3.2.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        |             |         |

### 3.2.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                   |
|-----------|--------------|-------------|-------------------------------------------|
|           | Fixed        | Rhonin.W    | 27. Support Forced Transaction FRD V1.00. |

## 3.3 V20240425-> V20241023

### 3.3.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        |             |         |

### 3.3.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                               |
|-----------|--------------|-------------|-----------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z   | 1. Add a CommType called PAXDevice which only use POSApi to open USB. |

## 3.4 V20231101-> V20240425

### 3.4.1 Fixed Issues

| Defect ID | Major Status | Assigned To            | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z<br>Yolanda.Z | <ol style="list-style-type: none"> <li>1. POSLink incorrectly limits the size of Data when running Update Resource command on HTTP/HTTPs comm types.</li> <li>2. Parameter 'persistent' in the setPedKeyBoardLayout method is not matching the document.</li> <li>3. Miniature custom PED keypad prompts when running GETPINBLOCK &amp; AUTHORIZECARD command.</li> <li>4. ShowItem API call receives SEND DATA RECV ACK ERROR when sending low-level ShowItem request.</li> <li>5. POSLink sends commands to the Q20 irrespective of the USB device name set in the CommSetting.</li> <li>6. minifyReleaseWithR8 failure - Missing classes detected while running R8.</li> <li>7. POSLink demo app crashes on entering "ScanDecoderSample" on no-camera device.</li> </ol> |

### 3.4.2 Feature Changes

| Defect ID | Major Status | Assigned To            | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------|--------------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z<br>Yolanda.Z | <ul style="list-style-type: none"> <li>2. Support Set USB Mode CHARGE_ONLY and DEFAULT.</li> <li>3. Add the Option to Print Receipt from POSLink Demo.</li> <li>4. Add warning for targetSdkVersion.</li> <li>5. Add English UK and Lithuanian &lt;USERLANGUAGE&gt; values.</li> <li>6. For the first time entering the pin using custom pin pad after rebooting, the A920 terminal captured different pins rather than the entered ones.</li> <li>7. Update PaymentRequest.CVVByPassReason.</li> <li>8. Add "HostSettledSaleAmount", "HostSettledSaleCount", "HostSettledReturnAmount", and "HostSettledReturnCount" to BatchResponse.</li> <li>9. Add Set/GetStatementDescriptor to Class HostGateway.</li> </ul> |

## 3.5 V20230711-> V20231101

### 3.5.1 Fixed Issues

| Defect ID | Major Status | Assigned To            | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------|--------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z<br>Yolanda.Z | <ul style="list-style-type: none"> <li>8. Poslink log file becomes very large.</li> <li>9. Unable to switch sims using POSLink ADK.</li> <li>10. AIDL communication fails on targetSdkVersion 30 or higher.</li> <li>11. Misspellings in README files</li> <li>12. Add Device Model E600 Mini to POSLinkPrinter.RecommendWidth.</li> <li>13. IconName description specifies UpdateResource command only supports .r files.</li> <li>14. Add Device Model A910S to POSLinkPrinter.RecommendWidth.</li> <li>15. com.pax.poslink.util.JavaRealLogImpl.getGapCount (JavaRealLogImpl.java:2) crashes the app.</li> <li>16. REAME file needs misc fixes.</li> <li>17. Demo app shows no files in internal storage when browsing for UPDATERESOURCE command.</li> <li>18. POSLink Demo crashes with "java.lang.IllegalArgumentException" exception when selecting USB Comm Type.</li> <li>19. Mifare Processing prompt should be changed to indicate the user to tap their card.</li> </ul> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------|
|           |              |             | 20. POSLink is ignoring the device selection for USB communication.<br>21. Mask Sensitive Data in POSLink log. |

### 3.5.2 Feature Changes

| Defect ID | Major Status | Assigned To            | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z<br>Yolanda.Z | 10. Add Custom Data Encryption command.<br>11. Please add 'clAuthCvmRequired' Configurable Parameters in Android POSLink SDK.<br>12. Please add state values for onLuhnCheckResults in Android POSLink api guide.<br>13. Change Response TOR Information Group Host Response Message field to allow ans...255.<br>14. Add Seamless Specifics to Host Specific Remarks.<br>15. Support Credential on File.<br>16. Add pciInfo to Configurable Parameters.<br>17. Update "Adjust Not Allowed" Error Message Description.<br>18. Support POSLink Demo on A6650.<br>19. Support POSLink Demo on E770.<br>20. Support POSLink on A910S.<br>21. Support Gift Card Indicator.<br>22. Adding ISO Format 4 PIN Block. |

## 3.6 V20230606-> V20230711

### 3.6.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Hayward.Z   |         |

### 3.6.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                          |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z   | 22. Add AID Into Pre Input Account command<br>23. Add Do QR Payment command<br>24. Add COFINDICATOR, COINITIATOR |

## 3.7 V20220818-> V20230606

### 3.7.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|



| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z   | <ol style="list-style-type: none"> <li>1. Deprecate Check Card Type.</li> <li>2. Missing setScreenSaverActivateType in POSLinkDemo.</li> <li>3. It always returns failed for SETSCREENSAVER.</li> <li>4. Remove SHOWMESSAGECENTER Support Approved and Declined Icon.</li> <li>5. API guide description for Java Environment is incorrect.</li> <li>6. When connect POSLink demo with USB, POSLink prompt "POSLINK COMMUNICATION ERROR: RECV DATA ERROR-3".</li> <li>7. Bluetooth Scan doesn't show devices on Landscape Screen.</li> <li>8. InputAccount Security Area and Keyboard are not hidden when user minimizes the POSLink demo app using home or recent buttons.</li> <li>9. Add Device Model A800 to POSLinkPrinter.RecommendWidth.</li> <li>10. The title 'scanning' display is incomplete in A3700.</li> <li>11. NullPointerException on transactions flooding logs.</li> <li>12. SHOWMESSAGECENTER Icon Name and Timeout fields have incorrect keyboard type.</li> <li>13. Support POSLink Demo on A920 Max.</li> <li>14. NullPointerException on CommSetting.</li> <li>15. Demo app Peripherals tab MiscSettings APIs default values overwrite the OS settings on open.</li> <li>16. Fix AIDL IllegalArgumentException.</li> <li>17. Misspellings in README files.</li> </ol> |

### 3.7.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Hayward.Z   | <ol style="list-style-type: none"> <li>25. Add TransactionIdentifier Field to PaymentRequest.Original.</li> <li>26. Add APIs to Set Screensaver for Android devices.</li> <li>27. Add connRetryInterval, connRetryTimeout, and maxRetry to Configurable Parameters Definition.</li> <li>28. Update Description of the Approved Amount Field.</li> <li>29. Add tapAnyTime and tapAnyTimeout to Configurable Parameter Definition.</li> <li>30. Add Update option and ExpiryDate to TokenAdministrative.</li> <li>31. Add HostProgramType field in Class CardInfo.</li> <li>32. Add description to FSA data format definition.</li> <li>33. Remove 7 from RentalSpecialProgramType field in AutoRental class.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 34. Add "PARTIALLY APPROVED" Error Message to Response Code Section.<br>35. Add new "OUT OF BALANCE" Error Message.<br>36. Add 10003 - 'LODGING DATA MISMATCH' to Response Code.<br>37. Increase host message Length to 255 to include all of the host message.<br>38. Add the "locationID" to Configurable Parameter Definition.<br>39. Add Approved Offline to result message list.<br>40. Add "APPROVED, SURCHARGE NOT APPLIED" to result message list.<br>41. Remove Full Integration Implementation Guide from POSLink package.<br>42. Support Showing Icon in Show Message Center.<br>43. Support POSLink2 compatibility.<br>44. Support Transaction Result Type in ReportRequest. |

### 3.8 V20220426-> V20220818

#### 3.8.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                               |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------|
|           | Fixed        | Zoey.R      | 18. Deprecate Check Card Type.<br>19. No Error is displayed on the terminal when attempting to print. |

#### 3.8.2 Feature Changes

| Defect ID | Major Status | Assigned To         | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|--------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z<br>Zoey.R | 45. Add Fallback to Manual Entry Flag Response Codes.<br>46. Update Description of HOST DECLINE: DUPLICATE TRANSACTION.<br>47. Add a new parameter to set/getVar for the secondary port.<br>48. Class ShowDialogFormRequest, Title increase to 64 characters allowed. Add control characters new line/bold/small, medium, and large font to title and label1-4.<br>49. Specify tags to exclude in TagList for GetEMVTLVData.<br>50. Add APIs to Set Screensaver for Android devices.<br>51. Add "dedicatedDeviceMode" to Configurable Parameter Definition's.<br>52. Add TOR description to TORResponseInfo class.<br>53. Limit Cashback Options to 4. |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <p>54. Adapt POSLINK for A80S.</p> <p>55. Minimum value is missing from the Description for connTimeout and rcvTimeout.</p> <p>56. Data Length of QRCode in POSLinkPrinter increases spacing on receipt.</p> <p>57. Add "Terminal Offline. Pin not Available" to 100010 in Response Code.</p> <p>58. EMV Tag for CurrencyCode's description is incorrect.</p> <p>59. Update JAVA API Guide to include implementation of Overriding the ILog Interface.</p> <p>60. Add insertAnyTimeTimeout to Configurable Parameter Definition.</p> <p>61. Add Debit and EBT AuthCount, AuthAmount, PostAuthCount and PostAuthAmount to TransTotal.</p> <p>62. Add CUP, Interac, Maestro, and Sinclair cards types to SAF related commands.</p> <p>63. Update the Description of TAX EXCEED AMT Error Message.</p> <p>64. Add MANUAL_FALLBACK Field to CardEvent Class.</p> <p>65. Set Default commType.</p> <p>66. Add Field Description for CompleteOnlineEMV.</p> <p>67. Include information on GLCOMM Library in README file.</p> <p>68. Update Description of the Approved Amount Field.</p> <p>69. Update Description of Response Code DUP TRANSACTION.</p> <p>70. Update Description of the ECR Trans. ID Field in Response Trace.</p> <p>71. Add error code 100101 - HOST RECEIVE ERROR.</p> <p>72. Add the "Printer Baud Rate" to Configurable Parameter Definition.</p> <p>73. Deprecate ORIGSTRANSID in Additional Information.</p> <p>74. Add Response Host Credential Information group and Host TID field.</p> <p>75. Add New Fields to Return the Original Data from the Host.</p> <p>76. Add connRetryInterval, connRetryTimeout, and maxRetry to Configurable Parameters Definition.</p> <p>77. Add TransactionPromptsBitmap to TransactionBehavior class.</p> <p>78. Add CustomMACInformation class to InputAccountWithEMV.</p> <p>79. Add Auto EDC to the Payment Request, add new</p> |

| Defect ID | Major Status | Assigned To | Summary                                                                                              |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------|
|           |              |             | Error codes to the ResultCode & ResultTxt Section, and add Track Data to the Class Payment Response. |

### 3.9 V20220120-> V20220426

#### 3.9.1 Fixed Issues

| Defect ID | Major Status | Assigned To                      | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------|--------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z<br>Zoey.R<br>Hayward.Z | <ol style="list-style-type: none"> <li>1. Maestro Credit Sale Returns Unpack Error.</li> <li>2. Android/Java - Remove dependency of libbaiduprotect_sdk.</li> <li>3. Missing "Only valid when TransType = TOKENADMINISTRATIVE." for TokenCommand/Token/TokenSN in java doc.</li> <li>4. It returns "TRANS TYPE INVALID" for SHOWMESSAGECENTER command.</li> <li>5. Missing "IconType" for SHOWMESSAGECENTER in the "Properties Matrix for each ManageRequest command" module.</li> <li>6. It returns "INSTALL ERROR" for whatever fileType when doing updateresource.</li> <li>7. PosLink Hangs When Sending HTTP commands to Terminals which ECR COMM Type SET to HTTPs.</li> <li>8. POSLink is returning "Bluetooth printer do not support" when clicking Peripherals "Cut" button.</li> <li>9. Remove HMACInformation class.</li> <li>10. There are two MACADDRESS after select bluetooth.</li> <li>11. The Cut mode does not match the real situation with BP60.</li> <li>12. The Print Bitmap interface is not displayed fully and can not scroll in A30.</li> </ol> |

#### 3.9.2 Feature Changes

| Defect ID | Major Status | Assigned To         | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------|--------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z<br>Zoey.R | <ol style="list-style-type: none"> <li>1. Remove "securityKeyboardStyle" from Full integration Configurable Parameter Definition's.</li> <li>2. Increase BIN Range to allow up to 8 digits.</li> <li>3. Support Android 10 models for DeviceModel.getSN under peripherals package.</li> <li>4. Android/Java - Add TargetDevice field to UpdateResource.</li> <li>5. Android - Add Error Message "HOST [credential] NOT SET".</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 6. Android - Add MerchantAccountCode to BridgePay Configurable Parameters.<br>7. Android/Java - Add licenseKey to Configurable Parameter Definition.<br>8. ShowMessage Center Support Approved and Declined Icon.<br>9. Deprecate SHOWTHANKYOU and add SHOWMESSAGECENTER.<br>10. No Error Message displayed when selecting paper cut on A920.<br>11. Add TransactionIdentifier Field to PaymentRequest.Original.<br>12. Add two new transaction types "DEPOSIT" and "ACCOUNT PAYMENT"<br>13. Add field "PayloadData" in T01 (Do Credit response)<br>14. Update GLCOM library. |

### 3.10 V20211110-> V20220120

#### 3.10.1 Fixed Issues

| Defect ID | Major Status | Assigned To         | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------|--------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z<br>Fred.R | 1. Manage--INPUTACCOUNTWITHEMV--EDCType-- Trans Type will reset to ALL and UNKNOWN issues.<br>2. "POSLINK TRANSACTION ERROR: SEND DATA RECV ACK ERROR" not recorded in POSLog; Only occurs on USB connection.<br>3. Correct Typo "AVSMessgae" to "AVSMessage" in ExtData.<br>4. Bold Text Unsupported in Print String.<br>5. Print String from POSLink Misaligned With Different Font Sizes.<br>6. Missing Interac/CUP/Maestro cardType in batchrequest and reportrequest in demo. |

#### 3.10.2 Feature Changes

| Defect ID | Major Status | Assigned To         | Summary                                                                                                                                                                                                                                  |
|-----------|--------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Yolanda.Z<br>Fred.R | 1. Add Input text fields to ManageRequest, ShowTextBoxRequest, and ShowTextBoxResponse classes.<br>2. Add Finalize to Transaction Type.<br>3. Update API guide for comm setting.<br>4. Update the image file filename in UPDATERESOURCE. |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <ol style="list-style-type: none"> <li>5. Add HostCredential class to PaymentRequest.</li> <li>6. Add Approved Amounts to Payment and Report Response classes.</li> <li>7. Add Sinclair to Card Type Definitions.</li> <li>8. Support Print Logic Enhancement.</li> <li>9. Add JetPay Host Remarks to API Guide.</li> <li>10. Add FDRC 50 eWIC Item Limit Description to Host Specific Remarks.</li> <li>11. Add "100003 - EWIC ITEM LIMIT EXCEEDED" to Error Code List.</li> <li>12. Increase the allowed length for the field surcharge fee to accept 4 digits</li> <li>13. Add PaymentAccountRefId to Payment and Report Response.</li> <li>14. Add GiftTenderType field to PaymentRequest.</li> <li>15. Include terminal screen sizes in API Guide.</li> <li>16. Enhance bluetooth speed for Android PETE.</li> <li>17. Update descriptions for tipAmountOptions and tipPercentageOptions in Configurable Parameters.</li> <li>18. Add support for escape characters in ExtData.</li> <li>19. Add AppActivated, LicenseExpiry field for init response.</li> <li>20. Add new var securityKeyboardStyle for TermLink app to control the keyboard style.</li> <li>21. Return Luhn check results in InputAccount.handleInputCardNum.</li> <li>22. Add a flag to ManageRequest.SignatureBox to control orientation.</li> <li>23. Add AccessibilityPinPad to TransactionBehavior.</li> <li>24. Add new value 3 for FileType in updatereource command</li> </ol> |

### 3.11 V20210810-> V20211110

#### 3.11.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Fahy.F      | <ol style="list-style-type: none"> <li>1. Android/Java - Remove SHOWMESSAGE and SHOWTHANKYOU from \n Control Character in Sec 7.2</li> <li>2. Android Demo - TouchScreen is missing in the Init response in FullIntegration Fragment</li> <li>3. Java/Android - POSLinkPrinter.SUPPORT_PRINT_DEVICE_MODEL does not include all devices with printers</li> <li>4. Android/Java - Add Device Models to</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | POSLinkPrinter.RecommendWidth<br>5. Android/Java - Add missing 'ForceDuplicate' field to 'TransactionBehavior' class<br>6. UpdateResource Fails to Upload Q20 Image Files over 20KB<br>7. POSLink is returning "DUP CHECK INVALID" for all transaction commands to traditional terminals |

### 3.11.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Android/Java - Support retrieving emv kernel information through GETVAR<br>2. Android/Java - Add PANSequenceNumber to Response EMV Tag classes<br>3. Add New Read Error Events Before RETRY_INSERT<br>4. Android/Java - Add tipEnable to Configurable Parameters Definition<br>5. Android/Java - Add contactless parameters to Configurable Parameter Definition<br>6. Android/Java - Add ECR Trans. ID to Class PaymentResponse, Class ReportResponse<br>7. Android/Java - Add DELETETRANSACTION to BatchRequest TransType documentation<br>8. Java - Add new M1 command to read the MIFARE Card serial numbers.<br>9. Android - Add Field for Custom Data Encryption<br>10. Add setWifiStaticIp() and setLanParam() to support setting static ip address<br>11. Add method set logSetting for every POSLink object<br>12. Java/Android - Update description for Retrieval Reference Number<br>13. Java/Android - Support POSLinkPrinter get status<br>14. JAVA/Android - Update control characters list and its applicable commands<br>15. JAVA/Android - Update CardTypeBitmap and AmountLine descriptions<br>16. Java/Android - Add HardwareConfiguration class to ManageResponse for INIT |

### 3.12 V20210729-> V20210810

#### 3.12.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Fix the when using JAVA POSLink's USB communication, if the received data exceeds 1K, PACK ERROR may occur. |

#### 3.12.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

### 3.13 V20210727-> V20210729

#### 3.13.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                         |
|-----------|--------------|-------------|---------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Fix the Peripherals page will stuck and prompt POSLinkDemo isn't responding. |

#### 3.13.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                  |
|-----------|--------------|-------------|------------------------------------------|
|           | Fixed        | Justin.z    | 1. Android POSLink Support A35 terminal. |

### 3.14 V20210719-> V20210727

#### 3.14.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.14.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                            |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Android/Java - Add support for AES DUKPT key for GETPEDINFORMATION. POSLINK-1483.<br>2. Android POSLink Support SK700 terminal. |

### 3.15 V20210622-> V20210719

#### 3.15.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                      |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. POSLink Returns Header and Trailer Information with Incorrect Hex Encoding. POSLINK-1252. |



| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                             |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <ol style="list-style-type: none"> <li>2. Android POSLink cannot connect to a BLE device. POSLINK-875.</li> <li>3. A80, AR8 - Secure entry field displays outside of the dialog. POSLINK-1519.</li> <li>4. JAVA POSLINK runs for more than two days, and only one log file is generated.</li> </ol> |

### 3.15.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Improve Library Dependencies Documentation. POSLINK-1293.</li> <li>2. Android - Add new Class for Auto Industry Support. POSLINK-1300.</li> <li>3. Java/Android - Add POS Attributes to Configurable Parameter Definition. POSLINK-1380.</li> <li>4. Android/Java - Add ServiceUser and ServicePassword to Bridgepay host remarks. POSLINK-1398.</li> <li>5. Android/Java - Add CVVBypassReason to PaymentRequest. POSLINK-1401.</li> <li>6. Android/Java - Add Original Trace Number to PaymentRequest. POSLINK-1433.</li> <li>7. Android/Java - Add Luhn Check Result to A51. POSLINK-1513.</li> <li>8. Java/Android - Support Payload API. POSLINK-1323.</li> <li>9. Add the ability to switch between multiple SIM slots. POSLINK-1469.</li> <li>10. Android - Add option to never turn off the screen in MiscSettings.setScreenOffTime(). POSLINK-1405.</li> <li>11. Android/Java - Add Error Codes for Lodging Industry fields. POSLINK-1358.</li> </ol> |

## 3.16 V20210527-> V20210622

### 3.16.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                   |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. AUTHORIZECARD returns PACK ERROR. POSLINK-1457.</li> <li>2. Android - Remove Time Unit on Demo App UI. POSLINK-1471.</li> </ol> |

### 3.16.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                 |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Android/Java - Add level3Support to Configurable Parameter Definition. POSLINK-1426. |

## 3.17 V20210409-> V20210527

### 3.17.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                    |
|-----------|--------------|-------------|----------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Java/Android - Update description of Host Detail Message. POSLINK-1413. |

### 3.17.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android/Java - Level3 Enhancement For Elavon Converge. POSLINK-1372.</li> <li>2. [Java/Android] Return Pinpad Type in the Response. POSLINK-1295.</li> <li>3. Android/Java - Add PaymentService2000 and OriginalAuthorizationResponse to PaymentRequest, PaymentResponse, and ReportResponse. POSLINK-1264.</li> <li>4. Android/Java - Add KSN flag to commands. POSLINK-1344.</li> <li>5. Java/Android - Add MANAGER VERSION TOO LOW to local error message list. POSLINK-1305.</li> <li>6. Java/Android - Add the Luhn algorithm to check PAN. POSLINK-1365.</li> <li>7. [Android] Overload InputAreaParams to include parameters for more customizations. POSLINK-1393.</li> <li>8. Java/Android - Modify description of encryptedsensitiveTLVData in documentation. POSLINK-1408</li> <li>9. [Java/Android] Support 9-Digit Transaction Amounts. POSLINK-1332.</li> <li>10. Android/Java - Add IssuerResponseCode to PaymentResponse and ReportResponse. POSLINK-1409.</li> <li>11. Android/Java - Add level3Indicator to Configurable Parameter Definition. POSLINK-1426.</li> <li>12. Android - Support LodgingData for Debit EDC. POSLINK-1354.</li> <li>13. Java - Add support for serial library jSerialComm. POSLINK-1431.</li> </ol> |

### 3.18 V20210310-> V20210409

#### 3.18.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.18.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                   |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android - Update description in POSLinkCashDrawer class. POSLINK-1325.</li> <li>2. Replace ContactlessCVMLimit with TransactionCVMLimit(InputAccount). POSLINK-1152.</li> </ol> |

### 3.19 V20210203-> V20210310

#### 3.19.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                             |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android-POSLink goes into Processing state after onWarnRemoveCard(). POSLINK-1310.</li> <li>2. Memory Leak Causing application crash. POSLINK-1311.</li> <li>3. Android - crash caused by the null pointer exception is not dealt with properly. POSLINK-1327.</li> </ol> |

#### 3.19.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android/Java - Add Maestro as a New Card Type. POSLINK-1276.</li> <li>2. Android - Support BarcodeMap and configs in POSLinkScanner. POSLINK-1267.</li> <li>3. Android/Java - Upload POSLink Log to PAX SFTP Server. POSLINK-1132.</li> <li>4. Android - Include usage of .so files in README. POSLINK-1291.</li> <li>5. Android/Java - Create LodgingData object for PaymentRequest. POSLINK-1171.</li> <li>6. Android - Update Error Code ""48-Tap General Err"". POSLINK-1287.</li> <li>7. Java/Android - Add new fields to Lodging class. POSLINK-1164.</li> <li>8. Java/Android - Add Transaction Type "TRANSFER". POSLINK-1258.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 9. [Java/Android] Add Over The Counter to Passthru FSA. POSLINK-1198.<br>10. [Java/Android] Programmatically configure insert any time. POSLINK-1188.<br>11. Add filed to Support reporting touch screen capability.<br>12. Android/Java - Add AES DUKPT as an Encryption Type for InputAccountWithEMV, AuthorizeCard, and GetPINBlock. POSLINK-1072.<br>13. [Android/Java] Update the description of the TraceNumber field. POSLINK-1246.<br>14. Android - Support setScanResultMode. POSLINK-1167.<br>15. Java/Android POSLink - Use Old UpdateResource Protocol if Libraries are Not Imported. POSLINK-1319.<br>16. Remove FingerPrint Class from Peripherals. POSLINK-1294.<br>17. Android_Update Configurable Parameter Definition. POSLINK-1125. |

### 3.20 V20210202-> V20210203

#### 3.20.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.20.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                          |
|-----------|--------------|-------------|----------------------------------|
|           | Fixed        | Justin.z    | 1. Hide the KSN in A85 response. |

### 3.21 V20210121-> V20210202

#### 3.21.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                    |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. (Android) GETPINBLOCK response missing ETX and LRC. POSLINK-1260.<br>2. [Java/Android] Base64 data not being masked in the POSLog when performing UpdateResource. POSLINK-1261.<br>3. ReportResponse not unpacking timestamp from Low Level message in LOCALDETAILREPORT. POSLINK-1273. |

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             |         |

### 3.21.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                 |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Java/Android - Support MAC calculation using DUKPT. POSLINK-1142.</li> <li>2. [Java/Android] Add New VAS Code 213 for VAS Data Decryption Error Case. POSLINK-1269.</li> <li>3. Support cancel for Java POSLink Demo. POSLINK-232.</li> </ol> |

## 3.22 V20201215-> V20210121

### 3.22.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                     |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Java/Android - POSLog records plain text sensitive data. POSLINK-1227.</li> </ol> |

### 3.22.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. [Java/Android] Support New Entry Flag for External Pinpad Fallback to Internal Pinpad. POSLINK-1229.</li> <li>2. Java/Android - Support Updating OS and App through UpdateResource. POSLINK-1206.</li> <li>3. [Java/Android] Support External PINPAD Type for SHOWTHANKYOU Command. POSLINK-1222.</li> <li>4. Add New TransType to Support EDC Selection (actually, we add a new command). POSLINK-678.</li> <li>5. [Android/Java] Update terminal screen sizes in documentation. POSLINK-1192.</li> <li>6. Android/Java - Support Token Length Up to 128 Characters. POSLINK-1214.</li> <li>7. Java/Android - Support contactless read beep configured parameter through SETVAR/GETVAR. POSLINK-1182.</li> <li>8. Java/Android: Update the Shift ID to accept string with ans..8 attribute. POSLINK-1238.</li> </ol> |

### 3.23 V20201202-> V20201215

#### 3.23.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.23.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Java/Android - Rename UPDATEIMAGE to UPDATERESOURCE. POSLINK-1210.</li> <li>2. Update the description for FileType.</li> </ol> |

### 3.24 V20201126-> V20201202

#### 3.24.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.24.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                      |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Update the description for CheckBuffer.</li> </ol> |

### 3.25 V20201102-> V20201126

#### 3.25.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Unnecessary code in ProcessTransResult constructor. POSLINK-1130.</li> <li>2. ndroid Demo - "Browser" typo needs to be changed to "Browse". POSLINK-1154.</li> </ol> |

#### 3.25.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Update the firmware, Key by UpdateResource command. POSLINK-1141.</li> <li>2. Android - Add callback when users start interacting with RNIB pinpad. POSLINK-1129.</li> <li>3. Android - Update Description for SessionKeyInject Destination Value. POSLINK-1150.</li> <li>4. Java/Android - Support enable/disable whitelist through SETVAR/GETVAR. POSLINK-1105.</li> <li>5. Android - Support more controls over PAN/CVV secure input field. POSLINK-1131.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 6. Android - Support setting Contactless CVM Limit Dynamically using InputAccountwithEMV Request. POSLINK-1152.<br>7. Android/Java - Add field "ReceiptCopy" to ManageRequest. POSLINK-1135.<br>8. Allow SHOWTEXTBOX command to display Barcode using BARD control character for JAVA/Android POSLink. POSLINK-917.<br>9. Overload method sendInputArea to include a String parameter for hint. POSLINK-1064.<br>10. Android - Add quickChipMode and quickChipPlaceholderAmount to Full Integration Configurable parameters. POSLINK-1085.<br>11. Java/Android - Add hiddenAmount to Configurable Parameters Definition. POSLINK-1101. |

### 3.26 V20201019-> V20201102

#### 3.26.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.26.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                 |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Add field Retrieval Reference Number to PaymentResponse and ReportResponse. POSLINK-1111.<br>2. POSLink Transaction Speed Improvement<br>3. Remove get card type before transaction(Do Authorization).<br>4. Add apn related implementation in Demo. |

### 3.27 V20201010-> V20201019

#### 3.27.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.27.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                               |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Update Android POSLink description for CashBack prompts. POSLINK-1095.<br>2. Java/Android - Update description for |

| Defect ID | Major Status | Assigned To | Summary                                                                                                    |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------|
|           |              |             | <p>AuthorizationCode in documentations. POSLINK-1090.</p> <p>3. Update the description of ORIGTRANSID.</p> |

### 3.28 V20200810-> V20201010

#### 3.28.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Local Detail Report returning blank batchNum values. POSLINK-986.</li> <li>2. Result Code 100003 Typos. POSLINK-995.</li> <li>3. A50's Paired Device Section is too small. POSLINK-979.</li> <li>4. POSLink doesn't map transaction type correctly for original transaction type. POSLINK-1078.</li> <li>5. App throws "100003 - ORIGAMOUNT NOT ALLOWED" when the ordering of request additional information is such that original amount is before host reference number. POSLINK-1059.</li> <li>6. POSLog returns INPUTACCOUNT as Manage_INPUTACCOUNT_GIFT in PETE mode but it shows as Manage_INPUTACCOUNT_EBT_CASHBENEFIT in AIDL mode. POSLINK-990.</li> </ol> |

#### 3.28.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Add First 6 Digits and Last 4 Digits of PAN to parameter to handleInputAccount onSuccess() callback. POSLINK-1040.</li> <li>2. Add Detect Cash Drawer State. POSLINK-1031.</li> <li>3. Adding a new field "Debit Account Type" to Payment Response. POSLINK-1003.</li> <li>4. Add field Host Detailed Message. POSLINK-1024.</li> <li>5. Add New TransType to Support EDC Selection(actually, we add a new command). POSLINK-678.</li> <li>6. Add Callback to reflect CVV enter. POSLINK-1060.</li> <li>7. Document Transaction Complete Broadcasts. POSLINK-1021.</li> <li>8. Enhance POSLinkModem Receive APIs. POSLINK-1011.</li> <li>9. Retrieve Key Information. POSLINK-273.</li> </ol> |



| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <ul style="list-style-type: none"> <li>10. Support Host Detail Report Command. POSLINK-1049.</li> <li>11. Move TIC from Txx to Host Response Information. POSLINK-1042.</li> <li>12. Update Description for Customize Data Fields. POSLINK-1046.</li> <li>13. Add option to disable bypass for manual entry prompts. POSLINK-1056.</li> <li>14. Enhance the logic of POSLinkSerialPort.send(). POSLINK-1062.</li> <li>15. Extend ECR TransID length up to 64 characters max. POSLINK-1075.</li> <li>16. Add ability to manually set APN on terminal. POSLINK-1053.</li> <li>17. Add API to enable and disable Cellular Data. POSLINK-1063.</li> <li>18. Add No Show Flag and Special Program Indicator to Lodging Passthru Data. POSLINK-1036.</li> <li>19. Add API to set Screen Timeout in the settings. POSLINK-1081.</li> <li>20. Update POSLink JAR to Java 7. POSLINK-1088.</li> <li>21. Support POSLink Demo on newly released devices. POSLINK-1077.</li> <li>22. Add 32-bit driver to use Serial on Linux in the POSLink Java package. POSLINK-1080.</li> </ul> |

### 3.29 V20200723-> V20200810

#### 3.29.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ul style="list-style-type: none"> <li>4. SignatureCapture is not being recognized when GetSign is also sent. POSLINK-1030.</li> <li>5. Android POSLink Demo - "Paired devices" is misspelled. POSLINK-980.</li> </ul> |

#### 3.29.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                        |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ul style="list-style-type: none"> <li>1. Android/Java - Support e2eeEncryptionMode for GETVAR/SETVAR. POSLINK-988.</li> </ul> |

### 3.30 V20200604-> V20200723

#### 3.30.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. ProcessTrans() Not Returning All Messages for Multiple Response Messages POSLINK-921.</li> <li>2. Android POSLink - PrintBarcode not in JavaDocs. POSLINK-898.</li> <li>3. Format Error when setting CurrencyCode to null. POSLINK-927.</li> <li>4. TVR Byte 5 indicates script processing failures when setting IssuerAuthenticationScripts to null. POSLINK-928.</li> <li>5. Android - Remove OrigECRRefNum in PaymentRequest. POSLINK-868.</li> <li>6. Android POSLink - Crash on PaymentRequest w/ ReportStatus via TCP or SSL. POSLINK-964.</li> <li>7. Enhancement and typo in Unit Price and quantity description in PassThru data section. POSLINK-882</li> <li>8. Android POSLink - Remove Contactless Transaction Path values from summary. POSLINK-930.</li> <li>9. Android - Update SHOWTHANKYOU Timeout field's Description. POSLINK-905.</li> <li>10. [Java/Android]LocalDetailReport (R02) returns "CARDTYPE ONLY FOR CREDIT" Error when Debit EDCType is selected. POSLINK-965.</li> <li>11. Update the description of Transaction Adjustment</li> <li>12. Java/Android - Deprecated "PrimaryFirmVersion" and passed OS Version to "OSVersion". POSLINK-1001.</li> </ol> |

#### 3.30.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Customizable PINPAD for PIN Entry. POSLINK-836</li> <li>2. Support Sending Multiple Commands at the Same Time. POSLINK-393</li> <li>3. Android POSLink JavaDoc - Mention compatibility for Full Integration commands. POSLINK-915</li> <li>4. Android POSLink - support tag 9F26 "ARQC" in POSLink Response. POSLINK-891</li> <li>5. Android - Add CVM field in InputAccountWithEMV and AuthorizeCard. POSLINK-820</li> <li>6. Support insert any time and swipe any time transactions. POSLINK-881.</li> <li>7. Android - Add RNIB Pinpad to AuthorizeCard and GetPinBlock Pinpad Type. POSLINK-958.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <ul style="list-style-type: none"> <li>8. Java/Android - Support API to return POSLink version. POSLINK-971.</li> <li>9. Java/Android - Add Gift Card Type to Account Information. POSLINK-901.</li> <li>10. (Java Android POSLink) Add Signature Timeout to Configurable Parameters List. POSLINK-855.</li> <li>11. Android - Add Support for External PIN PAD for RemoveCard Command. POSLINK-961.</li> <li>12. Java/Android - Add error message "EXT PIN PAD NOT SUPPORTED". POSLINK-952.</li> <li>13. Android POSLink - Add fields ORIGBATCHNUM and ORIGTRANSID. POSLINK-871.</li> <li>14. Android - Add TransactionRemainingAmount to PaymentResponse and ReportResponse. POSLINK-683.</li> <li>15. Adding TCP Socket Timeout configurable parameter. POSLINK-976.</li> <li>16. Support MIFARE Cards. POSLINK-981.</li> <li>17. Store POSApi Dex File Data in Code. POSLINK-1009.</li> <li>18. Java/Android - Add ExtData Subgroup to Request/Response Objects. POSLINK-1006.</li> <li>19. Support monospaced fonts in printer function. POSLINK-1012.</li> <li>20. Add Language SelectionCallback to InputAccount.InputAccountCallback. POSLINK-910.</li> <li>21. Add solutionId in Configurable Parameters Definition.</li> </ul> |

### 3.31 V20200520-> V20200604

#### 3.31.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ul style="list-style-type: none"> <li>1. Android POSLink - Remove GNU.IO Dependency. POSLINK-926.</li> <li>2. Java API Guide - Remove terminalXXXX parameters from Configurable Parameter Definition. POSLINK-948.</li> <li>3. Java/Android POSLink API Guide - Missing Configurable Parameters. POSLINK-944.</li> <li>4. Android POSLink - Level 3 data documentation inconsistencies. POSLINK-916.</li> </ul> |

### 3.31.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android - Support Write Working Key to PED. POSLINK-751</li> <li>2. Android - Support Message Authentication Code (MAC) Calculation. POSLINK-755.</li> <li>3. Android/Java - Add ContactFallbackEntryFlag to InputAccountWithEMV. POSLINK-941.</li> <li>4. Add onLastPINTry() callback to CurrentStepCallback for AuthorizeCard. POSLINK-935.</li> <li>5. Support using SETVAR/GETVAR to set/get Initialization Vector variable. POSLINK-934.</li> <li>6. Android - Return Issuer Script Results in CompleteOnlineEMV. POSLINK-887.</li> </ol> |

## 3.32 V20200424-> V20200520

### 3.32.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

### 3.32.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android - Add Support for External Pinpad For Full Integration. POSLINK-874</li> <li>2. Full Integration Implementation Guide need an update on EMV Kernel Version for all supported devices. POSLINK-886</li> </ol> |

## 3.33 V20200422-> V20200424

### 3.33.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

### 3.33.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                              |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Enhance UPDATEIMAGE speed(TCP).</li> </ol> |

### 3.34 V20200421-> V20200422

#### 3.34.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.34.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                       |
|-----------|--------------|-------------|-----------------------------------------------|
|           | Fixed        | Justin.z    | 1. Update description of AuthorizationResult. |

### 3.35 V20200410-> V20200421

#### 3.35.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.35.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Update POSLink to support Application Manager. POSLINK- 876 |

### 3.36 V20200313-> V20200410

#### 3.36.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                     |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android POSLink Demo - ScanDecoderSample Crashing. POSLINK-830.</li> <li>2. Android POSLink Demo - OPEN CASH DRAWER causes app slowdowns when no cash drawer is attached. POSLINK-832.</li> </ol> |

#### 3.36.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Support google smart pay. POSLINK-859</li> <li>2. Android - Add class 'AddIRspData' to PaymentResponse and ReportResponse. POSLINK-728.</li> <li>3. Add master session as PIN encryption type. POSLINK-795.</li> <li>4. Update Description of ItemIndex. POSLINK-846.</li> <li>5. Add ContinuousScreen Flag for full integration commands. POSLINK-427.</li> <li>6. Android/Java Update Error Messages. POSLINK-</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                            |
|-----------|--------------|-------------|------------------------------------------------------------------------------------|
|           |              |             | 768.<br>7. Java/Android - Add Transaction Integrity Class to ExtData. POSLINK-852. |

### 3.37 V20200306-> V20200313

#### 3.37.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                          |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. The description of Token request is unclear and confusing in the Poslink guide.. POSLINK-745. |

#### 3.37.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                    |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Android - Add TORData to PaymentResponse, ReportResponse and BatchResponse. POSLINK-733 |

### 3.38 V20191120-> V20200306

#### 3.38.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android - Update Description for KSN and AuthorizationResult for ManageResponse. POSLINK-676.</li> <li>2. Include more description about fields such as TAX amount and PO number that are repeating in different places. POSLINK-572.</li> <li>3. Android - Add descriptions to POSLink error messages. POSLINK-552.</li> <li>4. Need to clean up messages for 100023 error code in API Guide. POSLINK-599.</li> <li>5. Android - Update EncryptionFlag Field Description. POSLINK-603.</li> <li>6. Update the description of PO number and CustomCode. POSLINK-609.</li> <li>7. Incorrect pack error message for FileNotFoundException. POSLINK-546.</li> <li>8. Android - Update EMV error Code. POSLINK-514.</li> <li>9. Android - 100003 local errors not found in API Guides. POSLINK-532.</li> <li>10. Android - Change Zip Code to ans...9 in API Guide and Java Docs. POSLINK-550.</li> <li>11. Android - Increase HostEchoData to 2K. POSLINK-705.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 12. Update CurrencyCode Description. POSLINK-689.<br>13. POSLink Returns "RECV DATA ERROR" When Connection Times Out. POSLINK-686.<br>14. Update Description for Account Number Field. POSLINK-667.<br>15. Android/Java - Inconsistent Error Codes in API Guide/Java Docs. POSLINK-657.<br>16. Android POSLink Demo - Incorrect Currency Code default leading to FORMAT ERROR. POSLINK-518.<br>17. Document Message Error. POSLINK-635.<br>18. Return Complete Response Message For PosLink.ProcessTrans(request) and PosLink.ProcessTrans(requestList). POSLINK-744.<br>19. Remove "setHost()" section in AIDL_Guide. POSLINK-829.<br>20. Android POSLink - Dxx Commands return unpack error. POSLINK-834.<br>21. Android - Unsupported fields still exist in SDK. POSLINK-672.<br>22. Android - Update description for AuthorizeCard.setPINBypass in JavaDocs. POSLINK-840.<br>23. POSLink API documentation updated to reflect InvNum supports 30 A/N for Androd POSLink. POSLINK-791.<br>24. Scan Decoder should support EAN-13 and EAN-8 barcodes. POSLINK-299.<br>25. Missing device models in DeviceModel class. POSLINK-843.<br>26. Android/Java - Update description for incremental auth and related fields. POSLINK-712.<br>27. Android - Update EMV Error Code 28-Tap Not Accepted. POSLINK-785. |

### 3.38.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Physical Contactless Light Control. POSLINK-574.<br>2. Support Enable/Disable Power Key. POSLINK-565.<br>3. Support Beep Sound Function. POSLINK-563.<br>4. Support Enable/Disable Physical Keyboard. POSLINK-564.<br>5. Java / Android POSLink_Add Valid Response Codes In Manage Request. POSLINK-560.<br>6. Support Laser Scanner on Aries 8. POSLINK-587.<br>7. Java/Android - Add "contactTries" to Configurable |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <p>Parameters. POSLINK-526.</p> <p>8. Support USB Communication. POSLINK-652.</p> <p>9. Support Is On Base Check. POSLINK-566.</p> <p>10. Android - Move VAS up from ExtData to PaymentResponse and ManageResponse. POSLINK-723.</p> <p>11. Android - Add Support to A60 Printer. POSLINK-699.</p> <p>12. Support Convert Signature Data to Bitmap Method. POSLINK-688.</p> <p>13. Support Alignment With POSLinkPrinter Print Bitmap. POSLINK-687.</p> <p>14. Java/Android - Add Custom Data Fields: DF78, DF79. POSLINK-644.</p> <p>15. Add More Description for Room Rate in Java/Android API guide. POSLINK-629.</p> <p>16. Android/Java - Add OrigAmount field to Payment Request. POSLINK-633.</p> <p>17. Android - Add Abort() to AuthorizeCard and GetPinBlock. POSLINK-799.</p> <p>18. Android POSLINK DEMO needs to support the CANCEL for Full Integration. POSLINK-595.</p> <p>19. JAVA/Android POSLink_Add GetSAFParameter API. POSLINK-593.</p> <p>20. Support Proxy with PosLink.ProcessTrans(request). POSLINK-754.</p> <p>21. [Android] Remove Redundant Commercial Information from Payment Request-&gt;ExtData on POSLink and POSLink Demo. POSLINK-825.</p> <p>22. Support POSLink Demo on Aries8 and IM30. POSLINK-819.</p> <p>23. Support method to pass InputArea in POSLink full integration InputAccount class. POSLINK-816.</p> <p>24. Support Disable POS Menu. POSLINK-828.</p> <p>25. Support Print Barcode using POSLink Printer. POSLINK-826.</p> <p>26. Android/Java - Deprecate CompleteContactlessEMV in API Guide/Java Docs. POSLINK-810.</p> <p>27. Enhance POSLink CommSetting To Distinguish USB Ports. POSLINK-753.</p> <p>28. Deprecate(remove) DeviceModel.RECOMMEND_PROXY_LIST. POSLINK-844.</p> <p>29. Add new transaction type to support TransIT transaction adjustment API. POSLINK-623.</p> |



| Defect ID | Major Status | Assigned To | Summary                                                  |
|-----------|--------------|-------------|----------------------------------------------------------|
|           |              |             | 30. Need to add PINBypass in ManageRequest. POSLINK-837. |

### 3.39 V20191112-> V20191120

#### 3.39.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                             |
|-----------|--------------|-------------|---------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Make POSLink V1.1.8_20190816 Compatible With POSDK. POSLINK-713. |

#### 3.39.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

### 3.40 V20191016-> V20191112

#### 3.40.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Java POSLink Demo on PC does not open. POSLINK-661.</li> <li>2. Android - Commttype not set, POSLink will crash. POSLINK-648.</li> <li>3. GlobalUID Missing in PaymentResponse in API Guide. POSLINK-627.</li> <li>4. Android - Documentation Changes. POSLINK-671.</li> <li>5. SDK field names not consistent with documentation. POSLINK-666.</li> <li>6. Default Values in SDK. POSLINK-663.</li> <li>7. Java/Android_Autofill 0 to "ContinuesScreen Flag" by default. POSLINK-664.</li> <li>8. One &lt;FS&gt; is missing in INPUTACCOUNT, POSLINK-620.</li> <li>9. Continuous screen not added to manage commands in documentation. POSLINK-617.</li> </ol> |

#### 3.40.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                         |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Android - Remove TagList values in POSLink Demo. POSLINK-642.</li> <li>2. Add FALLBACK_SWIPE categories to CardEventListener. POSLINK-660.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                         |
|-----------|--------------|-------------|-----------------------------------------------------------------|
|           |              |             | 3. Add RETRY_INSERT Event to InputAccountCallback. POSLINK-659. |

### 3.41 V20190930-> V20191016

#### 3.41.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Bluetooth Connect Error throws Exception.POSLINK-535.</li> <li>2. Mispell 'unknown' in Android API Guide.POSLINK-589.</li> <li>3. Transaction Approved but the Android POSLink throws "PROCESS ERROR".POSLINK-583.</li> <li>4. POSLink returns Host Send Error.POSLINK-600.</li> </ol> |

#### 3.41.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                       |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Include LICENSE file in app/libJars directory.POSLINK-597.</li> <li>2. Need error message for Cut Paper API.POSLINK-594.</li> <li>3. Support Sending Direct Low-Level Messages from POSLink.POSLINK-375.</li> </ol> |

### 3.42 V20190816-> V20190930

#### 3.42.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. POSLink Demo: Amount is not displayed in \$\$\$\$CC format.POSLINK-528.</li> <li>2. Android - Level3 Passthru needs to be changed in API Guide.POSLINK-541.</li> <li>3. Bluetooth Connect Error throws Exception. POSLINK-535.</li> <li>4. POSLink Demo Crash when there's no application to view log.POSLINK-556.</li> <li>5. Enter Key does not map to 'OK' when entering information.POSLINK-557.</li> <li>6. Typo "ItemMeasyrementUnit" in PaymentRequest.CommercialCard.LineitemDetail. POSLINK-573.</li> </ol> |

#### 3.42.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. Document information regarding running multiple PosLink process transactions at the same time.POSLINK-520.</li> <li>2. Support QR Code Reader.POSLINK-506.</li> <li>3. JAVA/Android POSLink Support Configuring Host Parameters through SetVar API.POSLINK-473.</li> <li>4. Java Android - Document All The Special Amounts That Will Trigger Special Response in Demo Mode.POSLINK-504.</li> <li>5. Add operatorUserID as a Configurable Parameter. POSLINK-476.</li> <li>6. Android API Guide-Add REPRINT Case to FILTER PARAMETER COLLISION trigger.POSLINK-484.</li> <li>7. Add POSLinkPrinter Print Error codes in the logs to documentation. POSLINK-555.</li> <li>8. Overload setMinAccountLength and setMaxAccountLength methods to accept String argument. POSLINK-523.</li> <li>9. Add FALLBACK_INSERT Event to InputAccountCallback. POSLINK-559.</li> <li>10. Support queuing of commands to fix RECV ACK ERROR-1 issue.POSLINK-571.</li> </ol> |

### 3.43 V20190621-> V20190816

#### 3.43.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <ol style="list-style-type: none"> <li>1. POSLink returning Exceptions when using POSLinkPrinter.POSLINK-421.</li> <li>2. Misspell- "index.heml" should be "index.html" in POSLink_Java_Android API Guide.POSLINK-456</li> <li>3. 100003 RESPONSE LENGTH EXCEEDED Missing in API Guide and Low Level Spec.POSLINK-502.</li> <li>4. API Guide Should State that 'tax amount is greater than or equal to the purchase amount' for error 100028-TAX EXCEED AMT.POSLINK-294</li> <li>5. POSLink proxy enters a state of indefinite processing.POSLINK-466</li> <li>6. NoSuchMethodException is thrown when device doesn't support IP over USB.POSLINK-467.</li> <li>7. ContactlessTransactionPath needs to be updated in the API Guide and Javadocs.POSLINK-461.</li> <li>8. Increase HostTraceNum len from 32 to 64 – Android.POSLINK-446.</li> <li>9. Receives RECV ACK Error and SDK indefinitely logs</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | <p>PortManager Error=-3 because of cancel transaction conflict.POSLINK-489.</p> <p>10. Should return all the local data to POS even when the transaction is fail – Android.POSLINK-435</p> <p>11. If the commands queued are &gt;=4, POSLink logs port manager error and commands return RECV_ACK_ERROR.POSLINK-491.</p> |

### 3.43.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | <p>1. Support POSLink proxy when USB mode is CDC-ECM.POSLINK-444.</p> <p>2. Assign A unique GlobalUID to Each Transaction for Following Up Transaction – Android.POSLINK-431</p> <p>3. Support disable/ hide WIFI hotspot and it's settings.POSLINK-443.</p> <p>4. Add Zip, Address and Address2 in Response AVS Information in Payment Response in Java POSLink.POSLINK-378.</p> <p>5. Android POSLink - Add Checksum to CHECKFILE response.POSLINK-449.</p> <p>6. Overload setTimeout function to accept int argument.POSLINK-465.</p> <p>7. Allow Transaction Sequence Number (Tag 9F41) to be configured from POSLink.POSLINK-450.</p> <p>8. Support GetVar API to Check Contactless, Tax Prompt Setting in Terminal.POSLINK-265.</p> <p>9. Expand field(s) to support ServiceFee/Convenience Fee.POSLINK-416.</p> <p>10. Remove Surcharge Fee Request Parameter.POSLINK-468.</p> <p>11. Update Commercial Card (Level2 &amp; Level3) Logic - Android POSLink.POSLINK-390.</p> <p>12. Support configuring tip settings through SetVar API.POSLINK-422.</p> <p>13. Add 'ReversedAmt' and 'ReversalStatusNum' in PaymentResponse.ExtData; 'REVERSEDAMT' and 'REVERSALSTATUSNUM' in Additional Information.POSLINK-499.</p> <p>14. Java/Android POSLink_ Support enable/ disable cashback other amount prompt through SetVar API.POSLINK-382.</p> <p>15. Support Configuring Surcharge Fee Parameters.POSLINK-480.</p> <p>16. Ability to add/update/delete line item in</p> |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                            |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | ShowMessage and ShowItem API.POSLINK-496.<br>17. Add Cash Back status in Report Status - Android POSLink.POSLINK-485.<br>18. Android - GETPINBLOCK: Encryption Type is a mandatory field so should be marked with an asterisk.POSLINK-501.<br>19. Android - Support GetVar API to Check autoBatch Setting in Terminal.POSLINK-495. |

### 3.44 V20190225-> V20190621

#### 3.44.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                             |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. NumberFormatException and NullPointerException in JAVA Android POSLog.POSLINK-185<br>2. Crash when abort inputAccount attempted.POSLINK-320.<br>3. GetSignature Command returns PROCESS ERROR.POSLINK-376<br>4. POSLink demo application crashes for manage commands.POSLINK-380 |

#### 3.44.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Sample code for enabling navigation bar when the application crashes.POSLINK-228<br>2. Make TCP background Service Convenient for Customer. POSLINK-312<br>3. Update API to support terminal errors returned to POS. POSLINK-300<br>5. Add AddIRspData Flag to PaymentRequest. POSLINK-132.<br>4. Enabling navigation bar when the application crashes.POSLINK-318.<br>5. Android/JAVASupport retrieve the last transaction detail.POSLINK-336.<br>6. Support USB on Linux OS.POSLINK-247.<br>7. Support Serial (UART) in A80.POSLINK-362.<br>8. Support Synchronous Interface for POSLink Print.POSLINK-372.<br>9. Add a tag called UserLanguage to PaymentRequest, PaymentResponse and ReportResponse's ExtData.POSLINK-186. |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 10. Support Hide Navigation Bar on Android.POSLINK-374.<br>11. Add WifiMac to ManageResponse.ExtData.POSLINK-155.<br>12. Add ForceFSA tag on Android POSLink.POSLINK-361.<br>13. Support MIFARE Cards.FI-24.<br>14. Support SAM Card for Android Devices, use POSLinklcc class.POSLINK-316<br>15. Add ContinuousScreen Flag to tell the terminal not go to idle. |

### 3.45 V20190218-> V20190225

#### 3.45.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | Justin.z    |         |

#### 3.45.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                       |
|-----------|--------------|-------------|-------------------------------|
|           | Fixed        | Justin.z    | 1. Merge USB CDC-ECM into USB |

### 3.46 V20190201-> V20190218

#### 3.46.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. POSLink's ProcessTrans() needs to be called on separate thread. POSLINK-298<br>2. Fix Java Poslink returns "IP FORMAT ERROR" when using TCP with timeout = "-1".POSLINK-309<br>3. Fix Track Data and PAN are not being masked in the log. POSLINK -253/254<br>4. Change the way we set print width on POSLink Demo. POSLINK-276<br>5. LRC verification error in API Guide. POSLINK-272 |

### 3.46.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                 |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | Justin.z    | 1. Support enable/disable Android status bar.POSLINK-310<br>2. Add flag to enable/disable surcharge fee on current trans from POSLINK. POSLINK-89<br>3. A66 token admin request. POSLINK-183,277<br>4. Android Java POSLINK need to modify "EBTFoodStampVoucher" to "EBTType" in payment response ExtData. POSLINK-257<br>5. Enhance the ScanDecoderSample. POSLINK-301 |

### 3.47 V20190118-> V20190201

#### 3.47.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                    |
|-----------|--------------|-------------|------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Increase paper print width of print string. POSLINK-303 |

#### 3.47.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                             |
|-----------|--------------|-------------|-------------------------------------|
|           | Fixed        | leon.f      | 1. Support serial port, POSLINK-297 |

### 3.48 V20190111-> V20190118

#### 3.48.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix that USB proxy not work.(Since V20181221 USB CDC-ECM added).<br>2. Fix disable scanDecoder format not work issue. |

#### 3.48.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                           |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Add UPC_A and UPC_E barcode type to scanDecoder.<br>2. Add helper method convertUPCAtoUPCE and |

| Defect ID | Major Status | Assigned To | Summary                           |
|-----------|--------------|-------------|-----------------------------------|
|           |              |             | convertUPCEtoUPCA to scanDecoder. |

3.49 V20181221-> V20190111

#### 3.49.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | leon.f      |         |

#### 3.49.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------|
|           | Fixed        | leon.f      | 3. Change default recommend print width for A920 to 404 pixel. |

3.50 V20181203-> V20181221

#### 3.50.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Fix that Proxy SSL waits too long for UnknownHost Issue. POSLINK-290</li> <li>2. Fix that POSLink printer unable to handle consecutive newline characters. POSLINK-288</li> <li>3. Fix that POSLink printer right alignment issue. POSLINK-274</li> <li>4. Fix that SEND DATA ERROR when calling ShowItem in Rapid Succession. (You need to make sure terminal side is new enough. The old one cannot accept such fast request) POSLINK-279</li> </ol> |

#### 3.50.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                         |
|-----------|--------------|-------------|-----------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Add CDC-ECM communication type support for E-Series devices. |

3.51 V20181109-> V20181203

#### 3.51.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                     |
|-----------|--------------|-------------|-------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix that GetSignature fails when the signature is small. |



| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                        |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |              |             | 2. When USB connection receives EOT after ACK, it won't abort current transaction but wait for response instead. (Only when send an unsupported command to the Terminal that EOT is received.) |

### 3.51.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                        |
|-----------|--------------|-------------|--------------------------------|
|           | Fixed        | leon.f      | 1. Add support for E800 print. |

## 3.52 V20181029-> V20181119

### 3.52.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Fix neptune conflict issue when Gradle &gt; 3.0.0</li> <li>2. Fix completeOnlineEMV not sent taglist issue.</li> <li>3. Fix issue in Java POSLink PC Demo that dosignature does not include EDCType. POSLink-236</li> <li>4. Fix issue that "Variable Value 1" field of SETVAR command is missing in Java POSLink demo. POSLink-242</li> <li>5. Add "100003 - NEED REMOVE CARD FIRST" result code and result txt in API guides and Spec POSLink-187</li> <li>6. Fix transaction contains big signature data, causing TCP split package issue. POSLink-246</li> </ol> |

### 3.52.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                    |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Add telephone log to POSLinkModem.</li> <li>2. Add searchbox to Javadoc</li> <li>3. Remove default value for currencyCode in TerminalConfiguration</li> <li>4. Update completeOnlineEMV request and response document</li> </ol> |

### 3.53 V20181023-> V20181029

#### 3.53.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                   |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix issue that some parameters of InputAccountEmvRequest are null when not set.<br>2. Remove HOST_VANTIV, HOST_TRANS_IT... from CommSetting. They should be removed since CommSetting cannot setHost() |

#### 3.53.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                         |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Support modem sync mode<br>2. Remove dependency NeptuneDiamond. Solve the conflict issue with NeptuneLite.<br>3. The mask on log for full integration has been "***"+length. |

### 3.54 V20181017-> V20181023

#### 3.54.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             |         |

#### 3.54.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Support modem(dial) API. Add modem demo to Peripherals -> ModemSample |

### 3.55 V20180928-> V20181017

#### 3.55.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                             |
|-----------|--------------|-------------|-----------------------------------------------------|
|           | Fixed        | leon.f      | 3. Fix the run form timeout cannot set to "" issue. |

#### 3.55.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary                                                           |
|-----------|--------------|-------------|-------------------------------------------------------------------|
|           | Fixed        | leon.f      | 4. Support scan decoder.<br>5. Support enable and disable format. |

3.56 V20180712 -> V20180928

#### 3.56.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                         |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix bluetooth cancel too slow issue. POSLink-234<br>2. Add InvNum to ReportResponse. POSLink-149<br>3. Rename Status to CardInsertStatus. POSLink-208<br>4. Support GetPinBlock for full integration.<br>5. Missing field separator for SetVar. POSLink-237<br>6. Large signature data cause |

#### 3.56.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Add Encrypted EMV TLV Data and Encrypted Sensitive TLV Data to InputAccountWithEMV<br>2. Add paddingChar and trackDataSentinel to request of InputAccountWithEMV.<br>3. Change full integration package name. You only can use full integration in newest BroadPOS<br>4. Mask sensitive fields in log for InputAccountEMV and AuthorizeCard<br>5. Move API description from API Guide.docx to Java doc<br>6. Fix SSLConnection sometimes throw close channel exception after receive message.<br>7. Enhance Bluetooth speed.<br>8. Remove Host setting from CommSetting.<br>POSLink-256<br>9. Support A70 scanner API.<br>10. Default path for appDataFolder. POSLink-245<br>11. Android Application lockdown. POSLink-258<br>12. Enhance doc for "ProcessTrans". POSLink-255<br>13. Add new wrapper API for ShowDialog, ShowMessage, ShowItem, ShowTextBox, ShowDialogForm, DoSignature and InputText.<br>14. Add Customize Form Management API. |

### 3.57 V20180702 -> V20180712

#### 3.57.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                             |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Fix that printer in DAL cannot print multiple lines.</li> <li>2. Fix show dup check invalid issue.(This is caused by sending wrong format of payment request to POS). POSLINK-149</li> <li>3. Remove unused fields of report fragment in demo.</li> </ol> |

#### 3.57.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                          |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Add SHOWDIALOGFORM.</li> <li>2. Add signature box to SHOWTEXTBOX.</li> <li>3. Disable proxy by default in POSLinkDemo.</li> <li>4. Support cancel in Manage in POSLinkDemo.</li> </ol> |

### 3.58 V20180613 -> V20180702

#### 3.58.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | leon.f      |         |

#### 3.58.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Update InputAccount with EMV.<br/>Add MerchantCategoryCode to TerminalConfiguration;<br/>Add ContactlessTransactionPath, signatureFlag, onlinePINFlag;<br/>Remove TxnPath, TxnResult;</li> <li>2. Add GetPINBlock for Full Integration.</li> <li>3. Update AuthorizeCard, add MerchantCategoryCode to TerminalConfiguration.</li> <li>4. Remove Complete Contactless EMV.</li> </ol> |

### 3.59 V20180525 -> V20180613

#### 3.59.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                              |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix issue that POSLinkPrinter printed overlap content when the content is longer than one line.<br>2. Update CustomizeData description. POSLink-227<br>3. Fix issue that when set Force in extra account information to T, error returned because of [US] missed. |

#### 3.59.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                 |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Return error when host is set to Unknown if there are more than one BroadPOS in A920.<br>2. Support fallbackSwipeEntryFlag and service code for InputAccountWithEMV. |

### 3.60 V20180521 -> V20180525

#### 3.60.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

#### 3.60.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                 |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Support Full Integration InputAccountEMV (Without Contactless EMV).<br>2. Support Full Integration Authorize Card.<br>3. Support Full Integration Set EMV TLV Data.<br>4. Support Full Integration Get EMV TLV Data.<br>5. Support Full Integration Complete Online EMV.<br>6. Support Full Integration Remove Card. |

### 3.61 V20180411 -> V20180521

#### 3.61.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary                                              |
|-----------|--------------|-------------|------------------------------------------------------|
|           | Fixed        | leon.f      | Fix two report messages caused LRC error. POSLink-83 |

### 3.61.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Enhance USB connection speed.</li> <li>2. Change send message charset from ISO-8859-1 to UTF-8. Support French on SHOWMESSAGE. POSLINK-195.</li> <li>3. Support CUSTOMIZEDATA in extData. POSLink-219.</li> <li>4. Move POSLinkScanner, POSLinkPrinter, POSLinkCashDrawer to package peripheries.</li> <li>5. Add Java demo for PC.</li> </ol> |

## 3.62 V20180312 -> V20180411

### 3.62.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Fix ambiguous tip when network unavailable POSLink-188.</li> <li>2. 15.Add an error message of 105-Declined in section 6.10.2 Response Code for EMV Error. POSLINK-94</li> <li>3. Add escape characters description to API Guide. POSLINK-106</li> <li>4. Clarify CardType Send &amp; Return Value in API Guide. POSLINK-108</li> <li>5. Add Description for Sale and Redeem on POSLink API Guide. POSLINK-134</li> <li>6. Update Payment Types Description -- POSLINK-164</li> <li>7. Using unsupported command should return Session End instead "Recv Ack Error" -- POSLINK-174, 193</li> <li>8. Specify/Update Transaction Type is not supported for MOTO/E-Commerce info in API guide -- POSLINK-113</li> <li>9. Support REENTER for TSYS -- POSLINK-125</li> <li>10. 6.Add "OrigSettlementDate" , "OrigTransType" , "StationNo" in ExtData in PaymentRequest.</li> <li>11. Fix issue that the log output path does not create automatically.</li> <li>12. Integrated new USB Library and speed up transactions. POSLink-197</li> </ol> |

### 3.62.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                          |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Add support for printer, scanner, cash drawer.</li> <li>2. Add OrigECRRefNum to PaymentRequest.ExtData -- POSLINK-142.</li> <li>3. In Android, if no log setting, log will be enabled by default in your app external path.</li> </ol> |

## 3.63 V20180206 -> V20180312

### 3.63.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Fix adjust takes too long issue. POSLINK-200</li> <li>2. Fix POSLinkDemo keeps displaying "POS BUSY, PLEASE WAIT" issue. POSLINK-189</li> <li>3. Add Timeout setting for ShowDialog -- POSLINK-73</li> </ol> |

### 3.63.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | leon.f      |         |

## 3.64 V20180129 -> V20180206

### 3.64.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                           |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Fix SHOWTHANKYOU not work issue. PFJAE-96</li> <li>2. Extra data for UPDATEIMAGE. POSLINK-180<br/>Should not Requires DestIP and DestPort for UART and USB. POSLink-175</li> <li>3. Do not allow use POSLink when Proxy is running. PFJAE-95</li> </ol> |

### 3.64.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                           |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. EMV Card Insert Detection API. POSLINK-109.</li> <li>2. Update the TransType named SHOWMESSAGE under Class MangeRequest and add some properties. POSLINK-80.</li> </ol> |

### 3.65 V20171211 -> V20180129

#### 3.65.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Add Description for Sale and Redeem on POSLink API Guide. POSLink-134<br>2. Command \B will bold all the words in a sentence. But it in fact only bold the first line. POSLink-127<br>3. Clarify CardType Send & Return Value in API Guide. POSLink-108<br>4. Add Signature Retry and PIN Retry Status in Report Status. POSLink-95<br>5. Local Error message 105-DECLINED should be added to Low Level Spec and API Guide. POSLink-95<br>6. Local Error message 105-DECLINED should be added to Low Level Spec and API Guide. POSLink-94<br>7. Add eWIC Balance to PaymentResponse. POSLink-93<br>8. PaymentTransType adds more descriptions. POSLink-88<br>9. EMV PIN Entry Status. POSLink-79<br>10. POSLink Error code and Error Message. POSLink-43<br>11. The name of .apk file should be like: POSLinkDemo_20170710 POSLink-153<br>12. E500 POSLink freezes 20s when open immediately after rebooting PFJAE-91<br>13. Fix crash in CommSetting of PC POSLink |

#### 3.65.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                            |
|-----------|--------------|-------------|----------------------------------------------------|
|           | Fixed        | leon.f      | Delete Single Transaction through API. POSLink-78. |

### 3.66 V20171123 -> V20171211

#### 3.66.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

#### 3.66.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|



| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. POSLink AIDL. Support Credit, Batch Close and Debit:<br/>Credit Sale, Return, Forced, Void Sale, Void Forced, Void Return, Balance, Adjust, Tokenize, Verify, Auth, Postauth, Void Auth, Void Postauth.<br/>Debit Sale, Return, Void Sale, Void Return.</li> <li>2. Add enable proxy for comm setting. Default is enabled for E500.</li> <li>3. Remove the dependencies logback-android-classic-1.1.1-6.jar, logback-android-core-1.1.1-6.jar and slf4j-api-1.7.21.jar.</li> </ol> |

3.67 V20170828 -> V20171123

#### 3.67.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | <ol style="list-style-type: none"> <li>1. Missing USB Communication Type in Java API Guide. POSL-124</li> <li>2. do GETSIGNATURE command, the response 'Sig File Name' is empty. PFJAE-46</li> <li>3. Delete expired log of POSLink Android. PFJAE-59</li> <li>4. POSLink will crash for specific signature. POSL-91</li> <li>5. POSLink Error code and Error Message. POSL-43</li> <li>6. CANCEL API not working for serial port. POSL-119</li> <li>7. The CommandType in POSLinkTest should be TransType in API Guide. The TransType in POSLinkTest should be PaymentType in API Guide. POSL-114</li> </ol> |

#### 3.67.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                      |
|-----------|--------------|-------------|------------------------------|
|           | Fixed        | leon.f      | Show Item feature. PFJAE-57. |

3.68 V20170710 -> V20170828

#### 3.68.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix certificate error when connect to some servers. PFJAE-42<br>2. Fix crash when WIFI turned off. PFJAE-43<br>3. Fix missig [1f] for amount information in manage request. PFJAE-44<br>4. Fix keyslot crash when EncryptionFlag=1 and MagneticSwipeEntryFlag=1. PFJAE-45 |

### 3.68.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | leon.f      |         |

## 3.69 V20170525 -> V20170710

### 3.69.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                       |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Fix documents format issues.<br>2. Add DNS support for Tcp connection.<br>3. Fix http and https connections issues.<br>4. Fix bluetooth connection issues. |

### 3.69.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           | Fixed        | leon.f      |         |

## 3.70 V20170425 -> V20170525

### 3.70.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                             |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | leon.f      | 1. Add “EBTType” in ExtData in PaymentRequest. PFJAE-9<br>2. Fix signature data receive a very short string. PFJAE-7<br>3. Add more description for commercial information on PaymentRequest Extdata API Guide. PFJAE-13<br>4. Add description for Multi-Merchant Applications on PaymentRequest Extdata API.<br>5. Modify 'ECR TXN ID' in PaymentRequest to ECR Trans ID. PFJAE-11 |

### 3.70.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary                                     |
|-----------|--------------|-------------|---------------------------------------------|
|           |              | leon.F      | Remove external lib Commonlib_20150420_dex. |

### 3.71 V20161230 -> V20170425

#### 3.71.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                 |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | 1. Added more description needed for Cancel API. POSL-53.<br>2. POSechoData will not send in the send message. PETE-438 |
|           | Fixed        | leon.f      | 1. Fix log issue in Android.<br>2. Fix sticky package issue of TCP sending.                                             |

#### 3.71.2 Feature Changes

| Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| song.l      | <ol style="list-style-type: none"> <li>1. Add PRINTER API. POSL-74.</li> <li>2. Add REPRINT API.</li> <li>3. Add "L3CmdtyCode"/ "L3DiscntRate/L3QtyExptIndtor/L3DiscntExptIndtor" in Passthru LEVEL III data.</li> <li>4. Add "AmountLine" in ExtData in ManageRequest Class.</li> <li>5. Add "PLNameOnCard" in ExtData in ManageResponse Class.</li> <li>6. Add "PrintLine1...5" in ExtData in PaymentResponse class.</li> <li>7. Add "FleetPromptCode" in ExtData in PaymentRequest Class. POSL-61</li> <li>8. Add more properties for commercial level 3 transaction in ExtData in PaymentRequest Class.</li> <li>9. Add Multi-Merchant support:</li> <li>10. Add more description on the Cancel API. POSL-53</li> <li>11. Add description about GetSignaure support for more terminals. POSL-58</li> <li>12. Support System/Host Name in POSLink. POSL-59</li> <li>13. Add "DebitNetwork" in extData in PaymentReques.</li> <li>14. Add "REWARDS" transaction type.</li> <li>15. Add Application version/name in the INIT command response. POSL-42</li> <li>16. Make ACK/EOT Optional. POSL-54</li> </ol> |

### 3.72 V20161215 -> V20161230

#### 3.72.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Remove eWIC fields' description on api guide.</li> <li>2. Fixed issue which is POSLink prompts 'SEND1 DATA ERROR' and in log it has 'SEND4 DATA ERROR' before 'SEND1 DATA ERROR'.</li> <li>3. Fixed issue which is UART LOG info is not complete.</li> </ol> |

### 3.72.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

## 3.73 V20161205 -> V20161215

### 3.73.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                   |
|-----------|--------------|-------------|-------------------------------------------|
|           | Fixed        | song.l      | Fixed Multi log issue reported by Darden. |

### 3.73.2 Feature Changes

| Summary                                                                                                                                                 |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <ol style="list-style-type: none"> <li>1. Remove eWIC fields. <a href="#">POSL-56</a>.</li> <li>2. Fixed Multi log issue reported by Darden.</li> </ol> |  |  |  |

## 3.74 V20161123 -> V20161205

### 3.74.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.74.2 Feature Changes

| Summary                                                                                                                                                                                                                                                                               |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <ol style="list-style-type: none"> <li>1. Add "BatchFailedRefNum" and "BatchFailedCount" in the Class BatchResponse.</li> <li>2. Change "TotalCount" to "SAFTotalCount" in the B09 SAF Upload.</li> <li>3. Change "TotalAmount" to "SAFTotalAmount" in the B09 SAF Upload.</li> </ol> |  |  |  |

### Summary

4. Change "UploadedRecords" to "SAFUploadedCount" in B09 SAF Upload and change "UploadRecords" to "SAFUploadedCount" BatchResponse Class.
5. Change "UploadedAmount" to "SAFUploadedAmount" in B09 SAF Upload and change "UploadAmount" in BatchResponse Class.
6. Change "FailedRecords" to "SAFFailedCount" in both B09 SAF Upload Response and BatchResponse Class to match the B01 Batch Close Response.
7. Change "TotalFailed" to "SAFFailedTotal" in both B09 SAF Upload and BatchResponse Class.
8. Change "RecordNumber" to "SAFDeletedCount" in B13 Delete SAF File and change "DeleteRecords" to "SAFDeletedCount" in BatchResponse Class.

## 3.75 V20161115 -> V20161123

### 3.75.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.75.2 Feature Changes

#### Summary

1. Add support fleet SAF.
2. Add the FailedRecords, TotalFailedRecords to the batch close response.
3. Change the property name TotalFailedDatabase to TotalFailed in API guide.

## 3.76 V20161109 -> V20161115

### 3.76.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                          |
|-----------|--------------|-------------|------------------------------------------------------------------|
|           | Fixed        | song.l      | Fixed the log is not complete when receive lots of garbage data. |

### 3.76.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

## 3.77 V20161027 -> V20161109

### 3.77.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.77.2 Feature Changes

| Summary                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Add "CPMODE" to Request Additional message fields. <a href="#">POSL-29</a></li> <li>2. Change the attribute of HostTraceNum to ans...32 in API guide.</li> <li>3. Change the attribute of BatchNum to ans...32 in API guide.</li> </ol> |

## 3.78 V20160926 -> V20161027

### 3.78.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Remove "RECV DATA ERROR" message in log if result code is not "000000".</li> <li>2. Add support for SigSavePath to JAVA Poslink, And Added Save As dialog box for GETSIGNATURE command under Manage Tab. <a href="#">POSL-39</a></li> <li>3. Format of OrigTransDate is incorrect. It should be YYYYMMDD. <a href="#">POSL-40</a></li> <li>4. Add a section that lists all the POSLink error messages and the message description in the POSLink API. <a href="#">POSL-43</a></li> <li>5. Fixed Timer thread leaking issue.</li> <li>6. Set default log path is current installation path.</li> <li>7. Show the SDK version in log file. <a href="#">POSL-50</a></li> <li>8. Supported Windows UART. <a href="#">POSL-48</a></li> </ol> <p>Fixed issue <a href="#">POSL-41</a></p> |

### 3.78.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.79 V20160915 -> V20160926

#### 3.79.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Fixed the issue which it will always return Sig File Name to POSLink when donot sign signature.</li> <li>2. Added description for SIGNDATA in API guide Ext Data.</li> <li>3. Added NO ENRY ALLOWED error message for 100003 when set entry mode bit map 00000000 in API guide.</li> <li>4. Changed Primary Firmware Version to OS Version on MANAGE response class.</li> <li>5. Fixed the hyperlink of DisProgPrompts does not work in API guide</li> <li>6. Fixed the issue about there are 2 same names of scrBacklightMode in API Guide Revision History.</li> <li>7. Fixed the issue about for payment request Ext Data, set Table Num as 22 then set Account 44 it will clear table number, but if set Account as 44 first then set table num as 22, it does not clear Account, it should be same logic. It should reset the Ext Data.</li> </ol> |

#### 3.79.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.80 V20160902 -> V20160915

#### 3.80.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                            |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | Fixed issue which is JAVA POSLink will return VisaFleet as the CardType which is incorrect when swiping a card that not in our bin range. OTHER should be returned |

#### 3.80.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.81 V20160818 -> V20160902

#### 3.81.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                         |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Fixed missing "GetSign, "EntryModeBitmap", "ReceiptPrint", "DisProgPrompts", "OrigTransTime" in ExtData of Android Demo.</li> <li>2. Fixed TaxAmt and Fuel Amount are missing "it included in transaction amount." <a href="#">POSL-30</a></li> </ol> |

#### 3.81.2 Feature Changes

| Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Change transaction type "INCREMENTAL" to "INCREMENTALAUTH".</li> <li>2. Add new transaction types "BALANCEWITHLOCK" and "REDEMPTIONWITHUNLOCK".</li> <li>3. Change properties "RemovecardMessage1" and "RemovecardMessage2" to "Message1" and "Message2".</li> <li>4. Add method "ConvertSigToPic" in PaymentResponse Class.</li> <li>5. Add properties "SigFileName" and "SignData" in PaymentResponse Class.</li> <li>6. In Android demo, supported save signature file in specific path.</li> </ol> |

### 3.82 V20160713 -> V20160818

#### 3.82.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                                                                                                 |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Fixed Ethernet &amp; UART EOT logic bug, see <a href="#">POSLINK-19</a>.</li> <li>2. Fixed CurrencyCode, CountryCode are missing in the POSLink.</li> <li>3. Change VarName on the POSLinkTest to match with the API Guide.<br/>Updated API guide.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary                                                     |
|-----------|--------------|-------------|-------------------------------------------------------------|
|           | Fixed        | song.l      | Update API guide to mention the default log level is DEBUG. |

#### 3.82.2 Feature Changes

| Summary |
|---------|
|---------|



### Summary

1. Add "GetSign", "EntryModeBitmap", "ReceiptPrint" in ExtData in PaymentRequest Class. See [POSL-25](#).
2. Add Timeout to POSLink Debug Log, see [POSL-20](#).
3. Add Set/Get Multiple Parameters, see [POSL-18](#).
4. Supported TLSv1.2. see [POSL-11](#).
5. Change the name Max Length/ Min Length to Max Account Length/Min Account Length on POSLinkTest.
6. Add Properties "EnableHardKey", "HardKeyList" in ManageRequest Class.

### Summary

1. The cardtype definition value is a fixed 2-digits value.
2. Add the US, RS definition in the POSLink API same as the low level spec.
3. Add "FirstName", "LastName", "EmailAddress", "CourtCode", "StateCode", "CityName" in ExtData in paymentRequest Class and add the abbreviation in appendix.
4. Add "POSEchoData", "GATEWAYID" in ExtData in paymentRequest Class.
5. Update the description of Void TransType: "Void/Reverse a transaction from an unsettled batch".
6. Add "Street 2" in PaymentRequest Class.
7. Add "scrBacklightMode", "stationNo", "dateTime", "thankYouLine", "scrBacklightMode", "surchargeFeeName" to configurable parameters.
8. Add tag 9F10 & 8A& 9F27 in additional info to response of command Txx and R02.
9. Update the document that Industry Type should be read only.
10. Add description about host trace number "This field usually holds the SEQ\_ID or STAN".
11. Add better descriptions about the difference between the "ParseTransType" vs "ParseTrans" API calls.
12. Add Configurable Parameter Definition: primary "W" = WIFI "G" = Wireless.
13. Add "ECRTransID" in PaymentRequest Class.
14. Add "Currency" and "Password" InputType in MangeRequest Class.
15. Add Properties "ButtonKey1", "ButtonKey2", "ButtonKey3" for ShowTextBox.
16. Add new Trans Types named "INCREMENTAL", "GETCONVERTDETAIL" and "CONVERT".
17. Add lodging data definition in PassThru Data.
18. Update "REF NO MISSING" description to "The ECR reference number is missing".
19. Add more fields in "Init" command response. Fixed INIT command issue.

### Summary

1. Add ConvertSigToPic method in ManageRequest Class.
2. Remove Log size limitation function.
3. Update API guide for above changes.

## 3.83 V20160704 -> V20160713

### 3.83.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                |
|-----------|--------------|-------------|----------------------------------------|
|           | Fixed        | song.l      | Remove android dependency in JAVA SDK. |

| Defect ID | Major Status | Assigned To | Summary                              |
|-----------|--------------|-------------|--------------------------------------|
|           | Fixed        | song.l      | Fix description errors of API guide. |

| Defect ID | Major Status | Assigned To | Summary                                                                          |
|-----------|--------------|-------------|----------------------------------------------------------------------------------|
|           | Fixed        | song.l      | Add valid value description for log duration days and maximum size in API guide. |

### 3.83.2 Feature Changes

| Summary                                          |
|--------------------------------------------------|
| Set default LOG LEVEL to DEBUG instead of ERROR. |

## 3.84 V20160617 -> V20160704

### 3.84.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                    |
|-----------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Fix API guide issues.</li> <li>2. Change &lt;TOKEN&gt; to &lt;Token&gt; in the extData of LocalDetailReport Response.</li> </ol> |

| Defect ID | Major Status | Assigned To | Summary              |
|-----------|--------------|-------------|----------------------|
|           | Fixed        | song.l      | Fix API guide issues |

| Defect ID | Major Status | Assigned To | Summary                                                    |
|-----------|--------------|-------------|------------------------------------------------------------|
|           | Fixed        | song.l      | Keep the parameters' names same with PC POSLink API guide. |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                                                   |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | song.l      | <ol style="list-style-type: none"> <li>1. Change API name 'SETSAFPARA' to 'SETSAFPARAMETERS'.</li> <li>2. AuthorizeCard. Change filed name 'Merchant fee' to 'SurchargeAmt'.</li> <li>3. Update the API guide.</li> </ol> |

### 3.84.2 Feature Changes

#### Summary

Add 2 edit text widgets under Log Setting item in android demo which are used for user to set maximum duration days and maximum size of log file.

#### Summary

1. Delete log file which size is over Maximum storage size (default is 30 MB) before writing log.
2. Delete log file which saved is over Maximum storage days (default is 30 days) before writing log.
3. Add "getMaxLogDays", "getMaxLogSize", "setMaxLogDays" and "setMaxLogSize" in methods LogSetting Class.

#### Summary

Add Show TextBox(A56)(A57) command.

### 3.85 V20160121 -> V20160617

#### 3.85.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                    |
|-----------|--------------|-------------|------------------------------------------------------------|
|           | Fixed        | song.l      | Fix AUTHORIZECARD missing MERCHANT FEE, TAX AMOUNT fields. |

| Defect ID | Major Status | Assigned To | Summary                                |
|-----------|--------------|-------------|----------------------------------------|
|           | Fixed        | kim.l       | Fix a serial port bug on Casio vr7000. |

| Defect ID | Major Status | Assigned To | Summary                                          |
|-----------|--------------|-------------|--------------------------------------------------|
|           | Fixed        | kim.l       | Fix a timer bug which may cause memory overflow. |

| Defect ID | Major Status | Assigned To | Summary                             |
|-----------|--------------|-------------|-------------------------------------|
|           | Fixed        | kim.l       | Added success prompt for WebService |

| Defect ID | Major Status | Assigned To | Summary                                                              |
|-----------|--------------|-------------|----------------------------------------------------------------------|
|           | Fixed        | kim.L       | In some cases, there is no prompt when failed to get ip from server. |

### 3.85.2 Feature Changes

#### Summary

1. Add Store & Forward (SAF) features.
2. Add SAF Upload/Summary Report/Delete/Set Parameter APIs.

### 3.86 V20160106 -> V20160121

#### 3.86.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                               |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------|
|           | Fixed        | kim.L       | Payment > Request > Trans Type, "GETCONVERTDETAIL" and "CONVERT" are missing.                                         |
|           | Fixed        | kim.L       | Payment > Request > Ext Data > Additional Information 1 > PassthruData > LEVEL3, there is no "L3CmdtyCode" textfield. |
|           | Fixed        | kim.L       | Payment > Request > Ext Data > Additional Information 2, there is no "Gateway ID" textfield.                          |
|           | New          | kim.L       | Integrate those external Jars into the apk file(Android demo).                                                        |
|           | Fixed        | kim.l       | Correct some prompts while processing.                                                                                |
|           | Fixed        | kim.l       | Remove the redundant "Timeout" option under Manage > SHOWDIALOG.                                                      |

#### 3.86.2 Feature Changes

#### Summary

Update Webservice.

### 3.87 V20131128 -> V20160106

#### 3.87.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                |
|-----------|--------------|-------------|------------------------|
| 54        | Fixed        | Luke.l      | Send data error issue. |

#### 3.87.2 Feature Changes

#### Summary

Sync with PC version.

### 3.88 V20130809 -> V20131128

#### 3.88.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                  |
|-----------|--------------|-------------|--------------------------------------------------------------------------|
| 51        | Fixed        | Luke.I      | [Common Requirement]Please add command "Input Text" to POSLINK and PETE. |
| 52        | Fixed        | Luke.I      | [Common Requirement]Please add command "Check File" to POSLINK and PETE. |
| 53        | Fixed        | Luke.I      | POSLINK with Android always failed in Update Image via UART.             |

#### 3.88.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.89 V20130731 -> V20130809

#### 3.89.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                              |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| 50        | Fixed        | Luke.I      | [POSLink Requirement]Please update POSLink to support FPS response. Please add an item in "Additional Information" field to indicate the FPS status. |

#### 3.89.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.90 V20130729 -> V20130731

#### 3.90.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                          |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------|
| 49        | New          | Luke.I      | The warning Receive data error will pop up to press cancel process button in UART communication. |

#### 3.90.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|-----------|--------------|-------------|---------|

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.91 V20130724 -> V20130729

#### 3.91.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                         | Sub-Product   |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------|---------------|
| 46        | Fixed        | Luke.I      | It will display "TIMEOUT SET ERROR" to send anything before click "Set" button in comm.setting. | Sample Codes  |
| 47        | Fixed        | Luke.I      | It will return TIMEOUT INVALID warning to input the Timeout 1000.                               | API Documents |

#### 3.91.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.92 V20130517 -> V20130724

#### 3.92.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                         | Sub-Product  |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 24        | Fixed        | luke.I      | [POSLink Requirement]MT30 support 3 images, can we have a API that tells the MT30 to display which image (Disable the auto scrolling).                          | JAR          |
| 25        | Fixed        | luke.I      | [POSLink Requirement]Can we update Android POSLink supports MT30 report status, such as, ready for card swipe, ready for pin entry, ready for signature, etc... | JAR          |
| 41        | Fixed        | luke.I      | [POSLink Requiriement]Please add "Swipe Any Time" feature.                                                                                                      | JAR          |
| 42        | Fixed        | luke.I      | [POSLink Requiriement]Please add some default values in the POSlink test application.                                                                           | Sample Codes |
| 43        | Fixed        | luke.I      | Please add "GetPINBLOCK"/"Input Account" to POSLINK API.                                                                                                        | JAR          |
| 44        | Fixed        | luke.I      | [POSLink Requirement]Please add                                                                                                                                 | JAR          |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                       | Sub-Product |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|           |              |             | "REBOOT" API to POSLINK.                                                                                                                      |             |
| 45        | Fixed        | luke.l      | [POSLink]As MCR wants to support the EBT Balance Inquiry for both FoodStamp and CashBenefit. Please update POSLink to meet their requirement. | JAR         |

### 3.92.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

## 3.93 V20130515 -> V20130517

### 3.93.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                  | Sub-Product |
|-----------|--------------|-------------|----------------------------------------------------------|-------------|
| 38        | Fixed        | morley.m    | Svn folder in the POSLink.jar package should be removed. | JAR         |

### 3.93.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

## 3.94 V20130326 -> V20130515

### 3.94.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                        | Sub-Product  |
|-----------|--------------|-------------|----------------------------------------------------------------|--------------|
| 38        | Fixed        | morley.m    | Svn folder in the POSLink.jar package should be removed.       | JAR          |
| 39        | Fixed        | morley.m    | It will crash to send request via UART.                        | Sample Codes |
| 40        | Fixed        | charles.w   | It will display unpack error message to do credit transaction. | JAR          |

### 3.94.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.95 V20120213 -> V20130326

#### 3.95.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                         |
|-----------|--------------|-------------|-------------------------------------------------|
| 37        | Fixed        | morley.m    | All extdata cannot be displayed in the windows. |

| Defect ID | Major Status | Assigned To | Summary                                                                                                 |
|-----------|--------------|-------------|---------------------------------------------------------------------------------------------------------|
| 28        | Fixed        | brain.c     | [HC_Retail, TC_Restaurant]the response of get variable "Header/Trailer" doesn't match poslinkapi guide. |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                                                                   | Fixed in Version  |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 19        | Fixed        | brain.c     | [POSLink Requirement]Please update Android POSLink same to the latest version for PC                                                                                                      | V1.00.02_20130321 |
| 20        | Fixed        | brain.c     | [POSLink Requirement]The Android POSLink test application's DoSignature's timeout, the unit is wrong (it should be 01.sec). This confusing their developer and creating a lot of problem. | V1.00.02_20130321 |
| 22        | Fixed        | brain.c     | [POSLink Requirement]signature upload flag support for Android POSLink.                                                                                                                   | V1.00.02_20130321 |
| 23        | Fixed        | brain.c     | [POSLink Requirement]When the MT30 displaying the "Thank you" screen API calls will fail.                                                                                                 | V1.00.02_20130321 |
| 27        | Fixed        | brain.c     | [Common Requirement]When Signature flag is used, we send should the signature capture status back to the POSLink or ECR.                                                                  | V1.00.02_20130321 |
| 28        | Fixed        | brain.c     | [HC_Retail, TC_Restaurant]the response of get variable "Header/Trailer" doesn't match poslinkapi guide.                                                                                   | V1.00.02_20130321 |
| 29        | Fixed        | brain.c     | For Force in Ext.Data, only T should be                                                                                                                                                   | V1.00.00_20120213 |



| Defect ID | Major Status | Assigned To | Summary                                                                                                                     | Fixed in Version  |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------|
|           |              |             | the valid value. Other value except "T" should be omitted.                                                                  |                   |
| 30        | Fixed        | brain.c     | [POSLink]When terminal is waiting for card data, both swiped and keyed, POSLink should be available to cancel the API call. | V1.00.02_20130321 |

| Defect ID | Major Status | Assigned To | Summary                                                                                                      | Fixed in Version  |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------|-------------------|
| 2         | Fixed        | brain.c     | The review result of API Guide.                                                                              | V1.00.01_20120822 |
| 12        | Fixed        | brain.c     | API Guide review.                                                                                            | V1.00.01_20120822 |
| 13        | Fixed        | brain.c     | "Version" field in request should be "1.18" now.                                                             | V1.00.01_20120822 |
| 17        | Fixed        | brain.c     | Update Image using UART CommType, return response OK, but in fact MT30 not receive the images.               | V1.00.01_20120822 |
| 18        | Fixed        | brain.c     | POSLinkDemo: After checking signature detail, the input information should be kept when back to Manage page. | V1.00.01_20120822 |

| Defect ID | Major Status | Assigned To | Summary                                                                           |
|-----------|--------------|-------------|-----------------------------------------------------------------------------------|
| 4         | Fixed        | brain.c     | The description of the refnum of paymentresponse is error.                        |
| 5         | Fixed        | brain.c     | Review User Manual of Casio Android ECR.                                          |
| 7         | Fixed        | brain.c     | A bug related to MT30.                                                            |
| 9         | Fixed        | brain.c     | Support Original Host PNRef number for Return transactions.                       |
| 10        | Fixed        | brain.c     | Download the images into MT30.                                                    |
| 11        | Fixed        | brain.c     | Send the ManageRequest to MT30 to trigger the signature screen with 5 parameters. |
| 12        | Fixed        | brain.c     | API Guide review.                                                                 |
| 13        | Fixed        | brain.c     | "Version" field in request should be "1.18" now.                                  |
| 14        | Fixed        | brain.c     | It's better to use interger for "Upload" field.                                   |
| 15        | Fixed        | brain.c     | "TipRequest=1" description.                                                       |

### 3.95.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

## 3.96 V20120209 -> V20120213

### 3.96.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                                   |
|-----------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 36        | Fixed        | halwin.h    | TableNum error.                                                                                                                           |
| 37        | Rejected     | susan.w     | The voucher number only valid in EBT Voucher TransType, pls check it.                                                                     |
| 38        | Fixed        | susan.w     | When set EBTFoodStampVoucher = T, make no use, still be EBTFoodStamp, but shall be EBTVoucher, pop to enter voucher number, pls check it. |
| 39        | Fixed        | susan.w     | Do EBTFoodStamp transaction, the response not including EBTFoodStampVoucher item, pls check it.                                           |
| 40        | Fixed        | susan.w     | Set <Force>T</Force>,return DUP TRANSACTION, but shall do transaction successfully, the host will not check for duplicate.                |

### 3.96.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

## 3.97 V20120119 -> V20120209

### 3.97.1 Fixed Issues

| Defect ID | Major Status | Assigned To | Summary                                                                                                                      |
|-----------|--------------|-------------|------------------------------------------------------------------------------------------------------------------------------|
| 5         | Fixed        | susan.w     | Input ExtData:<br><Account>373953191351005</Account><ExpDate>1212<ExpDate><br>,Will run error:Only one root element allowed. |
| 7         | Fixed        | susan.w     | When CVV value is written on Eclipse, it still prompts input CVV on POS Simulator.                                           |
| 12        | Fixed        | susan.w     | When do back close with EBT sale,the response of EBTCOUNT not correct.                                                       |

| Defect ID | Major Status | Assigned To | Summary                                                                                                                        |
|-----------|--------------|-------------|--------------------------------------------------------------------------------------------------------------------------------|
| 13        | Fixed        | susan.w     | When batch clear EBT, Please see the problem from the Description.                                                             |
| 14        | Fixed        | susan.w     | Do Local Total Report, input cardtype=0, will running error, see from the attach file.                                         |
| 15        | Fixed        | susan.w     | Do Local Detail Report ,make card type =0 invalid, will give the error see from the attch file.                                |
| 16        | Fixed        | susan.w     | When port = 65536,will return the error, please see from the attach file.                                                      |
| 17        | Fixed        | susan.w     | When port = -1, will return the error, please see from the attach file.                                                        |
| 19        | Fixed        | susan.w     | The TransType in Payment page of sample code is not correct, pls see from the attach file.                                     |
| 20        | Fixed        | susan.w     | According to bug13, will change the API Document description about EDCType in Batch Request, pls also modify sample code UI.   |
| 21        | Fixed        | susan.w     | Please delete all the PaymentType with * in Batch page of sample code.See from the attach file.                                |
| 22        | Fixed        | susan.w     | Missing CashBackAmt in Payment of sample code.                                                                                 |
| 24        | Fixed        | halwin.h    | Request line and Response line are not in the same horizon. I suggest disigning them in the same horizon.                      |
| 25        | Fixed        | susan.w     | Add 'Please Select' list item.                                                                                                 |
| 27        | Fixed        | halwin.h    | Doing ShouMessage test, message recognition error.                                                                             |
| 28        | Fixed        | halwin.h    | Response message displays as two rows.                                                                                         |
| 29        | Fixed        | halwin.h    | Doing LocalTotalReport test, when chose EDCType as CREDIT and CardType as VISA, then chose EDCType as DEBIT, it appears Error. |
| 30        | Fixed        | halwin.h    | ComboBox error.                                                                                                                |
| 31        | Fixed        | halwin.h    | In Report section, Response boxes can be written.                                                                              |

### 3.97.2 Feature Changes

| Defect ID | Major Status | Assigned To | Summary |
|-----------|--------------|-------------|---------|
|           |              |             | None.   |

### 3.98 V20120111 -> V20120119

#### 3.98.1 Fixed Issues

##### Summary

1. Modify the syntax error "withdrawal" and "cashout".
2. Modify the get signature transaction.
3. Modify the EBTFoodStampVoucher to EBType in ReportResponse.

#### 3.98.2 Feature Changes

##### Summary

1. Add simulator installPackage.
2. Modify the sample according to the new requirement.
3. Modify API Guide CommSetting Class.
4. Modify POSLink according to new interface(V20111231),add payment transactions.

## 4 Known Issues, Limitations, and Restrictions

None.

## 5 Related Documentation

None.