

# VIP-TEC



## 2020-2021

*" Make your life easier with VIP-TEC. "*

Turkey  
Discover  
the potential



As Ar Metal, we combine our **VIP-TEC** brand with our 40 years of experience in the sector, and we produce professional utility knives with high-quality standards for you with the awareness that quality is always superior to quantity. We know that success is not about the number of work done, but to create a satisfied customer mass as a result of the work done properly. With our belief in innovation, R&D, and after-sales support, we aim to bring our customers together with quality products and good service. We know how important trust is in business life as it is in all areas of our lives and we support you as your business partner that always gives you confidence. In addition to our utility knives that are proper for professional purposes, we also develop the most suitable utility knife models for you in daily life. With our solution-oriented business model, we are ready to be your business partner and provide all the necessary support by offering you a continuous working opportunity.

Building a world that offers everyone a safer and more comfortable cutting experience

Providing cutting experience with minimum risk, maximum comfort and safety






# CONTENTS

Anatomy Of Vip-Tec Utility Knife	6
Metal Utility Knives	7 - 13
Plastic Utility Knives	14 - 26
Safety Utility Knives	27 - 29
Hook Blade Utility Knives	30 - 32
Precision Utility Knives	33 - 35
Scraper	36 - 39
Spare Blade	40
Special For You	41
Usage Recommendations	42
Certificates	43

# ANATOMY OF VIP-TEC UTILITY KNIFE

VIP-TEC



- 1** More comfortable and professional cutting experience thanks to double grinding snap-off blade
- 2** Safer cutting experience thanks to extended blade channel
- 3** Ergonomic handle that provides comfortable grip with metal and plastic options
- 4** Hangable body
- 5** Portable cover designed for blade replacement
- 6** Ratchet-Lock mechanism
- 7** Auto-Lock mechanism

PRECISION **9 mm**

- Cardboard
- Wallpaper
- Paper
- Foamboard
- Caulking
- Plastic strip
- Cutting edges



HEAVY-DUTY **18 mm**

- Dry Wall
- Roofing
- Flooring
- Rubber
- Linoleum
- Gasket Materials
- Cutting edges



EXTRA HEAVY-DUTY **25 mm**

- Rope
- Nylon
- High Pressure Laminates
- Flexible Plastics
- Expansion Plastics
- Upholstery
- Cutting edges




**STURDY  
STRONG  
SHARP  
SAFE**





CODE NO	Lmm	Wmm	36	24
VT875109	165 mm	18 mm	216	192



*It is providing a soft grip with dual-component technology on the metal body.*

## Product Specifications

Handle	Aluminium
Mechanism	Auto - Lock
Color Options	
Length (mm)	165
Blade Width (mm)	18
Weight (Gram)	110
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875110	160 mm	18 mm	216	192



## Product Specifications

Handle	Aluminium
Mechanism	Auto - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	113
Compatible Blade	VT875000


## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875111	165 mm	18 mm	216	192
VT875111V	165 mm	18 mm	216	192



The durable metal body has been designed for difficult cutting operations and long-term use.



## Product Specifications

Handle	Aluminium
Mechanism	Auto - Lock Ratchet - Lock
Color Options	
Length (mm)	165
Blade Width (mm)	18
Weight (Gram)	105
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875117	165 mm	18 mm	216	192



## Product Specifications

Handle	Aluminium
Mechanism	Auto - Lock
Color Options	
Length (mm)	165
Blade Width (mm)	18
Weight (Gram)	100
Compatible Blade	VT875000


## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875122	165 mm	18 mm	216	192



*It has ergonomic design  
for easy to use with  
lightweight metal body*

## Product Specifications

Handle	Aluminium
Mechanism	Auto - Lock
Color Options	
Length (mm)	165
Blade Width (mm)	18
Weight (Gram)	84
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	432
VT875112	140 mm	9 mm	540	432



## Product Specifications

Handle	Aluminium
Mechanism	Auto - Lock
Color Options	
Length (mm)	140
Blade Width (mm)	9
Weight (Gram)	43
Compatible Blade	VT876000 VT876001

## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



**STURDY**



**STRONG**




**SHARP**





CODE NO	Lmm	Wmm		
VT875101	160 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	78
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875103	160 mm	18 mm	360	192
VT875103V	160 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock Ratchet - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	77
Compatible Blade	VT875000


## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	24
VT875105	160 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	71
Compatible Blade	VT875000


## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875106	160 mm	18 mm	360	192



### Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	69
Compatible Blade	VT875000



### Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875107	165 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	165
Blade Width (mm)	18
Weight (Gram)	37
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	24
VT875108	150 mm	19 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	150
Blade Width (mm)	19
Weight (Gram)	37
Compatible Blade	VT874000 VT874001



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875114	160 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	68
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	192
VT875115	170 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	170
Blade Width (mm)	18
Weight (Gram)	72
Compatible Blade	VT875000


## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	24
VT875118	160 mm	18 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	160
Blade Width (mm)	18
Weight (Gram)	54
Compatible Blade	VT875000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	36
VT875102	135 mm	9 mm	720	432



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	135
Blade Width (mm)	9
Weight (Gram)	25
Compatible Blade	VT876000 VT876001

## Packaging Options




Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓





CODE NO	Lmm	Wmm	
VT875125	195 mm	25 mm	240
VT875125V	195 mm	25 mm	240



*It has been designed for all kinds of professional and heavy cutting works.*



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock Ratchet - Lock
Color Options	
Length (mm)	195
Blade Width (mm)	25
Weight (Gram)	132
Compatible Blade	VT877000

## Packaging Options




Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✗	✓	✗	✓





CODE NO	Lmm	Wmm		
VT875116	145 mm	19 mm	360	192



As soon as you remove your finger from blade slider, the blade will retract into the handle with auto-retracting system.



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Retracting
Color Options	
Length (mm)	145
Blade Width (mm)	19
Weight (Gram)	59
Compatible Blade	VT874000



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875104	155 mm	19 mm	180	192



## Product Specifications

Handle	Aluminium (Metal)
Mechanism	Auto - Retracting
Color Options	
Length (mm)	155
Blade Width (mm)	19
Weight (Gram)	103
Compatible Blade	VT874000 VT874001



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm		
VT875120	155 mm	19 mm	180	192



## Product Specifications

Handle	Aluminium (Metal)
Mechanism	Auto - Retracting
Color Options	
Length (mm)	155
Blade Width (mm)	19
Weight (Gram)	103
Compatible Blade	VT874000 VT874001

## Packaging Options





Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓





CODE NO	Lmm	Wmm		
VT875121	150 mm	19 mm	360	192



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	150
Blade Width (mm)	19
Weight (Gram)	37
Compatible Blade	VT874000 VT874001

## Packaging Options





Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓





CODE NO	Lmm	Wmm		
VT875113	130 mm	9 mm	720	432



## Product Specifications

Handle	Inox
Mechanism	Auto - Lock
Color Options	
Length (mm)	130
Blade Width (mm)	9
Weight (Gram)	12
Compatible Blade	VT876000 VT876001



## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓



CODE NO	Lmm	Wmm	36	36
VT875119	130 mm	9 mm	720	432



## Product Specifications

Handle	ABS Plastic
Mechanism	Auto - Lock
Color Options	
Length (mm)	130
Blade Width (mm)	9
Weight (Gram)	16
Compatible Blade	VT876000 VT876001

## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	✓	✓	✓	✓


VIP-TEC

VIP-TEC





CODE NO	Lmm	Wmm	
VT875123	180 mm	60 mm	288 



*It is suitable to clean remaining of materials which are tightly stuck to surface.*



## Product Specifications

Handle	ABS Plastic
Color Options	
Length (mm)	180
Blade Width (mm)	60
Weight (Gram)	29
Compatible Blade	VT874000



## Packaging Options



Blister	Case	Standard Box	Display Box	Metal Stand
X	✓	✓	X	✓



CODE NO	Lmm	Wmm	
VT875130	110 mm	38 mm	360



*High scraping performance  
on the tight surface and  
easy portable design.*

## Product Specifications

Handle	ABS Plastic
Color Options	● ● ● ●
Length (mm)	110
Blade Width (mm)	38
Weight (Gram)	25
Compatible Blade	VT879000


## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
X	X	✓	X	X



CODE NO	Lmm	Wmm	
VT875131	155 mm	100 mm	360



High scraping performance on the wide surfaces and corner points.

## Product Specifications

Handle	ABS Plastic
Color Options	
Length (mm)	155
Blade Width (mm)	100
Weight (Gram)	76
Compatible Blade	VT875000

## Packaging Options



Blister	Body Sleeve	Standard Box	Display Box	Metal Stand
✓	X	✓	X	X

## Spare Blade

**VIP-TEC**



VT874000



VT874001



VT879000



VT876000



VT875000



VT876001



VT877000

CODE NO	Lmm	Wmm	<sup>36</sup>
VT874000	60 mm	19 mm	100
VT874001	48 mm	19 mm	100
VT879000	38 mm	19 mm	100

CODE NO	Lmm	Wmm	<sup>36</sup>
VT875000	100 mm	18 mm	100
VT876000	80 mm	9 mm	100
VT876001	74 mm	9 mm	100
VT877000	125 mm	25 mm	100

# SPECIAL FOR YOU

YOUR DESIRED LOGO  
ITEM CODE BARCODE

COLOR  
OPTIONS

YOUR DESIRED BOX DESIGN



## PACKAGING OPTIONS

Blister Body Sleeve Standard Box Display Box Metal Stand



# USAGE RECOMMENDATIONS




## Retract Blade into Handle When The Utility Knife is Not in Use.

Utility Knife Blade may cause an injury when it is the open mode. For that reason, we highly recommend you check your utility knife blade once you finish your cutting work and retract the blade into the utility knife handle when it is not in use.



## Do Not Use Utility Knife for The Improper Purpose.

Using your utility knife for improper purposes may lead to unwanted accidents. For that reason, we don't recommend using a utility knife as a scraper, screwdriver, chisel, or kitchen knife.



## Do Not Talk or Look Away When You Cut Material.

Cutting work requires all of your attention that's why you should focus on your cutting works and avoid talking and looking away.



## Cut Your Materials on Stable Surface.

Please pay attention to placing your cutting materials on a stable surface. Thus you could prevent yourself from any cut caused by any tilting or tipping of the materials.



## Use a Cut-Resistant Glove.

We highly recommend you wear a cut-resistant glove in order to protect your hands from any cut or nick.




## Keep Your Body Away From Cutting Line.

So many injuries happen when people keep their body and their other hand so close to the cutting line. We highly recommend you put enough distance between your body and cutting line in order to mitigate all risks that may arise from cut injuries. We also highly recommend you set the cutting line parallel to your body for your safety.



## Use Plier, Glove, and Goggles When Break Off Utility Knife Blade.

We highly recommend you use a plier for a safe break before you break off the utility knife blade. Thus you can grasp the knife more tightly and snap off the blade with less amount of force. In addition to plier, wearing gloves and goggles also enable us to perform cutting works with a higher degree of safety.



## Dispose of Dull Blade and Broken Blade Edge in Puncture-Resistant Container.

As we all know that utility knife blade is sharp and it may cause injuries if we don't store them carefully. In order not to cause any injury or accident, dull blades and broken blade edges must be disposed of in a puncture-resistant container.



## Make Sure You Use Right Utility Knife for Your Cutting Works.

Using proper utility knife makes cutting work easier and safer. If you want to know which utility knife is the best for your cutting work please contact us.

# CERTIFICATES

INTERNATIONAL FIRST CERTIFICATION



INTERNATIONAL FIRST CERTIFICATION

## SERTİFİKA

Bu sertifika,  
**AR METAL VE DÖVMÉ EL ALETLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ**  
 İSTANBUL  
 FİBOZİN BAĞLARI CADDESİ NO:85 AVOLAR İSTANBUL  
 kuruluşunun,  
 ELLE KUMANDALI EL ALETLERİ VE MAKET BİÇAKLARI ÜRETİMİ,  
 PAZARLAMASI VE SATIŞ HİZMETLERİNİN SUNUMU  
 kapsamında,

### OHSAS 18001:2007

İş Sağlığı ve Güvenlik Yönetim Sistemi standartının şartlarına uygun bir yönetim sistemi kurmuştu ve uyguladığını onaylamak üzere verilmiştir.



İk Yayan Tarihi : 26.06.2020  
 Yayan Tarihi : 26.06.2020  
 Sertifika Geçerlik Tarihi : 3 Yı / 25.06.2023  
 Sertifika Bitiş Tarihi : 25.06.2021  
 Sertifika No : IFC-D-06-20-1338

İk Yayan Tarihi : 26.06.2020  
 Yayan Tarihi : 26.06.2020  
 Sertifika Geçerlik Tarihi : 3 Yı / 25.06.2023  
 Sertifika Bitiş Tarihi : 25.06.2021  
 Sertifika No : IFC-Q-D-20-1339

INTERNATIONAL FIRST CERTIFICATION



INTERNATIONAL FIRST CERTIFICATION

## SERTİFİKA

Bu sertifika,  
**AR METAL VE DÖVMÉ EL ALETLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ**  
 İSTANBUL  
 FİBOZİN BAĞLARI CADDESİ NO:85 AVOLAR İSTANBUL  
 kuruluşunun,  
 ELLE KUMANDALI EL ALETLERİ VE MAKET BİÇAKLARI ÜRETİMİ,  
 PAZARLAMASI VE SATIŞ HİZMETLERİNİN SUNUMU

SA-11 İşgörüşməsi,

### ISO 9001:2015

Kalite Yönetim Sistemi standartının şartlarına uygun bir yönetim sistemi kurmuştu ve uyguladığını onaylamak üzere verilmiştir.



İk Yayan Tarihi : 26.06.2020  
 Yayan Tarihi : 26.06.2020  
 Sertifika Geçerlik Tarihi : 3 Yı / 25.06.2023  
 Sertifika Bitiş Tarihi : 25.06.2021  
 Sertifika No : IFC-Q-D-20-1339

INTERNATIONAL FIRST CERTIFICATION



INTERNATIONAL FIRST CERTIFICATION

## SERTİFİKA

Bu sertifika,  
**AR METAL VE DÖVMÉ EL ALETLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ**  
 İSTANBUL  
 FİBOZİN BAĞLARI CADDESİ NO:85 AVOLAR İSTANBUL  
 kuruluşunun,  
 ELLE KUMANDALI EL ALETLERİ VE MAKET BİÇAKLARI ÜRETİMİ,  
 PAZARLAMASI VE SATIŞ HİZMETLERİNİN SUNUMU

SA-11 İşgörüşməsi,

### ISO 14001:2015

Çevre Yönetim Sistemi standartının şartlarına uygun bir yönetim sistemi kurmuştu ve uyguladığını onaylamak üzere verilmiştir.



İk Yayan Tarihi : 26.06.2020  
 Yayan Tarihi : 26.06.2020  
 Sertifika Geçerlik Tarihi : 3 Yı / 25.06.2023  
 Sertifika Bitiş Tarihi : 25.06.2021  
 Sertifika No : IFC-E-08-20-1339

İk Yayan Tarihi : 26.06.2020  
 Yayan Tarihi : 26.06.2020  
 Sertifika Geçerlik Tarihi : 3 Yı / 25.06.2023  
 Sertifika Bitiş Tarihi : 25.06.2021  
 Sertifika No : IFC-E-08-20-1339

# VIP-TEC



**AR METAL** HAND TOOLS CORP.

Bağlar İçi Cad. No: 85 Firuzköy - Avcılar/İSTANBUL

**Phone:** +90 212 690 98 04 pbx. **Fax:** +90 212 690 98 09

**e-mail:** export@vptec.com.tr

[www.viptec.com.tr](http://www.viptec.com.tr)