

Lakeshore Medical Group

1005 Lakeshore Blvd E, Mississauga ON L5E 1E4 | Tel 905-555-0188 Fax 905-555-0189

CONSULTATION REFERRAL

Patient	SANTOS, Rafael	DOB	1992-11-12 (33 M)
Health card	5491-223-660 RS	Phone	905-555-1620
Address	1250 Lakeshore Rd E, Mississauga ON L5E 1E9		
Referred to	Dr. A. Patel - Urology Associates of Ontario, 500 University Ave, Toronto ON		
Date	2026-06-17	Referring MD	Dr. N. Whitfield, CCFP

Reason for referral: 33M with primary infertility and abnormal semen analysis (oligospermia) - please assess.

Dear Dr. Patel,

Mr. Santos and his partner have been trying to conceive for 20 months without success. Her gynecologic workup is reportedly normal. His semen analysis demonstrates oligozoospermia with reduced motility, confirmed on a repeat sample. He has a history of childhood mumps orchitis. Hormonal panel is attached. I would appreciate your assessment for male-factor infertility.

PAST MEDICAL HISTORY

- Mumps orchitis (childhood)
- Mild asthma

PAST SURGICAL HISTORY

- None

ALLERGIES

- No known drug allergies

MEDICATIONS

- Salbutamol inhaler PRN

SOCIAL HISTORY

Non-smoker. Alcohol 2-3/week. No anabolic steroid use. Chef (frequent hot kitchen environment). Married.

FAMILY HISTORY

Non-contributory.

EXAMINATION

Both testes slightly small (~12 mL), soft. No varicocele. Vas deferens palpable bilaterally.

Thank you for seeing this patient. Please do not hesitate to contact me with any questions. Relevant investigations are attached.

Kind regards,

Dr. N. Whitfield, CCFP
Lakeshore Medical Group

Riverside Regional Laboratory

Laboratory Report · Accession 563209

Patient: SANTOS, Rafael		DOB: 1992-11-12	HCN: 5491-223-660 RS	
Collected: 2026-06-14		Ordering: Dr. N. Whitfield, CCFP	Panel: Semen analysis x2 + Reproductive hormones	
Test	Result	Units	Reference	Flag
Sperm concentration (1)	4	million/mL	>15	L
Sperm concentration (2)	6	million/mL	>15	L
Total motility	22	%	>40	L
Normal morphology	2	%	>4	L
FSH	13.8	IU/L	1.5-12.4	H
LH	9.2	IU/L	1.7-8.6	H
Testosterone, total	11.4	nmol/L	8.0-29.0	

H = above reference range · L = below reference range. Results reviewed and electronically verified.