

NetSuite x MyInventory Integration Documentation

Document Version: 1.0

Prepared By: Vertical Solutions

Overview

This document defines the daily file-based integration between MyInventory and NetSuite using an SFTP drop location. The purpose of the integration is to import supplier invoices from MyInventory into NetSuite as Vendor Bills so that due dates are preserved and aging reports can be used.

The integration is driven by a shared SFTP file that NetSuite checks on a daily basis for new or updated files. Each imported transaction must include a company code so that the Vendor Bill is created in the correct NetSuite company/subsidiary.

Integration Method

- Source system: MyInventory.
- Target system: NetSuite.
- Transport method: SFTP shared file.
- Processing frequency: Daily.
- NetSuite import behavior: NetSuite checks the SFTP location daily for file updates.
- Target transaction type in NetSuite: Vendor Bill.

Business Rules

- The integration creates Vendor Bills in NetSuite.
- Vendor Bill is the required transaction type because it supports due date capture and aging reporting.
- Vendors must exist in both systems and should match by the same vendor name in NetSuite and MyInventory.
- Each account defined in MyInventory must have a corresponding mapped account in NetSuite.

- The finalized list of account mappings will be provided once the accounts are available in NetSuite and completed by the PFC Team.
- The integration file must include a company code/client code to route the transaction to the correct company.
- Cost Center Number will be mapped to NetSuite Location.

File Layout

The incoming SFTP file is expected to include the following columns.

Source Column	NetSuite / Mapping	Notes
Company Code / Client	Company / Subsidiary routing	Mandatory for correct company assignment.
Booking Number	Ignore	Not used by NetSuite import.
Period	Taken from date	Accounting period reference derived from transaction date logic if needed.
Posting Date	NetSuite Transaction Date	Used as the transaction date in NetSuite.
Invoice Date	Due Date	Based on provided mapping notes; validate during implementation because this may also be retained as a custom reference if required.
Invoice Due Date	Due Date	Due date for the Vendor Bill.
Invoice Number	Text Field	Stored as a reference field from source.
Interface Transaction Number	Text Field	Stored for traceability.
Document Number	Text Field	Stored for traceability.
Account Type	Ignore	Not imported directly.
Account Codes	Account mapped between NetSuite and MyInventory	Source account must resolve to mapped NetSuite account.
Contra Account Type	Ignore	Not imported directly.
Contra Account	Ignore	Not imported directly unless future balancing logic is added.

Debit/Credit Marker	Debit/Credit	Determines posting direction based on source marker values.
Amount	Tax inclusive amount	Transaction amount inclusive of tax.
VAT	VAT Amt	VAT amount from source.
VAT Rate	VAT Rate	Tax percentage from source.
Tax Key	Ignore	Not used in the current scope unless tax mapping is later introduced.
Description	Supplier Name	Based on current mapping notes and sample structure; confirm whether Description should populate memo/line description and supplier should come from a separate value if available.
Cost Center Number	NetSuite Location	Mapped to NetSuite Location.

Sample Interpretation

Based on the provided sample structure, the file can contain multiple rows for the same invoice or document number to represent the accounting breakdown of a transaction. The Debit/Credit Marker indicates whether the source row is treated as debit or credit, while Account Codes identifies the mapped NetSuite account and Amount/VAT/VAT Rate provide the financial values used during bill creation.

In the sample, fields such as Booking Number, Invoice Number, Interface Transaction Number, and Document Number act as source references that support auditability and reconciliation. Description appears to contain supplier-facing text in the sample and should be validated during design to determine whether it represents supplier name, memo text, or both.

Processing Logic

1. NetSuite polls the agreed SFTP location once per day.
2. When a new or updated file is found, NetSuite reads each record in the file.
3. The company code/client code determines the target company for the transaction.
4. The vendor name must match an existing vendor record in NetSuite.
5. The account code must resolve to a valid mapped NetSuite account.
6. The cost center number is translated to the corresponding NetSuite Location.

7. The transaction is created in NetSuite as a Vendor Bill using the transaction date and due date from the file.
8. Source reference values should be stored in text or custom fields for reconciliation and troubleshooting.

Validation Rules

- Reject or hold records where company code/client code is blank or invalid.
- Reject or hold records where vendor name does not exist in NetSuite.
- Reject or hold records where account code is not mapped to a NetSuite account.
- Reject or hold records where required dates are missing or invalid.
- Reject or hold records where Amount, VAT, or VAT Rate contain invalid numeric values.
- Log Booking Number, Interface Transaction Number, Document Number, and Invoice Number for reconciliation.

Assumptions And Open Items

- Account mapping is pending completion by the PFC Team and will be finalized before go-live.
- Vendor matching is assumed to be by exact vendor name unless a future unique external ID is introduced.
- The exact destination fields for Invoice Number, Interface Transaction Number, and Document Number should be confirmed during technical design.
- The sample indicates some columns are ignored in the current phase; those fields can be revisited if balancing, tax, or reporting requirements expand.
- The relationship between Description and Supplier Name should be confirmed, because the written mapping notes and sample image suggest this field may be carrying supplier text.
- File naming convention, archive/error folder behavior, and duplicate file handling rules should be agreed during implementation.

Recommended Technical Notes

- Use unique source identifiers to prevent duplicate Vendor Bill creation when the same file is reprocessed.

- Maintain an import log in NetSuite showing file name, processing timestamp, record count, success count, and error count.
- Store source references on the transaction header and, if needed, at line level for audit traceability.

I hereby confirm the mentioned scope above

Name:

Muhammad Rizwan

Signature:

