


TIO
TUTKU
INTERNATIONAL
OTOMOTIVE



DISKE



BEST CHOICE FOR SPARE PARTS

Trust is not given freely, it has to be earned. With VAG MAX, trust is secured by way of our expansive and evolving range of high-quality products, combined with continuous precision and dependable service.

Our TUTKU INTERNATIONAL OTOMOTIVE are the beating heart of the VAG STRONG brand.

DISKE







PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-5619	BRAKE DISC		1K0615601M	→	AUDI SEAT SKODA VW 1K0615601AD 5Q0615601G 1K0615601M JZW615601F	AUDI A3 (8P1) (03-13) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Sportback (8PA) (04-15) AUDI Q3 (8UB, 8UG) (11-20) SEAT ALHAMBRA (710, 711) (10-0) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT LEON (1P1) (05-13) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA SUPERB II (3T4) (08-15) SKODA SUPERB II Estate (3T5) (09-15) SKODA SUPERB III (3V3) (15-0) SKODA SUPERB III Estate (3V5) (15-0) SKODA YETI (5L) (09-17) VW CC B7 (3S8) (11-16) VW EOS (1F7, 1F8) (06-15) VW GOLF PLUS V (5M1, 5Z1) (04-13)	Brake disc type full Outside diameter [mm] 282 Brake disc thickness [mm] 12 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608835 Model JP-GROUP Trade numbers 1163200900, 1163200909 Manufacturer part number 1163205900
	VD-5606	BRAKE DISC		8D0615601B	→	AUDI 8D0615601B 8D0615301B 8D0615301B 8D0615601B	AUDI A4 B5 (8D2) (94-01) AUDI A4 B5 Avant (8D5) (94-02)	Outside diameter [mm] 245 Rim, number of holes 5 Height [mm] 83.6 Brake disc type full Centering diameter [mm] 45.2 Brake disc thickness [mm] 10 Minimum thickness [mm] 8 Surface coated Brand range Economical Maker SAMKO Assembly side Rear axle EAN 8032928099929 Model TOTAL COATED Trade numbers A1481PR Manufacturer part number A1481PR
	VD-4060	BRAKE DISC		4A0615601A	→	AUDI 4A0615601A AUDI JZW615601C 4A0615301A 8E0615601 SKODA VW	AUDI 100 C4 Avant (4A5) (90-94) AUDI 100 C4 Saloon (4A2) (90-94) AUDI A6 C4 (4A2) (94-97) AUDI A6 C4 Avant (4A5) (94-97) AUDI A6 C5 (4B2) (97-05) AUDI A6 C5 Avant (4B5) (97-05) SKODA SUPERB I (3U4) (01-08) VW PASSAT B5 (3B2) (96-01) VW PASSAT B5 Variant (3B5) (97-01) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Brake disc type full Outside diameter [mm] 245 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608873 Model JP-GROUP Trade numbers 1163201809 Manufacturer part number 1163206300
	VD-6075	BRAKE DISC		8K0615601B	→	AUDI 8K0615601M AUDI 8K0615601J 8K0615601B	AUDI A4 Allroad B8 (8KH) (09-16) AUDI A4 B8 (8K2) (07-16) AUDI A4 B8 Avant (8K5) (07-15) AUDI A5 (8T3) (07-17) AUDI A5 Convertible (8F7) (09-17) AUDI A5 Convertible (F57, F5E) (16-0) AUDI A5 Sportback (8TA) (07-17) AUDI A6 C7 (4G2, 4GC) (10-18) AUDI A6 C7 Avant (4G5, 4GD) (11-18) AUDI A7 Sportback (4GA, 4GF) (10-18) AUDI Q5 (8RB) (08-17) AUDI Q5 (FYB, FYG) (16-0)	Type de disque de frein plein Diamètre extérieur [mm] 300 Épaisseur du disque de frein [mm] 12 Nombre de trous 5 Surface revêtu Côté d'assemblage Essieu arrière Gamme de la marque Economie
	VD-5637	BRAKE DISC		1K0615601AA	→	VW 1K0615601AA	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 (8P1) (03-13) AUDI A3 (8V1, 8VK) (12-20) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) SKODA OCTAVIA II (1Z3) (04-13) VW EOS (1F7, 1F8) (06-15) VW GOLF VI (5K1) (08-14) VW GOLF VI Convertible (517) (11-16)	Height [mm] 48.3 Rim, number of holes 9 Brake disc type full Brake disc thickness [mm] 10 Minimum thickness [mm] 8 Outside diameter [mm] 272 Centering diameter [mm] 65 Surface coated Brand range Economical Maker SAMKO
	VD-3021	BRAKE DISC		7H0615601B	→	VW 7E0615601D VW 7H0615601B	BENTLEY CONTINENTAL Convertible (3W_, 394) (06-0) VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) (03-15) VW MULTIVAN VI (SGF, SGM, SGN, SHM, SHN) (15-0) VW TRANSPORTER V Bus (7HB, 7HJ, 7EB, 7EJ) (03-15) VW TRANSPORTER V Platform/Chassis (7JD, 7JE, 7JL, 7JY, 7JZ, 7FD) (03-15) VW TRANSPORTER V Van (7HA, 7HH, 7EA, 7EH) (03-0) VW TRANSPORTER VI / CARAVELLE VI Bus (SGB, SGJ, SHB, SHJ) (15-0) VW TRANSPORTER VI Platform/Chassis (SFD, SFE, SFL, SFZ, SID, SI) (15-0) VW TRANSPORTER VI Van (SGA, SGH, SHA, SHH) (15-0)	Brake disc type ventilated Outside diameter [mm] 294 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608903 Model JP-GROUP Trade numbers 1163202500, 1163202509 Manufacturer part number 1163206600








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-5616	BRAKE DISC		1K0615601K	→	AUDI 5Q0615601F AUDI 1K0615601K 1K0615601AB 5C0615601 SEAT SKODA VW	AUDI A3 (8P1) (03-13) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Sportback (8PA) (04-15) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT LEON (1P1) (05-13) SEAT LEON (5F1) (12-21) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA YETI (5L) (09-17) VW BEETLE (5C1, 5C2) (11-19) VW BEETLE Convertible (5C7, 5C8) (11-19) VW EOS (1F7, 1F8) (06-15) VW GOLF PLUS V (5M1, 5Z1) (04-13) VW GOLF V (1K1) (03-10)	Brake disc type full Outside diameter [mm] 255 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608811 Model JP-GROUP Trade numbers 1163200700, 1163200709 Manufacturer part number 1163205700
	VD-5601	BRAKE DISC		1J0615601P	→	AUDI 1J0615601 AUDI 1J0615601N 1J0615601Q 2Q0615601H JZW698601AE JZW698601AH 1J0615601C 1J0615601P 1J0615601 JZW698601AC JZW698601AG SEAT SKODA VW 1J0615301	AUDI A3 (8L1) (96-06) AUDI TT (8N3) (98-06) AUDI TT Roadster (8N9) (99-06) SEAT CORDOBA (6L2) (02-09) SEAT IBIZA III (6L1) (02-09) SEAT IBIZA IV (6J5, 6P1) (08-17) SEAT IBIZA IV SC (6J1, 6P5) (08-18) SEAT IBIZA IV ST (6J8, 6P8) (10-16) SKODA FABIA I Saloon (6Y3) (99-07) SKODA FABIA II (542) (06-14) SKODA FABIA II Combi (545) (07-14) SKODA FABIA III (NJ3) (14-21) SKODA FABIA III Estate (NJ5) (14-0) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW GOLF IV (1J1) (97-08) VW GOLF IV Variant (1J5) (99-06)	Brake disc thickness [mm] 9 Rim, number of holes 5 Assembly side Rear axle Brake disc type full Outside diameter [mm] 232 Drill circle -Ø [mm] 100 Quantitative unit Pair Brand range Value for money Maker AUTOMEGA EAN 4053184364822 Manufacturer part number 120017110
	VD-3022	BRAKE DISC		7L6615601E	→	VW 7L6615601G VW 7L6615601E	VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) (03-15) VW TOUAREG (7LA, 7L6, 7L7) (02-13) VW TRANSPORTER V Bus (7HB, 7HJ, 7EB, 7EJ) (03-15) VW TRANSPORTER V Platform/Chassis (7JD, 7JE, 7JL, 7JY, 7JZ, 7FD (03-15) VW TRANSPORTER V Van (7HA, 7HH, 7EA, 7EH) (03-0)	Assembly side Rear axle Brake disc type ventilated Outside diameter [mm] 314 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527099 Model JP-GROUP Trade numbers 1163202709 Manufacturer part number 1163202700
	VD-5615	BRAKE DISC		1K0615301T	→	AUDI 5C0615301A AUDI JZW615301J 1K0615301K 5Q0615301H 1K0615301T SEAT SKODA VW	AUDI A3 Sportback (8PA) (04-15) AUDI A3 Sportback (8VA, 8VF) (12-0) AUDI Q2 (GAB, GAG) (16-0) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT ATECA (KH7, KHP) (16-0) SKODA SUPERB III (3V3) (15-0) SKODA SUPERB III Estate (3V5) (15-0) SKODA YETI (5L) (09-17) VW BEETLE (5C1, 5C2) (11-19) VW GOLF V (1K1) (03-10) VW GOLF V Variant (1K5) (07-09) VW GOLF VI (5K1) (08-14) VW GOLF VI Convertible (517) (11-16) VW GOLF VI Variant (AJ5) (09-14) VW GOLF VII (5G1, 8Q1, 8E1, 8E2) (12-21)	Brake disc type ventilated Outside diameter [mm] 288 Brake disc thickness [mm] 25 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP EAN 5710412608323 Model JP-GROUP Trade numbers 1163101500, 1163101509 Manufacturer part number 1163109400
	VD-5614	BRAKE DISC		1K0615301AK	→	AUDI 1K0615301AK AUDI 1K0615301S JZW615301A 5C0615301 1K0615301AQ 1K0615301AC 1K0615301AS SEAT SKODA VW	AUDI A3 (8P1) (03-13) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Sportback (8PA) (04-15) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT LEON (1P1) (05-13) SEAT LEON (5F1) (12-21) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA YETI (5L) (09-17) VW BEETLE (5C1, 5C2) (11-19) VW BEETLE Convertible (5C7, 5C8) (11-19)	Brake disc type ventilated Outside diameter [mm] 280 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP
	VD-3325	BRAKE DISC		811615301	→	AUDI 811615301B AUDI 811615301 823615301 SEAT VW 811615301C	AUDI 80 B1 Saloon (80, 82) (72-78) SEAT CORDOBA (6K1, 6K2) (93-02) SEAT CORDOBA Vario (6K5) (96-02) SEAT IBIZA II (6K1) (93-02) VW DERBY (86C, 80) (81-84) VW GOLF I (17) (74-85) VW GOLF II (19E, 1G1) (83-92) VW JETTA I (16) (78-87) VW POLO CLASSIC (86C, 80) (85-94) VW POLO Coupe (86C, 80) (81-94) VW POLO Hatchback Van (86CF) (92-94)	Outside diameter [mm] 239 Brake disc thickness [mm] 10 Brake disc type full Centering diameter [mm] 65 Height [mm] 38.6 Minimum thickness [mm] 8 Rim, number of holes 4 Brand range Value for money Maker LPR Assembly side Rear axle, Front
	VD-3392	BRAKE DISC		357615301	→	SEAT 357615301 VW	SEAT INCA (6K9) (95-03) SEAT TOLEDO I (1L2) (91-99) VW CADDY II Box Body/MPV (9K9A) (95-04) VW CADDY II MPV (9K9B) (95-04) VW GOLF III (1H1) (89-98) VW GOLF III Convertible (1E7) (93-98) VW GOLF III Variant (1H5) (93-99) VW GOLF IV Convertible (1E7) (98-02) VW PASSAT B3/B4 (3A2, 35I) (88-97) VW PASSAT B3/B4 Variant (3A5, 35I) (88-97) VW VENTO (1H2) (91-98)	Assembly side Front axle Brake disc type full Outside diameter [mm] 256 Brake disc thickness [mm] 13 Number of holes 4 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608255 Model JP-GROUP Trade numbers 1163100300, 1163100309 Manufacturer part number 1163108700









PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-5618	BRAKE DISC		1K0615301AA	→	AUDI 5C0615301E AUDI 561615301 AUDI 5N0615301 AUDI 561615301B AUDI 1K0615301AA 561615301A JZW615301H 5C0615301B CUPRA 5Q0615301F SEAT 561615301 5N0615301 5C0615301E SKODA VW	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 (8P1) (03-13) AUDI A3 (8V1, 8VK) (12-20) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Convertible (8V7, 8VE) (13-0) AUDI A3 Limousine (8VS, 8VM) (13-0) AUDI A3 Sportback (8PA) (04-15) AUDI A3 Sportback (8VA, 8VF) (12-0) AUDI Q2 (GAB, GAG) (16-0) SEAT LEON (5F1) (12-21) SEAT LEON SC (5F5) (13-18) VW PASSAT B6 (3C2) (05-10) VW PASSAT B6 Variant (3C5) (05-11) VW PASSAT B7 (362) (10-15)	Brake disc type ventilated Outside diameter [mm] 312 Brake disc thickness [mm] 25 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP EAN 5710412608330 Model JP-GROUP Trade numbers 1163101600, 1163101609 Manufacturer part number 1163109500
	VD-6382	BRAKE DISC		2H0615301A	→	AUDI 2H0615301D AUDI 2H0615301A VW	VW AMAROK (2HA, 2HB, S1B, S6B, S7A, S7B) (10-0) VW AMAROK Platform/Chassis (S1B, S6B, S7B) (11-0)	Outside diameter [mm] 303 Brake disc thickness [mm] 28 Minimum thickness [mm] 26 Height [mm] 56.9 Drill circle -Ø [mm] 120 Brake disc type ventilated Centering diameter [mm] 76 Number of holes 5 Surface coated Treatment high carbon Supplementary Article /
	VD-6095	BRAKE DISC		5Q0615301A	→	AUDI 5Q0615301A AUDI 5Q0615301E SEAT SKODA VW (SVW) 5QD615301F	AUDI A3 (8V1, 8VK) (12-20) AUDI A3 Convertible (8V7, 8VE) (13-0) AUDI A3 Limousine (8VS, 8VM) (13-0) AUDI A3 Sportback (8VA, 8VF) (12-0) SEAT LEON (5F1) (12-21) SEAT LEON Hatchback Van (5F1) (12-20) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) VW GOLF VAN VII Variant (BAS) (13-17) VW GOLF VII (5G1, BQ1, BE1, BE2) (12-21) VW GOLF VII Van (5G1) (12-17)	Treatment high carbon Supplementary Article / Supplementary info 2 with screws/bolts Height [mm] 49 Outside diameter [mm] 276 Brake disc type internally ventilated Number of holes 5 Brake disc thickness [mm] 24
	VD-5603	BRAKE DISC		1J0615301E	→	AUDI JZW615301 AUDI 1J0615301E 1J0615301M 1J0615301P SEAT SKODA VW	AUDI A3 (8L1) (96-06) SEAT LEON (1M1) (99-06) SEAT TOLEDO II (1M2) (98-06) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA I Bus (1U5) (98-10) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW GOLF IV (1J1) (97-08) VW GOLF IV Variant (1J5) (99-06) VW NEW BEETLE (9C1, 1C1) (98-10) VW NEW BEETLE Convertible (1Y7) (02-11)	Brake disc type ventilated Outside diameter [mm] 280 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP EAN 5710412608309 Model JP-GROUP Trade numbers 1163101200 Manufacturer part number 1163109200
	VD-3018	BRAKE DISC		701615301G	→	VW 701615301G	VW TRANSPORTER IV Bus (70B, 70C, 7DB, 7DK, 70I, 70K, 7DC, 7DJ) (90-04) VW TRANSPORTER IV Platform/Chassis (70E, 70L, 70M, 7DE, 7DL, 7D) (90-03) VW TRANSPORTER IV Van (70A, 70H, 7DA, 7DH) (90-03)	Assembly side Front axle Brake disc type full Outside diameter [mm] 282 Brake disc thickness [mm] 18 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608545 Trade numbers 1163104600, 1163104609 Manufacturer part number 1163111600
	VD-6153	BRAKE DISC		7H0615301D	→	VW JZW615301E VW 7H0615301D 7E0615301D	VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) (03-15) VW MULTIVAN VI (SGF, SGM, SGN, SHM, SHN) (15-0) VW TOUAREG (7LA, 7L6, 7L7) (02-13) VW TRANSPORTER V Bus (7HB, 7HJ, 7EB, 7EJ) (03-15) VW TRANSPORTER V Platform/Chassis (7JD, 7JE, 7JL, 7JY, 7JZ, 7FD) (03-15) VW TRANSPORTER V Van (7HA, 7HH, 7EA, 7EH) (03-0) VW TRANSPORTER VI / CARAVELLE VI Bus (SGB, SGI, SHB, SHJ) (15-0) VW TRANSPORTER VI Platform/Chassis (SFD, SFE, SFL, SFZ, SJD, SJ) (15-0) VW TRANSPORTER VI Van (SGA, SGH, SHA, SHH) (15-0)	Assembly side Front axle Surface coated Brake disc type ventilated Outside diameter [mm] 308 Brake disc thickness [mm] 29.5 Minimum thickness [mm] 25.5 Height [mm] 55.6 Inner diameter [mm] 154.6 Bore-Ø [mm] 16.6 Number of holes 5
	VD-4750	BRAKE DISC		424916	→	CITROEN 424916 CITROEN 4246W1 PEUGEOT 424915 4246W7	CITROËN C-ELYSEE (DD_) (12-0) CITROËN C2 (JM_) (03-17) CITROËN C3 I (FC_, FN_) (02-0) CITROËN C3 II (SC_) (09-0) CITROËN DS3 Convertible (13-15) PEUGEOT 1007 (KM_) (05-0) PEUGEOT 2008 I (CU_) (13-0) PEUGEOT 206 CC (2D) (0-08) PEUGEOT 307 (3A/C) (0-12) PEUGEOT 307 Estate (3E) (02-09) PEUGEOT 307 SW (3H) (02-09)	Assembly side Front axle Brake disc type ventilated Drill circle -Ø [mm] 108 Number of holes 4 Minimum thickness [mm] 20 Height [mm] 34.1 Brake disc thickness [mm] 22 Outside diameter [mm] 266 Brand range Economical Maker DENCKERMANN EAN 5901225724083 Manufacturer part number B130149
	VD-4755	BRAKE DISC		424924	→	CITROEN 424993 CITROEN 4249K0 CITROEN 424925 CITROEN 1642760480 CITROEN 424992 CITROEN 424924 4249K0 4249K1 TOYOTA SU001A9002 SU001A1064	CITROËN C5 II (RC_) (04-08) CITROËN C5 III (RD_) (08-0) CITROËN C5 III Estate (RW_) (08-0) CITROËN JUMPY (VF7) (07-16) CITROËN DISPATCH Van (07-16) FIAT SCUDO Bus (270_, 272_) (07-16) FIAT SCUDO Platform/Chassis (270_, 272_) (07-16) FIAT SCUDO Van (270_, 272_) (07-16) PEUGEOT 407 SW (6E_) (04-11) PEUGEOT EXPERT Platform/Chassis (07-0)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 304 Brake disc thickness [mm] 28 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412526023 Model JP-GROUP Trade numbers 4163101809 Manufacturer part number 4163101800








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-5023-KT	BRAKE DISC		424945	→	CITROEN 9651556880 PEUGEOT 424945	CITROËN BERLINGO / BERLINGO FIRST Box Body/MPV (M_) (96-11) CITROËN BERLINGO / BERLINGO FIRST MPV (MF_, GJK_, GFK_) (96-11) CITROËN BERLINGO Box Body/MPV (B9) (08-0) CITROËN BERLINGO MULTISPACE (B9) (08-0) CITROËN BERLINGO Platform/Chassis (B9) (08-0)	Tightening torque [Nm] 300 Inner diameter 1 [mm] 30 Width 1 [mm] 73 Number of holes 4 Minimum thickness [mm] 10 Diameter of fixing points [mm] 12 Outside diameter [mm] 268 Surface bare/unprotected/unlaminated Supplementary Article / Supplementary Info 2 with integrated magnetic ring, with
	VD-0048	BRAKE DISC		1609582880	→	CITROEN 1609582880 OPEL 3642786 PEUGEOT	CITROËN C4 PICASSO II Van (DD_) (13-0) CITROËN C4 SPACETOURER (3D_) (18-0) CITROËN C4 SPACETOURER Van (3D_) (18-0) CITROËN GRAND C4 SPACETOURER (3A_, 3E_) (18-0) CITROËN GRAND C4 SPACETOURER Van (3A_, 3E_) (18-0) DS DS 4 II (F_, FB_, F3_) (21-0) OPEL ASTRA L (21-0) OPEL ASTRA L Sports Tourer (21-0) OPEL COMBO Box Body/MPV (K9) (18-0) PEUGEOT 508 II (FB_, FH_, F3_) (18-0) PEUGEOT 508 SW II (FC_, FJ_, F4_) (18-0) PEUGEOT PARTNER Box Body/MPV (K9) (18-0)	Outside diameter [mm] 268 Brake disc thickness [mm] 12 Minimum thickness [mm] 10 Height [mm] 35 Drill circle -Ø [mm] 108 Brake disc type full Centering diameter [mm] 71 Number of holes 5 Surface coated Treatment high carbon Complies with the EEC standard ECE-R90 Drilling diameter up to [mm] 13 Brand range High range Maker BOSCH Assembly side Rear axle EAN 4047025471954 Trade numbers BD 2163, E1 90 R - 02C0371/0145
	VD-4689	BRAKE DISC		96070525	→	CITROEN 96070525 91508338 E169001 169001 424995 95661748 1618859680 PEUGEOT 424689 4246A5	CITROËN C15 Box Body/MPV (VD_) (84-06) CITROËN C15 Estate (87-0) PEUGEOT 205 II (20A/C) (87-0) PEUGEOT 206 Hatchback (2A/C) (98-12) PEUGEOT 206 SW (2E/K) (02-0) PEUGEOT 206 Van (99-09) PEUGEOT 306 (7B, N3, N5) (93-03)	Outside diameter [mm] 247 Height [mm] 34.2 Brake disc thickness [mm] 10 Minimum thickness [mm] 9 Centering diameter [mm] 66 Drill circle -Ø [mm] 108 Hole Ø for wheel bolt [mm] 13 Number of holes 4
	VD-4752	BRAKE DISC		424918	→	CITROEN 424984 CITROEN 4246W2 4249J6 424918 9808483380 OPEL 3557911 PEUGEOT 424917 4246W8 VAUXHALL	CITROEN C4 PICASSO I MPV (UD_) (06-15) PEUGEOT 307 (3A/C) (0-12)	Outside diameter [mm] 283 Brake disc thickness [mm] 26 Minimum thickness [mm] 24 Height [mm] 34.2 Drill circle -Ø [mm] 108 Brake disc type ventilated Centering diameter [mm] 66 Number of holes 4 Surface coated Treatment alloyed/charred Supplementary Article / Supplementary Info 2 with screws/bolts Complies with the EEC standard ECE-R90 Brand range High range Maker BOSCH Assembly side Front axle EAN 4047026223927
	VD-5650	BRAKE DISC		2Q0615301G	→	AUDI 2Q0615301G SEAT SKODA VW	AUDI A1 Allstreet (GBH) (19-0) AUDI A1 City Carver (GBH) (19-0) AUDI A1 Sportback (GBA) (18-0) SEAT ARONA (KJ7, KJP) (17-0) SEAT IBIZA V (KJ1, KJG) (17-0) SKODA FABIA IV (PI3) (21-0) SKODA KAMIQ (NW4) (19-0) SKODA SCALA (NW1) (19-0) VW POLO VI (AW1, BZ1, AE1) (17-0)	Outside diameter [mm] 256 Brake disc thickness [mm] 22 Minimum thickness [mm] 19 Height [mm] 44.2 Drill circle -Ø [mm] 100 Brake disc type ventilated Centering diameter [mm] 65 Number of holes 5 Surface coated Treatment high carbon Complies with the EEC standard ECE-R90 Drilling diameter up to [mm] 15.7 Brand range High range Maker BOSCH Assembly side Front axle EAN 4047026368406
	VD-3300	BRAKE DISC		321615301	→	AUDI 839615301E AUDI 839615301 171615301V 3256153012 839615300 2BA615301 321615301 171615301 SEAT SKODA VW 175615301	AUDI 80 B1 Saloon (80, 82) (72-78) AUDI COUPE B2 (81, 855, 856) (80-88) SEAT CORDOBA (6K1, 6K2) (93-02) SEAT CORDOBA Vario (6K5) (96-02) SEAT IBIZA II (6K1) (93-02) SEAT TOLEDO I (112) (91-99) VW CADDY I (14) (79-92) VW GOLF I (17) (74-85) VW GOLF I Convertible (155) (79-93) VW GOLF II (19E, 1G1) (83-92) VW GOLF III (1H1) (89-98) VW GOLF III Variant (1H5) (93-99)	Outside diameter [mm] 239 Brake disc type full Height [mm] 35 Minimum thickness [mm] 10 Centering diameter [mm] 65 Braking system ETA Rim, number of holes 4 Brake disc thickness [mm] 12 Brand range Value for money Maker LPR Assembly side Front axle EAN 8032532076248 Manufacturer part number V2051P
	VD-5602	BRAKE DISC		1J0615301D	→	AUDI 6RF615301A AUDI 8Z0615301D AUDI 1J0615301J AUDI 6R0615301C AUDI 6R0615301 SKODA 6R0615301 SKODA 8Z0615301B 1J615301 6R0615301C VW 6RF615301C 1J0615301L 1ZW615301N	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 (8L1) (96-06) SEAT CORDOBA (6L2) (02-09) SEAT LEON (1M1) (99-06) SEAT TOLEDO II (1M2) (98-06) SEAT TOLEDO IV (KG3) (12-19) SKODA FABIA I (6V2) (99-08) SKODA RAPID (NH3, NK3, NK6) (12-0) SKODA RAPID Spaceback (NH1) (12-19) SKODA ROOMSTER (5J7) (06-15) SKODA ROOMSTER Praktik (5J) (07-15) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW FOX Hatchback (5Z1, 5Z3, 5Z4) (03-15) VW GOLF IV (1J1) (97-08)	Brake disc type ventilated Outside diameter [mm] 256 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP EAN 5710412608293 Model JP-GROUP Trade numbers 1163101109 Manufacturer part number 1163109100






PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-6077	BRAKE DISC		8W0615301T	→	SEAT 8W0615301G SEAT 8K0615301 8W0615301T SKODA	AUDI A4 Allroad B8 (8KH) (09-16) AUDI A4 B8 (8K2) (07-16) AUDI A4 B8 Avant (8K5) (07-15) AUDI A5 (8T3) (07-17) AUDI A5 Convertible (8F7) (09-17) AUDI A5 Sportback (8TA) (07-17)	Assembly side Front axle Brake disc type ventilated Surface coated Minimum thickness [mm] 23 Number of holes 5 Bore-Ø [mm] 15.3 Drill circle-Ø [mm] 112 Height [mm] 52 Inner diameter [mm] 154 Outside diameter [mm] 314 Centering diameter [mm] 68 Brake disc thickness [mm] 25 Brand range Economical Maker KAMOKA Manufacturer part number 103137
	VD-5303	BRAKE DISC		6N0615301C	→	SEAT 6N0615301F SEAT 6N0615301C VW	SEAT AROSA (6H1) (97-04) VW LUPO I (6X1, 6E1) (98-05) VW POLO (6N2) (99-01) VW POLO III (6N1) (94-99) VW POLO Van Hatchback Van (6N1) (94-99)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 239 Brake disc thickness [mm] 18 Number of holes 4 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608477 Model JP-GROUP Trade numbers 1163103900, 1163103909 Manufacturer part number 1163110900
	VD-N2047137	BRAKE DISC		561615601	→	AUDI 1K0615601AA AUDI 6R0615601 5Q0615601D SEAT SKODA VAG 561615601A 5Q0615601A 561615601 6R0615601B VW	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 Sportback (8PA) (04-15) AUDI TT Roadster (FV9, FVR) (14-0) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT ATECA (KH7, KHP) (16-0) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) SKODA KAROQ (NU7, ND7) (17-0) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA SUPERB III Estate (3V5) (15-0) SKODA YETI (5L) (09-17) VW BEETLE (5C1, 5C2) (11-19) VW GOLF VI Convertible (517) (11-16) VW GOLF VI Variant (AJ5) (09-14) VW GOLF VII (5G1, 8Q1, BE1, BE2) (12-21) VW GOLF VII Variant (8A5, BV5) (13-0)	Brake disc type full Outside diameter [mm] 272 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412609047 Model JP-GROUP Trade numbers 1163205200 Manufacturer part number 1163208000
	VD-N3147117	BRAKE DISC		2Q0615601G	→	AUDI 2Q0615601G VW	AUDI A1 Sportback (GBA) (18-0) VW POLO VI (AW1, BZ1, AE1) (17-0)	Outside diameter [mm] 272 Brake disc thickness [mm] 10 Minimum thickness [mm] 8 Height [mm] 37.4 Rim, number of holes 5 Brake disc type full Hub diameter [mm] 65 Surface coated Weight [kg] 3.65 Brand range Value for money Maker ABS Assembly side Rear axle EAN 8717109738216
	VD-9613	BRAKE DISC		5U7615601	→	5U7615601	VW	Position : Front Brake disc type : Ventilated Is it grooved : No Vehicle type : Car/Vac OEM : 5U7615601 Is it a kit : No
	VD-6153	BRAKE DISC		7E0615301D	→	VW 7E0615301D VW JZW615301E 7H0615301D	VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) (03-15) VW MULTIVAN VI (SGF, SGM, SGN, SHM, SHN) (15-0) VW TOUAREG (7LA, 7L6, 7L7) (02-13) VW TRANSPORTER V Bus (7HB, 7HJ, 7EB, 7EJ) (03-15) VW TRANSPORTER VI / CARAVELLE VI Bus (SGB, SGJ, SHB, SHJ) (15-0) VW TRANSPORTER VI Platform/Chassis (SFD, SFE, SFL, SFZ, SID, SJ (15-0) VW TRANSPORTER VI Van (SGA, SGH, SHA, SHH) (15-0)	Assembly side Front axle Surface coated Brake disc type ventilated Outside diameter [mm] 308 Brake disc thickness [mm] 29.5 Minimum thickness [mm] 25.5 Height [mm] 55.6 Inner diameter [mm] 154.6 Bore-Ø [mm] 16.6 Number of holes 5 Drill circle-Ø [mm] 120
	VD-4145	BRAKE DISC		3QF615301C	→	3QF615301C 3QF615301F	VW	Manufacturer Newparts Brand Newparts Item Weight 25.6 pounds Manufacturer Part Number 1542386 OEM Part Number 3QF615301C
	VD-9611	BRAKE DISC		5U0615301D	→	5U0615301D	VW	Position : Front Brake disc type : Ventilated Outer Diameter : 280mm Is it grooved : No Vehicle type : Car/Vac OEM : 5U0615301D Thickness : 0mm Drilling diameter : 0mm Quantity of wheel studs : 0 Is perforated : No Is it kit : Yes
	VD-0199	BRAKE DISC		2N0615601A	→	2N0615601A	VW CRAFTER Platform/Chassis (SZ_) (16-0) VW CRAFTER Van (SV_, SX_) (16-0)	Brake disc type internally ventilated Treatment high carbon Surface coated Outside diameter [mm] 303 Brake disc thickness [mm] 28 Height [mm] 98 Rim, number of holes 6 Drill circle-Ø [mm] 145 Centering diameter [mm] 120 Mark of conformity ECE R90 APPROVED Registration Type authorized for vehicles of category M1/N1 Minimum thickness [mm] 25.0









PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-9620	BRAKE DISC		2Q0615301N	→	VW 2Q0615301N	VW POLO VI (AW1, BZ1, AE1) (17-0)	Outside diameter [mm] 312 Brake disc thickness [mm] 25 Minimum thickness [mm] 22.4 Height [mm] 48.9 Rim, number of holes 5 Brake disc type ventilated Hub diameter [mm] 65 Hole Ø for wheel bolt [mm] 100 Surface coated Weight [kg] 8.17 Brand range Value for money Maker ABS Assembly side Front axle EAN 8717109735819 Manufacturer part number 18699
	VD-F174452	BRAKE DISC		2N0615601B	→	VW 2N0615601B	VW CRAFTER Bus (SVI, SVJ) (16-0) VW CRAFTER Platform/Chassis (SZ_) (16-0) VW CRAFTER Van (SV_, SX_) (16-0) VW GRAND CALIFORNIA Camper (SCB, SCC) (19-0)	Brake disc thickness [mm] 30 Rim, number of holes 6 Thickness [mm] 98 Outside diameter [mm] 325 Drill circle -Ø [mm] 145 Surface coated Brake disc type internally ventilated Assembly side Rear axle Minimum thickness [mm] 27 Centering diameter [mm] 120 Weight [kg] 11.5 Brand range High range Maker FEBI BILSTEIN EAN 4054224744529
	VD-3576	BRAKE DISC		357615601B	→	SEAT 357615601B SEAT 357615601A VW	SEAT TOLEDO I (1L2) (91-99) VW CORRADO (53I) (87-95) VW GOLF III (1H1) (89-98) VW GOLF III Van (1H1) (91-97) VW GOLF III Variant (1H5) (93-99) VW PASSAT B3/B4 (3A2, 35I) (88-97) VW PASSAT B3/B4 Variant (3A5, 35I) (88-97) VW VENTO (1H2) (91-98)	Outside diameter [mm] 226 Brake disc thickness [mm] 9.9 Minimum thickness [mm] 8 Height [mm] 71.5 Drill circle -Ø [mm] 100 Brake disc type full Centering diameter [mm] 50.21 Number of holes 5 Surface oil Complies with the EEC standard ECE-R90 Brand range High range Maker BOSCH Assembly side Rear axle EAN 4047024250307 Trade numbers BD274
	VD-6383	BRAKE DISC		2H0609617	→	VW 2H0609617	VW AMAROK (2HA, 2HB, S1B, S6B, S7A, S7B) (10-0) VW AMAROK Platform/Chassis (S1B, S6B, S7B) (11-0)	Assembly side Rear axle Brake drum inside diameter [mm] 295 Brake drum outer diameter [mm] 335.5 Haut.int.tamb.fr. [mm] 72 Haut.tot.tamb.fr. [mm] 95.5 Drill circle -Ø [mm] 120 Number of holes 5 Centering diameter [mm] 76 Brand range High range Maker BOSCH EAN 4047026205350 Trade numbers DB390 Manufacturer part number 0 986 477 324
	VD-6284	BRAKE DRUM		5U7609617	→	5U7609617	VW	Number of mounting holes : 4 Brake drum outer diameter : 270mm Brake drum inner diameter : 230mm Brake drum nominal diameter : 57.5 mm Origin : Brazil
	VD-F178513	BRAKE DRUM		6RU609617A	→	SKODA 6RU609617A VW	SKODA RAPID (NH3, NK3, NK6) (12-0) SKODA RAPID Spaceback (NH1) (12-19) VW POLO V Saloon (602, 604, 612, 614) (09-0)	Assembly side Rear axle Rim, number of holes 5 Drill circle -Ø [mm] 100 Brake drum inside diameter [mm] 228 Haut.int.tamb.fr. [mm] 45 Brake drum outer diameter [mm] 276 Haut.tot.tamb.fr. [mm] 56 Replacement only in pairs Brand range Economical Maker TOPRAN Manufacturer part number
	VD-5608	BRAKE DISC		6N0615601A	→	SEAT 6N0615601B 6N0615601A VW	SEAT AROSA (6H1) (97-04) SEAT CORDOBA (6K1, 6K2) (93-02) SEAT CORDOBA Vario (6K5) (96-02) SEAT Ibiza II (6K1) (93-02) VW LUPO I (6X1, 6E1) (98-05) VW POLO (6N2) (99-01) VW POLO III CLASSIC (6V2) (95-09) VW POLO Variant (6V5) (97-01)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 232 Brake disc thickness [mm] 9 Number of holes 4 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527068 Trade numbers 1163202209 Manufacturer part number 1163202200
	VD-5304	BRAKE DISC		6N0615301	→	SEAT 6N0615301 VW	SEAT AROSA (6H1) (97-04) VW POLO III (6N1) (94-99) VW POLO Van Hatchback Van (6N1) (94-99)	Brake disc thickness [mm] 10 Tightening torque [Nm] 110 Minimum thickness [mm] 8 Supplementary Article / Supplementary Info 2 with screws/bolts Outside diameter [mm] 239 Height [mm] 34 Number of holes 4 Brake disc type full Centering diameter [mm] 65 Brand range High range Maker BREMBO Assembly side Front axle EAN 8020584678510 Manufacturer part number 08.6785.10








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-5609	BRAKE DISC		7D0615601C	→	FORD 1110251 1140278 YM212A315AB SEAT 7D0615601A 7D0615601C VW	FORD GALAXY I (WGR) (95-06) SEAT ALHAMBRA (7V8, 7V9) (96-10) VW SHARAN (7M8, 7M9, 7M6) (95-10) VW TRANSPORTER IV Bus (70B, 70C, 7DB, 7DK, 70J, 70K, 7DC, 7DJ) (90-04) VW TRANSPORTER IV Platform/Chassis (70E, 70L, 70M, 7DE, 7DL, 7D (90-03) VW TRANSPORTER IV Van (70A, 70H, 7DA, 7DH) (90-03)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 294 Brake disc thickness [mm] 13.5 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527075 Model JP-GROUP Trade numbers 1163202409 Manufacturer part number 1163202400
	VD-3637	BRAKE DISC		8E0615601P	→	AUDI 8E0615601P 8E0615601B 895615601A SEAT	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05)	Brake disc type full Outside diameter [mm] 245 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608934 Model JP-GROUP Trade numbers 1163203300, 1163203309 Manufacturer part number 1163206900
	VD-5616	BRAKE DISC		1K0615601AB	→	AUDI 1K0615601AB AUDI 5C0615601 SQ0615601F 1K0615601K SEAT SKODA VAG 5C0615601A VW	AUDI A3 (8P1) (03-13) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Sportback (8PA) (04-15) SEAT ALTEA (5P1) (04-0) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) VW BEETLE (5C1, 5C2) (11-19) VW BEETLE Convertible (5C7, 5C8) (11-19) VW EOS (1F7, 1F8) (06-15) VW GOLF PLUS V (5M1, 5Z1) (04-13) VW GOLF V (1K1) (03-10) VW GOLF VI (5K1) (08-14) VW GOLF VI Convertible (517) (11-16) VW GOLF VII (5G1, 601, BE1, BE2) (12-21)	Brake disc type full Outside diameter [mm] 255 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608811 Model JP-GROUP Trade numbers 1163200700, 1163200709 Manufacturer part number 1163205700
	VD-1531	BRAKE DISC		7D0615301B	→	FORD YM211125BA 1141782 SEAT 7D0615301B 7M3615301A 7D0615301 VW	FORD GALAXY I (WGR) (95-06) SEAT ALHAMBRA (7V8, 7V9) (96-10) VW SHARAN (7M8, 7M9, 7M6) (95-10) VW TRANSPORTER IV Bus (70B, 70C, 7DB, 7DK, 70J, 70K, 7DC, 7DJ) (90-04) VW TRANSPORTER IV Platform/Chassis (70E, 70L, 70M, 7DE, 7DL, 7D (90-03) VW TRANSPORTER IV Van (70A, 70H, 7DA, 7DH) (90-03)	Height [mm] 56.2 Brake disc thickness [mm] 26 Rim, number of holes 5 Outside diameter [mm] 300 Centering diameter [mm] 68.2 Minimum thickness [mm] 22 Surface coated Brake disc type internally ventilated Brand range Economical Maker SAMKO Assembly side Front axle EAN 8032928150422 Model TOTAL COATED Trade numbers F1004VR Manufacturer part number
	VD-1530	BRAKE DISC		7M3615301	→	FORD 1108038 SEAT 7M3615301	FORD GALAXY I (WGR) (95-06) SEAT ALHAMBRA (7V8, 7V9) (96-10) VW SHARAN (7M8, 7M9, 7M6) (95-10) VW TRANSPORTER IV Bus (70B, 70C, 7DB, 7DK, 70J, 70K, 7DC, 7DJ) (90-04) VW TRANSPORTER IV Platform/Chassis (70E, 70L, 70M, 7DE, 7DL, 7D (90-03) VW TRANSPORTER IV Van (70A, 70H, 7DA, 7DH) (90-03)	Assembly side Front axle Outside diameter [mm] 313 Brake disc thickness [mm] 26 Height [mm] 56.2 Brake disc type ventilated Number of holes 5 Drill circle-Ø [mm] 112 Brand range Value for money Maker MAPCO EAN 4043605445803 Manufacturer part number 25843
	VD-5618	BRAKE DISC		561615301A	→	AUDI 1K0615301AA AUDI 561615301A JZW615301H 5C0615301B SEAT 5C0615301E 5N0615301 561615301B 561615301 SKODA VW	VW TIGUAN (AD1, AX1) (16-0) VW TOURAN (1T1, 1T2) (03-10) VW TOURAN (1T3) (10-15) VW TOURAN (ST1) (15-0) OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA OCTAVIA III Bus (5E5, 5E6) (12-20) SEAT ATECA (KH7, KHP) (16-0) SEAT LEON (1P1) (05-13) SEAT LEON (5F1) (12-21) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) Sportback (8XA, 8XF) (11-18) AUDI A3 (8P1) (03-13) AUDI A3 (8V1, 8VK) (12-20) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Convertible (8V7, 8VE) (13-0)	Brake disc type ventilated Outside diameter [mm] 312 Brake disc thickness [mm] 25 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP EAN 5710412608330 Model JP-GROUP Trade numbers 1163101600, 1163101609 Manufacturer part number 1163109500
	VD-5031	BRAKE DISC		1H0615301A	→	AUDI 1H0615301A SEAT 1H0615301 SKODA VW	SEAT TOLEDO I (1L2) (91-99) VW CORRADO (53I) (87-95) VW GOLF III (1H1) (89-98) VW GOLF III Variant (1H5) (93-99) VW PASSAT B3/B4 (3A2, 35I) (88-97) VW PASSAT B3/B4 Variant (3A5, 35I) (88-97) VW VENTO (1H2) (91-98)	Brake disc thickness [mm] 22 Rim, number of holes 5 Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 280 Drill circle-Ø [mm] 100 Brand range Value for money Maker AUTOMECA EAN 4053184317095 Manufacturer part number 120032810







PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-6085	BRAKE DISC		1K0615301AD	→	AUDI 5Q0615301G AUDI 8S0615301D 1K0615301AD 8S0615301 SEAT 3C0615301C SKODA VW	AUDI TT (FV3, FVP) (14-0) AUDI TT Roadster (FV9, FVR) (14-0)	Outside diameter [mm] 340 Brake disc thickness [mm] 30 Minimum thickness [mm] 27 Height [mm] 49.7 Drill circle -Ø [mm] 112 Centering diameter [mm] 65 Number of holes 5 Surface coated Treatment high carbon Complies with the EEC standard ECE-R90 Drilling diameter up to [mm] 15.3 Brake disc type internally ventilated, ventilated Brand range High range Maker BOSCH Assembly side Front axle
	VD-5621	BRAKE DISC		1K0615301AJ	→	SEAT 1K0615301AJ VW 5QF615301A	SEAT ALHAMBRA (710, 711) (10-0) SKODA KODIAQ (NS7, NV7, NS6) (16-0) VW SHARAN (7N1, 7N2) (10-0) VW TIGUAN (AD1, AX1) (16-0)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 314 Brake disc thickness [mm] 30 Minimum thickness [mm] 27 Height [mm] 49.6 Inner diameter [mm] 145 Bore-Ø [mm] 15.3 Number of holes 10 Drill circle -Ø [mm] 112 Centering diameter [mm] 65 Treatment high carbon Brand range Value for money Maker MAPCO EAN 4043605106391 Manufacturer part number 45841
	VD-N204755	BRAKE DISC		535615301	→	SEAT 535615301 VW	SEAT CORDOBA (6K1, 6K2) (93-02) SEAT CORDOBA Vario (6K5) (96-02) SEAT CORDOBA VARIO Estate Van (6K5) (0-02) SEAT IBIZA II (6K1) (93-02) SEAT TOLEDO I (112) (91-99) VW CORRADO (53I) (87-95) VW GOLF II (19E, 1G1) (83-92) VW PASSAT B3/B4 (3A2, 35I) (88-97) VW PASSAT B3/B4 Variant (3A5, 35I) (88-97)	Outside diameter [mm] 280 Brake disc thickness [mm] 22 Minimum thickness [mm] 20 Height [mm] 39.2 Drill circle -Ø [mm] 100 Centering diameter [mm] 65 Number of holes 4 Surface oil Treatment high carbon Complies with the EEC standard ECE-R90 Drilling diameter up to [mm] 13.6 Brake disc type internally ventilated, ventilated Brand range High range Maker BOSCH Assembly side Front axle EAN 3165142957470
	VD-5648	BRAKE DISC		2Q0615301H	→	2Q0615301H	AUDI A1 City Carver (GBH) (19-0) AUDI A1 Sportback (GBA) (18-0) SEAT ARONA (KJ7, KJP) (17-0) SEAT IBIZA V (KJ1, KJG) (17-0) SKODA KAMIQ (NW4) (19-0) SKODA SCALA (NW1) (19-0) VW POLO VI (AW1, BZ1, AE1) (17-0) VW T-CROSS (C11) (18-0)	Brake disc type internally ventilated Treatment high carbon Surface coated Outside diameter [mm] 276 Brake disc thickness [mm] 24 Height [mm] 44 Rim, number of holes 5 Drill circle -Ø [mm] 100 Centering diameter [mm] 65 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 21 Weight [kg] 6.5 Illustration bore / number of holes 6/5 Brand range High range Maker ZIMMERMANN
	VD-5604	BRAKE DISC		6R0615301A	→	AUDI JZW615301D AUDI 1J0615301S 1J0615301K SEAT 6R0615301D 6R0615301A 1J0615301 1J0615301R SKODA 1J0615301C VW	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 (8L1) (96-06) SEAT CORDOBA (6L2) (02-09) SEAT IBIZA III (6L1) (02-09) SEAT TOLEDO IV (KG3) (12-19) SKODA FABIA I (6Y2) (99-08) SKODA FABIA I Bus (6Y5) (0-07) SKODA FABIA I Praktik (6Y5) (0-07) SKODA FABIA I Saloon (6Y3) (99-07) SKODA FABIA II (542) (06-14) SKODA FABIA II Combi (545) (07-14) SKODA FABIA III (NJ3) (14-21) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW POLO V (6R1, 6C1) (09-0) VW POLO Van (6R) (09-0) VW POLO VI (AW1, BZ1, AE1) (17-0) AUDI A3 (8P1) (03-13) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Sportback (8PA) (04-15) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT LEON (1M1) (99-06) SEAT LEON (1P1) (05-13) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA YETI (5L) (09-17) VW BEETLE (5C1, 5C2) (11-19) VW GOLF PLUS V (5M1, 521) (04-13) VW GOLF V (1K1) (03-10) VW GOLF V Variant (1K5) (07-09) VW GOLF VI (5K1) (08-14)	Brake disc type ventilated Outside diameter [mm] 288 Brake disc thickness [mm] 25 Number of holes 5 Surface coated Assembly side Front axle Brand range Economical Maker JP-GROUP EAN 5710412608286 Model JP-GROUP Trade numbers 1163101009 Manufacturer part number 1163109000
	VD-5614	BRAKE DISC		1K0615301S	→	AUDI 1K0615301AC AUDI 1K0615301S 5C0615301C 1K0615301AK SEAT SKODA VW 1K0615301AQ 5C0615301	SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT LEON (1M1) (99-06) SEAT LEON (1P1) (05-13) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA YETI (5L) (09-17) VW BEETLE (5C1, 5C2) (11-19) VW GOLF PLUS V (5M1, 521) (04-13) VW GOLF V (1K1) (03-10) VW GOLF V Variant (1K5) (07-09) VW GOLF VI (5K1) (08-14)	Rim, number of holes 5 Brake disc type internally ventilated Height [mm] 50 Brake disc thickness [mm] 22 Minimum thickness [mm] 19 Outside diameter [mm] 280 Surface coated Centering diameter [mm] 65 Brand range Economical Maker SAMKO Assembly side Front axle EAN 8032928099790 Model TOTAL COATED Trade numbers A1001VR Manufacturer part number A1001VR







PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-3393	BRAKE DISC		1916156018	→	SEAT 191501639A SEAT 6N0615601 191615601B 191615601 191615601A 357615601 VW	SEAT CORDOBA Vario (6K5) (96-02) SEAT IBIZA II (6K1) (93-02) SEAT TOLEDO I (1L2) (91-99) VW CORRADO (53I) (87-95) VW GOLF II (19E, 1G1) (83-92) VW GOLF III (1H1) (89-98) VW GOLF III Convertible (1E7) (93-98) VW GOLF III Variant (1H5) (93-99) VW GOLF IV Convertible (1E7) (98-02) VW JETTA II (19E, 1G2, 165) (83-92) VW PASSAT B2 (32B) (79-89) VW PASSAT B2 Saloon (32B) (82-89) VW PASSAT B2 Variant (33B) (80-89) VW PASSAT B3/B4 (3A2, 35I) (88-97) VW POLO III (6N1) (94-99) VW POLO Variant (6V5) (97-01) VW SCIROCCO (53B) (80-92) VW VENTO (1H2) (91-98)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 226 Brake disc thickness [mm] 10 Number of holes 4 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608798 Model JP-GROUP Trade numbers 1163200300, 1163200309 Manufacturer part number 1163205500
	VD-N252316	BRAKE DISC		6K9501615	→	AUDI 6K9501615 AUDI 14724310 SEAT VW	SEAT INCA (6K9) (95-03) VW CADDY II Box Body/MPV (9K9A) (95-04) VW CADDY II MPV (9K9B) (95-04)	Rim, number of holes 4 Assembly side Rear axle Thickness [mm] 231 Diameter [mm] 230 Height [mm] 90 Drum diameter [mm] 230 Minimum thickness [mm] 51 Max. grinding dimensions of brake drum [mm] 231 Haut.int.tamb.fr. [mm] 51 Number of holes 4 Centering diameter [mm] 90 Drill circle -Ø [mm] 45 Supplementary Article Width [mm] 231 Haut.tot.tamb.fr. [mm] 90 Brake drum inside diameter [mm] 230
	VD-N254729	BRAKE DISC		6K9609617	→	SEAT 6K9609617 VW	SEAT INCA (6K9) (95-03) VW CADDY II Box Body/MPV (9K9A) (95-04) VW CADDY II MPV (9K9B) (95-04) VW CADDY II Pickup (9U7) (96-0)	Number of holes 1 4 Diameter [mm] 230 Haut.int.tamb.fr. [mm] 39 Haut.tot.tamb.fr. [mm] 57.5 Drill circle -Ø [mm] 65 Brake drum outer diameter [mm] 289.9 Assembly side Rear axle Supplementary Article / Supplementary Info 2 without wheel bearing Number of holes 4 Centering diameter [mm] 65 Brake drum inside diameter [mm] 230 Brand range Economical Maker EBA EAN 59000427220614
	VD-N254732	BRAKE DISC		6K9501615D	→	AUDI 6K9501615A SEAT 6K9501615D SKODA VW	SEAT INCA (6K9) (95-03) VW CADDY II Box Body/MPV (9K9A) (95-04) VW CADDY II MPV (9K9B) (95-04)	Supplementary Article / Supplementary Info 2 with ABS ring Brake drum inside diameter [mm] 230 Max. grinding dimensions of brake drum [mm] 231 Haut.int.tamb.fr. [mm] 55 Number of holes 4 Drill circle -Ø [mm] 100 Brand range High range Maker TRW Assembly side Rear axle EAN 3322937802432 Manufacturer part number DB4383
	VD-1511	BRAKE DISC		171501615	→	AUDI 171501615 171501615B 191501615 823501615B 171501615A 171501615C 191501615B SEAT SKODA	AUDI 50 (863) (74-78) AUDI 80 B1 Saloon (80, 82) (72-78) SEAT IBIZA II (6K1) (93-02) SEAT TOLEDO I (1L2) (91-99) VW GOLF I (17) (74-85) VW JETTA I (16) (78-87) VW JETTA II (19E, 1G2, 165) (83-92) VW LUPO I (6X1, 6E1) (98-05) VW PASSAT B1 (32) (73-81) VW POLO (6N2) (99-01) VW POLO (86) (75-81) VW POLO CLASSIC (86C, 80) (85-94) VW POLO Coupe (86C, 80) (81-94) VW POLO Hatchback Van (86CF) (92-94) VW SANTANA (32B) (81-85) VW SCIROCCO (53) (74-80) VW SCIROCCO (53B) (80-92)	Drum diameter [mm] 180 Rim, number of holes 4 Drill circle -Ø [mm] 100 Width [mm] 30 Brand range Value for money Maker AUTOMEGA Assembly side Rear axle EAN 4053184315626 Manufacturer part number 120018110
	VD-N254304	BRAKE DISC		6R0609617B	→	AUDI 6R0609617B SEAT SKODA VW	SEAT TOLEDO IV (KG3) (12-19) SKODA RAPID (NH3, NK3, NK6) (12-0) SKODA RAPID Spaceback (NH1) (12-19) SKODA ROOMSTER (5J7) (06-15) SKODA ROOMSTER Praktik (5J) (07-15)	Brake drum inside diameter [mm] 228.3 Haut.int.tamb.fr. [mm] 38.5 Brake drum outer diameter [mm] 268 Haut.tot.tamb.fr. [mm] 58.5 Illustration bore / number of holes 06/05 Drill circle -Ø [mm] 100 Max. grinding dimensions of brake drum [mm] 229.8 Centering diameter [mm] 65 Weight [kg] 5.8 Supplementary Article / Supplementary Info 2 without wheel studs, without wheel hub, without wheel bearing Packaging length [cm] 30.8








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-5619	BRAKE DISC		1K0615601AD	→	AUDI 1K0615601AD AUDI 5Q0615601G 1K0615601M JZW615601F SEAT SKODA VAG VW	AUDI A3 (8P1) (03-13) AUDI A3 Convertible (8P7) (08-13) AUDI A3 Sportback (8PA) (04-15) AUDI Q3 (8UB, 8UG) (11-20) SEAT ALHAMBRA (710, 711) (10-0) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT LEON (1P1) (05-13) SEAT TOLEDO III (5P2) (04-09) SKODA YETI (5L) (09-17) VW CC B7 (3S8) (11-16) VW EOS (1F7, 1F8) (06-15) VW GOLF PLUS V (5M1, 521) (04-13) VW GOLF V (1K1) (03-10) VW PASSAT B6 (3C2) (05-10) VW PASSAT B6 Variant (3C5) (05-11) VW PASSAT B7 (362) (10-15) VW PASSAT B7 Variant (365) (10-15)	Brake disc type full Outside diameter [mm] 282 Brake disc thickness [mm] 12 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608835 Model JP-GROUP Trade numbers 1163200900, 1163200909 Manufacturer part number 1163205900
	VD-5310	BRAKE DISC		1K0615601AC	→	AUDI 1K0615601AJ AUDI 1K0615601AC 1K0615601L SEAT SKODA VW	AUDI A3 (8P1) (03-13) AUDI A3 Sportback (8PA) (04-15) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA SUPERB II (3T4) (08-15) SKODA SUPERB II Estate (3T5) (09-15) VW GOLF PLUS V (5M1, 521) (04-13) VW GOLF V (1K1) (03-10) VW GOLF V Variant (1K5) (07-09) VW GOLF VI (5K1) (08-14) VW GOLF VI Variant (AJ5) (09-14) VW JETTA III (1K2) (04-13) VW SCIROCCO III (137, 138) (08-17) VW TOURAN (1T1, 1T2) (03-10)	Brake disc type full Outside diameter [mm] 260 Brake disc thickness [mm] 12 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412608828 Model JP-GROUP Trade numbers 1163200809 Manufacturer part number 1163205800
	VD-4063	BRAKE DISC		8E0615301Q	→	AUDI 4A0615301C 4A0615301D SKODA 4A0615301E VW 8E0615301Q	AUDI 100 C4 Avant (4A5) (90-94) AUDI 100 C4 Saloon (4A2) (90-94) AUDI A4 B5 (8D2) (94-01) AUDI A4 B5 Avant (8D5) (94-02) AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A6 C5 (4B2) (97-05) AUDI A6 C5 Avant (4B5) (97-05) SEAT EXEO (3R2) (08-13) SEAT EXEO ST (3R5) (09-13) SKODA SUPERB I (3U4) (01-08) VW PASSAT B5 (3B2) (96-01) VW PASSAT B5 Variant (3B5) (97-01)	Surface coated Centering diameter [mm] 68 Outside diameter [mm] 288 Brake disc thickness [mm] 25 Height [mm] 46 Brake disc type internally ventilated Minimum thickness [mm] 23 Rim, number of holes 5 Brand range Economical Maker SAMKO Assembly side Front axle EAN 8032928099899 Model TOTAL COATED Trade numbers A1371VR Manufacturer part number
	VD-5647	BRAKE DISC		5Q0615601B	→	AUDI 5Q0615601 5Q0615601B SEAT SKODA (SVW) 5Q0615601C VW 5QN615601A	AUDI Q2 (GAB, GAG) (16-0) SEAT ATECA (KH7, KHP) (16-0) SEAT LEON (5F1) (12-21) SEAT LEON ST (5F8) (12-20) SKODA KAROQ (NU7, ND7) (17-0) SKODA OCTAVIA IV (NX3, NN3) (20-0) SKODA OCTAVIA IV Combi (NX5) (19-0) VW JETTA VII Saloon (BU3, BU4) (17-0) VW T-ROC (A11, D11) (17-0)	Brake disc type full Centering diameter [mm] 65 Brake disc thickness [mm] 10 Surface coated Minimum thickness [mm] 8 Supplementary Article / Supplementary Info 2 with screws/bolts Outside diameter [mm] 272 Height [mm] 58 Number of holes 9 Brand range High range Maker BREMBO Assembly side Rear axle EAN 8020584236741 Model COATED DISC LINE Manufacturer part number 08 D425.11
	VD-N204302	BRAKE DISC		113430210	→	SKODA 113430210	SKODA 105.120 (742) (76-90) SKODA 105.120 (744) (83-90) SKODA 110 (69-82) SKODA 110 Coupe (70-82) SKODA RAPID (120G, 130G, 135G) (83-91)	Height [mm] 55 Number of holes 4 Brake disc type full Centering diameter [mm] 80 Brake disc thickness [mm] 9 Tightening torque [Nm] 75 Minimum thickness [mm] 8 Outside diameter [mm] 252 Brand range High range Maker BREMBO Assembly side Front axle EAN 8020584175729 Manufacturer part number 08.1757.20
	VD-5308	BRAKE DISC		6Q0615301	→	SKODA 6Q0615301 SKODA 6Q0615301A VW	SKODA FABIA I (6Y2) (99-08) SKODA FABIA I Bus (6Y5) (0-07) SKODA FABIA I Praktik (6Y5) (0-07) SKODA FABIA I Saloon (6Y3) (99-07) SKODA FABIA II (542) (06-14) SKODA FABIA II Combi (545) (07-14) VW FOX Hatchback (5Z1, 5Z3, 5Z4) (03-15) VW POLO (9N_, 9A_) (01-14)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 239 Brake disc thickness [mm] 18 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608491 Model JP-GROUP Trade numbers 1163104100, 1163104109 Manufacturer part number 1163111100
	VD-4082	BRAKE DISC		1K0615601N	→	AUDI 1K0615601N 5Q0615601E SEAT SKODA VW	AUDI A3 (8P1) (03-13) AUDI A3 (8V1, 8VK) (12-20) AUDI TT (FV3, FVP) (14-0) AUDI TT Roadster (FV9, FVR) (14-0) SEAT ATECA (KH7, KHP) (16-0) SEAT LEON (5F1) (12-21) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) SKODA SUPERB II Estate (3T5) (09-15) SKODA SUPERB III (3V3) (15-0) SKODA SUPERB III Estate (3V5) (15-0) VW ARTEON (3H7, 3H8) (17-0) VW ATLAS (CA1) (16-0) VW GOLF V (1K1) (03-10) VW PASSAT B6 (3C2) (05-10) VW PASSAT B6 Variant (3C5) (05-11) VW PASSAT B7 (362) (10-15) VW PASSAT B7 Variant (365) (10-15)	Assembly side Rear axle Brake disc type ventilated Outside diameter [mm] 310 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527198 Model JP-GROUP Trade numbers 1163201009 Manufacturer part number 1163201000








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-4083	BRAKE DISC		1K0615301M	→	AUDI 1K0615301AB AUDI 1K0615301M VW	AUDI A3 (8P1) (03-13) AUDI A3 Sportback (8PA) (04-15) SEAT LEON (1P1) (05-13) SKODA SUPERB II (3T4) (08-15) SKODA SUPERB II Estate (3T5) (09-15) VW EOS (1F7, 1F8) (06-15) VW GOLF V (1K1) (03-10) VW GOLF VI (5K1) (08-14) VW PASSAT B6 (3C2) (05-10) VW PASSAT B6 Variant (3C5) (05-11) VW PASSAT CC B6 (357) (08-12) VW SCIROCCO III (137, 138) (08-17)	Height [mm] 49.9 Centering diameter [mm] 65 Outside diameter [mm] 345 Minimum thickness [mm] 27 Brake disc thickness [mm] 30 Brake disc type internally ventilated Rim, number of holes 5 Brand range Value for money Maker LPR Assembly side Front axle EAN 8032928039024
	VD-9614	BRAKE DISC		1S0615301	→	AUDI 1S0615301L SEAT 1S0615301H 1S0615301 SKODA VW	SEAT Mii (KF1, KE1) (11-0) SKODA CITIGO (NF1) (11-19) SKODA E-CITIGO (NE1) (19-0) VW LOAD UP (121, 122, BL1, BL2) (14-0) VW UP! (121, 122, BL1, BL2, BL3, 123) (11-0)	Outside diameter [mm] 255.9 Brake disc thickness [mm] 22 Minimum thickness [mm] 19 Height [mm] 36.6 Drill circle -Ø [mm] 100 Brake disc type ventilated Centering diameter [mm] 65 Number of holes 4 Surface oil Treatment high carbon Supplementary Article / Supplementary Info 2 with screws/bolts Complies with the EEC standard ECE-R90 Brand range High range Maker BOSCH Assembly side Front axle EAN 4047024946910
	VD-N254303	BRAKE DRUM		1J0609617B	→	SKODA 14938610 1J0609617B 1J0609617B	SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA I Bus (1U5) (98-10) SKODA ROOMSTER (S17) (06-15) SKODA ROOMSTER Praktik (S1) (07-15) VW POLO V Saloon (602, 604, 612, 614) (09-0)	Assembly side Rear axle Thickness [mm] 231.5 Diameter [mm] 230 Height [mm] 65 Drum diameter [mm] 230 Minimum thickness [mm] 39 Haut.int.tamb.fr. [mm] 39 Number of holes 5 Centering diameter [mm] 57.5 Drill circle -Ø [mm] 65 Supplementary Article / Supplementary Info 2 without wheel bearing Width [mm] 231.5 Haut.tot.tamb.fr. [mm] 57 Brake drum inside diameter EAN 5900427220461 Manufacturer part number C65003ABE
	VD-5310	BRAKE DISC		1K0615601L	→	AUDI 1K0615601L SEAT SKODA VW	AUDI A3 (8P1) (03-13) AUDI A3 Sportback (8PA) (04-15) SEAT ALTEA (5P1) (04-0) SEAT ALTEA XL (5P5, 5P8) (06-0) SEAT TOLEDO III (5P2) (04-09) SKODA OCTAVIA II (1Z3) (04-13) SKODA OCTAVIA II Bus (1Z5) (04-13) SKODA SUPERB II (3T4) (08-15) SKODA SUPERB II Estate (3T5) (09-15) VW GOLF PLUS V (5M1, 521) (04-13) VW GOLF V (1K1) (03-10) VW GOLF V Variant (1K5) (07-09) VW GOLF VI Variant (AJ5) (09-14) VW JETTA III (1K2) (04-13) VW SCIROCCO III (137, 138) (08-17) VW TOURAN (1T1, 1T2) (03-10)	Assembly side Rear axle Brake disc type full Brake disc thickness [mm] 12 Outside diameter [mm] 260 Brand range High range Maker Borsehung EAN 4251475112095 Manufacturer part number B11379
	VD-4065	BRAKE DISC		8D0615301J	→	SEAT 8E0615301R SKODA 8D0615301J 4B0615301A VW	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08) AUDI A4 B7 Convertible (8HE) (02-09) AUDI A6 C5 (4B2) (97-05) AUDI A6 C5 Avant (4B5) (97-05) SEAT EXEO (3R2) (08-13) SEAT EXEO ST (3R5) (09-13) SKODA SUPERB I (3U4) (01-08) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Assembly side Front axle Surface coated Brake disc type ventilated Outside diameter [mm] 312 Brake disc thickness [mm] 25 Minimum thickness [mm] 23 Height [mm] 46.5 Inner diameter [mm] 158 Bore-Ø [mm] 15.3 Number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Brand range Value for money Maker MAPCO EAN 4043605195852 Manufacturer part number 15885C
	VD-4065	BRAKE DISC		8E0615301R	→	SEAT 8E0615301R SKODA 4B0615301A 8D0615301J VW	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08) AUDI A4 B7 Convertible (8HE) (02-09) AUDI A6 C5 (4B2) (97-05) AUDI A6 C5 Avant (4B5) (97-05) SEAT EXEO (3R2) (08-13) SEAT EXEO ST (3R5) (09-13) SKODA SUPERB I (3U4) (01-08) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Assembly side Front axle Surface coated Brake disc type ventilated Outside diameter [mm] 312 Brake disc thickness [mm] 25 Minimum thickness [mm] 23 Height [mm] 46.5 Inner diameter [mm] 158 Bore-Ø [mm] 15.3 Number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Brand range Value for money Maker MAPCO EAN 4043605195852 Manufacturer part number 15885C
	VD-1068	BRAKE DISC		4B0615301B	→	VW 4B0615301B	SKODA SUPERB I (3U4) (01-08) VW PASSAT B5 (3B2) (96-01) VW PASSAT B5 Variant (3B5) (97-01) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Rim, number of holes 5 Height [mm] 46.2 Brake disc type internally ventilated Brake disc thickness [mm] 25 Minimum thickness [mm] 23 Outside diameter [mm] 288 Centering diameter [mm] 68 Brand range Value for money Maker LPR Assembly side Front axle EAN 8032532107249









PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-4323	BRAKE DISC		115430212	→	SKODA 115430212	SKODA FAVORITE (781) (89-94) SKODA FAVORIT Estate Van (135GK) (89-95) SKODA FAVORITE Forman (785) (88-95) SKODA FAVORIT Pickup (787) (92-97)	Outside diameter [mm] 236 Brake disc thickness [mm] 13 Minimum thickness [mm] 11.5 Height [mm] 49 Rim, number of holes 4 Brake disc type full Hub diameter [mm] 62 Hole Ø for wheel bolt [mm] 100 Weight [kg] 3.7 Brand range Value for money Maker ABS Assembly side Front axle EAN 8717109021462 Manufacturer part number 16884
	VD-4321	BRAKE DISC		115430210	→	SKODA 115430210 115430211	SKODA FAVORITE (781) (89-94) SKODA FAVORIT Estate Van (135GK) (89-95) SKODA FAVORITE Forman (785) (88-95) SKODA FAVORIT Pickup (787) (92-97)	Outside diameter [mm] 236 Brake disc thickness [mm] 12.9 Minimum thickness [mm] 11.5 Height [mm] 46 Rim, number of holes 4 Brake disc type full Hub diameter [mm] 62
	VD-3632	BRAKE DISC		443615301	→	AUDI 443615301 AUDI 431615301 SEAT SKODA VW	AUDI 100 C2 Avant (435, 436) (77-83) AUDI 100 C2 Saloon (431, 433, 434) (76-84) AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI 90 B3 (893, 894, 8A2) (87-91)	Brake disc thickness [mm] 13 Rim, number of holes 4 Assembly side Front axle right, Front axle left Brake disc type full Outside diameter [mm] 256 Drill circle -Ø [mm] 108 Quantitative unit Pair Brand range Value for money Maker AUTOMEGA EAN 4053184315329 Manufacturer part number 120015110
	VD-N204734	BRAKE DISC		443615601E	→	AUDI 443615601E	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91)	Assembly side Rear axle Outside diameter [mm] 245 Height [mm] 65.2 Brake disc thickness [mm] 10 Minimum thickness [mm] 8 Centering diameter [mm] 68 Drill circle -Ø [mm] 108 Hole Ø for wheel bolt [mm] 15.4 Number of holes 4 Brake disc type full Number of parts needed 2 Brand range High range Maker MEYLE EAN 4040074150542 Model MEYLE-ORIGINAL Quality
	VD-3634	BRAKE DISC		443615601	→	AUDI 443615601	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95) AUDI 90 B2 (813, 814, 853) (84-88) AUDI 90 B3 (893, 894, 8A2) (87-91) AUDI CONVERTIBLE B3 (8G7) (91-0) AUDI COUPE B2 (81, 855, 856) (80-88) AUDI COUPE B3 (89, 883) (88-96)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 245 Brake disc thickness [mm] 10 Number of holes 4 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608781 Model JP-GROUP Trade numbers 1163200200, 1163200209 Manufacturer part number 1163205400
	VD-8014	BRAKE DISC		8A0615301	→	AUDI 8A0615301 AUDI 8A0615301 8A0615301D 8A0615301D	AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95)	Rim, number of holes 4 Centering diameter [mm] 68 Height [mm] 56 Brake disc type full Brake disc thickness [mm] 13 Minimum thickness [mm] 11 Outside diameter [mm] 280 Brand range Value for money Maker LPR Assembly side Front axle EAN 8032532068632 Manufacturer part number A1391P
	VD-4061	BRAKE DISC		4A0615301B	→	AUDI 4A0615301B SEAT SKODA VW	AUDI 100 C4 Avant (4A5) (90-94) AUDI 100 C4 Saloon (4A2) (90-94) AUDI A4 B5 (8D2) (94-01) AUDI A4 B5 Avant (8D5) (94-02) AUDI A6 C4 (4A2) (94-97) AUDI A6 C4 Avant (4A5) (94-97)	Brake disc thickness [mm] 15 Rim, number of holes 5 Assembly side Front axle Brake disc type full Outside diameter [mm] 288 Drill circle -Ø [mm] 112 Brand range Value for money Maker AUTOMEGA EAN 4053184317200 Manufacturer part number 120033910
	VD-5309	BRAKE DISC		8E0615601D	→	AUDI 8E0615601D AUDI 8E0615301AA 8E0615601Q SEAT	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08) AUDI A4 B7 Convertible (8HE) (02-09) SEAT EXEO (3R2) (08-13) SEAT EXEO ST (3RS) (09-13)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 255 Brake disc thickness [mm] 12 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527105 Model JP-GROUP Trade numbers 1163203409 Manufacturer part number 1163203400
	VD-N3147172	BRAKE DISC		6R0615601	→	AUDI 1K0615601AA 6R0615601 5Q0615601D SEAT SKODA VW	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 Sportback (8VA, 8VF) (12-0) AUDI Q2 (GAB, GAG) (16-0) AUDI TT (FV3, FVP) (14-0) AUDI TT Roadster (FV9, FVR) (14-0) SEAT LEON SC (5F5) (13-18) SEAT LEON ST (5F8) (12-20) SKODA KAROQ (NU7, ND7) (17-0) SKODA SUPERB III (3V3) (15-0) VW T-ROC (A11, D11) (17-0) VW TOURAN (1T1, 1T2) (03-10) VW TOURAN (1T3) (10-15) VW TOURAN (5T1) (15-0) □	Brake disc type full Outside diameter [mm] 272 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Assembly side Rear axle Brand range Economical Maker JP-GROUP EAN 5710412609047 Model JP-GROUP Trade numbers 1163205200 Manufacturer part number 1163208000








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-4011	BRAKE DISC		437615601	→	AUDI 437615601	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 200 C2 Saloon (437, 438) (79-82) AUDI 200 C3 Avant (447, 448) (83-91) AUDI 200 C3 Saloon (447, 448) (83-91) AUDI QUATTRO (85) (80-91)	Outside diameter [mm] 245 Brake disc thickness [mm] 9.9 Minimum thickness [mm] 8 Height [mm] 59 Rim, number of holes 5 Brake disc type full Hub diameter [mm] 68 Weight [kg] 3.56 Brand range Value for money Maker ABS Assembly side Rear axle EAN 8717109006223 Manufacturer part number 15712
	VD-3634	BRAKE DISC		4436156018	→	AUDI 4D0615601A AUDI 443615601B	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI A8 D2 (4D2, 4D8) (94-05)	Outside diameter [mm] 245 Brake disc thickness [mm] 9.9 Minimum thickness [mm] 8 Height [mm] 46.2 Rim, number of holes 5 Brake disc type full Hub diameter [mm] 68 Weight [kg] 3.36 Brand range Value for money Maker ABS Assembly side Rear axle EAN 8717109008234 Manufacturer part number 15798
	VD-4064	BRAKE DISC		8D0615301A	→	AUDI 8D0615301A	AUDI A4 B5 (8D2) (94-01) AUDI A4 B5 Avant (8D5) (94-02)	Assembly side Front axle Brake disc type full Outside diameter [mm] 280 Brake disc thickness [mm] 13 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412524470 Model JP-GROUP Trade numbers 1163105809 Manufacturer part number 1163105800
	VD-2746	BRAKE DISC		8D0615601A	→	AUDI 8D0615601A AUDI 8D0615601A 8E0615601A VW	AUDI A4 B5 (8D2) (94-01) AUDI A4 B5 Avant (8D5) (94-02) VW PASSAT B5 (3B2) (96-01) VW PASSAT B5 Variant (3B5) (97-01) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Centering diameter [mm] 68 Brake disc thickness [mm] 10 Minimum thickness [mm] 8 Height [mm] 48 Rim, number of holes 5 Brake disc type full Outside diameter [mm] 245 Brand range Economical Maker SAMKO Assembly side Rear axle EAN 8032532068724 Trade numbers A1501P Manufacturer part number A1501P
	VD-4012	BRAKE DISC		895615301	→	AUDI 895615301	AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95)	Rim, number of holes 4 Centering diameter [mm] 68 Outside diameter [mm] 256 Minimum thickness [mm] 11 Brake disc thickness [mm] 13 Height [mm] 56 Brake disc type full Brand range Value for money Maker LPR Assembly side Front axle EAN 8032532068557 Manufacturer part number A1201P
	VD-2880	BRAKE DISC		480615601A	→	AUDI 480615601A	AUDI A6 C5 (4B2) (97-05) AUDI A6 C5 Avant (4B5) (97-05)	Côté d'assemblage Essieu arrière Type de disque de frein plein Diamètre extérieur [mm] 255 Épaisseur du disque de frein [mm] 10 Nombre de trous 5 Surface revêtu Gamme de la marque Econome Fabricant JP GROUP EAN 5710412608958 Modèle JP GROUP Trade numbers 1163203900, 1163203909 Numéro de pièce du fabricant 1163207100
	VD-3636	BRAKE DISC		853615601	→	AUDI 8A0615601 AUDI 853615601	AUDI 80 B2 Saloon (811, 813, 814, 819, 853) (78-87) AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95) AUDI 90 B2 (813, 814, 853) (84-88) AUDI 90 B3 (893, 894, 8A2) (87-91) AUDI COUPE B3 (89, 8B3) (88-96)	Brake disc type full Surface coated Outside diameter [mm] 245 Brake disc thickness [mm] 10 Height [mm] 40 Rim, number of holes 4 Drill circle -Ø [mm] 108 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 8 Weight [kg] 3.20 Illustration bore / number of holes 4/4 Brand range High range Maker ZIMMERMANN Assembly side Rear axle EAN 4250238762102

PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-2800	BRAKE DISC		480615601	→	AUDI 480615601	AUDI A6 C5 (482) (97-05) AUDI A6 C5 Avant (485) (97-05)	Brake disc type full Surface coated Outside diameter [mm] 245 Brake disc thickness [mm] 10 Height [mm] 54 Rim, number of holes 5 Drill circle-Ø [mm] 112 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 8 Weight [kg] 3.40 Illustration bore / number of holes 5/5 Brand range High range Maker ZIMMERMANN Assembly side Rear axle EAN 4250238756514 Model COAT Z
	VD-4062	BRAKE DISC		480615601B	→	AUDI 480615601B	AUDI A6 C5 (482) (97-05) AUDI A6 C5 Avant (485) (97-05) AUDI ALLROAD C5 (48H) (0-05)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 255 Brake disc thickness [mm] 10 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527129 Model JP-GROUP Trade numbers 1163204009 Manufacturer part number 1163204000
	VD-5311	BRAKE DISC		1J0615601D	→	AUDI 1J0615601D SKODA VW	AUDI A3 (8L1) (96-06) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA I Bus (1U5) (98-10) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW GOLF IV (1J1) (97-08) VW GOLF IV Variant (1J5) (99-06)	Assembly side Rear axle Brake disc type full Outside diameter [mm] 239 Brake disc thickness [mm] 9 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412527051 Model JP-GROUP Trade numbers 1163200609 Manufacturer part number 1163200600
	VD-5313	BRAKE DISC		4F0615601E	→	AUDI 4F0615601E	AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11)	Braking system BENDIX-BOSCH Height [mm] 49.2 Minimum thickness [mm] 10 Brake disc thickness [mm] 12 Rim, number of holes 5 Outside diameter [mm] 302 Brake disc type full Centering diameter [mm] 68
	VD-3635	BRAKE DISC		443615601A	→	AUDI 443615601A	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91)	Brake disc thickness [mm] 10 Rim, number of holes 4 Thickness [mm] 46.5 Outside diameter [mm] 245 Drill circle-Ø [mm] 108 Surface coated Brake disc type full Assembly side Rear axle Weight [kg] 3,389 For OE number 443 615 601A Consider service information Brand range High range Maker FEBI BILSTEIN EAN 4027816113959 Manufacturer part number 11395
	VD-5316	BRAKE DISC		8E0615601M	→	AUDI 8E0615601M	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08) AUDI A4 B7 Convertible (8HE) (02-09) SEAT EXEO (3R2) (08-13) SEAT EXEO ST (3R5) (09-13)	Centering diameter [mm] 68 Minimum thickness [mm] 10 Brake disc thickness [mm] 12 Brake disc type full Height [mm] 36 Rim, number of holes 5 Outside diameter [mm] 288 Brand range Value for money Maker LPR Assembly side Rear axle EAN 8032928073233 Manufacturer part number A1029P
	VD-N2047148	BRAKE DISC		4F0615601G	→	AUDI 4F0615601G	AUDI A6 Allroad C6 (4FH) (06-11)	Brake disc thickness [mm] 12 Centering diameter [mm] 68 Minimum thickness [mm] 10 Height [mm] 42.4 Rim, number of holes 5 Outside diameter [mm] 302 Brake disc type full Brand range Value for money Maker LPR Assembly side Rear axle EAN 8032928103626 Trade numbers A1041P Manufacturer part number A1041P
	VD-N2047163	BRAKE DISC		8J0615601	→	AUDI 8J0615601	AUDI TT (8J3) (06-15) AUDI TT Roadster (8J9) (07-14)	Assembly side Rear axle Outside diameter [mm] 286 Height [mm] 58.6 Brake disc thickness [mm] 12 Minimum thickness [mm] 10 Centering diameter [mm] 65 Drill circle-Ø [mm] 112 Hole Ø for wheel bolt [mm] 15.3 Number of holes 5 Brake disc type full Surface zinc coated Supplementary Article / Supplementary Info 2 with screws/bolts Number of parts needed 2 Brand range High range Maker MEYLE EAN 4040074207901

PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-8015	BRAKE DISC		441615301AA	→	AUDI 441615301AA	AUDI 100 C4 Avant (4A5) (90-94) AUDI 100 C4 Saloon (4A2) (90-94) AUDI A6 C4 (4A2) (94-97) AUDI A6 C4 Avant (4A5) (94-97) AUDI A8 D2 (4D2, 4D8) (94-05)	Brake disc type externally ventilated Treatment high carbon Surface coated Outside diameter [mm] 314 Brake disc thickness [mm] 30 Height [mm] 60 Rim, number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 28 Weight [kg] 10.1 Brand range High range Maker ZIMMERMANN Assembly side Front axle EAN 4250238760016 Diameter [mm] 255
	VD-N204781	BRAKE DISC		4A0615601B	→	AUDI, VAG (4A0615301A) AUDI, SKODA, VAG, VW (4A0615601A) SEAT, (4A0615601B) (480 615 601 B) ROTINGER (1511) VAG, (8E0615601) VW (23-0806) (JZW C)	AUDI A6 C5 Saloon (4B2) (02.1997 - 01.2005 , 150 - 250 HP) AUDI A6 C5 Avant (4B5) (12.1997 - 01.2005 , 150 - 250 HP) AUDI Allroad C5 (4B8) (05.2000 - 08.2005 , 163 - 299 HP)	Brake disc type:full Height [mm]:47.8 Brake disc thickness [mm]:10 Centering diameter [mm]:68 Number of holes:5 Drill circle -Ø [mm]:112 Minimum thickness [mm]:8 Inner diameter [mm]:135 Weight [kg]:3.6 Thread:15.3
	VD-5607	BRAKE DISC		6E0615301	→	AUDI 8Z0615301C VW 6E0615301	AUDI A2 (8Z0) (0-05) VW LUPO I (6X1, 6E1) (98-05)	Minimum thickness [mm] 13 Rim, number of holes 4 Height [mm] 34 Outside diameter [mm] 239 Centering diameter [mm] 65 Brake disc type internally ventilated Brake disc thickness [mm] 15 Brand range Economical Maker SAMKO Assembly side Front axle EAN 8032532099001 Trade numbers VZ000V
	VD-3633	BRAKE DISC		443615301A	→	AUDI 443615301D 431615301AV 443615301B 443615301A 431615301AX 431615301A SEAT SKODA VW	AUDI 100 C2 Avant (435, 436) (77-83) AUDI 100 C2 Saloon (431, 433, 434) (76-84) AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI 90 B3 (893, 894, 8A2) (87-91)	Minimum thickness [mm] 20 Centering diameter [mm] 68 Height [mm] 46 Brake disc type internally ventilated Brake disc thickness [mm] 22 Braking system ETA Rim, number of holes 4 Outside diameter [mm] 256 Brand range Economical Maker SAMKO Assembly side Front axle EAN 8032532068489 Trade numbers A1091V
	VD-N204798	BRAKE DISC		4D0615601B	→	AUDI 4D0615601B	AUDI A6 C5 (4B2) (97-05) AUDI A6 C5 Avant (4B5) (97-05) AUDI A8 D2 (4D2, 4D8) (94-05)	Minimum thickness [mm] 20 Brake disc type internally ventilated Centering diameter [mm] 67.3 Outside diameter [mm] 268 Brake disc thickness [mm] 22 Height [mm] 47.2 Rim, number of holes 5 Brand range Economical Maker SAMKO Assembly side Rear axle EAN 8032928084604 Trade numbers A1036V
	VD-3323	BRAKE DISC		7L6615301E	→	AUDI 7L6615301K 7L8615301 7L6615301E VW	AUDI Q7 (4LB) (06-16) PORSCHE CAYENNE (92A) (10-0) PORSCHE CAYENNE (9PA) (02-10) VW TOUAREG (7LA, 7L6, 7L7) (02-13)	Assembly side Left front axle Brake disc type ventilated Outside diameter [mm] 350 Brake disc thickness [mm] 34 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412524449 Model JP-GROUP Trade numbers 1163105179 Manufacturer part number 1163105170
	VD-3324	BRAKE DISC		7L6615302E	→	AUDI 7L6615302E AUDI 7L8615302 7L6615302K VW	AUDI Q7 (4LB) (06-16) PORSCHE CAYENNE (92A) (10-0) PORSCHE CAYENNE (9PA) (02-10) VW TOUAREG (7LA, 7L6, 7L7) (02-13)	Assembly side Right front axle Brake disc type ventilated Outside diameter [mm] 350 Brake disc thickness [mm] 34 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412524456 Model JP-GROUP Trade numbers 1163105189 Manufacturer part number 1163105180
	VD-3328	BRAKE DISC		7L6615601D	→	AUDI 7L8615601C 7L6615601J VW 7L6615601D	AUDI Q7 (4LB) (06-16) PORSCHE CAYENNE (92A) (10-0) PORSCHE CAYENNE (9PA) (02-10) VW TOUAREG (7LA, 7L6, 7L7) (02-13) VW TOUAREG (7P5, 7P6) (10-18)	Brake disc type internally ventilated Minimum thickness [mm] 25.8 Outside diameter [mm] 330 Height [mm] 73.7 Surface coated Braking system BREMBO Brake disc thickness [mm] 28 Rim, number of holes 5 Centering diameter [mm] 85 Brand range Economical EAN 8032928100342 Model TOTAL COATED Trade numbers P2000VR Manufacturer part number




PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-4067	BRAKE DISC		4F0615301D	→	AUDI 4FD615301 AUDI 4F0615301D	AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11)	Centering diameter [mm] 68 Brake disc thickness [mm] 25 Rim, number of holes 5 Brake disc type internally ventilated Minimum thickness [mm] 23 Outside diameter [mm] 314 Height [mm] 59.5 Brand range Economical Maker SAMKO Assembly side Front axle EAN 8032532010334 Trade numbers A1006V
	VD-4085	BRAKE DISC		4F0615301E	→	4F0615301E 4F0615301	AUDI 4F0615301E AUDI 4E0615301AD	Brake disc type internally ventilated Rim, number of holes 5 Outside diameter [mm] 321 Brake disc thickness [mm] 30 Height [mm] 59.7 Centering diameter [mm] 68 Minimum thickness [mm] 28 Brand range Value for money Maker LPR Assembly side Front axle EAN 8032928035293
	VD-3615	BRAKE DISC		8D0615301K	→	AUDI 8D0615301K	AUDI ALLROAD C5 (4BH) (0-05) SEAT EXEO (3R2) (08-13) SEAT EXEO ST (3R5) (09-13)	Diamètre extérieur [mm] 321 Jante, nombre de trous 10 Hauteur [mm] 46 Épaisseur du disque de frein [mm] 30 Épaisseur minimum [mm] 28 Diamètre du centrage [mm] 68 Type de disque de frein ventilé de l'intérieur Gamme de la marque Econome Fabricant SAMKO Côté d'assemblage Essieu avant EAN 8032532087251 Trade numbers A1561V
	VD-1245	BRAKE DISC		4F0615301G	→	AUDI 4F0615301G VW	AUDI A6 Allroad C6 (4FH) (06-11) AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11)	Surface coated Quality Standard HPS Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 347 Brake disc thickness [mm] 30 Height [mm] 59.5 Number of holes 5 Drill circle-Ø [mm] 112 Centering diameter [mm] 68 Brand range Value for money Maker MAPCO EAN 4043605166449 Manufacturer part number 25873HPS
	VD-5314	BRAKE DISC		4F0615601F	→	VAG 4F0615601F ETA 24012202231	AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11)	Outside diameter [mm] 330 Brake disc thickness [mm] 22 Minimum thickness [mm] 20 Brake disc type ventilated Number of holes 5 Height [mm] 49.1 Hub bore-Ø [mm] 68 Assembly side Rear axle Brand range Value for money Maker MAPCO EAN 4043605425836 Manufacturer part number 25875
	VD-N2047112	BRAKE DISC		8E0615301T	→	AUDI 8E0615301T AUDI 8E0615301K	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08) AUDI A4 B7 Convertible (8HE) (02-09)	Brake disc type punched, internally ventilated Treatment high carbon Surface coated Outside diameter [mm] 345 Brake disc thickness [mm] 30 Height [mm] 46 Rim, number of holes 5 Drill circle-Ø [mm] 112 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED
	VD-N2047113	BRAKE DISC		8E0615601R	→	AUDI 8E0615601K AUDI 8E0615601R	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B6 Convertible (8H7) (02-09) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08) AUDI A4 B7 Convertible (8HE) (02-09)	Brake disc thickness [mm] 22 Rim, number of holes 5 Centering diameter [mm] 68 Brake disc type internally ventilated Height [mm] 36 Minimum thickness [mm] 20 Outside diameter [mm] 300 Brand range Value for money Maker LPR Assembly side Rear axle EAN 8032928073240 Trade numbers A1030V
	VD-N204751	BRAKE DISC		447615301B	→	AUDI 447615301A 447615301B	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 200 C3 Avant (447, 448) (83-91) AUDI 200 C3 Saloon (447, 448) (83-91) AUDI QUATTRO (85) (80-91)	Assembly side Front axle Outside diameter [mm] 276 Height [mm] 46.5 Brake disc thickness [mm] 25 Minimum thickness [mm] 23 Centering diameter [mm] 68 Drill circle-Ø [mm] 112 Hole Ø for wheel bolt [mm] 15.4 Number of holes 5 Brake disc type ventilated Number of parts needed 2 Brand range High range Maker MEYLE EAN 4040074429310 Model MEYLE-ORIGINAL Quality








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-N204791	BRAKE DISC		4D0615301A	→	AUDI 4D0615301A	AUDI A8 D2 (4D2, 4D8) (94-05)	Brake disc type internally ventilated Treatment high carbon Surface coated Outside diameter [mm] 323 Brake disc thickness [mm] 30 Height [mm] 60 Rim, number of holes 5 Drill circle-Ø [mm] 112 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 28
	VD-4086	BRAKE DISC		4B3615301	→	AUDI 4B3615301	AUDI A6 C5 (482) (97-05) AUDI A6 C5 Avant (4B5) (97-05)	Brake disc type punched, internally ventilated Treatment high carbon Surface coated Outside diameter [mm] 321 Brake disc thickness [mm] 30 Height [mm] 52 Rim, number of holes 5 Drill circle-Ø [mm] 112 Centering diameter [mm] 68 Minimum thickness [mm] 28 Weight [kg] 10.00 Illustration bore / number of holes 10/5 Brand range High range Maker ZIMMERMANN Assembly side Front axle EAN 4250238750468
	VD-3638	BRAKE DISC		853615301A	→	VAG 853615301C VAG 853615301A	AUDI 80 B2 Saloon (811, 813, 814, 819, 853) (78-87) AUDI 90 B2 (813, 814, 853) (84-88) AUDI COUPE B2 (81, 855, 856) (80-88) AUDI COUPE B3 (89, 883) (88-96)	Outside diameter [mm] 256.0 Brake disc thickness [mm] 20.0 Minimum thickness [mm] 18.0 Brake disc type ventilated Treatment high carbon Surface coated Number of holes 4 Existing MAPP-Code Drill circle-Ø [mm] 108.0 Height [mm] 41.9 Centering diameter [mm] 68.0 Inner diameter [mm] 134.0 Bore-Ø [mm] 15.4
	VD-N2047158	BRAKE DISC		483615601	→	AUDI 483615601 VAG VW	AUDI A6 C5 (482) (97-05) AUDI A6 C5 Avant (4B5) (97-05) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Assembly side Rear axle Brake disc type ventilated Outside diameter [mm] 269 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412609023 Model JP-GROUP Trade numbers 1163205000, 1163205009 Manufacturer part number 1163207800
	VD-4085	BRAKE DISC		4E0615301A	→	VAG 4E0615301G 4E0615301P 3D0615301M 4E0615301A 4E0615301J 3D0615301F	AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11) AUDI A8 D2 (4D2, 4D8) (94-05) AUDI A8 D3 (4E2, 4E8) (02-10) VW PHAETON (3D1, 3D2, 3D3, 3D4, 3D6, 3D7, 3D8, 3D9) (02-16)	Brake disc type punched, internally ventilated Surface coated Outside diameter [mm] 360 Brake disc thickness [mm] 34 Height [mm] 60 Rim, number of holes 5 Drill circle-Ø [mm] 112 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 31 Weight [kg] 14.1 Illustration bore / number of holes 10/5 Brand range High range Maker ZIMMERMANN Assembly side Front axle EAN 4250238752073
	VD-3306	BRAKE DISC		4E0615601K	→	VAG 4E0615601K VAG 4E0615601A 3D0615601D	AUDI A8 D3 (4E2, 4E8) (02-10) VW PHAETON (3D1, 3D2, 3D3, 3D4, 3D6, 3D7, 3D8, 3D9) (02-16)	Outside diameter [mm] 310.0 Brake disc thickness [mm] 22.0 Minimum thickness [mm] 20.0 Brake disc type ventilated Treatment high carbon Surface coated Number of holes 5 Existing MAPP-Code Drill circle-Ø [mm] 112.0 Height [mm] 42.4
	VD-F44125	BRAKE DISC		4Z7615601	→	AUDI 4Z7615601	AUDI A6 C5 (482) (97-05) AUDI A6 C5 Avant (4B5) (97-05) AUDI ALLROAD C5 (4BH) (0-05)	Thread 15.3 Outside diameter [mm] 269 Brake disc thickness [mm] 22 Minimum thickness [mm] 20 Height [mm] 47.8 Number of holes 10 Centering diameter [mm] 68 Drill circle-Ø [mm] 112 Brake disc type ventilated Color black Surface painted Brand range High range Maker TRW Assembly side Rear axle EAN 3322937474721 Manufacturer part number DF4719








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-N2047147	BRAKE DISC		4F0615601B	→	VAG 4F0615601B	AUDI A6 Allroad C6 (4FH) (06-11) AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11)	Outside diameter [mm] 330.0 Brake disc thickness [mm] 22.0 Minimum thickness [mm] 20.0 Brake disc type ventilated Treatment high carbon Surface coated Number of holes 5 Existing MAPP-Code Drill circle -Ø [mm] 112.0 Height [mm] 42.5 Centering diameter [mm] 68.0
	VD-N2047163	BRAKE DISC		8J0615601A	→	AUDI 8J0615601A VW	AUDI TT (8J3) (06-15) AUDI TT Roadster (8J9) (07-14)	Outside diameter [mm] 310 Brake disc thickness [mm] 22 Minimum thickness [mm] 20 Height [mm] 58.6 Drill circle -Ø [mm] 112 Brake disc type ventilated Centering diameter [mm] 65 Number of holes 5 Surface coated Complies with the EEC standard ECE-R90 Drilling diameter up to [mm] 15.3
	VD-6076	BRAKE DISC		8K0615301A	→	AUDI 8K0615301A	AUDI A4 Allroad B8 (8KH) (09-16) AUDI A4 B8 (8K2) (07-16) AUDI A4 B8 Avant (8K5) (07-15) AUDI A5 (8T3) (07-17) AUDI A5 Convertible (8F7) (09-17) AUDI A5 Sportback (8TA) (07-17) AUDI Q5 (8RB) (08-17)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 320 Brake disc thickness [mm] 30 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608729 Trade numbers 1163107500, 1163107509 Manufacturer part number 1163113400
	VD-6078	BRAKE DISC		8K0615301K	→	AUDI 8K0615301B AUDI 8K0615301M 8K0615301K 8K0615301E 8K0615301Q VAG	AUDI A4 B8 (8K2) (07-16) AUDI A4 B8 Avant (8K5) (07-15) AUDI A5 (8T3) (07-17) AUDI A5 Convertible (8F7) (09-17) AUDI A5 Sportback (8TA) (07-17) AUDI Q5 (8RB) (08-17)	Assembly side Front axle brake disc type ventilated Outside diameter [mm] 345 Brake disc thickness [mm] 30 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608743 Model JP-GROUP Trade numbers 1163107800, 1163107809 Manufacturer part number 1163113600
	VD-N204781	BRAKE DISC		857615601	→	AUDI 857615601	AUDI 100 C4 Avant (4A5) (90-94) AUDI 100 C4 Saloon (4A2) (90-94) AUDI A6 C4 (4A2) (94-97) AUDI A6 C4 Avant (4A5) (94-97) AUDI V8 (441, 442, 4C2, 4C8) (88-94)	Brake disc type externally ventilated Treatment high carbon Surface coated Outside diameter [mm] 269 Brake disc thickness [mm] 20 Height [mm] 60 Rim, number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Minimum thickness [mm] 18 Weight [kg] 5.30 Illustration bore / number of holes 10/5 Brand range High range Maker ZIMMERMANN
	VD-N2047159	BRAKE DISC		4F0615301J	→	AUDI 4F0615301J	AUDI A6 C6 (4F2) (04-11) AUDI A6 C6 Avant (4F5) (04-11)	Brake disc thickness [mm] 36 Rim, number of holes 5 Number of fixing holes 1 Thickness [mm] 61.1 Outside diameter [mm] 385 Drill circle -Ø [mm] 112 Treatment high carbon Surface coated Brake disc type internally ventilated Assembly side Front axle Minimum thickness [mm] 33.5
	VD-5604	BRAKE DISC		8J0615301	→	AUDI 8J0615301G AUDI 8J0615301	AUDI TT (8J3) (06-15) AUDI TT Roadster (8J9) (07-14)	Brake disc type externally ventilated Treatment high carbon Surface coated Outside diameter [mm] 340 Brake disc thickness [mm] 30 Height [mm] 50 Rim, number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 65 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 28 Weight [kg] 10.20 Illustration bore / number of holes 6/5 Brand range High range Maker ZIMMERMANN








PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-N2047159	BRAKE DISC		4E0615301K	→	AUDI 4E0615301K AUDI 4E0615301E	AUDI A8 D3 (4E2, 4E8) (02-10)	Outside diameter [mm] 385 Brake disc thickness [mm] 36 Minimum thickness [mm] 33.5 Height [mm] 59.7 Rim, number of holes 5 Brake disc type ventilated Hub diameter [mm] 68 Hole Ø for wheel bolt [mm] 112 Surface coated Weight [kg] 17.38 Brand range Value for money Maker ABS Assembly side Front axle
	VD-F44051	BRAKE DISC		4D0615301B	→	AUDI 4D0615301B AUDI 4D0615301E	AUDI A8 D2 (4D2, 4D8) (94-05)	Brake disc thickness [mm] 30 Rim, number of holes 5 Thickness [mm] 59.4 Outside diameter [mm] 345 Drill circle -Ø [mm] 112 Treatment high carbon Surface coated Brake disc type internally ventilated Assembly side Front axle Minimum thickness [mm] 28 Centering diameter [mm] 68 Weight [kg] 11.38 Consider service information
	VD-N2047135	BRAKE DISC		8E0615301AE	→	AUDI 8E0615301AE	AUDI A4 B6 (8E2) (0-05) AUDI A4 B6 Avant (8E5) (0-05) AUDI A4 B7 (8EC) (04-08) AUDI A4 B7 Avant (8ED) (04-08)	Height [mm] 46.5 Minimum thickness [mm] 28 Brake disc thickness [mm] 30 Rim, number of holes 5 Brake disc type punched/ventilated Centering diameter [mm] 68 Outside diameter [mm] 320 Brand range Economical Maker SAMKO
	VD-F36239	BRAKE DISC		4E0615601L	→	AUDI 4E0615601G 3D0615601 4E0615601L BENTLEY 3W0615601G 3D0615601C VW	AUDI A8 D3 (4E2, 4E8) (02-10) BENTLEY CONTINENTAL Convertible (3W_, 394) (06-0) BENTLEY CONTINENTAL Coupe (3W_, 393) (03-0) BENTLEY CONTINENTAL FLYING SPUR (3W_) (05-13) BENTLEY FLYING SPUR (4W_) (13-0) VW PHAETON (3D1, 3D2, 3D3, 3D4, 3D6, 3D7, 3D8, 3D9) (02-16)	Minimum thickness [mm] 20 Surface coated Treatment high carbon Supplementary Article / Supplementary Info 2 with screws/bolts Height [mm] 42 Outside diameter [mm] 335 Brake disc type internally ventilated Number of holes 5 Brake disc thickness [mm] 22
	VD-4039	BRAKE DISC		8R0615301	→	AUDI 8R0615301 8R0615301C 8R0615301G 8R0615301E 8R0615301D 8R0615301F	AUDI Q5 (8RB) (08-17) AUDI Q5 (FYB, FYG) (16-0)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 320 Brake disc thickness [mm] 30 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412602260 Model JP-GROUP Manufacturer part number 1163108600
	VD-4152	BRAKE DISC		4H0615601H	→	AUDI 4H0615601Q AUDI 4H0615601K 4H0615601H 4H0615601D 8W0615601E 8A0615601C	AUDI A4 Allroad B8 (8KH) (09-16) AUDI A4 Allroad B9 (8WH, 8WJ) (16-0) AUDI A4 B8 (8K2) (07-16) AUDI A4 B8 Avant (8K5) (07-15) AUDI A4 B9 (8W2, 8WC) (15-0) AUDI A4 B9 Avant (8W5, 8WD) (15-0) AUDI A5 (8T3) (07-17) AUDI A5 (F53, F5P) (16-0) AUDI A5 Convertible (8F7) (09-17) AUDI A5 Convertible (F57, F5E) (16-0) AUDI A5 Sportback (8TA) (07-17) AUDI A5 Sportback (F5A, F5F) (16-0) AUDI A6 Allroad C7 (4GH, 4GJ) (12-18) PORSCHE MACAN (95B) (14-0) VW TOUAREG (CR7) (17-0)	Assembly side Rear axle Brake disc type internally ventilated Outside diameter [mm] 330 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412733155 Manufacturer part number 1163208300
	VD-4151	BRAKE DISC		4G0615301A	→	AUDI 4H0615301K 4G0615301A 4H0615301R 4G0615301K 4H0615301F	AUDI A6 C7 (4G2, 4GC) (10-18) AUDI A6 C7 Avant (4G5, 4GD) (11-18) AUDI A7 Sportback (4GA, 4GF) (10-18)	Brake disc type internally ventilated Outside diameter [mm] 356 Brake disc thickness [mm] 34 Centering diameter [mm] 68 Height [mm] 52.1 Rim, number of holes 5 Minimum thickness [mm] 31.5 Brand range Value for money










PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-4150	BRAKE DISC		4G0615301	→	PORSCHE 958615301B VAG 4G0615301 4G0615301G	AUDI A4 B8 (8K2) (07-16) AUDI A4 B8 Avant (8K5) (07-15) AUDI A5 (8T3) (07-17) AUDI A5 Convertible (8F7) (09-17) AUDI A5 Sportback (8TA) (07-17) AUDI A6 C7 (4G2, 4G3) (10-18) AUDI A6 C7 Avant (4G5, 4G6) (11-18) AUDI A7 Sportback (4GA, 4GF) (10-18) AUDI A7 Sportback (4KA) (17-0) AUDI Q5 (8RB) (08-17) PORSCHE MACAN (95B) (14-0)	Brake disc type ventilated Surface coated Outside diameter [mm] 345 Brake disc thickness [mm] 30 Minimum thickness [mm] 28 Height [mm] 52.1 Inner diameter [mm] 164.6 Bore-Ø [mm] 15.3 Number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Brand range Value for money Maker MAPCO Assembly side Front axle EAN 4043605667038 Manufacturer part number 25882C
	VD-4154	BRAKE DISC		4H0615601F	→	AUDI 4H0615601F AUDI 4H0615601L	AUDI A6 C7 (4G2, 4G3) (10-18) AUDI A6 C7 Avant (4G5, 4G6) (11-18) AUDI A7 Sportback (4GA, 4GF) (10-18) AUDI A8 D4 (4H2, 4H8, 4HC, 4HL) (09-18)	Assembly side Rear axle Brake disc type internally ventilated Outside diameter [mm] 356 Brake disc thickness [mm] 22 Number of holes 5 Surface coated
	VD-5031	BRAKE DISC		4E0615601	→	AUDI 3D0615601E AUDI 4E0615601J 4E0615601 VW	AUDI A8 D3 (4E2, 4E8) (02-10) VW PHAETON (3D1, 3D2, 3D3, 3D4, 3D6, 3D7, 3D8, 3D9) (02-16)	Outside diameter [mm] 280 Brake disc thickness [mm] 22 Minimum thickness [mm] 20 Height [mm] 42.4 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Number of holes 5 Surface coated
	VD-N2047162	BRAKE DISC		8J0615301G	→	AUDI 8J0615301G AUDI 8J0615301 VW	AUDI TT (8J3) (06-15) AUDI TT Roadster (8J9) (07-14)	Outside diameter [mm] 340 Brake disc thickness [mm] 30 Minimum thickness [mm] 28 Height [mm] 49.6 Drill circle -Ø [mm] 112 Brake disc type ventilated Centering diameter [mm] 65 Number of holes 5 Surface coated Treatment high carbon Complies with the EEC
	VD-5620	BRAKE DISC		6R0615301B	→	SEAT 8N0615301A 6R0615301B SKODA	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 (8L1) (96-06) AUDI TT (8N3) (98-06) AUDI TT Roadster (8N9) (99-06) SEAT Ibiza III (6L1) (02-09) SEAT Ibiza IV SC (6J1, 6P5) (08-18) SEAT LEON (1M1) (99-06) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA I Bus (1U5) (98-10) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW GOLF IV (1J1) (97-08) VW GOLF IV Variant (1J5) (99-06) VW NEW BEETLE (9C1, 1C1) (98-10) VW POLO (9N_, 9A_) (01-14) VW POLO V (6R1, 6C1) (09-01)	Assembly side Front axle Brake disc thickness [mm] 25 Height [mm] 34.5 Centering diameter [mm] 65 production number 6040360 Brake disc type ventilated Outside diameter [mm] 310.0 Maker KRAFT AUTOMOTIVE EAN 5901159147613 Manufacturer part number 6040360
	VD-N2047153	BRAKE DISC		8R0615301C	→	AUDI 8R0615301 AUDI 8R0615301C 8R0615301G 8R0615301E 8R0615301D 8R0615301F	AUDI Q5 (8RB) (08-17) AUDI Q5 (FYB, FYG) (16-0)	Assembly side Front axle Brake disc type ventilated Outside diameter [mm] 320 Brake disc thickness [mm] 30 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412602260 Model JP-GROUP Manufacturer part number 1163108600
	VD-N3147170	BRAKE DISC		4G0615301C	→	AUDI 4G0615301C 4G0615301AC 4G0615301P VW	AUDI A6 Allroad C7 (4GH, 4GJ) (12-18)	Outside diameter [mm] 356 Brake disc thickness [mm] 34 Minimum thickness [mm] 31.5 Height [mm] 62.4 Drill circle -Ø [mm] 112 Brake disc type ventilated Centering diameter [mm] 68 Number of holes 5 Surface coated Treatment high carbon Supplementary Article / Supplementary info 2 with screws/bolts
	VD-N3147169	BRAKE DISC		4G0615301B	→	AUDI 4G0615301B AUDI 4G0615301N	AUDI A6 Allroad C7 (4GH, 4GJ) (12-18)	Assembly side Front axle Outside diameter [mm] 345 Height [mm] 62.1 Brake disc thickness [mm] 30 Minimum thickness [mm] 28 Centering diameter [mm] 68 Drill circle -Ø [mm] 112 Hole Ø for wheel bolt [mm] 15.3 Number of holes 5 Brake disc type ventilated
	VD-3650	BRAKE DISC		4M0615601P	→	VAG 4M0615601J VAG 4M0615601P	AUDI A8 D5 (4N2, 4N8, 4NC, 4NL) (17-0) AUDI Q7 (4MB, 4MG) (15-0)	Brake disc type punched, internally ventilated Treatment high carbon Surface coated Outside diameter [mm] 350 Brake disc thickness [mm] 28 Height [mm] 36 Rim, number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68















PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-3625	BRAKE DISC		8W0615301AA	→	VAG 8W0615301H 80A615301E 8W0615301AA	AUDI A4 Allroad B9 (8WH, 8WJ) (16-0) AUDI A4 B9 (8W2, 8WC) (15-0) AUDI A4 B9 Avant (8W5, 8WD) (15-0) AUDI A5 (F53, F5P) (16-0) AUDI A5 Convertible (F57, F5E) (16-0) AUDI A5 Sportback (F5A, F5F) (16-0) AUDI A6 Allroad C8 (4AH) (18-0) AUDI A6 C8 (4A2) (18-0) AUDI A6 C8 Avant (4A5) (18-0) AUDI A7 Sportback (4KA) (17-0) AUDI Q5 (FYB, FYG) (16-0) AUDI Q5 Sportback (FYT) (20-0) AUDI Q5 Van (FYB, FYG) (16-0)	Outside diameter [mm] 318.0 Brake disc thickness [mm] 30.0 Minimum thickness [mm] 28.0 Brake disc type ventilated Treatment high carbon Surface coated Number of holes 5 Drill circle -Ø [mm] 112.0
	VD-3626	BRAKE DISC		8W0615301AB	→	AUDI 80A615301F AUDI 8W0615301P 80A615301A 8W0615301AB L8W0615301AB	AUDI A4 Allroad B9 (8WH, 8WJ) (16-0) AUDI A4 B9 (8W2, 8WC) (15-0) AUDI A4 B9 Avant (8W5, 8WD) (15-0) AUDI A5 (F53, F5P) (16-0) AUDI A5 Convertible (F57, F5E) (16-0) AUDI A5 Sportback (F5A, F5F) (16-0) AUDI A6 C8 (4A2) (18-0) AUDI A6 C8 Avant (4A5) (18-0) AUDI A7 Sportback (4KA) (17-0) AUDI Q5 (FYB, FYG) (16-0) AUDI Q5 Sportback (FYT) (20-0)	Brake disc type internally ventilated Number of holes 5 Brake disc thickness [mm] 30 Centering diameter [mm] 68 Minimum thickness [mm] 28 Surface coated Treatment high carbon Supplementary Article / Supplementary Info 2 with screws/bolts
	VD-N204752	BRAKE DISC		437615301A	→	AUDI 437615301 AUDI 437615301A	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 200 C2 Saloon (437, 438) (79-82) AUDI 200 C3 Avant (447, 448) (83-91) AUDI 200 C3 Saloon (447, 448) (83-91) AUDI QUATTRO (85) (80-91)	Brake disc thickness [mm] 22 Rim, number of holes 5 Thickness [mm] 46 Outside diameter [mm] 280 Drill circle -Ø [mm] 112 Surface coated Brake disc type internally ventilated Assembly side Front axle Centering diameter [mm] 68 Weight [kg] 5,769
	VD-8011	BRAKE DISC		8A0615301A	→	AUDI 8A0615301E AUDI 8A0615301A	AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95) AUDI CONVERTIBLE B3 (8G7) (91-0) AUDI COUPE B3 (89, 8B3) (88-96)	Brake disc type externally ventilated Treatment high carbon Surface coated Outside diameter [mm] 280 Brake disc thickness [mm] 22 Height [mm] 57 Rim, number of holes 4 Drill circle -Ø [mm] 108 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 20 Weight [kg] 6.10 Illustration bore / number of holes 4/4 Brand range High range Maker ZIMMERMANN Assembly side Front axle
	VD-N204739	BRAKE DISC		8A0615301C	→	AUDI 895615301B AUDI 8A0615301C	AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95) AUDI CONVERTIBLE B3 (8G7) (91-0) AUDI COUPE B3 (89, 8B3) (88-96)	Brake disc type externally ventilated Surface coated Outside diameter [mm] 276 Brake disc thickness [mm] 25 Height [mm] 57 Rim, number of holes 4 Drill circle -Ø [mm] 108 Centering diameter [mm] 68 Mark of conformity ECE R90 APPROVED Minimum thickness [mm] 23 Weight [kg] 7.00 Illustration bore / number of holes 4/4 Brand range High range Maker ZIMMERMANN
	VD-5620	BRAKE DISC		8N0615301A	→	SEAT 8N0615301A SEAT 6R0615301B SKODA	AUDI A1 (8X1, 8XK) (10-18) AUDI A1 Sportback (8XA, 8XF) (11-18) AUDI A3 (8L1) (96-06) AUDI TT (8N3) (98-06) AUDI TT Roadster (8N9) (99-06) SEAT IBIZA III (6L1) (02-09) SEAT IBIZA IV SC (6J1, 6P5) (08-18) SEAT LEON (1M1) (99-06) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA I Bus (1U5) (98-10) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW GOLF IV (1J1) (97-08) VW GOLF IV Variant (1J5) (99-06) VW NEW BEETLE (9C1, 1C1) (98-10) VW POLO (9N_, 9A_) (01-14) VW POLO V (6R1, 6C1) (09-01)	Assembly side Front axle Brake disc thickness [mm] 25 Height [mm] 34.5 Centering diameter [mm] 65 production number 6040360 Brake disc type ventilated Outside diameter [mm] 310.0 Maker KRAFT AUTOMOTIVE EAN 5901159147613 Manufacturer part number 6040360
	VD-N2047131	BRAKE DISC		8D0615601D	→	AUDI 8D0615601D AUDI 3B0615601B SEAT SKODA VW 8B0615601B	AUDI A4 B5 (8D2) (94-01) AUDI A4 B5 Avant (8D5) (94-02) VW PASSAT B5 (3B2) (96-01) VW PASSAT B5 Variant (3B5) (97-01) VW PASSAT B5.5 (3B3) (0-05) VW PASSAT B5.5 Variant (3B6) (0-05)	Rim, number of holes 5 Height [mm] 48.1 Brake disc type internally ventilated Brake disc thickness [mm] 22 Minimum thickness [mm] 20 Outside diameter [mm] 256 Centering diameter [mm] 68 Brand range Economical Maker SAMKO

PHOTO	TUTKU REF	NAME	WORDING	OEM	OEM1	OEM2	FOR	DETAILS
	VD-4092	BRAKE DISC		8N0615601B	→	AUDI 8N0615601B 8L0615601 SEAT SKODA VW	AUDI A3 (8L1) (96-06) AUDI TT (8N3) (98-06) AUDI TT Roadster (8N9) (99-06) SEAT LEON (1M1) (99-06) SEAT TOLEDO II (1M2) (98-06) SKODA OCTAVIA I (1U2) (96-10) SKODA OCTAVIA I Bus (1U5) (98-10) VW BORA I (1J2) (98-13) VW BORA Variant (1J6) (99-05) VW GOLF IV (1J1) (97-08) VW GOLF IV Variant (1J5) (99-06) VW NEW BEETLE (9C1, 1C1) (98-10)	Assembly side Rear axle Brake disc type externally ventilated Outside diameter [mm] 256 Brake disc thickness [mm] 22 Number of holes 5 Surface coated Brand range Economical Maker JP-GROUP EAN 5710412608941 Model JP-GROUP Trade numbers 1163203700, 1163203709 Manufacturer part number 1163207000
	VD-8013	BRAKE DISC		895615301D	→	AUDI 895615301D	AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95) AUDI COUPE B3 (89, 8B3) (88-96)	Brake disc type externally ventilated Surface coated Outside diameter [mm] 276 Brake disc thickness [mm] 25 Height [mm] 57 Rim, number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Minimum thickness [mm] 23 Weight [kg] 7.00 Illustration bore / number of holes 5/5 Brand range High range Maker ZIMMERMANN Assembly side Front axle EAN 4250238762898
	VD-1512	BRAKE DRUM		191501615A	→	AUDI 191501615A 1H0501615B 115330192 1H0501615A 323501615 VW	AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI COUPE B2 (81, 855, 856) (80-88) SEAT AROSA (6H1) (97-04) SEAT CORDOBA (6K1, 6K2) (93-02) SEAT CORDOBA Vario (6K5) (96-02) SEAT IBIZA II (6K1) (93-02) SEAT TOLEDO I (1L2) (91-99) SKODA FAVORITE (781) (89-94) SKODA FAVORITE Forman (785) (88-95) SKODA FAVORIT Pickup (787) (92-97) VW GOLF III (1H1) (89-98) VW GOLF III Convertible (1E7) (93-98) VW PASSAT B3/B4 (3A2, 35I) (88-97) VW POLO (6N2) (99-01) VW SANTANA (3ZB) (81-85) VW VENTO (1H2I) (91-98)	Diameter [mm] 200 Max. grinding dimensions of brake drum [mm] 201 Haut.int.tamb.fr. [mm] 49.5 Haut.tot.tamb.fr. [mm] 81 Number of holes 1 4 For shaft diameter [mm] 39.8 Up to shaft diameter [mm] 50.2 Brand range Economical Maker SAMKO Assembly side Rear axle EAN 8032532033135 Trade numbers S70244 Manufacturer part number S70244
	VD-N254709	BRAKE DISC		1H0501615A	→	AUDI 191501615A 1H0501615B 115330192 1H0501615A 323501615 VW	AUDI 80 B1 Saloon (80, 82) (72-78) AUDI 80 B2 Saloon (811, 813, 814, 819, 853) (78-87) AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI COUPE B2 (81, 855, 856) (80-88) SEAT AROSA (6H1) (97-04) SEAT CORDOBA (6K1, 6K2) (93-02) SEAT CORDOBA Vario (6K5) (96-02) SEAT IBIZA II (6K1) (93-02) SEAT TOLEDO I (1L2) (91-99) SKODA FAVORITE (781) (89-94) SKODA FAVORITE Forman (785) (88-95) SKODA FAVORIT Pickup (787) (92-97) VW GOLF III (1H1) (89-98) VW GOLF III Convertible (1E7) (93-98) VW POLO (6N2) (99-01) VW SANTANA (3ZB) (81-85) VW VENTO (1H2) (91-98)	Diameter [mm] 200 Max. grinding dimensions of brake drum [mm] 201 Haut.int.tamb.fr. [mm] 49.5 Haut.tot.tamb.fr. [mm] 81 Number of holes 1 4 For shaft diameter [mm] 39.8 Up to shaft diameter [mm] 50.2 Brand range Economical Maker SAMKO Assembly side Rear axle EAN 8032532033135 Trade numbers S70244 Manufacturer part number S70244
	VD-N254713	BRAKE DISC		443501615A	→	AUDI 431501615 AUDI 443501615A 443501615	AUDI 100 C2 Avant (435, 436) (77-83) AUDI 100 C2 Saloon (431, 433, 434) (76-84) AUDI 100 C3 Avant (445, 446) (82-90) AUDI 100 C3 Saloon (443, 444) (82-91) AUDI 80 B4 Avant (8C5) (91-96) AUDI 80 B4 Saloon (8C2) (91-95)	Diameter [mm] 230 Max. grinding dimensions of brake drum [mm] 231 Haut.int.tamb.fr. [mm] 53.5 Haut.tot.tamb.fr. [mm] 90 Up to shaft diameter [mm] 50.2 For shaft diameter [mm] 45.2 Number of holes 1 4 Brand range Value for money
	VD-N254720	BRAKE DISC		893501615	→	AUDI 893501615	AUDI 80 B1 Saloon (80, 82) (72-78) AUDI 80 B3 Saloon (893, 894, 8A2) (86-91) AUDI 90 B2 (813, 814, 853) (84-88) AUDI 90 B3 (893, 894, 8A2) (87-91) AUDI COUPE B2 (81, 855, 856) (80-88)	Up to shaft diameter [mm] 50.2 Diameter [mm] 200 Max. grinding dimensions of brake drum [mm] 201 Haut.int.tamb.fr. [mm] 51.5 Haut.tot.tamb.fr. [mm] 80.5 Number of holes 1 4 For shaft diameter [mm] 39.8
	VD-N204769	BRAKE DISC		447615601A	→	AUDI 447615601A	AUDI 100 C3 Avant (445, 446) (82-90) AUDI 200 C3 Avant (447, 448) (83-91) AUDI 200 C3 Saloon (447, 448) (83-91) AUDI A8 D2 (4D2, 4D8) (94-05)	Brake disc type externally ventilated Treatment high carbon Surface coated Outside diameter [mm] 269 Brake disc thickness [mm] 20 Height [mm] 46 Rim, number of holes 5 Drill circle -Ø [mm] 112 Centering diameter [mm] 68 Minimum thickness [mm] 18 Weight [kg] 5.2 Illustration bore / number of holes 5/5 Brand range High range Maker ZIMMERMANN Assembly side Rear axle