
Use Cases

for

<Najah Reminder>

Version 1.0 approved

Prepared by <Hamza Nasser>

<28/5/2025>

Revision History

Name	Date	Reason For Changes	Version

Use Case ID and Name

UC-1: Receive Notifications

Author and Date Created

Hamza Nasser, by 28/5/2025

Primary and Secondary Actors

Primary Actor: Student

Secondary Actor: Zajel Backend, University IT Team

Trigger

Zajel backend posts a new update (e.g., exam result, announcement).

Description

A student receives a real-time push notification for updates such as exam results, course registrations, or announcements.

Preconditions

Student is logged into Najah Reminder with an active Zajel account.

Zajel backend is operational and accessible via API.

Postconditions

Student is informed of the update.

Notification is marked as read or queued for reminder.

Normal Flow

1. Zajel backend posts an update.
2. System fetches update via Zajel API.
3. System sends push notification to student's device.
4. Student opens notification.
5. System displays update details.
6. System marks notification as read.

Alternative Flows

UC-1: Student does not open notification.

1. System sends reminder notification after 24 hours.
2. Student opens reminder.
3. System displays update details.
4. System marks notification as read.

Exceptions

UC-1 Exception: Zajel API is unavailable.

- Occurs at Normal Flow Step 2.
- System displays error: "Unable to fetch updates. Please try again".

UC-1 Exception: Device is offline.

- Occurs at Normal Flow Step 3.
- System stores notification locally (FREQ-8) and displays when reconnected.

Priority

High -> (5/5 user priority, 5/5 technical priority).

Frequency of Use

20-50 times per semester per student (based on exam results, registrations, announcements).

Business Rules

Notifications must comply with university privacy policies.

Other Information

- Associated with FREQ-2 (Real-time Notification Delivery), FREQ-3 (Reminder NotificationsNFREQ-1 (Reliability)).

- Failed execution queues notifications for retry; no state change.

Assumptions

Students prefer push notifications over manual Zajel checks.

Use Case List


Primary Actor	Use Cases
Student	UC-1: Receive Notifications

Use Case Template

UC ID and Name:	UC-1: Receive Notifications		
Created By:	Hamza Nasser	Date Created:	28/5/2025
Primary Actor:	Student	Secondary Actors:	Zajel Backend, University IT Team
Trigger:	Zajel backend posts a new update (e.g., exam result, announcement).		
Description:	A student receives a real-time push notification for updates such as exam results, course registrations, or announcements.		
Preconditions:	1.Student is logged into Najah Reminder with an active Zajel account. 2.Zajel backend is operational and accessible via API.		
Postconditions:	1.Student is informed of the update. 2.Notification is marked as read or queued for reminder.		
Normal Flow:	1. Zajel backend posts an update. 2. System fetches update via Zajel API. 3. System sends push notification to student's device. 4. Student opens notification. 5. System displays update details. 6. System marks notification as read.		

Alternative Flows:	UC-1: The Student does not open the notification. 1. The system sends a reminder notification after 24 hours. 2. The student opens the reminder. 3. System displays update details. 4. System marks notification as read.
Exceptions:	UC-1 Exception: Zajel API is unavailable. - Occurs at Normal Flow Step 2. - System displays error: "Unable to fetch updates. Please try again". UC-1 Exception: Device is offline. - Occurs at Normal Flow Step 3. - System stores notification locally (FREQ-8) and displays when reconnected.
Priority:	High --> (5/5 user priority, 5/5 technical priority).
Frequency of Use:	20-50 times per semester per student (based on exam results, registrations, announcements).
Business Rules:	Notifications must comply with university privacy policies.
Other Information:	- Associated with FREQ-2 (Real-time Notification Delivery), FREQ-3 (Reminder Notifications), FREQ-1 (Reliability). - Failed execution queues notifications for retry; no state change.
Assumptions:	Students prefer push notifications over manual Zajel checks.

Sequential Diagram for UC-1 : Receive Notification (Hamza Nasser)



Use Case ID and Name

UC-2: Filter Notifications

Author and Date Created

Hamza Nasser, by 28/5/2025

Primary and Secondary Actors

Primary Actor: Student

Trigger

The student selects a notification filter from the dashboard.

Description

A student filters notifications by type (e.g., exams, announcements) to view relevant updates.

Preconditions

1. The student is logged into Najah Reminder.
2. Notifications are available in the system.

Postconditions

1. Dashboard displays only notifications matching the selected filter.
2. Filter preferences are saved for future sessions.

Normal Flow

1. Student selects a filter (e.g., “Exams”) from dashboard.
2. System updates dashboard to show matching notifications.
3. Student views filtered list.
4. Student saves filter preference.
5. System stores preference in user profile.

Alternative Flows

UC-2: Student clears filter.

1. Student selects “Clear Filter” option.
2. System displays all notifications.
3. System updates profile to remove filter preference.

Exceptions

UC-2 Exception: No notifications match the filter.

- Occurs at Normal Flow Step 2.
- System displays: “No notifications found for this filter.”

Priority

Medium -> (3/5 user priority, 3/5 technical priority).

Frequency of Use

5-10 times per week per student.

Business Rules

None

Other Information

- Associated with FREQ-4 (Notification Filtering).
- Failed execution reverts dashboard to default view; no state change.
- Failed execution queues notifications for retry; no state change.

Assumptions

Students want to customize notification views for efficiency.

Use Case List

Primary Actor	Use Cases
Student	UC-2: Filter Notifications

Use Case Template

UC ID and Name:	UC-2: Filter Notifications		
Created By:	Hamza Nasser	Date Created:	28/5/2025
Primary Actor:	Student	Secondary Actors:	
Trigger:	The student selects a notification filter from the dashboard.		
Description:	A student filters notifications by type (e.g., exams, announcements) to view relevant updates.		
Preconditions:	1. The student is logged into Najah Reminder. 2. Notifications are available in the system.		
Postconditions:	1. Dashboard displays only notifications matching the selected filter. 2. Filter preferences are saved for future sessions.		
Normal Flow:	1. Student selects a filter (e.g., “Exams”) from dashboard. 2. System updates dashboard to show matching notifications. 3. Student views filtered list. 4. Student saves filter preference. 5. System stores preference in user profile.		
Alternative Flows:	UC-2: Student clears filter. 1. Student selects “Clear Filter” option. 2. System displays all notifications. 3. System updates profile to remove filter preference.		
Exceptions:	UC-2 Exception: No notifications match the filter. - Occurs at Normal Flow Step 2. - System displays: “No notifications found for this filter.”		

Priority:	Medium -> (3/5 user priority, 3/5 technical priority).
Frequency of Use:	5-10 times per week per student.
Business Rules:	None
Other Information:	- Associated with FREQ-4 (Notification Filtering). - Failed execution reverts dashboard to default view; no state change. - Failed execution queues notifications for retry; no state change.
Assumptions:	Students want to customize notification views for efficiency.

Use Cases

For

<Najah Reminder>

Version 1.0 approved

Prepared by <Fathi Al Helo>

<28/5/2025>

Revision History

Name	Date	Reason For Changes	Version

Use Case ID and Name

UC-3:Create custom Notification Category

Author and Date Created

Name: Fathi Al Helo - Date :28/5/2025

Primary and Secondary Actors

Primary: Student

Secondary: Instructor (optional, if category is shared), University IT Team

Trigger

Student accesses notification settings to create a custom category.

Description

A student creates a custom notification category (e.g., “Assignment Deadlines”) to group specific updates.

Preconditions

1. Student is logged into Najah Reminder.
2. System supports custom category creation.

Postconditions

1. Custom category is created and available for filtering.
2. Category is saved in user profile.

Normal Flow

1. Student navigates to notification settings.
2. System displays category creation form.
3. Student enters category name and rules (e.g., keyword-based).
4. System validates and saves category.
5. System confirms creation to student.

Alternative Flows

Student shares category with instructor.

1. Student selects “Share with Instructor” option.
2. System sends category details to instructor’s account.
3. Instructor approves or rejects shared category.

Exceptions

Invalid category rules.

- Occurs at Normal Flow Step 4.
- System displays: "Invalid category rules. Please check input."

Database connection fails.

- Occurs at Normal Flow Step 4.
- System displays: "Failed to save category. Please try again."

Priority

Low (new feature, not core; 3/5 user priority, 3`/5 technical priority).

Frequency of Use

1-3 times per semester per student.

Business Rules

Custom categories must align with notification types in Zajel.

Other Information

- Failed execution discards category; no state change.

Assumptions

Students want personalized notification organization.

Use Case List


<i>Primary Actor</i>	<i>Use Cases</i>
Student	Create custom Notification Category

Use Case Template

UC ID and Name:	UC-3:Create custom Notification Category.		
Created By:	Fathi Al Helo	Date Created:	28/5/2025
Primary Actor:	Student	Secondary Actors:	Instructor (optional, if category is shared), University IT Team
Trigger:	Student accesses notification settings to create a custom category.		
Description:	A student creates a custom notification category (e.g., Assignment Deadlines) to group specific updates.		
Preconditions:	1. Student is logged into Najah Reminder. 2. System supports custom category creation.		
Postconditions:	1. Custom category is created and available for filtering. 2. Category is saved in user profile.		
Normal Flow:	1. Student navigates to notification settings. 2. System displays category creation form. 3. Student enters category name and rules (e.g., keyword-based). 4. System validates and saves category. 5. System confirms creation to student.		
Alternative Flows:	Student shares category with instructor. 1. Student selects “Share with Instructor” option. 2. System sends category details to instructor’s account.		

	3. Instructor approves or rejects shared category.
Exceptions:	Invalid category rules. - Occurs at Normal Flow Step 4. - System displays: "Invalid category rules. Please check input." Database connection fails. - Occurs at Normal Flow Step 4. - System displays: "Failed to save category. Please try again."
Priority:	Low (new feature, not core; 2/5 user priority, 2/5 technical priority).
Frequency of Use:	1-3 times per semester per student.
Business Rules:	Custom categories must align with notification types in Zajel.
Other Information:	Failed execution discards category; no state change.
Assumptions:	Students want personalized notification organization.

Sequential Diagram for Use Case-3: Create Custom Notification (Fathi Al Helo)



Use Case ID and Name

UC-4: Post Instructor Announcement

Author and Date Created

Name: Fathi Al Helo - Date :28/5/2025

Primary and Secondary Actors

Primary: Instructor

Secondary: Zajel Backend, Student, University IT Team

Trigger

Instructor posts an announcement in Zajel.

Description

An instructor posts an announcement, triggering notifications to relevant students.

Preconditions

1. Instructor is logged into Zajel with posting permissions.
2. Zajel backend is operational.
3. Students are registered in Najah Reminder.

Postconditions

1. Announcement is posted in Zajel
2. Relevant students receive notifications.
3. Notification is logged in the system.

Normal Flow

1. Instructor posts announcement in Zajel.
2. Zajel backend sends update to Najah Reminder.
3. System identifies affected students.
4. System sends push notifications to students' devices.
5. Students receive announcement notifications.

Alternative Flows

None.

Exceptions

Zajel API fails.

- Occurs at Normal Flow Step 2.
- System logs failure and retries after 5 minutes.

Student device is offline.

- Occurs at Normal Flow Step 4.
- System stores notification locally (FREQ-8).

Priority

Medium (aligned with FREQ-2: 5/5 user priority for students, but instructor action is secondary; 3/5 technical priority).

Frequency of Use

5-15 times per semester per student.

Business Rules

Announcements must be accurate and secure.

Other Information

- Associated with FREQ-2 (Real-time Notification Delivery), FREQ-8 (Offline Notification Storage).
- Failed execution queues notifications; no state change in Zajel.

Assumptions

Instructors have permissions to post announcements in Zajel.

Use Case List

<i>Primary Actor</i>	<i>Use Cases</i>
Instructor	Post Instructor Announcement

Use Case Template

UC ID and Name:	UC-4: Post Instructor Announcement		
Created By:	Fathi Al Helo	Date Created:	28/5/2025
Primary Actor:	Student	Secondary Actors:	Zajel Backend, Student, University IT Team

Trigger:	Instructor posts an announcement in Zajel.
Description:	An instructor posts an announcement, triggering notifications to relevant students.
Preconditions:	1. Instructor is logged into Zajel with posting permissions. 2. Zajel backend is operational. 3. Students are registered in Najah Reminder.
Postconditions:	1. Announcement is posted in Zajel 2. Relevant students receive notifications. 3. Notification is logged in the system.
Normal Flow:	1. Instructor posts announcement in Zajel. 2. Zajel backend sends update to Najah Reminder. 3. System identifies affected students. 4. System sends push notifications to students' devices. 5. Students receive announcement notifications.
Alternative Flows:	None.
Exceptions:	Zajel API fails. - Occurs at Normal Flow Step 2. - System logs failure and retries after 5 minutes. Student device is offline. - Occurs at Normal Flow Step 4. - System stores notification locally (FREQ-8).
Priority:	Medium (aligned with FREQ-2: 5/5 user priority for students, but instructor action is secondary; 3/5 technical priority).
Frequency of Use:	5-15 times per semester per student.

Business Rules:	Announcements must be accurate and secure.
Other Information:	- Associated with FREQ-2 (Real-time Notification Delivery), FREQ-8 (Offline Notification Storage). - Failed execution queues notifications; no state change in Zajel.
Assumptions:	Instructors have permissions to post announcements in Zajel.

Use Cases

for

<Najah Reminder>

Version 1.0 approved

Prepared by <Osaid Motawi>

<28/5/2025>

Revision History

Name	Date	Reason For Changes	Version

Use Case ID and Name

UC-7: View Academic Schedule

Author and Date Created

Name: Osaïd Motawî (أسيد مطاوع) , **Date:** 28/5/2025

Primary and Secondary Actors

Primary: Student , **Secondary:** Zajel Backend

Trigger

Student accesses academic schedule from dashboard

Description

A student views their academic schedule (e.g: course times, exam dates) integrated from Zajel.

Preconditions

1. Student is logged into Najah Reminder
2. Zajel backend provides schedule data via API

Postconditions

1. Student views their academic schedule
2. Schedule view is logged in the system

Normal Flow

1. Student selects View Schedul from dashboard
2. System fetches schedule from Zajel API
3. System displays schedule (e.g: calendar view)
4. Student reviews schedule

Alternative Flows

1. Student selects Export Schedule option
2. System generates schedule file (e.g: PDF Format)
3. Student downloads file

Exceptions**. UC-7.0.Exception 1 : Zajel API unavailable**

- Occurs at Normal Flow Step 2
- System displays: Unable to load schedule. Please try again

Priority

Medium

user priority (3/5)

technical priority (3/5)

Frequency of Use

20-30 times per semester per student

Business Rules

Schedule data must comply with privacy policies for An-Najah National University

Other Information

Failed execution results in no state change retry possible

Assumptions

Students need easy access to schedules Najah Reminder

Use Case List

Primary Actor	Use Cases
Student	View Academic Schedule

Use Case Template

UC ID and Name:	UC-7: View Academic Schedule		
Created By:	Osaïd Motawi	Date Created:	28/5/2025
Primary Actor:	Student	Secondary Actors:	Zajel Backend
Trigger:	Student accesses academic schedule from dashboard		
Description:	A student views their academic schedule (e.g: course times, exam dates) integrated from Zajel		
Preconditions:	1. Student is logged into Najah Reminder 2. Zajel backend provides schedule data via API		
Postconditions:	1. Student views their academic schedule 2. Schedule view is logged in the system		
Normal Flow:	1. Student selects View Schedule from dashboard 2. System fetches schedule from Zajel API 3. System displays schedule (e.g: calendar view) 4. Student reviews schedule		
Alternative Flows:	1. Student selects Export Schedule option 2. System generates schedule file (e.g: PDF format) 3. Student downloads file		
Exceptions:	UC-7.0.Exception 1 : Zajel API unavailable		

	- Occurs at Normal Flow Step 2 - System displays: Unable to load schedule. Please try again
Priority:	Medium user priority (3/5) technical priority (3/5)
Frequency of Use:	20- 30 times per semester per student
Business Rules:	Schedule data must comply with privacy policies for An-Najah National University
Other Information:	Failed execution results in no state change retry possible
Assumptions:	Students need easy access to schedules Najah Reminder

Use Case ID and Name

UC-8: Receive Notifications Via SMS

Author and Date Created

Name: Osaid Motawi (أسيد مطاوع) , Date: 28/5/2025

Primary and Secondary Actors

Primary: Student , Secondary: Zajel Backend , SMS Gateway

Trigger

Zajel backend posts a critical update (e.g: exam result)

Description

When a students phone number is connected they receive an important SMS notification

Preconditions

- 1.Student has linked a valid phone number
2. Zajel backend is operational
3. SMS gateway is operational

Postconditions

1. A notification-containing SMS is sent to the student
2. Notification is logged in the system

Normal Flow

1. Zajel backend posts a critical update

2. System fetches update via Zajel API
3. System sends notification to app and SMS to linked phone
4. Student receives SMS with update details

Alternative Flows

None

Exceptions

UC-8.0.Excpention 1 : Failure SMS Gateway

- System logs failure and retries after 5 minutes

UC-8.0.Excpention 2 : Invalid phone number

- System sends app notification only; logs error

Priority

Low

user priority (3/5)

technical priority (2/5)

Frequency of Use

25-35 times per semester per student

Business Rules

SMS content must comply with privacy policies for An-Najah National University

Other Information

Failed SMS delivery uses app notification and no state change

Assumptions

SMS gateway is budget-approved and reliable

Use Case List


<i>Primary Actor</i>	<i>Use Cases</i>
Student	Receive Notifications Via SMS

Use Case Template

UC ID and Name:	UC-8: Receive Notifications Via SMS		
Created By:	Osaid Motawi	Date Created:	28/5/2025
Primary Actor:	Student	Secondary Actors:	Zajel Backend , SMS Gateway
Trigger:	Zajel backend posts a critical update (e.g: exam result)		
Description:	When a students phone number is connected they receive an important SMS notification		
Preconditions:	1.Student has linked a valid phone number 2. Zajel backend is operational 3. SMS gateway is operational		
Postconditions:	3. A notification-containing SMS is sent to the student 4. Notification is logged in the system		
Normal Flow:	5. Zajel backend posts a critical update 6. System fetches update via Zajel API 7. System sends notification to app and SMS to linked phone		

	8. Student receives SMS with update details
Alternative Flows:	None
Exceptions:	UC-8.0.Excption 1 : Failure SMS Gateway - System logs failure and retries after 5 minutes UC-8.0.Excption 2 : Invalid phone number - System sends app notification only; logs error
Priority:	Low user priority (3/5) technical priority (2/5)
Frequency of Use:	25-35 times per semester per student
Business Rules:	SMS content must comply with privacy policies for An-Najah National University
Other Information:	Failed SMS delivery uses app notification and no state change
Assumptions:	SMS gateway is budget-approved and reliable

Sequence diagram
For Use case 7 : View Academic Schedule



Use Cases

for

<Najah Reminder System >

Version 1.0 approved

By <Nancy Al Jabbarin>

<29 May , 2025>

Revision History

Name	Date	Reason For Changes	Version

Use Case ID and Name:

-UC-4: Submit Feedback

Created By: Nancy Al-Jabbarin., **Date:** 29 May , 2025.5.29.

Primary and Secondary Actors:

UC-4:

Primary Actor:Student

Secondary Actors:University IT Team

Trigger:

UC-4: A feedback submission event is triggered when the student clicks the "Submit Feedback" button on the main dashboard.

Description:

UC-4: The student submits feedback or reports an issue through the system interface, so that the IT team can review and take necessary action.

Preconditions:

UC-4:

- Student must be authenticated and logged into the Najah Reminder system.

Postconditions:

UC-4:

- The system saves the submitted feedback and makes it accessible for the IT team to review.
- A confirmation message confirming the successful submission is sent to the student.

Normal Flow:

UC-4:

1. From the system dashboard, the student chooses the "Submit Feedback" option
2. A feedback form with fields for description, severity level, and an optional screenshot is displayed by the system.
3. The student completes the feedback form and sends it in.
4. After verifying the input, the system saves the comments in the database.

5. To let the student know that the feedback was successfully submitted, the system shows a confirmation message.

Alternative Flows:

UC-4:None.

Exceptions:

UC-4:Database connection fails.

- Occurs at Normal Flow Step 4.
- System displays error: <Failed to submit feedback. Please try again>.

Priority:

UC-4: Low (aligned with FREQ-7: 2/5 user priority, 2/5 technical priority).

Frequency of Use:

UC-4:Expected to be used 1–5 times per semester by each student, primarily when issues are encountered.

Business Rules:

UC-4:None.

Other Information:

UC-4:

- This use case enables students to report issues or provide suggestions to improve the system.
- If the feedback submission fails (e.g., due to system or connection issues), no data is saved, and the student can retry without losing their input.

Assumptions:

UC-4: Students are willing and able to report system issues or provide constructive feedback to help improve the platform's quality.

Use Case List

Primary Actor:	Use Cases:
Student	UC-4: Submit Feedback

Use Case Template

UC ID and Name:	UC-4: Submit Feedback		
Created By:	Nancy Al-Jabbarin.	Date Created:29/5/2025	29 may,2025
Primary Actor:	STUDENT	Secondary Actors:	University IT Team
Trigger:	A feedback submission event is triggered when the student clicks the "Submit Feedback" button on the main dashboard.		
Description:	The student submits feedback or reports an issue through the system interface, so that the IT team can review and take necessary action.		
Preconditions:	Student must be authenticated and logged into the Najah Reminder system.		
Postconditions:	-The system saves the submitted feedback and makes it accessible for the IT team to review. -A confirmation message confirming the successful submission is sent to the student.		
Normal Flow:	1.From the system dashboard, the student chooses the "Submit Feedback" option 2. A feedback form with fields for description, severity level, and an optional screenshot is displayed by the system. 3.The student completes the feedback form and sends it in. 4. After verifying the input, the system saves the comments in the database. 5. To let the student know that the feedback was successfully submitted, the system shows a confirmation		
Alternative Flows:	None		

Exceptions:	Database connection fails. -Occurs at Normal Flow Step 4. - System displays error: <Failed to submit feedback. Please try again>.
Priority:	Low (aligned with FREQ-7: 2/5 user priority, 2/5 technical priority).
Frequency of Use:	Expected to be used 1–5 times per semester by each student, primarily when issues are encountered.
Business Rules:	None
Other Information:	– This use case enables students to report issues or provide suggestions to improve the system. – If the feedback submission fails (e.g., due to system or connection issues), no data is saved, and the student can retry without losing their input.
Assumptions:	Students are willing and able to report system issues or provide constructive feedback to help improve the platform's quality.

Use Case ID and Name:

-UC-5: Monitor System Performance.

Created By: Nancy Al-Jabbarin., **Date:** 29 May , 2025.5.29.

Primary and Secondary Actors:

UC-5:

Primary Actor:Student

Secondary Actors:University IT Team

Trigger:

UC-5: The student chooses the 'Submit Feedback' option.

Description:

UC-5: To make the system better, a student reports bugs or offers comments. The IT staff records and examines feedback.

Preconditions:

UC-5:

- administrator has been granted access by an IT team member.
- Monitoring instruments are in use.

Postconditions:

UC-5:

- Comments are saved for the IT staff to review.
- A confirmation is sent to the student.

Normal Flow:

UC-5:

1. The student chooses the "Submit Feedback" option.
2. Feedback form (description, severity, optional screenshot) is displayed by the system.
3. The student completes and submits the form.

4. Feedback is stored in a database by the system
5. The system shows a message of confirmation.
6. The student receives the SMS with the relevant information.

Alternative Flows:

UC-5: None.

Exceptions:**UC-5: An unsuccessful database connection.**

-It takes place at Normal Flow Step Four.

-The message "Failed to submit feedback" is displayed by the system. Please give it another go.

Priority:

UC-5: Medium.

Frequency of Use:

UC-5: 1–3 times per semester per student (based on suggestions encountered or system issues).

Business Rules:

UC-5: None.

Other Information:

UC-5:

-When a submission fails, the input is discarded; the state remains unchanged.

Assumptions:

UC-5: In order to enhance the quality of the system, students will report problems.

Use Case List

Primary Actor:	Use Cases:
Student	Monitor System Performance.

Use Case Template

UC ID and Name:	UC-5: Monitor System Performance.		
Created By:	Nancy Al-Jabbarin.	Date Creat:	29 may,2025
Primary Actor:	STUDENT	Secondary Actors	Secondary Actors: University IT Team
Trigger:	The student chooses the 'Submit Feedback' option.		
Description:	To make the system better, a student reports bugs or offers comments. The IT staff records and examines feedback.		
Preconditions:	●administrator has been granted access by an IT team member. ●Monitoring instruments are in use.		
Postconditions:	●Comments are saved for the IT staff to review. ●A confirmation is sent to the student.		
Normal Flow:	1.The student chooses the "Submit Feedback" option. 2.Feedback form (description, severity, optional screenshot) is displayed by the system. 3.The student completes and submits the form. 4.Feedback is stored in a database by the system 5.The system shows a message of confirmation. 6.The student receives the SMS with the relevant information.		
Alternative Flows:	None		

Exceptions:	An unsuccessful database connection. -It takes place at Normal Flow Step Four. -The message "Failed to submit feedback" is displayed by the system. Please give it another go.
Priority:	Medium.
Frequency of Use:	1–3 times per semester per student (based on suggestions encountered or system issues).
Business Rules:	None
Other Information:	- If the feedback submission fails (e.g., due to system or connection issues), no data is saved, and the student can retry without losing their input.
Assumptions:	In order to enhance the quality of the system, students will report problems.

Sequential Diagram for for **UC-4: Submic Feedback** by: **Nancy Al Jabbarin**

