

```
In [2]: from bs4 import BeautifulSoup as bs
import requests
```

```
In [3]: url = 'https://coinmarketcap.com/currencies/bitcoin/'
```

```
In [4]: page = requests.get(url)
print(page)
```

```
<Response [200]>
```

```
In [6]: soup = bs(page.text, 'html')
print(soup)
```

```
Cell In[6], line 2
    print(soup)55
          ^
SyntaxError: invalid syntax
```

```
In [9]: crypto_name = soup.find_all('span')
print(crypto_name)
```

```
<title>Bitcoin price today, BTC to USD live price, marketcap and chart | CoinMarketCap</title>
```

```
In [25]: crypto_name = soup.find('span',{'title' : "Bitcoin"})
print(crypto_name)
```

```
<span class="sc-65e7f566-0 lsTl" data-role="coin-name" title="Bitcoin">Bitcoin<span class="sc-65e7f566-0 eQBACe coin-name-mobile"> price</span></span>
```

```
In [28]: bitcoin = [i.text for i in crypto_name]
print(bitcoin)
```

```
['Bitcoin', ' price']
```

```
In [29]: title = soup.find('span',{'class' : "sc-65e7f566-0 czZVlm base-text"})
print(title)
```

```
<span class="sc-65e7f566-0 czZVlm base-text" data-role="coin-symbol">BTC</span>
```

```
In [30]: title_bit = [i.text for i in title ]
print(title_bit)
```

```
['BTC']
```

```
In [33]: price = soup.find('span',{'class':"sc-65e7f566-0 esyGGG base-text"})
print(price)
```

```
<span class="sc-65e7f566-0 esyGGG base-text" data-test="text-cdp-price-display">$113,711.06</span>
```

```
In [34]: price_bit = [i.text for i in price ]
print(price_bit)
```

```
['$113,711.06']
```

```
In [38]: dict = {'Crypto_Name' : title_bit , 'Price' : price_bit, 'Time_Stamp' : }
```

```
In [41]: import pandas as pd
df = pd.DataFrame(dict,index = [0])
print(df)
```

```
   Crypto_Name      Price
0          BTC  $113,711.06
```

```
In [48]: from datetime import datetime
dt = datetime.now()

dict = {'Crypto_Name' : title_bit , 'Price' : price_bit, 'Time_Stamp' : dt
}

import pandas as pd
df = pd.DataFrame(dict,index = [0])
print(df)
```

```
   Crypto_Name      Price      Time_Stamp
0          BTC  $113,711.06  2025-08-03 18:53:09.645697
```

```
In [50]: df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv')
```

```
In [51]: import os
```

```
In [52]: if not os.path.exists(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv'):
    df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv')
else:
```

```
df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv',mode = 'a',header = False)
```

```
In [ ]: import time
time.sleep(10)
```

the full code

```
In [64]: from bs4 import BeautifulSoup as bs
import requests
import pandas as pd
from datetime import datetime
import os
import time
```

```
In [90]: def crypto_project():
    url = 'https://coinmarketcap.com/currencies/bitcoin/'
    page = requests.get(url)
    soup = bs(page.text,'html')
    title = soup.find('span',{'class' : "sc-65e7f566-0 czZVlm base-text"})
    title_bit = [i.text for i in title ]
    price = soup.find('span',{'class': "sc-65e7f566-0 esyGGG base-text"})
    price_bit = [i.text for i in price ]
    dt = datetime.now()

    dict = {'Crypto_Name' : title_bit , 'Price' : price_bit,'Time_Stamp' :
dt }
    df = pd.DataFrame(dict,index = [0])
    if os.path.exists(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv'):
        df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv',mode='a',index = False,header=False)
    else:
        df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python
files\crypto_project.csv',index = False)
```

In [79]: `import time`

In [92]: `while True:
 crypto_project()
 time.sleep(100000)`

PermissionError

Traceback (most recent call last)

Cell In[92], line 2

```
1 while True:
----> 2     crypto_project()
      3     time.sleep(10)
```

Cell In[90], line 14, in crypto_project()

```
12 df = pd.DataFrame(dict,index = [0])
13 if os.path.exists(r'C:\Users\LORD\OneDrive\Desktop\python_files\crypto_proje
ct.csv'):
--> 14     df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python_files\crypto_projec
t.csv',mode='a',index = False,header=False)
      15 else:
      16     df.to_csv(r'C:\Users\LORD\OneDrive\Desktop\python_files\crypto_projec
t.csv',index = False)
```

File ~\anaconda35\Lib\site-packages\pandas\util_decorators.py:211, in deprecate_kwarg.
<locals>._deprecate_kwarg.<locals>.wrapper(*args, **kwargs)

```
209     else:
210         kwargs[new_arg_name] = new_arg_value
--> 211 return func(*args, **kwargs)
```

File ~\anaconda35\Lib\site-packages\pandas\core\generic.py:3720, in NDFrame.to_csv(self, path_or_buf, sep, na_rep, float_format, columns, header, index, index_label, mode, encoding, compression, quoting, quotechar, lineterminator, chunksize, date_format, doublequote, escapechar, decimal, errors, storage_options)

```
3709 df = self if isinstance(self, ABCDataFrame) else self.to_frame()
3711 formatter = DataFrameFormatter(
3712     frame=df,
3713     header=header,
3714     (...)
3717     decimal=decimal,
3718 )
-> 3720 return DataFrameRenderer(formatter).to_csv(
3721     path_or_buf,
3722     lineterminator=lineterminator,
3723     sep=sep,
3724     encoding=encoding,
3725     errors=errors,
3726     compression=compression,
3727     quoting=quoting,
3728     columns=columns,
3729     index_label=index_label,
3730     mode=mode,
3731     chunksize=chunksize,
3732     quotechar=quotechar,
3733     date_format=date_format,
3734     doublequote=doublequote,
3735     escapechar=escapechar,
3736     storage_options=storage_options,
3737 )
```

```

File ~\anaconda35\Lib\site-packages\pandas\util\_decorators.py:211, in deprecate_kwarg
g.<locals>._deprecate_kwarg.<locals>.wrapper(*args, **kwargs)
    209     else:
    210         kwargs[new_arg_name] = new_arg_value
--> 211 return func(*args, **kwargs)

```

```

File ~\anaconda35\Lib\site-packages\pandas\io\formats\format.py:1189, in DataFrameRender
er.to_csv(self, path_or_buf, encoding, sep, columns, index_label, mode, compression,
quoting, quotechar, lineterminator, chunksize, date_format, doublequote, escapechar,
errors, storage_options)
    1168     created_buffer = False
    1170 csv_formatter = CSVFormatter(
    1171     path_or_buf=path_or_buf,
    1172     lineterminator=lineterminator,
    (...)
    1187     formatter=self.fmt,
    1188 )
-> 1189 csv_formatter.save()
    1191 if created_buffer:
    1192     assert isinstance(path_or_buf, StringIO)

```

```

File ~\anaconda35\Lib\site-packages\pandas\io\formats\csvs.py:241, in CSVFormatter.save(self)
    237 """
    238 Create the writer & save.
    239 """
    240 # apply compression and byte/text conversion
--> 241 with get_handle(
    242     self.filepath_or_buffer,
    243     self.mode,
    244     encoding=self.encoding,
    245     errors=self.errors,
    246     compression=self.compression,
    247     storage_options=self.storage_options,
    248 ) as handles:
    249
    250     # Note: self.encoding is irrelevant here
    251     self.writer = csvlib.writer(
    252         handles.handle,
    253         lineterminator=self.lineterminator,
    (...)
    258         quotechar=self.quotechar,
    259     )
    261     self._save()

```

```

File ~\anaconda35\Lib\site-packages\pandas\io\common.py:856, in get_handle(path_or_buf,
mode, encoding, compression, memory_map, is_text, errors, storage_options)
    851 elif isinstance(handle, str):
    852     # Check whether the filename is to be opened in binary mode.
    853     # Binary mode does not support 'encoding' and 'newline'.
    854     if ioargs.encoding and "b" not in ioargs.mode:

```

```
855         # Encoding
--> 856         handle = open(
857             handle,
858             ioargs.mode,
859             encoding=ioargs.encoding,
860             errors=errors,
861             newline="",
862         )
863     else:
864         # Binary mode
865         handle = open(handle, ioargs.mode)

PermissionError: [Errno 13] Permission denied: 'C:\\Users\\LORD\\OneDrive\\Desktop\\python files\\crypto_project.csv'
```

In []:

In []: