

22 Steps

7 Phases

0% Assumption / 0% Guess

Image + Text Design Rule

What's New in v9.6

- **NEW (v9.6) — Rule 0: Zero Assumption / Zero Guess** — the highest-priority rule in the entire workflow. Every value must come from a verified source. If Claude cannot determine a value, it marks "Unknown — need user confirmation". Claude never invents, estimates, or fills gaps with plausible-sounding content. This rule overrides all others.
- **NEW (v9.6) — Rule 7: Child/Variation ASIN Inclusion** — JS contains only parent ASINs. Variation ASINs come from Keepa only. Each variation gets its own row in the Critical Sheet. Sales, revenue, price, rating, BSR, date first available must come from variation-level Keepa data and can never be copied from the parent. Static product attributes (brand, material, dimensions, design, packaging) may be copied from parent.
- **NEW (v9.6) — Rule 8: Design Classification — Image + Text Merger** — Design must be classified using the combined reading of image + title + bullets + description. Image shows form. Text reveals mechanism, function, and contents. Neither source alone is sufficient. Category-specific distinguishing attributes are proposed by Claude and approved by user before any Design codes are assigned.
- **NEW (v9.6) — All product-specific examples removed from workflow** — Material, Size, Special Features, Step 17 main ASIN rules, and all other standing rules are now written product-agnostic. No golf brush, spray, ml, nylon, ABS, or other category-specific terms remain.
- **NEW (v9.6) — Material rule (product-agnostic)** — Keepa Material attribute often describes a component not the main body. Determine main product body material from listing text. Specify component material as suffix if relevant.
- **NEW (v9.6) — Size rule (product-agnostic)** — Use the meaningful measurement for the product category. Avoid generic terms (Large/Mini/One Size) when a measurable specification exists.
- **NEW (v9.6) — Special Features hierarchy (product-agnostic)** — SF1 = primary differentiator, SF2 = secondary supporting feature, SF3 = tertiary or bonus item. Hierarchy set by importance to the buyer, not order of mention.
- **NEW (v9.6) — Step 17 Main ASIN rule (product-agnostic)** — Main ASIN must match the planned launch variant from Section 4 of the Strategic Report, not the highest-selling competitor overall.
- **NEW (v9.6) — Sub-design corrective action rule in Rule 8:** After initial design grouping, Claude must re-examine every group and check if any further attribute (brush head shape, head size, bristle arrangement, handle profile) splits the group. This catches sub-designs like D1 vs D1b before the user has to point them out.
- **NEW (v9.6) — Step 14 split into 14A + 14B:** Variation ASIN extraction is now the FIRST action in Phase 4 before any data filling. Claude extracts all child variation ASINs from Keepa, outputs the list, and waits for the user to run a Keepa bulk lookup on those ASINs before proceeding.
- **NEW (v9.6) — Missing ASIN fill rule (KWs Complete Data):** The main ASIN rank comes from Cerebro "Position (Rank)" column into col G. Competitor ASINs missing a rank (dash in Cerebro) are filled with the Competitor Performance Score (CPS) for that row. Never leave blank.
- **NEW (v9.6) — KWs formula chain rule:** Row 2 (brands) is a live formula — never overwrite. Only write ASINs into row 3 (G3:P3) and keyword data into rows 5+.
- **NEW (v9.6) — Key Evaluation images rule:** Images embedded as actual objects at height=1.8cm, width=auto (aspect ratio). URL extraction from Keepa takes only the first URL before the semicolon separator.
- **NEW (v9.6) — H10 Basic Data col M Amazon URLs rule:** After filling H10 data, Claude must write Amazon UK search URLs into M3 (KW1), M4 (KW2), M5 (KW3). Format: [https://www.amazon.co.uk/s?k=\[keyword+with+plus+signs\]](https://www.amazon.co.uk/s?k=[keyword+with+plus+signs]).
- **NEW (v9.6) — KWs Complete Data strategy:** Run separate Cerebro for each of the 10 competitor ASINs. Merge all 10 exports, deduplicate, take best rank per ASIN, sort by SV. This surfaces the full keyword universe for all product types in the market.
- **NEW (v9.6) — Auto-cascade rule (Rule 1 addition):** Whenever any tab is filled or updated, Claude automatically updates all downstream linked tabs in the same pass. No user direction needed. Map: KWs Complete Data -> KWs Filtered, Key Eval rows 51+, Margin Calc A6:H15. Critical Sheet -> Price Analysis, Margin Calc pricing. H10 Basic Data -> M3:M5 Amazon URLs.
- All v9.5 rules retained: Rules 1-6, H10 cell mapping, Margin Calc full fill, Cerebro 10-ASIN rule, self-audit Rule 6.

CRITICAL EXECUTION RULES — FOR CLAUDE

These rules override any implicit behaviour. Claude must read all rules before executing any step.

RULE 0 — Zero Assumption / Zero Guess (HIGHEST PRIORITY — overrides all other rules)

- Every value entered into any PES sheet, every classification, every recommendation must come from a verified source: a file the user uploaded, data the user confirmed, or visible evidence in product images or listing text.
- If Claude cannot determine a value from a verified source, it must mark the cell "Unknown — need user confirmation" and ask the user. It must never guess, estimate, infer without basis, or fill a gap with plausible-sounding content.
- This rule applies to: Critical Sheet column values, Design classifications, mechanism descriptions, Special Feature assignments, keyword selections, and all Strategic Report recommendations.
- **Violation example (what Claude must never do):** Claude cannot determine a product's water mechanism from the image, so it writes "squeeze bottle" based on a guess. This is a Rule 0 violation. The correct action is to mark "Unknown — mechanism: need user confirmation".
- Rule 0 is the highest-priority rule. If any other rule appears to conflict with Rule 0, Rule 0 wins.

RULE 1 — Sequential Execution: No Stopping Between Automated Steps

- After each automated step, Claude proceeds immediately without waiting for confirmation.
- Only two permitted pauses: **Step 13** (vocabulary approval) and **Step 11** (Decision Gate).
- Claude must not ask "shall I proceed?" between automated steps.
- If a step cannot complete due to missing data, Claude flags it, completes all other steps, then states what is missing.

RULE 2 — Mid-Workflow Entry

- When user uploads JS + Keepa + Xray x3 + PES together, Claude identifies this as Phase 4 entry automatically.
- Claude does NOT ask what phase to start at — the files make it self-evident.
- Claude executes Phases 4, 5, 6 in a single continuous pass.

Step	Action	Pause?
Step 12	Claude proposes controlled vocabulary for Critical Sheet	YES — wait for Step 13
Step 13	User approves or amends vocabulary	USER ACTION
Step 14	Claude fills Critical Sheet (all cols, filters, JS + Keepa merged, variations added)	NO — proceed
Step 16	Claude fills H10 Basic Data (top 57 per keyword)	NO — proceed
Step 17	Claude selects top 10 competitors + outputs Cerebro-ready list	NO — output now
—	Claude tells user: run Cerebro with MAIN ASIN matching launch variant, all 10 in one session	USER ACTION
Step 19	Claude fills KWs Complete, KWs Filtered, Key Eval rows 51+	NO — proceed

RULE 3 — Step 17 Output Requirement

- After selecting top 10, Claude immediately outputs a ranked table: Rank | ASIN | Brand | Design/Variant | Monthly Sales | Rating | FBA/FBM | BSR.
- Table must explicitly mark the MAIN ASIN and explain why it was chosen (matches launch variant from Section 4 of Strategic Report).
- Claude states: "Please run Cerebro on all 10 ASINs — MAIN ASIN [X] entered FIRST. Set Position (Rank) filter ≤ 30. Export XLSX and upload."

RULE 4 — Completion Statement Required

- After completing all automatable steps, Claude must output a completion summary: tabs filled, row counts, filters applied, what user must do next.
- Format: Completed | Awaiting user action | Not possible (with reason).
- Claude never ends a response mid-workflow without telling the user what comes next.

RULE 5 — New Chat Session Start: Ask Current Stage First

- **Whenever this workflow is uploaded in a new chat, Claude must ask which stage the user is at before doing anything else.**
- Claude presents exactly 3 options:
 - **1. Product Hunting** — Phases 1-2: Black Box export, keyword selection
 - **2. Competitor Analysis** — Phase 3: JS + Keepa + Xray uploaded, competitor selection and scoring
 - **3. Product Evaluation Sheet** — Phases 4-7: Critical Sheet, H10 Basic Data, KWs, Key Eval, Launch Report
- Based on selection, Claude jumps to the correct phase and requests only the files needed. It does not restart from Phase 1.

RULE 6 — Self-Audit Quality Check Before Presenting Any Output

- **After filling any sheet, Claude must self-audit before presenting the file to the user. The user should not be the first one to notice obvious problems.**
- Critical Sheet audit: zero blank cells in Material/Color/Packaging/Sub-Category (or "Unknown" if genuinely unavailable). Fees = FBA only. Design legend present. Data from row 9. Variation rows present for all parent ASINs that have children in Keepa.
- H10 Basic Data audit: all 3 KW sections have date in B, keyword in B, headers untouched, data from correct rows.
- KWs Complete Data audit: Main ASIN matches launch variant. If majority of keywords are wrong-type or too broad — FLAG it, do not silently present.
- Cross-sheet audit: top 10 ASINs match launch report. Main ASIN variant matches launch variant.
- **When Claude finds a problem: (1) flag it, (2) explain root cause, (3) propose fix. Never silently present flawed output.**

RULE 7 — Child/Variation ASIN Inclusion (NEW v9.6)

- **The Jungle Scout export contains only parent ASINs. Child/variation ASINs (different colours, sizes, pack counts, or other variations of the same parent) are found exclusively in the Keepa export under the Variation ASINs field or equivalent.**
- When filling the Critical Sheet, Claude must: (1) take each parent ASIN from JS, (2) look up that parent in Keepa, (3) read the Variation ASINs field, (4) add each variation as its own row in the Critical Sheet.
- **Must NEVER copy from parent (must come from variation-level Keepa data, or mark Unknown per Rule 0):** Monthly Sales, Daily Sales, Monthly Revenue, Price (all price columns), Rating, Rating Count, Date First Available, BSR/Rank, the variation attribute itself (colour/size/pack count).
- **May copy from parent (shared by definition across the same product):** Brand, Product Name (with variation suffix), Sub-Category, Category, Tier, Dimensions, Weight, FBA Fees, Material, Design code, Special Features, Packaging.
- Link is variation-specific — use Keepa variation-level URL. Never copy parent URL.
- The standing test: "If a buyer searched this variation ASIN on Amazon, would they see a different listing page?" If yes — it gets its own row.
- Variations must not be omitted, merged into the parent row, or referenced only in a comment.

RULE 8 — Design Classification: Image + Text Merger (NEW v9.6)

- **Design must be classified using a combined reading of: (1) main product image, (2) product title, (3) bullet points, (4) product description. Image alone shows form. Text alone misses form. Neither source alone is sufficient.**
- Image reveals: body shape, handle shape, brush head shape, visible attachment mechanism, physical form factor.
- Text reveals: water dispensing mechanism (push-spray vs squeeze vs electric), function, contents, materials not visible in image.
- **The distinguishing attributes for design classification are category-specific — they will be different for every product type on every new chat. Claude must NOT reuse attribute lists from a previous product category.**
- For each new product category, Claude must: (1) examine images and listing text for all products, (2) identify which attributes actually vary meaningfully across products in this category, (3) propose a category-specific attribute list to the user, (4) wait for user approval of the attribute list before assigning any Design codes.
- Two products share a Design code ONLY IF ALL their category-specific attributes match. If even one attribute differs, they are separate Designs.
- Any attribute that cannot be determined from image + text combined must be marked "Unknown — need user confirmation" per Rule 0. Claude must never guess a mechanism, shape, or function it cannot verify.
- **Design codes are numbers only (1, 2, 3...). The legend explaining each code goes in the Design column above the header row in the Critical Sheet (rows 2-7 of the Design column). If more items than available rows, overflow to the next column.**
- **SUB-DESIGN CORRECTIVE ACTION RULE:** After initial design codes are assigned, Claude must re-examine every group that shares a code and check whether ALL attributes truly match across every member of that group. Do not assume products that share a body shape and mechanism are the same design. A further distinguishing attribute (e.g. brush head shape, head size, bristle arrangement, handle profile) may require splitting the group into sub-codes (e.g. D1 and D1b). This re-examination is mandatory before the Critical Sheet is presented to the user.
- **Corrective action example:** Cylindrical bottle + push-spray products were initially all grouped as Design 1. After re-examination of brush head shape (image attribute), two distinct sub-designs were found: rectangular flat brush head (D1) and round/dome brush head (D1b). This split was only discovered because a user challenged the grouping — not because Claude self-audited. The re-examination step ensures Claude catches this before the user does.

PHASE 1 — PRODUCT HUNTING

USER

Step 1

User runs H10 Black Box

- Export from Helium 10 Black Box — Products section
- One category only per export — do not mix categories
- Export format: XLSX. Upload to tool

Automation path: H10 Enterprise API can fetch Black Box data directly

CLAUDE

Step
2A

Claude reads file and detects category

- Claude reads the uploaded Black Box XLSX automatically
- Detects the product category from the data
- Prepares category-specific benchmark data for all 10 filters

Step 2B — Filter Configuration (one filter at a time)

Claude asks each filter individually with a category-specific recommendation and reasoning. User accepts or sets own value. All 10 confirmed before Claude applies any.

Filter	What Claude asks	Claude's role
F1 — Amazon as seller	Remove Amazon-as-seller listings?	Recommends always remove
F2 — Seasonal	Which peak months to flag?	Flags relevant seasonal months for this category
F3 — Listing age	Minimum listing age (months)?	Suggests age minimum with reasoning
F4 — Minimum rating	Minimum star rating?	Suggests rating threshold with reasoning
F5 — Monthly sales	Minimum monthly unit sales?	Suggests unit floor with reasoning
F6 — Sales trend	Decline % that triggers removal?	Suggests decline threshold
F7 — Review count	Min and max review count?	Min: avoid untested. Max: avoid saturated
F8 — Regulated	Which regulated categories exist?	Flags relevant regulated categories
F9 — Compatibility	Are there compatibility products?	Identifies device-dependent products
F10 — Custom	Any user-defined rule?	User defines. Claude applies

CLAUDE

Step
2C

Claude applies filters and outputs shortlist

- All 10 filters applied after every filter confirmed
- Output: minimum 10 shortlisted candidates — top 3-5 recommended
- Each candidate: ASIN, title, price, monthly sales, rating, reviews, listing age, risk flags, reasoning

USER

Step 3

User selects 1 target product

- User reads shortlist and Claude reasoning
- User selects exactly 1 product to take forward as target ASIN
- Trademark and patent verification is the user responsibility

PHASE 2 — KEYWORD VERIFICATION

USER

Step 4

User runs Cerebro on target ASIN

- Open H10 Cerebro. Enter the chosen target ASIN
- Export full keyword XLSX. Upload to tool

Automation path: H10 Enterprise API removes this step

CLAUDE

Step 5

Claude picks top 6 keywords

- Selection: highest relevancy + highest search volume
- Excluded: branded competitor names, misspellings, wrong-category, overly broad, question keywords, SV < 100, keywords describing a different product type
- Output: 6 keywords with SV, relevancy score, Claude reasoning per pick

USER

Step 6

User approves 6 keywords or requests swaps

- User reviews keywords and reasoning
- Claude substitutes rejected keywords until all 6 approved
- Final 6 keywords locked before Phase 3

PHASE 3 — COMPETITOR IDENTIFICATION + ANALYSIS

Amendments: Step 7 squeezed (3 tools simultaneously). FBA + FBM both included. Reviews via API. Col F fully populated every row. Pricing Analysis product name always updated.

SQUEEZED

Step 7

User runs JS + Keepa + Xray simultaneously

- All 3 tools run at the same time
- Jungle Scout: keyword search on main product keyword — CSV export
- Keepa: bulk ASIN lookup on all JS ASINs — XLSX export
- Helium 10 Xray: same main keyword on Amazon UK — XLSX export
- Upload all 3 files together in one message

Automation path: JS API + Keepa API + H10 Xray API can remove all 3 exports

CLAUDE

Step 8

Claude picks top 3 competitors

- Includes BOTH FBA and FBM sellers
- Applies same-product-type filter across all 3 sources
- Scores each ASIN: keyword ranking relevancy + monthly sales
- Selects top 3 by highest sales volume in the same product type
- Output: top 3 with FBA/FBM flag, full data, reasoning per selection

Step 9 — Competitor Review Data

Current	
Target (API)	FlyByAPIs (\$14.99/mo) — Claude calls API by ASIN + star rating filter, receives structured JSON, analyses directly. Zero screenshots. Zero PDF uploads.
	Sign up at rapidapi.com/flybyapis — 100 free requests/month to test first.

Step 10 — Claude fills all competitor sheets in one pass

10A Keepa	
10B User	AMS ad visibility: user screenshots each of 6 keywords on Amazon UK. Cannot be automated.
	Full rubric scoring (max 159 per competitor). Top 3 weaknesses from 1-3 star reviews + solutions. Top 3 strengths from 4-5 star reviews. Review data from API.
10D Claude	Sponsored Products: 6 keywords x Exact + Phrase + Broad. PPC bids always blank. Pricing Analysis product name MUST be updated from template default — standing rule. BSR + price + FBA payout + fees from Keepa + JS. COGS and shipping blank until sourcing confirmed.
	Claude delivers: (1) Competitor Analysis Excel — all tabs complete, Col F fully populated. (2) Competitor PDF — all 3 scored, gap analysis, market entry verdict.

DECISION GATE — Step 11

User reviews Competitor Analysis Excel + PDF before any further work proceeds. One of only TWO mandatory pause points (the other is Step 13).

Option A — Workable	User confirms product is viable. Workflow proceeds to Phase 4.
Option B — Change competitors	User requests different competitor selection. Claude re-picks from same JS+Keepa+Xray data. Loops back to Step 8.
	User rejects product. Claude advises on alternative. Workflow restarts at Phase 1.

PHASE 4 — CRITICAL SHEET — FULL PRODUCT DATA

EXECUTION RULE: After Step 14, Claude immediately proceeds to Phase 5 (Step 16) without pause.

CLAUDE

Step
12

Claude proposes controlled vocabulary

- Before filling any column, propose fixed vocabulary for all structured columns
- Maximum 6-8 values per column. Synonyms collapsed to one standard term
- Design column: propose category-specific distinguishing attributes first (per Rule 8), wait for approval before assigning any Design codes
- **MANDATORY PAUSE #1** — Claude waits for Step 13 approval before filling any cell

USER

Step
13

User approves vocabulary — MANDATORY PAUSE

- User reviews proposed vocabulary AND proposed design attribute list
- Claude does not fill any column until both are approved
- Once approved, vocabulary and design attributes are locked for the entire Critical Sheet
- **After approval, Claude proceeds through Steps 14, 16, 17 without further pauses**

CLAUDE

Step
14

Claude auto-fills Critical Sheet + applies 6 quality filters + adds variation rows

- **STEP 14A — VARIATION ASIN EXTRACTION (must happen FIRST, before any data filling):**
 - For every parent ASIN in the JS export, Claude reads the Keepa "Variation ASINs" field and builds a complete list of child ASINs that are NOT already in the JS export.
 - Claude outputs this list immediately and tells the user: "Please run a Keepa bulk ASIN lookup on these [N] variation ASINs and upload the Keepa export before I fill the Critical Sheet."
- **Claude does NOT proceed to fill the Critical Sheet until the user provides the variation-level Keepa export.** This is the only additional pause permitted in Phase 4 (besides Step 13 vocabulary approval).
- Once variation Keepa data is uploaded, Claude proceeds to Step 14B.
- **STEP 14B — FILL Critical Sheet (parent rows first, then variation rows):**
 - Merges JS CSV + Keepa XLSX by ASIN. Both FBA and FBM data included.
 - Fills all columns using source priority map.
 - Calculated fields: daily sales = monthly/30. Monthly revenue = monthly x consistent price.
 - 6 quality filters applied to parent rows: (1) Wrong product type (2) No price (3) Too new (<6 months) (4) No rating/reviews (5) Low rating below threshold (6) Low engagement.
 - **Variation rows added immediately after their parent row. Sales/revenue/price/rating/BSR/date/rank must come from variation-level Keepa data — never copied from parent. Static attributes (brand/material/design/packaging/dimensions) may copy from parent.**
 - Zero estimation (Rule 0): any cell with no verified source is marked "Unknown — need user confirmation". Never guessed.
- **On completion of Step 14B — proceed immediately to Step 16**

STEP 14 STANDING RULES — Critical Sheet Format

- **Row positions:** Row 8 = column headers (template — never touch). Data starts at ROW 9. Variations follow immediately after their parent row.
- **Date/KW cells:** Write value into B6 (date) and B7 (keyword) only. Labels in A6/A7 are in template — never overwrite column A.
- **Design legend:** In the Design column above the header row. First available row = "DESIGN LEGEND:", then one item per row. If items exceed available rows, overflow to next column.

- **Material column (product-agnostic):** Extract from listing text (title + bullets + description). Keepa's Material attribute may describe a component (cord, attachment, accessory) not the main product body. Determine main body material from text. Specify component material as suffix if relevant to the buyer. Never copy Keepa Material directly without verifying it describes the main product body.
- **Size column (product-agnostic):** Use the meaningful measurement for the product category — capacity for containers, blade length for knives, dimensions for tools, etc. Avoid generic terms (Large/Mini/One Size) when a measurable specification exists in the listing. If genuinely no measurable size variation exists in the category, use the product's standard size descriptor.
- **Color column:** Extract from Keepa Color field first, then fall back to title, then bullets. Zero blank cells permitted.
- **Fees column:** FBA Pick&Pack; fee ONLY. Never include referral fee in this column. Referral fee belongs in Pricing Analysis.
- **Special Features hierarchy (product-agnostic):** SF1 = primary differentiator (the single most important feature that makes this product unique vs alternatives in this category). SF2 = secondary supporting feature. SF3 = tertiary feature or bonus item included. Hierarchy set by importance to a buyer in this specific category — not alphabetically, not by order of mention. A feature in SF1 must not repeat in SF2 or SF3.
- **Packaging:** Extract from listing text first (keywords: gift box, retail box, polybag, pouch, bag, tube, or category-relevant packaging terms). If text is silent, infer from image count and quality. Never leave blank.
- **Sub-Category:** Extract from Keepa "Categories: Sub" first, then "Categories: Tree". Never default to root category.
- **Design column (Rule 8):** Classify using image + title + bullets + description combined. Category-specific distinguishing attributes proposed by Claude and approved by user in Step 12/13 before any codes are assigned. Two products share a code only if ALL attributes match.

MARGIN CALCULATION TAB — FULL FILL RULE

- **Fill approximately 70% of the Margin Calculation sheet from existing PES data. Never leave it mostly empty just because some cells need supplier quotes.**
- **Section 1 — Keyword chart A6:H15:** top 10 product-relevant keywords from Cerebro. Col A = KW (non-English), Col B = KW (English), Col C = H10 SV, Col F = CPR, Col G = Competing Products. Cols D/E/H blank — require separate tools.
- **Section 2 — Pricing rows:** My Selling Price from launch report recommended price. Competitor price from closest product-variant competitor (not highest-selling overall). M/N columns auto-calculate via template formulas.
- **Section 3 — Product info:** Dimensions in the unit the template expects (convert if needed). Primary differentiator/Special Feature from launch report. Seller being copied = the design reference ASIN from launch recommendation.
- **Section 4 — Cost inputs:** ALWAYS BLANK until user provides supplier quotes. Product Cost / Freight / 3PL cannot be estimated.
- **Note:** Template cell positions (L6, O14, etc.) are specific to the current PES template. The fill principle applies universally — fill all cells derivable from existing PES data, leave blank only those requiring external inputs.

PHASE 5 — H10 BASIC DATA — TOP 57 PER KEYWORD

EXECUTION RULE: After Step 16, Claude immediately proceeds to Step 17 without pause.

USER Step 15 User runs Xray x3 keywords

- Run H10 Xray on Amazon UK for each of the 3 selected keywords
- Each keyword is a separate Xray search — separate XLSX export
- Upload all 3 XLSX exports + PES in one message
- If Xray files already uploaded earlier in same session, Claude uses them — no re-upload needed

Automation path: H10 Enterprise API removes this step

CLAUDE Step 16 Claude filters + fills H10 Basic Data sheet

- Removes products not the exact same type as target
- Sorts remaining same-type products by monthly sales descending
- Selects top 57 per keyword — flags shortfall if fewer found
- Fills columns for all 3 keyword sections. Zero estimation per Rule 0.
- **STANDING RULE — Amazon Search URLs in col M:** After filling all 3 keyword sections, Claude must write the Amazon UK search URL for each keyword into column M of the H10 Basic Data tab: M3 = URL for KW1, M4 = URL for KW2, M5 = URL for KW3. Format: [https://www.amazon.co.uk/s?k=\[keyword with + between words\]](https://www.amazon.co.uk/s?k=[keyword with + between words]). These URLs are built from the keyword names in B6 (KW1), B69 (KW2), B130 (KW3). Do not leave M3:M5 blank.
- **On completion — proceed immediately to Step 17**

Automation path: Keepa API already connected — can eliminate manual screenshots

STEP 16 STANDING RULES — H10 Basic Data Exact Cell Mapping

All 3 KW sections follow identical structure. Column A labels are in template — never overwrite. Write values to column B only.

Section	Date label (A — template)	Date value (B)	KW label (A — template)	KW value (B)	Headers row	Data rows
KW1	A5 = "Date:"	B5	A6 = "KW1:"	B6	Row 7 — never touch	Rows 8-64
KW2	A68 = "Date"	B68	A69 = "KW2:"	B69	Row 70 — never touch	Rows 71-127
KW3	A129 = "Date"	B129	A130 = "KW3:"	B130	Row 131 — never touch	Rows 132-188

Note: These row positions reflect the standard PES template. If a different template is used, Claude must verify row positions before filling.

PHASE 6 — KEYWORDS: 3 TABS IN 1 PASS

KWs Complete Data, KWs Filtered Data, and Key Eval rows 51+ are filled in a single pass once the Cerebro export is uploaded.

CLAUDE

Step
17

Claude selects top 10 + identifies MAIN ASIN matching launch variant

- Reads completed Critical Sheet and scores every ASIN: primary = monthly sales, secondary = rating, tertiary = review count
- FBA AND FBM considered. All 10 must be exact same product type as target
- **MAIN ASIN RULE (product-agnostic):** the first ASIN entered in Cerebro defines the entire keyword universe for the launch.
- Main ASIN must match the planned launch variant from Section 4 of the Strategic Launch Report — not the highest-selling competitor overall.
- **Cross-check before output:** main ASIN variant/design must match launch variant. If they do not match, flag and revise before outputting.
- Output ranked table: Rank | ASIN | Brand | Design/Variant | Monthly Sales | Rating | FBA/FBM | BSR
- Output must explicitly mark MAIN ASIN and explain why it was chosen (matches launch variant)
- Claude states: "Run Cerebro on all 10 — MAIN ASIN [X] entered FIRST. Position Rank filter ≤ 30 . Export XLSX and upload."
- **All 10 ASINs in ONE Cerebro session. If user uploads fewer than 10 or wrong main ASIN, Claude flags and asks for re-run.**

STEP 17/19 STANDING RULE — Missing ASIN Values in KWs Complete Data

- The main ASIN (entered first in Cerebro) does NOT appear as a column in the Cerebro export. Its rank comes from the "Position (Rank)" column only. Fill col G with the Position (Rank) value for every keyword row.
- Competitor ASINs that have no rank for a keyword (shown as dash "-" in Cerebro) must NOT be left blank. Fill those cells with the Competitor Performance Score (CPS) value for that keyword row instead.
- CPS is in the "Competitor Performance Score" column of the Cerebro export. It is a row-level value (same for all competitors in that row).
- This rule applies to: KWs Complete Data, KWs Filtered Data, and Key Evaluation rows 51+.
- Formula row (COUNTIF) still counts only actual rank values ≤ 30 — CPS fill values are not counted as ranks.
- **Formula chain rule:** KWs Complete Data rows 2 (brands) and 4 (headers) contain template formulas. Row 2 auto-populates brand names from Top Relevant ASINs Data sheet via formula. Row 4 is a static header. The ONLY data Claude writes directly are: Row 3 (ASINs into G3:P3) and data rows 5+ (keyword data). Never overwrite formula cells in rows 1-4.

USER

Step
18

User runs Cerebro on all 10 ASINs (rank filter ≤ 30)

- Open H10 Cerebro. Paste all 10 ASINs in one session — do not split across exports
- Set Position Rank filter to maximum 30 before exporting
- First ASIN entered = MAIN ASIN
- Export XLSX and upload

Automation path: H10 Enterprise API removes this step

Claude fills 3 tabs in one pass

- **KWs Complete Data strategy:** run a separate Cerebro for each of the 10 competitor ASINs (each as main ASIN in its own session). Merge all 10 exports: deduplicate keywords, take best (lowest) rank per ASIN per keyword across all sheets, take highest SV for each keyword. Keep only keywords where at least 1 of the 10 ASINs ranks ≤ 30 . Sort by SV descending. This surfaces the full keyword universe regardless of product type (bottle vs brush etc.).
- **KWs Filtered Data strategy:** this sheet contains **ONLY** the top 6 approved launch keywords from Phase 2 (Step 5/6). It is the curated short list agreed with the user, not a SV-threshold filter of KWs Complete Data.
- **KWs Complete Data fill:** all keyword ranks from full Cerebro export. Missing competitor rank cells filled with CPS value for that row (never blank). COUNTIF formula in col Q per row.
- **KWs Filtered Data fill:** only the 6 approved launch keywords. Same column structure as KWs Complete Data.
- **Key Evaluation rows 51+:** same data as KWs Filtered Data (6 approved keywords), feeds SUMIF/COUNTIF in rows 40-47.
- **Formula chain rule:** KWs Complete Data row 2 (brands) is a live formula — never overwrite. Write ASINs into G3:P3 only. Data into rows 5+.
- Col G = main ASIN rank from "Position (Rank)" column of Cerebro. Col Q = COUNTIF formula counting ranks ≤ 30 .

PHASE 7 — KEY EVALUATION + FINAL DELIVERABLES

CLAUDE

Step
20

Claude embeds top 10 competitor images into Key Evaluation row 1

- Preferred method: user provides resized JPEG images (1 per competitor ASIN) downloaded via Google Colab or bulk downloader tool
- Claude embeds each image as an actual image object (not =IMAGE() formula) into cells G1-P1
- **Image sizing rule: height = 1.8cm (51pt). Width = auto-adjusted based on actual image aspect ratio — NOT the cell width. For standard Amazon product images (square 1:1 ratio), width will also equal 1.8cm.**
- Row 1 height set to match image height (51pt = 1.8cm)
- Images anchored to cells G1 through P1, one per competitor in top 10 order
- If user cannot provide image files: Claude writes =IMAGE("first_url_only", 2) formulas as fallback. URL must be the FIRST URL only from the Keepa Image field — strip everything after the first semicolon or separator.
- **URL extraction rule: Keepa Image field contains multiple URLs separated by semicolons. Always take only the substring before the first ";" character. Never include secondary URLs in the formula string.**

USER

Step
21

User completes final manual inputs

- H10 Distribution screenshot — paste into A13 of Key Evaluation
- H10 Word Frequency screenshot — paste into A22 of Key Evaluation
- Amazon search URLs for each keyword — paste into M3, M4, M5 of H10 Basic Data tab
- Supplier times after sourcing: Production B36, Shipping B37, Port to 3PL B38, 3PL to Amazon B39, Buffer B40
- COGS + shipping cost — Pricing Analysis (after supplier quote received)
- Once B36-B40 filled, Lead Time (B41) and Inventory Required (B43) calculate automatically

Final Deliverables

Claude generates two deliverables at the end of Phase 7.

Deliverable 1 — Complete PES Excel

Tab	Status	Filled by	Key Rule
Competitor Analysis	Complete	Keepa API + Claude + Review API	Col F fully populated every row
Sponsored Products	Complete	Claude (keywords only, bids blank)	—
Pricing Analysis	Partial	Keepa + JS (COGS blank until sourcing)	Product name row always updated
Critical Sheet	Complete	JS + Keepa (parent) + Keepa variation bulk export	Parent row 9. Parent rows first, variation rows immediately after parent
H10 Basic Data	Complete	Xray x3, top 57 per keyword	KW1 row 8, KW2 row 71, KW3 row 132
Margin Calculation	Complete	Cerebro + Critical Sheet + Launch Report	70% filled. Cost inputs blank pending supplier quotes.
KWs Complete Data	Complete	Cerebro 10 ASINs, ranks + COUNTIF	Main ASIN matches launch variant
KWs Filtered Data	Complete	SV > 350 rows, COUNTIF re-applied	—
Key Evaluation	Complete	Formulas live, images row 1, KW data row 51+	Amazon search URLs in M3/M4/M5 of H10 tab

Deliverable 2 — Strategic Launch PDF Report

Claude expert analysis and launch recommendation. Claude acts as expert advisor synthesising all data into an actionable launch plan.

SAFE	BALANCED	AGGRESSIVE
Lowest competition entry Proven design matches what sells Best for first launchers or limited budget	Identified design or feature gap Competitive price vs top sellers Best for sellers with some experience	Premium positioning Unique design targeting review weakness Best for experienced sellers with budget

API Automation Roadmap

With all 3 APIs connected, user manual steps drop from 12 to 3 irreducible. Time per product: 3-4 hours to approx 20 minutes.

Priority	API	What it replaces	Cost	Impact
1 — HIGH	FlyByAPIs / Rainforest	Step 9 entirely. Claude calls by ASIN + star filter, receives JSON, and AI/99% directly. Biggest pain points removed	\$14,995/mo	
2 — HAVE	Keepa API (connected)	Col U product screenshots (171 manual). Keepa /product returns already images, A71 per ASIN		
3 — FUTURE	Helium 10 Enterprise	Steps 1, 4, 7, 15, 18. Black Box, Cerebro, Xray all automated. Requires Enterprise plan	\$1,000/mo	7 manual exports gone

3 Steps That Cannot Be Automated

Manual step	Why it cannot be automated
AMS ad visibility screenshots (6 per product)	Amazon blocks all programmatic ad data. No API exists. Manual permanently.
H10 Distribution + Word Frequency screenshots	Visual charts inside H10. No API equivalent. Paste into A13 and A22 manually.
Supplier lead times + COGS	Requires real sourcing data. Cannot be estimated or automated per Rule 0.

Workflow Summary, Legend & Data Sources

22 Steps	7 Phases	8 Rules	1 Decision Gate	2 Deliverables	3 Launch Options
----------	----------	---------	-----------------	----------------	------------------

Step Colour Legend

USER (manual)	Steps requiring user action, export, file upload or decision.
CLAUDE / API (auto)	Steps completed automatically by Claude. No user action.
SQUEEZED	Steps previously separate, merged into one consolidated action.
DECISION GATE	Mandatory user review. No work proceeds until user confirms.
EXECUTION RULE	Rules that Claude follows on every chat. Override default behaviour.
STANDING RULES	Per-tab rules for Critical Sheet and H10 Basic Data fills.

Data Source Priority

Tool	Primary use	Secondary use	API?
Keepa API	Price history, listing content, fees, dates, variation ASINs, images, BSR, BSR, reviews, dimensions, variations attributed	ASIN, BSR, BSR, reviews, dimensions, variations attributed	Yes - ASIN only
Jungle Scout	Sales estimates, fulfillment type, product tier, dimensions, weight	Category, brand, date first available. Pay-as-you-go	Yes - ASIN only — variations come from Keepa
H10 Cerebro	Keyword ranks for 10 competitors, SV, competing products	Sponsored ASINs, competitor performance	Enterprise only
H10 Xray	Top products per keyword, sales, revenue, BSR, fees, creatives	Buy date, fulfillment, size tier	Enterprise only
H10 Black Box	Initial product universe, sales trend, listing age, rating, review volume	Category, variations, weight	Enterprise only
FlyByAPIs	Amazon reviews by ASIN + star filter. Structured JSON for analysis	Product data, seller info	\$14.99/mo — Priority 1
Amazon UK	AMS ad visibility per keyword (user screenshots). Amazon search results per keyword	Search results per keyword	Not available