



Report from Sep 29, 2026, 12:38:34 PM

<https://vidyavardhana.my.id/>

Analyze



Discover what your real users are experiencing

[No Data](#)



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0-49



50-89



90-100



METRICS

[Expand view](#)

▲ First Contentful Paint
18.1 s

▲ Largest Contentful Paint
50.3 s

▲ Total Blocking Time
1,230 ms

● Cumulative Layout Shift
0

▲ Speed Index
18.1 s

📅 Captured at Sep 29, 2026, 12:38
PM GMT+7

🖥️ Emulated Moto G Power with
Lighthouse 13.5.0


🔗 Single page session

🕒 Initial page load

📶 Slow 4G throttling

🔗 Using HeadlessChromium

153.0.8010.36 with Ir



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

▲ Improve image delivery — Est savings of 10,078 KiB



vidyavardhana.my.id

1st Party

10,231.0 KiB

10,077.7 KiB

KKN Kelompok 07 Vidya Vardhana
UNUSIA Bersama LAZNAS
Salurkan Al-Qur'an ke MDT ...

/uploads/179...-367....jpg

(vidyavardhana.my.id)

2,369.9 KiB

2,317.1 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

1,032.8 KiB

This image file is larger than it needs to be (4032x2037) for its displayed dimensions (658x494). Use responsive images to reduce the image download size.

2,276.2 KiB



Lo
go
<i
mg
al

t="Logo" class="w-13 h-13
object-contain bg-white
border-2 border-primary-dark
shadow-[2px..."
src="/uploads/1789513687517-
448983817.png">

/uploads/178...-448....png

(vidyavardhana.my.id)

2,138.1 KiB

2,137.1 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

284.1 KiB

This image file is larger than it needs to be (3375x3375) for its displayed dimensions (77x77). Use responsive images to reduce the image download size.

2,136.9 KiB

KKN Kelompok 07 Vidya Vardhana
UNUSIA Gelar Edukasi Bullying dan

/uploads/179...-586....jpg

(vidyavardhana.my.id)

1,855.2 KiB

1,815.5 KiB

```


```

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

435.2 KiB

This image file is larger than it needs to be (4160x2097) for its displayed dimensions (658x370). Use responsive images to reduce the image download size.

1,803.4 KiB



Za
har
a
No
via

Aisyah Putri

/uploads/179...-505...jpg (vidyavardhana.my.id)

1,290.7 KiB

1,283.2 KiB

```

```

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

455.8 KiB

This image file is larger than it needs to be (2268x2262) for its displayed dimensions (161x286). Use responsive images to reduce the image download size.

1,279.2 KiB

Adilah Nazifah Salamah

```

```

/uploads/179...-615...jpg (vidyavardhana.my.id)

1,253.6 KiB

1,246.1 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could

418.6 KiB

This image file is larger than it needs to be (2268x2262) for its displayed dimensions (161x286). Use responsive images to reduce the image download size.		1,242.3 KiB
Muhamad Hasan Syadzily		
<code></code>		
/uploads/179...-62537203.jpg (vidyavardhana.my.id)		1,212.2 KiB
		1,204.7 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		372.1 KiB
URL	Resource Size	Est Savings
(2268x2262) for its displayed dimensions (161x286). Use responsive images to reduce the image download size.		1,201.4 KiB
Digitalisasi Pengabdian: Suksesnya Pembuatan Website Resmi KKN 07 Vidya Vardhan...		
<code></code>		
/uploads/179...-884...jpg (vidyavardhana.my.id)		111.3 KiB
		74.0 KiB
This image file is larger than it needs to be (1200x605) for its displayed dimensions (658x370). Use responsive images to reduce the image download size.		74.0 KiB

Render-blocking requests — Est savings of 1,350 ms

^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. LCP FCP Unscored

☒ Show 3rd-party resources (3)

vidyavardhana.my.id	1st Party	16.4 KiB	460 ms
/assets/index-DMt5a2Mg.css (vidyavardhana.my.id)		16.4 KiB	460 ms
cdnfonts.com		0.8 KiB	860 ms
/css/garet (fonts.cdnfonts.com)		0.8 KiB	860 ms
Google Fonts	Cdn	2.7 KiB	1,500 ms
/css2?family=... (fonts.googleapis.com)		1.3 KiB	750 ms
/css2?		1.4 KiB	750 ms

URL	Transfer Size	Duration
URL	Size	Est Savings

Consider setting `font-display` to `swap` or `optional` to ensure text is consistently visible. `swap` can be further optimized to mitigate layout shifts with `font metric overrides`. FCP Unscored

cdnfonts.com	1.4 KiB
URL	Est Savings

▲ Legacy JavaScript — Est savings of 6 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile `Baseline` features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored

vidyavardhana.my.id	1st Party	6.4 KiB
/assets/index-CG7qm4_u.js (vidyavardhana.my.id)		6.4 KiB
/assets/index-CG7qm4_u.js:73:11032 (vidyavardhana.my.id)	Math.clz32	
/assets/index-CG7qm4_u.js:73:10908 (vidyavardhana.my.id)	Math.imul	
/assets/index-CG7qm4_u.js:73:11152 (vidyavardhana.my.id)	Math.trunc	

URL	Wasted bytes
-----	--------------

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. [Learn](#)

Top function call

Total reflow time

[unattributed]

78 ms

12 ms

Source

Total reflow time

▲ LCP breakdown

^

URL

Resource Size

Est Savings

Time to first byte

0 ms

Resource load delay

1,690 ms

Resource load duration

350 ms

Element render delay

860 ms

Subpart

Duration

div.absolute > div.absolute

<div class="absolute inset-0 bg-cover bg-center" style="background-image: url("/uploads/1790058902936-19535449.jpg");">

▲ LCP request discovery

^

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

LCP

Unscored

✓ LCP resources should not use loading=lazy

✗ fetchpriority=high should be applied

✗ Request is discoverable in initial document

div.absolute > div.absolute

<div class="absolute inset-0 bg-cover bg-center" style="background-image: url("/uploads/1790058902936-19535449.jpg");">

▲ Network dependency tree

^

Avoid chaining critical requests by reducing the length of chains, reducing the download size of

maximum critical path latency: **2,446 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

https://i.ytimg.com/	head > link <link rel="preconnect" href="https://i.ytimg.com">
Unused preconnect. Only use `preconnect` for origins that the page is likely to request.	
https://i.ytimg.com/	head > link

Origin

Source

page is likely to request.

https://i.ytimg.com/

head > link
<link rel="preconnect"
href="https://i.ytimg.com">

Unused preconnect. Only use `preconnect` for origins that the page is likely to request.

Origin

Source

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.
No additional origins are good candidates for preconnecting

■ Use efficient cache lifetimes — Est savings of 9 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP FCP

Unscored

Google Maps Utility		13 KiB
...js/StaticMapService.GetMapImage?... (maps.googleapis.com)	1d	10 KiB
...api/js?key=... (maps.googleapis.com)	30m	3 KiB
Google/DoubleClick Ads Ad		2 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15m	1 KiB

Request

Cache TTL

Transfer
Size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Elements

	div.flex > span.bg-gradient-yellow > svg.lucide > path	
DOM depth	<path d="M11.017 2.814a1 1 0 0 1 1.966 011.051 5.558a2 2 0 0 0 1.594 1.59415.558 1...">	16

Statistic	Element	Value
-----------	---------	-------

☐ 3rd parties

^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

YouTube Video	2,986 KiB	1,846 ms
...en_US/base.js (www.youtube.com)	1,423 KiB	645 ms
...rs=AGKMywH6C.../m=root;base (www.youtube.com)	318 KiB	459 ms
...rs=AGKMywEe7.../m=root;base (www.youtube.com)	343 KiB	293 ms
...rs=AGKMywHNJ.../m=r78Drb (www.youtube.com)	438 KiB	256 ms
/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)	62 KiB	54 ms
/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)	62 KiB	50 ms
/embed/DxSZ9Hm2Cc0?autoplay=... (www.youtube.com)	62 KiB	43 ms
...rs=AGKMywHNJ.../m=cwx9N (www.youtube.com)	33 KiB	24 ms
...rs=AGKMywG6b.../m=cwx9N (www.youtube.com)	17 KiB	11 ms
...www-widgetapi.vflset/www-widgetapi.js (www.youtube.com)	9 KiB	11 ms
/iframe_api (www.youtube.com)	4 KiB	1 ms
...v1/log_event?alt=json (www.youtube.com)	0 KiB	0 ms
...fb50cd46/www-player.css (www.youtube.com)	173 KiB	0 ms
...rs=AGKMywFPp.../m=root;base (www.youtube.com)	33 KiB	0 ms
...rs=AGKMywF_B.../m=root;base (www.youtube.com)	6 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
...stats/qoe?cpn=... (www.youtube.com)	0 KiB	0 ms
/generate_204?seAylg (www.youtube.com)	0 KiB	0 ms
/generate_204?RNvy6A (www.youtube.com)	0 KiB	0 ms



/generate_204?csp_test=true (www.youtube.com)

0 KiB

0 ms

Google Maps Utility

448 KiB

309 ms

...6c/init_embed.js (maps.gstatic.com)

75 KiB

81 ms

...6c/main.js (maps.googleapis.com)

84 KiB

66 ms

...6c/places.js (maps.googleapis.com)

91 KiB

55 ms

...6c/common.js (maps.googleapis.com)

38 KiB

37 ms

...6c/util.js (maps.googleapis.com)

72 KiB

34 ms

...6c/map.js (maps.googleapis.com)

26 KiB

12 ms

...6c/controls.js (maps.googleapis.com)

27 KiB

12 ms

...6c/places_impl.js (maps.googleapis.com)

4 KiB

4 ms

...6c/onion.js (maps.googleapis.com)

10 KiB

3 ms

...api/js?key=... (maps.googleapis.com)

3 KiB

2 ms

...6c/geometry.js (maps.googleapis.com)

3 KiB

1 ms

...6c/search_impl.js (maps.googleapis.com)

2 KiB

1 ms

...6c/search.js (maps.googleapis.com)

2 KiB

1 ms

...mapsjs/gen_204?csp_test=true (maps.googleapis.com)

1 KiB

0 ms

...js/StaticMapService.GetMapImage?... (maps.googleapis.com)

10 KiB

0 ms

Other Google APIs/SDKs Utility

177 KiB

69 ms

...th/nwgAyyqBHF...js (www.google.com)

73 KiB

37 ms

/gsi/client (accounts.google.com)

100 KiB

30 ms

/maps/embed?pb=... (www.google.com)

2 KiB

1 ms

...google.internal.waa.v1.Waa/GenerateIT (jinn-pa.googleapis.com)

2 KiB

0 ms

Google/DoubleClick Ads Ad

5 KiB

1 ms

/instream/ad_status.js (static.doubleclick.net)

2 KiB

1 ms

/pagead/id (googleads.g.doubleclick.net)

0 KiB

0 ms

/pagead/id?slf_rd=1 (googleads.g.doubleclick.net)

3 KiB

0 ms

Google Fonts Cdn

141 KiB

0 ms

...v48/KFO7CnqEu....woff2 (fonts.gstatic.com)

104 KiB

0 ms

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

9 KiB

0 ms

...v24/pxiEyp8kv....woff2 (fonts.gstatic.com)

9 KiB

0 ms

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

8 KiB

0 ms

...v24/pxiByp8kv....woff2 (fonts.gstatic.com)

8 KiB

0 ms

/css2?family=Montserrat:wght@300;400;500;600;700&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
cdnfonts.com	59 KiB	0 ms
...57477/Garet-Heavy.woff (fonts.cdnfonts.com)	58 KiB	0 ms
/css/garet (fonts.cdnfonts.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Minimize main-thread work — 5.7 s

^

3rd party	Transfer size	Main thread time
Script Evaluation		2,944 ms
Script Parsing & Compilation		1,502 ms
Other		538 ms
Garbage Collection		325 ms
Style & Layout		257 ms
Parse HTML & CSS		80 ms
Rendering		27 ms

Category

Time Spent

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

☒ Show 3rd-party resources (11)

3rd party		Transfer size	Main thread time
...en_US/base.js (www.youtube.com)	764 ms	104 ms	658 ms
...rs=AGKMywEe7.../m=root;base (www.youtube.com)	419 ms	263 ms	141 ms
...rs=AGKMywHNJ.../m=r78Drb (www.youtube.com)	331 ms	125 ms	204 ms
/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)	119 ms	73 ms	10 ms
/embed/DxSZ9Hm2Cc0?autoplay=... (www.youtube.com)	98 ms	56 ms	11 ms
/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)	78 ms	44 ms	12 ms
vidyavardhana.my.id 1st Party	850 ms	437 ms	102 ms
/assets/index-CG7qm4_u.js (vidyavardhana.my.id)	621 ms	434 ms	102 ms
https://vidyavardhana.my.id	229 ms	2 ms	0 ms
Unattributable	374 ms	6 ms	0 ms
Unattributable	374 ms	6 ms	0 ms
Google Maps Utility	278 ms	161 ms	109 ms
...6c/init_embed.js (maps.gstatic.com)	107 ms	72 ms	32 ms
...6c/main.js (maps.googleapis.com)	102 ms	58 ms	42 ms
...6c/places.js (maps.googleapis.com)	68 ms	32 ms	36 ms
Other Google APIs/SDKs Utility	123 ms	75 ms	8 ms
...th/nwgAyqBHF...js (www.google.com)	123 ms	75 ms	8 ms

▲ Reduce unused JavaScript — Est savings of 2,079 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes

page speed insights audit: https://www.google.com/webmasters/pagespeed/audit/6mdx5irhcx?utm_source=search_console&form_factor=mobile&hl=en

URL	Total CPU Time	Script Evaluation	Script Parse

3rd party	Transfer size	Main thread time
...en_US/base.js (www.youtube.com)	473.4 KiB	335.1 KiB
...en_US/base.js (www.youtube.com)	473.4 KiB	332.9 KiB
...rs=AGKMywEe7.../m=root,base (www.youtube.com)	341.9 KiB	209.2 KiB
...rs=AGKMywHNJ.../m=r78Drb (www.youtube.com)	218.2 KiB	110.8 KiB
...rs=AGKMywHNJ.../m=r78Drb (www.youtube.com)	218.2 KiB	110.8 KiB
...rs=AGKMywH6C.../m=root,base (www.youtube.com)	158.0 KiB	75.6 KiB
...rs=AGKMywH6C.../m=root,base (www.youtube.com)	158.0 KiB	71.2 KiB
Google Maps Utility	405.9 KiB	228.5 KiB
...6c/places.js (maps.googleapis.com)	89.8 KiB	47.1 KiB
...6c/main.js (maps.googleapis.com)	83.1 KiB	45.1 KiB
...6c/init_embed.js (maps.gstatic.com)	74.2 KiB	36.2 KiB
...6c/common.js (maps.googleapis.com)	37.2 KiB	27.2 KiB
...6c/util.js (maps.googleapis.com)	70.8 KiB	26.6 KiB
...6c/controls.js (maps.googleapis.com)	25.7 KiB	23.6 KiB
...6c/map.js (maps.googleapis.com)	25.2 KiB	22.7 KiB
vidyavardhana.my.id 1st Party	598.4 KiB	186.8 KiB
/assets/index-CG7qm4_u.js (vidyavardhana.my.id)	598.4 KiB	186.8 KiB
Other Google APIs/SDKs Utility	98.4 KiB	83.2 KiB
/gsi/client (accounts.google.com)	98.4 KiB	83.2 KiB

 Reduce unused CSS — Est savings of 83 KiB

^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP Unscored

URL

Transfer Size

Est Savings

Unattributable	52.4 KiB	52.2 KiB
.dialog{position:relative;z-index:2;display:-webkit-box;display:-webkit-flex;display:flex; ... } ...	52.4 KiB	52.2 KiB
YouTube Video	31.7 KiB	30.4 KiB
URL	Transfer Size	Est Savings

Avoid enormous network payloads — Total size was 17,919 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☒ Show 3rd-party resources (2)

vidyavardhana.my.id 1st Party	13,953.0 KiB
/uploads/179...-19535449.jpg (vidyavardhana.my.id)	3,232.7 KiB
/uploads/179...-367....jpg (vidyavardhana.my.id)	2,370.2 KiB
/uploads/178...-448....png (vidyavardhana.my.id)	2,138.4 KiB
/uploads/179...-586....jpg (vidyavardhana.my.id)	1,855.5 KiB
/uploads/179...-505....jpg (vidyavardhana.my.id)	1,291.0 KiB
/uploads/179...-615....jpg (vidyavardhana.my.id)	1,253.9 KiB
/uploads/179...-62537203.jpg (vidyavardhana.my.id)	1,212.5 KiB
/assets/index-CG7qm4_u.js (vidyavardhana.my.id)	598.9 KiB
YouTube Video	948.3 KiB
...en_US/base.js (www.youtube.com)	474.2 KiB
...en_US/base.js (www.youtube.com)	474.2 KiB

Avoid long main-thread tasks — 20 long tasks found

URL	Transfer Size
-----	---------------

YouTube Video		1,813 ms	
...en_US/base.js	(www.youtube.com)	38,293 ms	262 ms
...en_US/base.js	(www.youtube.com)	38,039 ms	254 ms
...rs=AGKMywH6C...	/m=root,base (www.youtube.com)	21,537 ms	229 ms
...rs=AGKMywEe7...	/m=root,base (www.youtube.com)	32,467 ms	190 ms
...rs=AGKMywHNJ...	/m=r78Drb (www.youtube.com)	43,180 ms	173 ms
...rs=AGKMywHNJ...	/m=r78Drb (www.youtube.com)	21,093 ms	157 ms
...en_US/base.js	(www.youtube.com)	20,847 ms	128 ms
...rs=AGKMywH6C...	/m=root,base (www.youtube.com)	37,899 ms	97 ms
...rs=AGKMywH6C...	/m=root,base (www.youtube.com)	8,046 ms	87 ms
...rs=AGKMywH6C...	/m=root,base (www.youtube.com)	21,007 ms	86 ms
...rs=AGKMywEe7...	/m=root,base (www.youtube.com)	38,664 ms	76 ms
...rs=AGKMywH6C...	/m=root,base (www.youtube.com)	38,556 ms	74 ms
vidyavardhana.my.id 1st Party		373 ms	
/assets/index-CG7qm4_u.js	(vidyavardhana.my.id)	773 ms	124 ms
/assets/index-CG7qm4_u.js	(vidyavardhana.my.id)	7,074 ms	94 ms
/assets/index-CG7qm4_u.js	(vidyavardhana.my.id)	6,878 ms	88 ms
/assets/index-CG7qm4_u.js	(vidyavardhana.my.id)	6,966 ms	67 ms
Google Maps Utility		140 ms	
...6c/main.js	(maps.googleapis.com)	4,229 ms	71 ms
...6c/places.js	(maps.googleapis.com)	12,638 ms	69 ms
Unattributable		85 ms	
Unattributable		897 ms	85 ms

...th/nwgAyqBHF....js (www.google.com)	21,279 ms	81 ms
--	-----------	-------

User Timing marks and measures — 108 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#) Unrecorded

URL		Start Time	Duration
mark_nreqs	Mark	1,552.40 ms	
mark_nreqs	Mark	1,560.36 ms	
mark_srt	Mark	1,662.40 ms	
mark_nress	Mark	1,662.40 ms	
mark_nrese	Mark	1,662.40 ms	
mark_rsf_pj	Mark	1,684.40 ms	
mark_rsf_pc	Mark	1,684.40 ms	
mark_rsf_ecj	Mark	1,684.40 ms	
mark_rsf_ecc	Mark	1,684.40 ms	
mark_wffs	Mark	1,687.40 ms	
mark_wffe	Mark	1,691.40 ms	
mark_rse_ecc	Mark	1,691.40 ms	
mark_rse_ecj	Mark	1,697.40 ms	
mark_rse_pj	Mark	1,713.40 ms	
mark_rse_pc	Mark	1,730.40 ms	
mark_nreqs	Mark	1,766.39 ms	
mark_srt	Mark	1,783.36 ms	
mark_nress	Mark	1,783.36 ms	
mark_nrese	Mark	1,783.36 ms	



mark_mm_is	Mark	1,844.15 ms
mark_mm_ie	Mark	1,849.26 ms
URL		Start Time Duration
mark_ep_init_eps	Mark	1,858.81 ms
mark_ep_init_epe	Mark	1,859.39 ms
mark_ep_init_cue	Mark	1,859.52 ms
mark_rsf_pc	Mark	1,871.36 ms
mark_rse_pc	Mark	1,871.36 ms
mark_rsf_pj	Mark	1,872.36 ms
mark_rsf_ecj	Mark	1,872.36 ms
mark_rse_ecj	Mark	1,872.36 ms
mark_rsf_ecc	Mark	1,872.36 ms
mark_rse_ecc	Mark	1,872.36 ms
mark_srt	Mark	1,886.39 ms
mark_nress	Mark	1,886.39 ms
mark_nrese	Mark	1,886.39 ms
mark_rse_pj	Mark	1,904.36 ms
mark_pe	Mark	2,084.14 ms
mark_rsf_pc	Mark	2,153.39 ms
mark_rse_pc	Mark	2,153.39 ms
mark_rsf_ecc	Mark	2,153.39 ms
mark_rsf_pj	Mark	2,154.39 ms
mark_rsf_ecj	Mark	2,154.39 ms
mark_ep_init_wes	Mark	2,157.84 ms
mark_rse_ecc	Mark	2,174.39 ms



mark_ep_init_wee	Mark	2,180.06 ms
mark_rse_pj	Mark	2,186.39 ms
mark_rses_dpj	Mark	2,235.46 ms
mark_mm_is	Mark	2,240.28 ms
mark_mm_ie	Mark	2,244.46 ms
mark_ep_init_cus	Mark	2,249.65 ms
mark_ep_init_eps	Mark	2,249.90 ms
mark_ep_init_epe	Mark	2,250.33 ms
mark_ep_init_cue	Mark	2,250.43 ms
mark_qoes	Mark	2,339.73 ms
mark_fs	Mark	2,341.63 ms
mark_ep_pr_s	Mark	2,350.47 ms
mark_ep_pr_r	Mark	2,351.37 ms
mark_ep_init_pr	Mark	2,443.62 ms
mark_pot_ist	Mark	2,502.82 ms
mark_pe	Mark	2,722.32 ms
mark_rses_dpj	Mark	2,867.69 ms
mark_mm_is	Mark	2,873.12 ms
mark_mm_ie	Mark	2,877.52 ms
mark_ep_init_cus	Mark	2,906.12 ms
mark_ep_init_eps	Mark	2,906.59 ms
mark_ep_init_epe	Mark	2,907.06 ms
mark_ep_init_cue	Mark	2,907.26 ms
mark_ep_init_ijs	Mark	3,034.54 ms
mark_ep_init_ije	Mark	3,036.23 ms



mark_ep_init_re	Mark	3,041.48 ms
mark_ep_init_wes	Mark	3,055.49 ms
mark_ep_init_wee	Mark	3,075.08 ms
mark_pe	Mark	3,297.36 ms
mark_qoes	Mark	3,443.37 ms
mark_fs	Mark	3,446.44 ms
mark_ep_pr_s	Mark	3,454.15 ms
mark_ep_pr_r	Mark	3,455.15 ms
mark_ep_init_pr	Mark	3,510.44 ms
mark_ep_init_ijs	Mark	3,639.11 ms
mark_ep_init_ije	Mark	3,641.08 ms
mark_ep_init_rs	Mark	3,642.40 ms
mark_ep_init_re	Mark	3,646.72 ms
mark_pot_ist	Mark	3,670.33 ms
mark_ep_init_wes	Mark	3,678.30 ms
mark_ep_init_wee	Mark	3,698.65 ms
mark_ep_init_ijs	Mark	3,699.39 ms
mark_ep_init_ije	Mark	3,700.88 ms
mark_ep_init_rs	Mark	3,702.52 ms
mark_ep_init_re	Mark	3,708.64 ms
mark_qoes	Mark	3,850.56 ms
mark_fs	Mark	3,852.16 ms
mark_ep_pr_s	Mark	3,859.54 ms
mark_ep_pr_r	Mark	3,859.78 ms
mark_ep_init_pr	Mark	3,913.17 ms

mark_pot_ist	Mark	3,941.33 ms
mark_pot_if	Mark	5,297.75 ms
mark_pot_cms	Mark	5,298.16 ms
mark_pot_cmf	Mark	5,303.68 ms
mark_pot_if	Mark	5,417.43 ms
mark_pot_cms	Mark	5,417.90 ms
mark_pot_cmf	Mark	5,423.00 ms
mark_pot_if	Mark	5,718.68 ms
mark_pot_cms	Mark	5,719.33 ms
mark_pot_cmf	Mark	5,724.79 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (9)

Hide

- Layout shift culprits

▼
- Document request latency

▼
- Duplicated JavaScript

▼
- INP breakdown

▼
- Optimize viewport for mobile

▼
- Minify CSS

▼
- Minify JavaScript

▼
- Avoid non-composited animations

▼
- Image elements have explicit [width](#) and [height](#)

▼



Name	Type	Start Time	Duration
These checks highlight opportunities to improve the accessibility of your web app . Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.			

NAMES AND LABELS

▲ Buttons do not have an accessible name

^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

div.max-w-7xl > div.flex > div.flex > button.p-2

<button class="p-2 border-2 border-transparent focus:border-secondary-light outline-none">

div > div.bg-gray-50 > section.relative > button.absolute

<button class="absolute left-4 top-1/2 -translate-y-1/2 p-3 bg-white text-primary-dark bo...">

div > div.bg-gray-50 > section.relative > button.absolute

<button class="absolute right-4 top-1/2 -translate-y-1/2 p-3 bg-white text-primary-dark b...">

div.bg-gray-50 > section.relative > div.absolute > button.w-3

<button class="w-3 h-3 rounded-full border-2 border-white

Name	Type	Start Time	Duration
------	------	------------	----------





	div.bg-gray-50 > section.relative > div.absolute > button.w-3 <button class="w-3 h-3 rounded-full border-2 border-white transition-all bg-yellow-400 sc...">
	div.bg-gray-50 > section.relative > div.absolute > button.w-3 <button class="w-3 h-3 rounded-full border-2 border-white transition-all bg-transparent h...">
	div.bg-gray-50 > section.relative > div.absolute > button.w-3 <button class="w-3 h-3 rounded-full border-2 border-white transition-all bg-transparent h...">
	div.bg-gray-50 > section.relative > div.absolute > button.w-3 <button class="w-3 h-3 rounded-full border-2 border-white transition-all bg-transparent h...">
	div.bg-gray-50 > section.relative > div.absolute > button.w-3 <button class="w-3 h-3 rounded-full border-2 border-white transition-all bg-transparent h...">

Image elements do not have `[alt]` attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

Failing Elements

Failing Elements

Name	Type	Start Time	Duration
------	------	------------	----------




NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

POPULASI PENDUDUK

Failing Elements



KABAR & BERITA POSKO

```
<h4 class="text-xs font-black uppercase text-primary-dark">
```

Failing Elements

These

BEST PRACTICES

○ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored

Sumber

```
<a href="https://youtu.be/1RbFk43v7-o?si=pqDxEZsiwnYxJ3md" target="_blank" rel="noopener norereferrer" class="text-xs font-bold text-primary-dark hover:underline flex items-center gap-1">
```

Sumber

```
<a href="https://youtube.com/shorts/DxSZ9Hm2Cc0?si=yGIYX43bAkR0Jt0F" target="_blank">
```

Failing Elements

Name

Type

Start Time

Duration



ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

☐ Interactive controls are keyboard focusable



Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) Unscored

☐ Interactive elements indicate their purpose and state



Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) Unscored

☐ The page has a logical tab order



Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) Unscored

☐ Visual order on the page follows DOM order



DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) Unscored

☐ User focus is not accidentally trapped in a region



A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) Unscored

☐ The user's focus is directed to new content added to the page



If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) Unscored

☐ HTML5 landmark elements are used to improve navigation



Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) Unscored

☐ Offscreen content is hidden from assistive technology



Name	Type	Start Time	Duration
------	------	------------	----------



☐ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by `aria-label` or `aria-labelledby`. [Learn more about custom controls and labels.](#) Unscored

☐ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19)

Hide

☒ `[aria-*)` attributes match their roles v

☒ `[aria-hidden="true"]` is not present on the document `<body>` v

☒ `[aria-*)` attributes have valid values v

☒ `[aria-*)` attributes are valid and not misspelled v

☒ Image elements have `[alt]` attributes v

☒ `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. v

☒ ARIA attributes are used as specified for the element's role v

☒ `[aria-hidden="true"]` elements do not contain focusable descendents v

☒ Elements use only permitted ARIA attributes v

☒ Background and foreground colors have a sufficient contrast ratio v

☒ Document has a `<title>` element v

☒ `<frame>` or `<iframe>` elements have a title v



● `<menu>` element has a valid value for its `[lang]` attribute

● Links have a discernible name

● Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

● List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

● Touch targets have sufficient size and spacing.

● Document has a main landmark.

NOT APPLICABLE (40)

Hide

○ `[accesskey]` values are unique

○ `button`, `link`, and `menuitem` elements have accessible names

○ Deprecated ARIA roles were not used

○ Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

○ ARIA input fields have accessible names

○ ARIA `meter` elements have accessible names

○ ARIA `progressbar` elements have accessible names

○ `[role]`s have all required `[aria-*)` attributes

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

○ `[role]`s are contained by their required parent element

○ `[role]` values are valid

○ Elements with the `role=text` attribute do not have focusable descendents.

○ ARIA toggle fields have accessible names



- ☐ The page contains a heading, skip link, or landmark region ▼
- ☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ▼
- ☐ Definition list items are wrapped in `<dl>` elements ▼
- ☐ ARIA IDs are unique ▼
- ☐ No form fields have multiple labels ▼
- ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ▼
- ☐ Input buttons have discernible text. ▼
- ☐ `<input type="image">` elements have `[alt]` text ▼
- ☐ Form elements have associated labels ▼
- ☐ Links are distinguishable without relying on color. ▼
- ☐ The document does not use `<meta http-equiv="refresh">` ▼
- ☐ `<object>` elements have alternate text ▼
- ☐ Select elements have associated label elements. ▼
- ☐ Skip links are focusable. ▼
- ☐ No element has a `[tabindex]` value greater than 0 ▼
- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ▼
- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▼
- ☐ `[lang]` attributes have a valid value ▼
- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ▼
- ☐ `autocomplete` attributes are used correctly ▼
- ☐ Elements with `role="none"` or `role="presentation"` do not have conflicts ▼



Tables have different content in the summary attribute and caption.

☐ All heading elements contain content.

☐ Uses ARIA roles only on compatible elements



Best Practices

GENERAL

▲ Uses third-party cookies — 4 cookies found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

YouTube Video	
YSC	/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)
VISITOR_INFO1_LIVE	/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)
__Secure-YNID	/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)
__Secure-ROLLOUT_TOKEN	/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)

Name	URL
------	-----

▲ Issues were logged in the [Issues](#) panel in Chrome DevTools

Issues panel in Chrome DevTools for more details on each issue.

Cookie

/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)

/embed/1RbFk43v7-o?autoplay=... (www.youtube.com)

/embed/DxSZ9Hm2Cc0?autoplav=... (www.voutube.com)

Issue type

 Missing source maps for large first-party JavaScript

^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

☒ Show 3rd-party resources (3)

vidyavardhana.my.id 1st Party

/assets/index-CG7qm4_u.js (vidyavardhana.my.id)

Large JavaScript file is missing a source map

Other Google APIs/SDKs Utility

...th/nwgAyqBHF....js (www.google.com)

...th/nwgAyqBHF....js (www.google.com)

...th/nwgAyqBHF....js (www.google.com)

URL	Map URL
-----	---------

TRUST AND SAFETY

 Ensure CSP is effective against XSS attacks

^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored



Description

Directive

Severity

☐ Use a strong HSTS policy



Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity

☐ Ensure proper origin isolation with COOP



The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity

☐ Mitigate clickjacking with XFO or CSP



The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description		Severity

☐ Mitigate DOM-based XSS with Trusted Types



The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description

Severity

BROWSER COMPATIBILITY

Baseline Features

^

Lists web features used on the page and their Baseline status as of 2026-09-17. [Learn more about Baseline.](#)

Unscored

☒ Show 3rd-party resources (27)

vidyavardhana.my.id 1st Party		
canvas-2d-alpha	Limited Availability	/assets/index-CG7qm4_u.js:72:54542 (vidyavardhana.my.id)
scrollend	Newly Available (2025-12-12)	/assets/index-CG7qm4_u.js:8:139909 (vidyavardhana.my.id)
relative-color	Newly Available (2024-09-16)	https://vidyavardhana.my.id:-1:-2
backdrop-filter	Newly Available (2024-09-16)	https://vidyavardhana.my.id:-1:-2
registered-custom-properties	Newly Available (2024-07-09)	https://vidyavardhana.my.id:-1:-2
gradient-interpolation	Newly Available (2024-06-11)	https://vidyavardhana.my.id:-1:-2
counter-set	Widely Available (2023-12-11)	https://vidyavardhana.my.id:-1:-2
contain-intrinsic-size	Widely Available (2023-09-18)	https://vidyavardhana.my.id:-1:-2
color-mix	Widely Available (2023-05-09)	https://vidyavardhana.my.id:-1:-2
oklab	Widely Available (2023-05-09)	https://vidyavardhana.my.id:-1:-2



media-query-range-syntax	✓ (2023-03-27)	https://vidyavardhana.my.id/-1:-2
individual-transforms	✓ Widely Available (2022-08-05)	https://vidyavardhana.my.id/-1:-2
prefers-contrast	✓ Widely Available (2022-05-31)	https://vidyavardhana.my.id/-1:-2
cascade-layers	✓ Widely Available (2022-03-14)	https://vidyavardhana.my.id/-1:-2
appearance	✓ Widely Available (2022-03-14)	https://vidyavardhana.my.id/-1:-2
logical-properties	✓ Widely Available (2021-09-20)	https://vidyavardhana.my.id/-1:-2
referrer-policy	✓ Widely Available (2021-09-20)	/assets/index-CG7qm4_u.js:8:5849 (vidyavardhana.my.id)
aspect-ratio	✓ Widely Available (2021-09-20)	https://vidyavardhana.my.id/-1:-2
file-selector-button	✓ Widely Available (2021-04-26)	https://vidyavardhana.my.id/-1:-2
where	✓ Widely Available (2021-01-21)	https://vidyavardhana.my.id/-1:-2
is	✓ Widely Available (2021-01-21)	https://vidyavardhana.my.id/-1:-2
not	✓ Widely Available (2021-01-21)	https://vidyavardhana.my.id/-1:-2
logical-assignments	✓ Widely Available (2020-09-16)	https://vidyavardhana.my.id:1:0
nullish-coalescing	✓ Widely Available (2020-09-16)	https://vidyavardhana.my.id:1:0
web-animations	✓ Widely Available (2020-09-16)	/assets/index-CG7qm4_u.js:11:47515 (vidyavardhana.my.id)
aborting	✓ Widely Available (2019-03-25)	/assets/index-CG7qm4_u.js:8:36466 (vidyavardhana.my.id)

[intersection-observer](#)

(2019-03-25)

CG7qm4_u.js:19:28477 (vidyavardhana.my.id)

[js-modules](#)Widely Available
(2018-05-09)

https://vidyavardhana.my.id:-1:-2

[grid](#)Widely Available
(2017-10-17)

https://vidyavardhana.my.id:-1:-2

[template](#)Widely Available
(2015-11-12)/assets/index-
CG7qm4_u.js:28:10947 (vidyavardhana.my.id)[flexbox](#)Widely Available
(2015-09-30)

https://vidyavardhana.my.id:-1:-2

[canvas](#)Widely Available
(2015-07-29)/assets/index-
CG7qm4_u.js:72:54492 (vidyavardhana.my.id)[canvas-2d](#)Widely Available
(2015-07-29)/assets/index-
CG7qm4_u.js:72:54542 (vidyavardhana.my.id)[request-animation-frame](#)Widely Available
(2015-07-29)/assets/index-
CG7qm4_u.js:11:27091 (vidyavardhana.my.id)YouTube [ua-client-hints](#)

Limited Availability

/embed/1RbFk43v7-o?
autoplay=...:3:123 (www.youtube.com)[beforeunload](#)

Limited Availability

...
rs=AGKMywH6C.../m=root;base:1020:950 (w
ww.youtube.com)[media-session](#)

Limited Availability

...en_US/base.js:5708:386 (www.youtube.com)

[intersection-observer-v2](#)

Limited Availability

...en_US/base.js:5198:337 (www.youtube.com)

[background-clip-text](#)

Limited Availability

...
rs=AGKMywH6C.../m=root;base:520:483 (ww
w.youtube.com)[keyboard-map](#)

Limited Availability

/embed/DxSZ9Hm2Cc0?
autoplay=...:1:133 (www.youtube.com)[webgpu](#)

Limited Availability

/embed/DxSZ9Hm2Cc0?
autoplay=...:1:133 (www.youtube.com)

scrollbar-color	 Newly Available (2025-12-12)	rs=AGKMywH6C.../m=root;base:520:483 (www.youtube.com)
scrollbar-width	 Newly Available (2024-12-11)	... rs=AGKMywH6C.../m=root;base:520:483 (www.youtube.com)
round-mod-rem	 Newly Available (2024-05-17)	... rs=AGKMywH6C.../m=root;base:520:483 (www.youtube.com)
has	 Widely Available (2023-12-19)	/embed/1RbFk43v7-o? autoplay=...:-1:-2 (www.youtube.com)
masks	 Widely Available (2023-12-07)	... rs=AGKMywH6C.../m=root;base:520:483 (www.youtube.com)
Web-features	Baseline Status	Source
aria-attribute-reflection	 (2023-10-24)	...en_US/base.js:4085:145 (www.youtube.com)
hyphens	 Widely Available (2023-09-18)	/embed/DxSZ9Hm2Cc0? autoplay=...:1:80 (www.youtube.com)
forced-colors	 Widely Available (2022-09-12)	...en_US/base.js:748:129 (www.youtube.com)
focus-visible	 Widely Available (2022-03-14)	/embed/1RbFk43v7-o? autoplay=...:-1:-2 (www.youtube.com)
weak-references	 Widely Available (2021-04-26)	...en_US/base.js:4911:243 (www.youtube.com)
media-playback-quality	 Widely Available (2020-02-04)	...en_US/base.js:5757:309 (www.youtube.com)
will-change	 Widely Available (2020-01-15)	... rs=AGKMywH6C.../m=root;base:520:483 (www.youtube.com)
scroll-snap	 Widely Available (2020-01-15)	... rs=AGKMywH6C.../m=root;base:520:483 (www.youtube.com)
webgl	 Widely Available (2015-07-29)	...en_US/base.js:5417:422 (www.youtube.com)

barprop	✓		
Web-features		Baseline Status	Source
ch	✓	Widely Available (2015-07-29)	/embed/DxSZ9Hm2Cc0? autoplay=...:1:100 (www.youtube.com)
Unattributable			
requestidlecallback	✖	Limited Availability	_lighthouse-eval.js:9:109
Google Maps Utility			
referencetarget	✖	Limited Availability	...6c/init_embed.js:369:299 (maps.gstatic.com)
constructed-stylesheets	✓	Widely Available (2023-03-27)	...6c/init_embed.js:355:43 (maps.gstatic.com)
structured-clone	✓	Widely Available (2022-03-14)	...6c/main.js:312:100 (maps.googleapis.com)
Other Google APIs/SDKs Utility			
outline	✓	Widely Available (2023-03-27)	/gsi/client:425:10793 (accounts.google.com)

PASSED AUDITS (10)

Hide

● Uses HTTPS	▼
● Avoids deprecated APIs	▼
● Allows users to paste into input fields	▼
● Avoids requesting the geolocation permission on page load	▼
● Avoids requesting the notification permission on page load	▼
● Displays images with correct aspect ratio	▼
● Serves images with appropriate resolution	▼
● Page has the HTML doctype	▼
● Properly defines charset	▼



Web-features	Baseline Status	Source	
NOT APPLICABLE (2)			Hide

- ☐ Redirects HTTP traffic to HTTPS
- ☐ Detected JavaScript libraries



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)			Hide
--	--	--	------

- ☐ Structured data is valid
- Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#).
- Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)			Hide
--------------------	--	--	------

- ☒ Page isn't blocked from indexing
- ☒ Document has a `<title>` element

Page has successful HTTP status code

Web-features	Baseline Status	Source
Links have descriptive text		
Links are crawlable		
robots.txt is valid		
Image elements have [alt] attributes		
Document has a valid hreflang		
Document has a valid rel=canonical		

▲ 1/4

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

A well-formed [accessibility tree](#) helps AI agents to navigate and interact with the page.

Failed Audits

Buttons must have discernible text



div.max-w-7xl > div.flex > div.flex > button.p-2

Description	Failing Element
Web-teatures	Baseline Status
	Source

These

Description	Failing Element
-------------	-----------------

AGENT DISCOVERABILITY

▲ llms.txt does not follow recommendations

^

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The [llms.txt](#) file should be a Markdown file containing at least one H1 header. [Learn more about the llms.txt audit.](#)

File is missing a required H1 header (e.g., "# Title").

Error

▲ ai-catalog.json schema is invalid

^

Valid ai-catalog.json manifests are required for autonomous AI agents and registries to discover and verify your resources. [Learn more about the ARD specification.](#)

Element	Issue	Severity
Root	Malformed JSON in manifest: SyntaxError: Unexpected token '<', "<!doctype "... is not valid JSON	Error

These audits validate that websites expose discoverable resources, documentation, and catalogs for AI agents.

PASSED AUDITS (1)

Hide

● Cumulative Layout Shift — 0

▼

☐ WebMCP tools registered



☐ WebMCP schemas are valid



More on PageSpeed Insights

[What's new](#)

[Documentation](#)

[Learn about Web Performance](#)

[Ask questions on Stack Overflow](#)

[Mailing list](#)

Related Content

[Updates](#)

[Web Fundamentals](#)

[Case Studies](#)

[Podcasts](#)

Connect

[Twitter](#)

[Youtube](#)

 for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

[Terms and Privacy Policy](#)

For details, see the [Google Developers Site Policies](#).