INDIVIDUAL CAGES FOR RABBITS

The individual ZOONLAB cages for rabbits provide ideal conditions for animal husbandry in terms of size and shape and are also easy to use.

Depending on the material selected, the cage trays are heat-resistant up to max. 90°C or max. 120°C.







INDIVIDUAL CAGES FOR RABBITS

The ZOONLAB rabbit cages have been designed in accordance with the 2010/63/EU Directive of the European Parliament 22.09.2010 (formerly ETS 123).

They combine:

- A high level of flexibility through the interlockable racks that enable the floor space to be increased to twice the size or even more when the partition walls are removed (without the need for tools).
- The cage trays with a height of 10 cm as well as the animal dropping trays are available in the LURAN (heat-resistant up to max. 90°C) as well as in the autoclavable NORYL (heat-resistant up to max. 120°C) designs.
- The raised resting area (available in LURAN and NORYL designs) can be folded up which enables the cage tray to be removed easily without having to first remove the resting area.
- All metal parts are made of stainless steel (AISI 304).

- The rack castors have a diameter of 100 mm and two of them on each rack are equipped with locking device.
- The racks can optionally be equipped with an automatic nipple drinking device.



Racks and accessories for rabbits weighing up to 3 kg/habitat height of 50 cm or up to 5 kg/habitat height of 60 cm, floor space $4,200 \text{ cm}^2$.

| Туре | Material | Dimensions (W x D x H) in mm | Order no, |
|--|--|------------------------------|------------|
| Rack GK42-100/50-3, 3 levels each containing 1 cage, 50 cm high incl. 3 grid doors | Stainless steel (AISI 304) | 800 x 780 x 1,890 | 5053164 |
| Rack GK42-100/60-2, 2 levels each containing 1 cage, 60 cm high incl. 2 grid doors | Stainless steel (AISI 304) 800 x 780 x 1,790 | | 5053166 |
| Rabbit cage K42/100-L | LURAN 730 x 730 x 100 | | 3045338 |
| Feed container, approx. 1,25 litres, FUKA | Stainless steel (AISI 304) | W = 125 mm | 5083721 |
| Bottle holder for 1 bottle 750 ml, FH 75/100-1 | Stainless steel (AISI 304) | 72 x 72 x 182 | 5121005 |
| Water bottle, 750ml, with groove, F 75 | Polycarbonate | 72 x 72 x 180 | 3125004 |
| Silicone sealing ring, SDR 1 | Silicone | - | 3125101 |
| Bottle cap incl. 40 mm tube with ball closure, TK-40 | Stainless steel (AISI 304) | - | 3125042 |
| Animal dropping tray, KK 4200-L | LURAN | 750 x 730 x 40 | 3094229 |
| Partition wall, non-transparent for 3-level rack, 42-50-T | TRESPA | 755 x 430 | 4043762 |
| Partition wall, non-transparent for 2-level rack, 42-60-T | TRESPA | 755 x 530 | 4043758 |
| Options for rabbit cages | | | |
| Raised resting area | NORYL | 1,650 cm ² | 5044930S |
| Raised resting area | LURAN | 1,650 cm ² | 5044931S |
| Rabbit cage K 42/100-N | NORYL | 730 x 730 x 100 | 3045339 |
| Water bottle, 750 ml, with groove, F 75 PSU | Polysulfone | 72 x 72 x 180 | 3125016 |
| Animal dropping tray, KK 4200-N | NORYL | 750 x 730 x 40 | 3094230 |
| Partition wall, transparent for 3-level rack, 42-50-P | Polycarbonate | 755 x 430 | on request |
| Partition wall, transparent for 2-level rack, 42-60-P | Polycarbonate | 755 x 530 | 4043759 |
| Automatic nipple drinking device for 3-level rack, AT 42/3 | Stainless steel (AISI 304) | - | 5054060 |
| Automatic nipple drinking device for 2-level rack, AT 42/2 | Stainless steel (AISI 304) | - | 5054061 |

Subject to technical modifications.

INDIVIDUAL CAGES FOR RABBITS




GK54/2-60 – two interlocked cage racks

Cage racks and accessories for rabbits over 5 kg/habitat height of 60 cm, floor space $5,400 \ cm^2$

| Туре | Material | Dimensions (W x D x H) in mm | Order no. | | |
|---|----------------------------|------------------------------|-----------|--|--|
| Rack GK 54/2-60, 2 levels each containing 1 cage, 60 cm high incl. 2 grid doors | Stainless steel (AISI 304) | 940 x 860 x 1,775 | 5053144 | | |
| Rack GK 54/3-60, 3 levels each containing 1 cage, 60 cm high incl. 3 grid doors, top level can be removed | Stainless steel (AISI 304) | 940 x 860 x 2,300 | 5053149 | | |
| Rabbit cage K5400-N | NORYL | 855 x 775 x 100 | 3045434 | | |
| Feed container, approx. 1.25 litres, FUKA | Stainless steel (AISI 304) | W = 125 mm | 5083721 | | |
| Bottle holder for 1 bottle 750 ml, FH 75/100-1 | Stainless steel (AISI 304) | - | 5121005 | | |
| Water bottle, 750 ml, with groove, F 75 | Polycarbonate | 72 x 72 x 180 | 3125004 | | |
| Silicone sealing ring, SDR 1 | Silicone | - | 3125101 | | |
| Bottle cap incl. 40 mm tube with ball closure, TK-40 | Stainless steel (AISI 304) | - | 3125042 | | |
| Animal dropping tray, KK 5400-N | NORYL | 855 x 775 x 40 | 3094228 | | |
| Partition wall, non-transparent, 54-60-T | TRESPA | 820 x 540 | 4043752 | | |
| Options for rabbit cages | | | | | |
| Raised resting area | NORYL | 1,945 cm ² | 5044932S | | |
| Water bottle, 750 ml, with groove, F 75 PSU | Polysulfone | 72 x 72 x 180 | 3125016 | | |
| Partition wall, transparent, 54-60-P | Polycarbonate | 820 x 540 | 4043753 | | |
| Hayrack | Stainless steel (AISI 304) | - | 5083789 | | |
| Automatic nipple drinking device, AT 54/2 | Stainless steel (AISI 304) | - | 5054056 | | |

Subject to technical modifications.





INDIVIDUAL CAGES FOR RABBITS

As an expansion to our rabbit cage range, the rack offers you ideal handling when it comes to storage / cleaning or the transport of resting areas. The lightness and manoeuvrability of the rack meets all of the ergonomic requirements. The rack is made of stainless steel (AISI 304), is glass-bead blasted with autoclavable castors, two of them are equipped with locking device.



| Туре | Material | Dimensions (W x D x H) in mm | Order no. |
|---|-------------------------------|------------------------------|-----------|
| Rack for the cleaning / storage and transportation of raised resting areas. | Stainless steel (AISI 304) | 742 x 512 x 1,780 | 5033561 |

Subject to technical modifications.

