

# SOFTWARE REQUIREMENT SPECIFICATION (SRS) DOCUMENT

|                                             |                                                                                            |                                |
|---------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------|
| <b>PRESENTED BY:</b><br><br>AuthenticityHub | <b>PRESENTED TO:</b><br>Malaysian<br>Communications and<br>Multimedia Commission<br>(MCMC) | <b>DATE:</b><br><br>22/01/2025 |
|---------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------|

## TEAM MEMBERS

|                                                                                                                                                                           |                                                                                                                                                                           |                                                                                                                                                                 |                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Chief Executive<br/>Officer</b><br><br>Qamhan Khaled<br>Mohammed Abdo<br><br>CB23009 | <b>Chief Business<br/>Analyst</b><br><br>Banwair Rian<br>Khaled Mohammed<br><br>CB23006 | <b>Chief<br/>Developer</b><br><br>Banabila Salman<br>Mohammed<br><br>CB23142 | <b>Software Quality<br/>Assurance</b><br><br>AL-QARMWSHI<br>ABDULLAH FAEZ<br>ABDULLAH<br><br>CB23005 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Submitted to the Software Requirement Workshop (BCS2233)  
Bachelor of Computer Science (Software Engineering) with Honours  
Faculty of Computing, Universiti Malaysia Pahang Al-Sultan Abdullah (UMPSA)

**SOFTWARE REQUIREMENT SPECIFICATION (SRS) FACULTY OF COMPUTING**

**DOCUMENT APPROVAL**

|                                                                                                                                          | <b>Name</b>                                                     | <b>Date</b> |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-------------|
| <b>Authenticated by:</b><br><br>_____<br>Project Leader | Qamhan Khaled Mohammed Abdo<br>CB23009                          | 22/01/2025  |
| <b>Approved by:</b><br><br>_____<br>Project Manager                                                                                      | Ts. Azma Abdullah                                               |             |
| <b>Approved by:</b><br><br>_____<br>Client                                                                                               | Malaysian Communications and<br>Multimedia Commission<br>(MCMC) |             |

Software: 1-Microsoft Word, 2- draw.io, 3 – Figma.

Archiving Place : Google Drive

Available : 4 Copies

(<https://drive.google.com/drive/folders/1x5OrWlyBLoO-aSWNRC8bgQ80aCc7tQk5?usp=sharing> )

## TABLE OF CONTENT:

|                                                                |           |
|----------------------------------------------------------------|-----------|
| <b>LIST OF TABLES .....</b>                                    | <b>5</b>  |
| <b>LIST OF FIGURES .....</b>                                   | <b>6</b>  |
| <b>LIST OF ABBREVIATIONS.....</b>                              | <b>8</b>  |
| <b>1. INTRODUCTION .....</b>                                   | <b>8</b>  |
| 1.1 PURPOSE.....                                               | 8         |
| 1.2 SYSTEM IDENTIFICATION .....                                | 8         |
| 1.3 SYSTEM OVERVIEW .....                                      | 10        |
| 1.3 REFERENCES .....                                           | 12        |
| <b>2. PRODUCT DESCRIPTION.....</b>                             | <b>13</b> |
| 2.1 PRODUCT PERSPECTIVE.....                                   | 13        |
| 2.2 PRODUCT FUNCTION .....                                     | 14        |
| 2.3 USER CHARACTERISTICS .....                                 | 15        |
| <b>3. SPECIFIC REQUIREMENTS (SOFTWARE PRODUCT FEATURES)...</b> | <b>16</b> |
| 3.1 Manage Registration.....                                   | 16        |
| 3.1.1 Manage Registration Description .....                    | 17        |
| 3.1.2 Manage registration Sequence Diagram .....               | 18        |
| 3.1.3 Manage registration User Interface .....                 | 21        |
| 3.2 Manage Log In .....                                        | 25        |
| 3.2.1 Manage Log In Use Case Description.....                  | 26        |
| 3.2.2 Manage Log In Sequence Diagram .....                     | 27        |
| 3.2.3 Manage Log In User Interface.....                        | 30        |

|                                                 |           |
|-------------------------------------------------|-----------|
| 3.3 Manage user profile .....                   | 44        |
| 3.3.1 Manage user profile Description .....     | 45        |
| 3.3.2 Manage user profile Sequence Diagram..... | 46        |
| 3.3.3 Manage user profile User Interface .....  | 48        |
| 3.4 Manage Reports .....                        | 52        |
| 3.4.1 Manage Reports Description .....          | 52        |
| 3.4.2 Manage Report Sequence Diagram .....      | 54        |
| 3.4.3 Manage Report User Interface.....         | 55        |
| <b>4. EXTERNAL INTERFACE REQUIREMENTS.....</b>  | <b>57</b> |
| 4.1 USER INTERFACES .....                       | 57        |
| 4.2 HARDWARE INTERFACES.....                    | 68        |
| 4.3 SOFTWARE INTERFACES .....                   | 69        |
| <b>5. REQUIREMENT TRACEABILITY .....</b>        | <b>70</b> |
| <b>6. ACRONYMS AND ABBREVIATION .....</b>       | <b>71</b> |

**LIST OF TABLES**

Table 3.1 ..... 17

Table 3.2..... 24

Table 3.3..... 26

Table 3.4..... 42

Table 3.5..... 45

Table 3.6..... 50

Table 3.7..... 52

Table 3.8..... 56

Table 5.1 ..... 70

Table 6.1..... 71

## LIST OF FIGURES

|                   |    |
|-------------------|----|
| Figure 1.1 .....  | 16 |
| Figure 1.2 .....  | 18 |
| Figure 1.3 .....  | 18 |
| Figure 1.2 .....  | 19 |
| Figure 1.3 .....  | 20 |
| Figure 1.4 .....  | 21 |
| Figure 1.5 .....  | 21 |
| Figure 1.6 .....  | 22 |
| Figure 1.7 .....  | 22 |
| Figure 1.8 .....  | 23 |
| Figure 2.1 .....  | 25 |
| Figure 2.2 .....  | 28 |
| Figure 2.3 .....  | 28 |
| Figure 2.4 .....  | 29 |
| Figure 2.5 .....  | 30 |
| Figure 2.6 .....  | 31 |
| Figure 2.7 .....  | 32 |
| Figure 2.8 .....  | 33 |
| Figure 2.9 .....  | 33 |
| Figure 2.10 ..... | 34 |
| Figure 2.11 ..... | 34 |
| Figure 2.12 ..... | 35 |
| Figure 2.13 ..... | 35 |
| Figure 2.14 ..... | 36 |
| Figure 2.15 ..... | 37 |
| Figure 2.16 ..... | 38 |
| Figure 2.17 ..... | 39 |
| Figure 2.18 ..... | 40 |
| Figure 2.19 ..... | 41 |
| Figure 3.1 .....  | 44 |
| Figure 3.2 .....  | 46 |
| Figure 3.3 .....  | 47 |
| Figure 3.4 .....  | 47 |
| Figure 3.5 .....  | 48 |
| Figure 3.6 .....  | 48 |
| Figure 3.7 .....  | 49 |
| Figure 3.8 .....  | 49 |
| Figure 3.9 .....  | 50 |
| Figure 3.9 .....  | 52 |
| Figure 3.10 ..... | 54 |
| Figure 3.11 ..... | 55 |
| Figure 3.12 ..... | 55 |

|                  |    |
|------------------|----|
| Figure 4.1.....  | 57 |
| Figure 4.2.....  | 58 |
| Figure 4.3.....  | 59 |
| Figure 4.4.....  | 60 |
| Figure 4.5.....  | 61 |
| Figure 4.6.....  | 62 |
| Figure 4.7.....  | 63 |
| Figure 4.8.....  | 64 |
| Figure 4.9.....  | 65 |
| Figure 4.10..... | 66 |
| Figure 4.11..... | 67 |

**LIST OF ABBREVIATIONS**

SRS.....71

AH.....71

REQ.....71

UC.....71

MCMC .....71

UI.....71



## 1. INTRODUCTION

### 1.1 PURPOSE

The AuthenticityHub system is designed to help the Malaysian Communications and Multimedia Commission (MCMC) improve how they manage complaints and verify news. Its main goal is to simplify and streamline the process for handling public inquiries. By accurately categorizing complaints and directing them to the right authorities—like JPJ, KKM, and other agencies—the system ensures faster resolutions and a more transparent workflow.

With a centralized platform, the system cuts down on delays, boosts efficiency, and creates a smoother experience for everyone involved. Close collaboration between the development team and MCMC ensures the platform meets real operational needs while supporting MCMC’s mission to maintain public trust and combat misinformation. Developers work hand-in-hand with MCMC to identify challenges, build effective solutions, and refine the system based on feedback, fostering a reliable, user-friendly tool that keeps improving over time.

### 1.2 SYSTEM IDENTIFICATION

The system defined in this SRS document is identified as:

|                     |                                                                              |
|---------------------|------------------------------------------------------------------------------|
| System Title        | AuthenticityHub                                                              |
| System abbreviation | AH                                                                           |
| System ID           | AH-2024<br>-----<br>AH = AuthenticityHub<br><br>2024 = System Developed Year |
| Version             | 1.0                                                                          |
| Release Number      | 1                                                                            |

This SRS document is identified as:

|             |                                                                                                                                                                                                        |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Document ID | MCMC-SRS-AH-2024<br>-----<br>MCMC = Malaysian Communications and Multimedia Commission<br><br>SRS = Software Requirement Specification<br><br>AH = AuthenticityHub<br><br>2024 = Year Document Created |
| Version     | 1.0                                                                                                                                                                                                    |

This SRS Use case is identified as:

|             |                                                                                                                                                                       |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use case ID | SRS-AH-UC100<br>-----<br>SRS = Software Requirement Specification<br><br>AH = AuthenticityHub<br><br>UC = Use Case<br><br>100 = Number of the use case in this system |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

This SRS document is identified as:

|                |                                                                                                                         |
|----------------|-------------------------------------------------------------------------------------------------------------------------|
| Requirement ID | SRS-AH-REQ101<br>-----<br>SRS = Software Requirement Specification<br><br>AH = AuthenticityHub<br><br>REQ = Requirement |
|----------------|-------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                              |
|--|------------------------------------------------------------------------------------------------------------------------------|
|  | 101 = from 101 to 199 it is included on first process on Use Case which is (UC100) Number of the requirement in this system. |
|--|------------------------------------------------------------------------------------------------------------------------------|

### 1.3 SYSTEM OVERVIEW

#### **Manage Profile Management:**

The Comprehensive Profile Data for All Users module is a critical part of the system, designed to manage all user-related information securely and efficiently. This module ensures that the Public user can create, access, and maintain their personalized profiles, And for Administrator and agency can maintain and access to there info. For Administrator he can search for Public User and agency Profiles. The registration process allows public users to create accounts by providing essential information such as their name, email, contact details, and password. This data is validated and securely stored in the system's database, ensuring correct and duplicate-free records. And there is a Super Admin who can add new Administrators on (MCMC) if any. The module sets up the basics for how public user interact with the system by offering features such as Public User to registration, for Administrator, agency and Public user can login and profile management.

(Person In Charge: Qamhan Khaled CB23009)

#### **Capability to Submit Forms for the Verification of News Validity:**

One essential part of the AuthenticityHub System is the Capability to Submit Forms for the Verification of News Validity module, which enables the general public to submit inquiries on the veracity of news. This module guarantees an organized and easy-to-use procedure for the general public to submit forms with necessary information, including the news's source, links, and supporting documentation.

Administrators are essential in checking the forms for accuracy and completeness when they are turned in. Agencies can preview the queries assigned to them, ensuring that they have all of the information they need to assess the news's authenticity. However, they are only able to examine the forms that have been filed; they are unable to edit or assign new tasks.

This module establishes the foundation for combating misinformation by providing a transparent and efficient process for verifying news authenticity, fostering trust and confidence in the system.

(Person In Charge: Al-qarmwshi Abdullah)

### **The classification of complaint forms forwarded to appropriate authorities' module:**

For Public Users: Public users benefit from a system that efficiently organizes and directs their complaints. They can easily see the status of their requests, providing much-needed transparency and building trust in the process.

For Agencies: Agencies like JPJ, KKM, and others receive pre-categorized and relevant complaints, reducing the inefficiency of manual triage. This allows them to focus on resolving cases faster and more effectively. Each complaint comes with detailed information, enabling agencies to act quickly and accurately, enhancing their productivity and operational success.

For Administrators (MCMC): Administrators have centralized oversight of the entire complaint handling process. They can track progress, review classifications, and ensure timely escalation to the correct agencies. Automation reduces errors, while audit trails maintain accountability and transparency. Additionally, through data analysis, administrators can detect recurring issues and improve workflow, enhancing service quality and building greater public confidence in MCMC efforts.

(Person In Charge: Banabila Salman)

### **Monitoring Progress Management:**

This module is important because it contributes to improving the AuthenticityHub system performance effectively. After submitting the request, the public user can see the status of his inquiry through a simple and direct interface. If changes occur to the status of the Inquiry, the inquiry status automatically changes. Also, public users can see details of his inquiry.

The module allows administrators (MCMC) to view the status of all inquiries, track their progress, and see the details of the inquiry. Agencies have the ability to update the status of the inquiries they handle and write a description.

(Person In Charge: BANWAIR RIAN (CB23006)).

### Manage Report:

The AuthenticityHub system, developed with MCMC, includes a powerful Report Generation module designed to turn data into actionable insights. This module tracks trends in submissions, fake news patterns, and agency performance, offering key metrics like resolution times, verification rates, and inquiry volumes. Administrators can create detailed reports on user activity, inquiry outcomes, and agency efficiency, allowing for smarter, data-driven improvements to the system. By categorizing and analyzing verification results, these reports support better decision-making, streamline processes, and enhance efforts to combat misinformation. Like MCMC's initiative Sebenarnya.my, which fights fake news through verification and agency collaboration (Police, JPJ, KKM), AuthenticityHub's reports play a crucial role in shaping targeted strategies and raising public awareness. Together, these tools ensure a stronger and ongoing fight against misinformation.


### 1.3 REFERENCES

- 1- Ts. Azma Abdullah (2024, December 13). Industry talk: A stakeholder's view on Malaysian Communications and Multimedia Commission'S requirements [Lecture notes]. Universiti Malaysia Pahang Al-Sultan Abdullah.
- 2- Malaysian Communications and Multimedia Commission (MCMC). (n.d.). *Reports*. MCMC. Retrieved December 22, 2024, from <https://mcmc.gov.my/en/resources/reports>
- 3- Userpilot. (n.d.). *User profile: The key to better product experiences*. Userpilot. Retrieved December 22, 2024, from <https://userpilot.com/blog/user-profile/>
- 4- Universiti Malaysia Pahang Al-Sultan Abdullah. (2024). BCS2233-2024/2025-I – Appendix 1 - Request for proposal (RFP).


- 5- Kumari, R. (2020, November 27). *How do we check for the validity of the news we read and hear via television, radio, and social media?* Quora. Retrieved December 22, 2024, from <https://www.quora.com/How-do-we-check-for-the-validity-of-the-news-we-read-and-hear-via-television-radio-and-social-media>
- 6- GeeksforGeeks. (2024, December 22). *What is monitoring and control in project management?* GeeksforGeeks. Retrieved December 22, 2024, from <https://www.geeksforgeeks.org/what-is-monitoring-and-control-in-project-management/#what-is-monitoring-phase-in-project-management>
- 7- Lane, G. K. (2023c, January 17). *How to write an SRS Document (Software Requirements Specification Document).* Perforce Software. <https://www.perforce.com/blog/alm/how-write-software-requirements-specification-srs-document>

## 2. PRODUCT DESCRIPTION

### 2.1 PRODUCT PERSPECTIVE



2.2 PRODUCT FUNCTION



## 2.3 USER CHARACTERISTICS


The **AuthenticityHub System (AH)** has three main types of users, each with distinct educational levels, experiences, and technical expertise:

| User                     | Educational Level                                                                                                                                                           | Experience                                                                                                                                                                                                                                     | Technical Expertise                                                                                                                                                                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Public user              | <ul style="list-style-type: none"><li>- People from all walks of life, with varying levels of education ranging from no formal education to university graduates.</li></ul> | <ul style="list-style-type: none"><li>- Comfortable with basic internet activities like browsing websites and submitting online forms.</li><li>- Familiar with filling out forms and uploading documents.</li></ul>                            | <ul style="list-style-type: none"><li>- Minimal technical know-how.</li><li>- Confident using websites and simple mobile apps.</li><li>- Can easily submit forms and check updates.</li></ul>                          |
| Administrators<br>(MCMC) | <ul style="list-style-type: none"><li>-Educated professionals, typically holding a diploma or degree.</li><li>-Often with intermediate to advanced education.</li></ul>     | <ul style="list-style-type: none"><li>-Skilled in managing online systems and responding to user inquiries.</li><li>- Experienced in monitoring progress, organizing tasks, and generating reports.</li></ul>                                  | <ul style="list-style-type: none"><li>- Intermediate to advanced tech-savviness.</li><li>- Familiar with tools like dashboards and databases.</li><li>- Able to categorize data and create detailed reports.</li></ul> |
| Agency                   | <ul style="list-style-type: none"><li>- Professionals with specialized domain relevant to their fields, such as IT, law, or healthcare.</li></ul>                           | <ul style="list-style-type: none"><li>- Experienced in verifying information, addressing complaints, and working with others to check facts.</li><li>- Often involved in tasks that require coordination with multiple stakeholders.</li></ul> | <ul style="list-style-type: none"><li>- Proficient in tools for information validation and reporting.</li><li>- Skilled at working with system features and integrating external tools or APIs.</li></ul>              |



### 3. SPECIFIC REQUIREMENTS (SOFTWARE PRODUCT FEATURES)

#### 3.1 Manage Registration



*Figure 1.1* Use Case Manage registration

### 3.1.1 Manage Registration Description

Table 3.1 Use Case Description for **Manage Rergistration**

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | SRS-AH-UC100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Brief Description</b> | This case enables the Public User to create an account in the system by inputting and verifying their information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Actor</b>             | Public User, Super Administrator.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Pre-Conditions</b>    | The public user must give the required information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic Flow</b>        | <p><b>User (Public User)</b></p> <ol style="list-style-type: none"><li>1. The public user will enter the landing page to choose between signing up or logging in.</li><li>2. The Public User click sign up.</li><li>3. The Public User navigates to the sign up page.</li><li>4. The user fills in the required fields:<ul style="list-style-type: none"><li>- Public User: Name, email, contact details, and password</li></ul></li><li>5. The Public User will click &lt;&lt;Sign Up&gt;&gt; button.</li><li>6. The system validates the entered information.<ul style="list-style-type: none"><li>- <b>A1: Handle Validation Errors [SRS-AH-REQ101]:</b> If the data is invalid (e.g., missing or duplicated information), the flow moves to the alternative flow.</li></ul></li><li>7. If the data is valid, the system securely stores the information in the database.</li><li>8. The system redirects the user to the log in page with success notification.</li><li>9. Use case ends.</li></ol> <p><b>User (Administrator)</b></p> <ol style="list-style-type: none"><li>1. The Admin will enter the landing page to choose between signing up or logging in.</li><li>2. Admin click the registration page.</li><li>3. The Admin navigates to the sign up page.</li><li>4. Admin will register the new admins or agency info.</li><li>5. Admin click &lt;&lt;Sign Up&gt;&gt; button.</li><li>6. System validates the provided information.</li><li>7. The system redirects the Super Admin to the log in page with success notification.</li><li>8. Use case end.</li></ol> |
| <b>Alternative Flow</b>  | <p><b>A1: Handle Validation Errors [SRS-AH-REQ101]:</b></p> <ol style="list-style-type: none"><li>1. The user submits the registration form with missing or duplicated information.</li><li>2. The system detects the issue and returns an error message to the Registration Interface (e.g., "Missing required field" or "Duplicate email detected").</li><li>3. The user is returned to the Registration Interface to correct the data.</li><li>4. The use case returns to Step 2 of the Basic Flow.</li></ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                        |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exception Flow</b>  | Not applicable.                                                                                                                        |
| <b>Post-Conditions</b> | The database creates and safely saves the public user's account. A confirmation email including login information is sent to the user. |
| <b>Rules</b>           | The Public User must be older than 15 years old.                                                                                       |
| <b>Constraints</b>     | Not applicable.                                                                                                                        |

### 3.1.2 Manage registration Sequence Diagram




Figure 1.2 Basic Flow for Manage registration




Figure 1.3 Alternative Flow for Manage registration

Not applicable.

Figure -- Exception Flow for Manage registration





Figure 1.2 AuthenticityHub Landing Page for Public User



*Figure 1.3* AuthenticityHub Landing Page for Administrator

### 3.1.3 Manage reregistration User Interface

The screenshot shows the 'AuthenticityHub' registration interface for a public user. The header includes a 'Home' button, the site name 'AuthenticityHub', a search bar, language selection ('English (United States)'), and 'Log in' and 'Sign up' buttons. The main content area has a blue background with a central white registration box. Inside the box, the greeting 'Hi, Welcome !' is followed by 'Hello , you've been missed!'. The form fields are: 'Email' (PublicUser@gmail.com), 'Full Name' (Public User), 'Password' (masked with dots), and 'Phone Number' (+60112233445555). A 'Sign Up' button is at the bottom of the box. Below the box, there is a link 'Already having Account' and a 'Sign In' button.

Figure 1.4 Manage reregistration for Public User

The screenshot shows the 'AuthenticityHub' registration interface for an administrator. The header is identical to Figure 1.4. The main content area has a grey background with a central white registration box. Inside the box, the greeting 'Hi, Welcome !' is followed by 'Hello , you've been missed!'. The form fields are: 'User Email' (User@gmail.com), 'User Full Name' (User), 'User Password' (masked with dots), and 'User Phone Number' (+60112233445555). A 'Sign Up' button is at the bottom of the box. Below the box, there is a link 'Already having Account' and a 'Sign In' button.

Figure 1.5 Manage reregistration for Administrator




Figure 1.6 Manage registration By Public User





Figure 1.7 Manage registration -Error- By Public User



The image shows a web application interface for AuthenticityHub. At the top, there is a dark navigation bar with a user profile icon, a 'Home' button, the 'AuthenticityHub' logo, a search bar, a language dropdown set to 'English (United States)', and 'Log in' and 'Sign up' buttons. A green notification bubble at the top center says 'Registration Successfully' with a checkmark. Below this, a light gray card contains a welcome message 'Hi, Welcome !' with a fire emoji. The card has four input fields: 'User Email' (containing 'User@gmail.com'), 'User Full Name' (containing 'User'), 'User Password' (with a masked password), and 'User Phone Number' (containing '+6011223344555'). A 'Sign Up' button is at the bottom of the card. Below the card, there is a link 'Already having Account' and a 'Sign In' button.

AuthenticityHub

Registration Successfully ✓

Hi, Welcome ! 🔥

User Email: User@gmail.com

User Full Name: User

User Password: [Masked]

User Phone Number: +6011223344555

Sign Up

Already having Account

Sign In

*Figure 1.8* Manage registration By Administrator



Table 3.2 Manage reregistration - User Interface Description

| Manage reregistration                                              | Description                                                                                                                                                                                                              |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 1.2<br>AuthenticityHub<br>Landing Page for<br>Public User   | This landing page lets the public user choose either sign up or sign in on the system.                                                                                                                                   |
| Figure 1.3<br>AuthenticityHub<br>Landing Page for<br>Administrator | This landing page lets the Administrator choose either Register New Agency or Administrator or sign in on the system.                                                                                                    |
| Figure 1.4<br>Manage reregistration for<br>Public User             | Enters details such as full name, email address, password. And then click sign up to create an account.                                                                                                                  |
| Figure 1.5<br>Manage reregistration for<br>Administrator           | <ul style="list-style-type: none"> <li>• Enter the email and password that provided before for add new Administrator or Agency.</li> <li>• Gains access to the admin dashboard after successful Registration.</li> </ul> |
| Figure 1.6<br>Manage reregistration for<br>Public User             | Receives confirmation successful registration messages.                                                                                                                                                                  |
| Figure 1.7<br>Manage reregistration for<br>Public User -Error-     | Receives Unsuccessfully registration messages.                                                                                                                                                                           |
| Figure 1.8<br>Manage reregistration for<br>Administrator           | Receives confirmation successful registration messages.                                                                                                                                                                  |

### 3.2 Manage Log In




Figure 2.1 Use Case Manage Log In


### 3.2.1 Manage Log In Use Case Description

Table 3.3 Use Case Description for **Manage Log In**

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | SRS-AH-UC200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Brief Description</b> | This case allows public users, administrators, and agencies to safely login into the system.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Actor</b>             | Public users, Administrators and Agencies.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Pre-Conditions</b>    | Users need to have valid login info.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic Flow</b>        | <p><b>User (Administrators and Agencies)</b></p> <ol style="list-style-type: none"><li>1. users will receive their info through email password and username. Then click the link that will go direct to the update password.</li><li>2. Users will go to the log in page.</li><li>3. Users will inter there email and password.</li><li>4. Users will click &lt;&lt;log in&gt;&gt; button.</li><li>5. The system displays a success message.</li><li>6. Use case ends.</li></ol> <p><b>User (Public Users, Administrators, and Agencies):</b></p> <ol style="list-style-type: none"><li>1. The use case begins when the user goes to the login page.</li><li>2. Users enter their email and password.<ul style="list-style-type: none"><li>- <b>A1: Handle Incorrect Credentials [SRS-AH-REQ201]:</b> If the credentials are incorrect, the flow moves to the alternative flow.</li></ul></li><li>3. Users will have the option to reset their password:<ul style="list-style-type: none"><li>- <b>A2: Reset Password [SRS-AH-REQ202]:</b> Users may reset their password if needed.</li></ul></li><li>4. Users click the &lt;&lt;Login&gt;&gt; button.</li><li>5. The system displays a success message.</li><li>6. Use case ends.</li></ol> |
| <b>Alternative Flow</b>  | <p><b>A1: Handle Incorrect Credentials [SRS-AH-REQ201]:</b></p> <ol style="list-style-type: none"><li>1. Users enter their email and password.</li><li>2. Users click the &lt;&lt;Login&gt;&gt; button.</li><li>3. The system checks the email and password.</li><li>4. The system returns an error message (e.g., "Incorrect email or password").</li><li>5. The use case returns to Step 2 of the Basic Flow.</li></ol> <p><b>A2: Reset Password [SRS-AH-REQ202]:</b></p> <ol style="list-style-type: none"><li>1. Users click the &lt;&lt;Reset Password&gt;&gt; button.</li><li>2. User goes to Reset Password Process.</li><li>3. Users enter their email address.</li><li>4. The User click &lt;&lt;Send Link&gt;&gt; button .</li><li>5. User will receive link to reset there password</li></ol>                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                        |                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------|
|                        | 6. The use case returns to Step 1 of the Basic Flow to attempt login again.                                   |
| <b>Exception Flow</b>  | Not applicable.                                                                                               |
| <b>Post-Conditions</b> | The dashboard is displayed after the users (public users, administrators, and agencies) successfully logs in. |
| <b>Rules</b>           | Not applicable.                                                                                               |
| <b>Constraints</b>     | Not applicable.                                                                                               |

### 3.2.2 Manage Log In Sequence Diagram






Figure 2.2 Basic Flow for Manage Log In




Figure 2.3 Alternative Flow for Manage Log In




Figure 2.4 Alternative Flow for Manage Log In




Figure -- Exception Flow for Manage Log In

### 3.2.3 Manage Log In User Interface

The screenshot displays the login page of the AuthenticityHub application. The header is dark blue with a user profile icon, a 'Home' button, the 'AuthenticityHub' logo, a search bar, a language dropdown set to 'English (United States)', and 'Log in' and 'Sign up' buttons. The main content area has a light blue background. A central grey box contains the login form. At the top of this box is a welcome message: 'Hi, We come Back! 🎉' followed by 'Hello again, you've been missed!'. Below this are input fields for 'Email' (containing 'PublicUser@gmail.com') and 'Password' (masked with dots). There is a checked 'Remember Me' checkbox and a 'Forgot Password?' link. A 'Login' button is positioned below the password field. At the bottom of the grey box, there is a 'Don't Have An Account?' link and a 'Sign Up' button.

Figure 2.5 Manage Log In By Public User




Figure 2.6 Manage Log In -Email Verification- By Administrator.






Figure 2.7 Manage Log In -Email verification- By Agency .




Figure 2.8 Manage Log In By Public User




Figure 2.9 Manage Log In By Administrator




Figure 2.10 Manage Log In By Agency




Figure 2.11 Manage Log In -Error- By Public User




Figure 2.12 Manage Log In -Error- By Administrator




Figure 2.13 Manage Log In -Error- By Agency

The screenshot displays the AuthenticityHub website interface. At the top, a dark blue header contains a user profile icon, a 'Home' button, the site name 'AuthenticityHub', a search bar, a language dropdown set to 'English (United States)', and 'Log in' and 'Sign up' buttons. The main content area has a light blue background. Centered on this is a white rounded rectangle containing the 'Reset Password' form. The form includes a title 'Reset Password', an 'Email' field with 'PublicUser@gmail.com', an 'Enter Your Last Password' field with masked characters, and an 'Enter New Password' field with masked characters. Below the new password field is a green progress bar and three password requirements: '8 characters minimum' (checked), 'a number' (checked), and 'a symbol' (unchecked). A 'Reset Password' button is at the bottom of the form. Below the white rectangle, the text 'Don't Have An Account?' is followed by a 'Sign Up' button.

*Figure 2.14* Manage Log In -Reset Password- By Public User




Figure 2.15 Manage Log In -Reset Password- By Public User

The screenshot shows the 'AuthenticityHub' website interface. At the top, there is a dark blue header with a user profile icon, a 'Home' button, the site name 'AuthenticityHub', a search bar, a language dropdown set to 'English (united States)', and 'Log in' and 'Sign up' buttons. The main content area features a light gray rounded rectangle containing the 'Reset Password' form. The form includes a title 'Reset Password', an 'Email' field with 'Administrator@gmail.com', an 'Enter Your Last Password' field with masked text, and an 'Enter New Password' field with masked text. Below the password fields is a green progress bar and three password requirements: '8 characters minimum' (checked), 'a number' (checked), and 'a symbol' (unchecked). A 'Reset Password' button is at the bottom of the form.

AuthenticityHub

Reset Password

Email

Administrator@gmail.com

Enter Your Last Password

Enter New Password


8 characters minimum

a number

a symbol

Reset Password

*Figure 2.16* Manage Log In -Reset Password- By Administrator



*Figure 2.17* Manage Log In -Reset Password- By Administrator



AuthenticityHub

English (United States) ▾

Log in Sign up

Reset Password

Email

Agency@gmail.com

Enter Your Last Password

Enter New Password

8 characters minimum

a number

a symbol

Reset Password

Don't Have An Account?

Sign Up

Figure 2.18 Manage Log In -Reset Password- By Agency





Figure 2.19 Manage Log In -Reset Password- By Agency

Table 3.4 Manage Log In - User Interface Description

| Manage Log In                                                          | Description                                                                                                                                                                              |
|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 2.5<br>Manage Login By<br>Public User                           | This interface enables Public User to securely log into the system by providing their email and password. It includes features like "Forgot Password" and Remember Me for ease of use.   |
| Figure 2.6<br>Manage Login -Email<br>Verification- By<br>Administrator | This interface enables Administrator to securely log into the system after receive email account activation, then by providing their email and password. They can access to log in page. |
| Figure 2.7<br>Manage Login -Email<br>Verification- By<br>Agency        | This interface enables Agency to securely log into the system after receive email account activation, then by providing their email and password. They can access to log in page.        |
| Figure 2.8<br>Manage Log In -Error-<br>By Public User                  | Receives confirmation successful Log In messages.                                                                                                                                        |
| Figure 2.9<br>Manage Log In -Error-<br>By Administrator                | Receives confirmation successful Log In messages.                                                                                                                                        |
| Figure 2.10<br>Manage Log In -Error-<br>By Agency                      | Receives confirmation successful Log In messages.                                                                                                                                        |
| Figure 2.11<br>Manage Log In -Error-<br>By Public User                 | Receives Unsuccessfully Log In messages.                                                                                                                                                 |
| Figure 2.12<br>Manage Log In -Error-<br>By Administrator               | Receives Unsuccessfully Log In messages.                                                                                                                                                 |
| Figure 2.13<br>Manage Log In -Error-<br>By Agency                      | Receives Unsuccessfully Log In messages.                                                                                                                                                 |

|                                                                |                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 2.14<br>Manage Log In -Reset Password- By Public User   | The system will provide way to reset the Public user password by provide his (E-mail, last password) and then he can provide the new password, click reset password and then reset will be completed.                                                                             |
| Figure 2.15<br>Manage Log In -Reset Password- By Public User   | The Reset Password interface allows Public Users to securely recover their accounts by entering their registered email address, prompting the system to send an email with a temporary password, an activation link, and instructions for resetting their password.               |
| Figure 2.16<br>Manage Log In -Reset Password- By Administrator | The system will provide way to reset the Administrator password by provide his (E-mail, last password) and then he can provide the new password, click reset password and then and reset will be completed.                                                                       |
| Figure 2.17<br>Manage Log In -Reset Password- By Administrator | The Reset Password interface allows administrators to securely recover their accounts by entering their registered email address, triggering the system to send an email with a temporary password, activation link, and step-by-step instructions for resetting their password.  |
| Figure 2.18<br>Manage Log In -Reset Password- By Agency        | The system will provide way to reset the Agency password by provide his (E-mail, last password) and then he can provide the new password, click reset password and then reset will be completed.                                                                                  |
| Figure 2.19<br>Manage Log In -Reset Password- By Agency        | The Reset Password interface enables Agencies to securely recover their accounts by submitting their registered email address, after which the system sends an email containing a temporary password, an activation link, and step-by-step guidance for resetting their password. |

### 3.3 Manage user profile



*Figure 3.1* Use Case Manage user profile

### 3.3.1 Manage user profile Description

Table 3.5 Use Case Description for Manage user profile

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | SRS-AH-UC300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Brief Description</b> | In this case, their profile can be viewed, edited, and deleted by Agencies, Administrators, and Public Users.<br>Administrators have the ability to look up the profiles of other actors.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Actor</b>             | Public users, Administrators and Agencies.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Pre-Conditions</b>    | Every user needs to be signed in to the system.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic Flow</b>        | <p><b>User (Public Users and Agencies):</b></p> <ol style="list-style-type: none"><li>1. The use case starts when users go to the profile menu.</li><li>2. Users can perform the following actions:<ul style="list-style-type: none"><li>- Add information to their profiles.</li><li>- By clicking on their optional information, like (Secondary Address, Job Title) and filling it out, they can click on &lt;&lt;Update Profile&gt;&gt; button.</li><li>- Edit their profiles by modifying existing fields.</li><li>- By clicking on their mandatory information, like (Full Name, email) and modifying it, they can click on &lt;&lt;Update Profile&gt;&gt; button.</li></ul></li><li>3. <b>E1: Logout from System [SRS-AH-REQ301]:</b> The system redirects the user to the login</li><li>4. <b>Use case ends.</b></li></ol> <p><b>User (Administrators):</b></p> <ol style="list-style-type: none"><li>1. The use case starts when Administrators go to the profile menu.</li><li>2. Administrators can perform the following actions:<ul style="list-style-type: none"><li>- Add information to their profiles.</li><li>- By clicking on their optional information, like (LinkedIn, Alternative Email) and filling it out, they can click on &lt;&lt;Update Profile&gt;&gt; button.</li><li>- Edit their profiles by modifying existing fields.</li><li>- By clicking on their mandatory information, like (Full Name, email) and modifying it, they can click on &lt;&lt;Update Profile&gt;&gt; button.</li><li>- Search for user.</li><li>- By filling out UserName and clicking &lt;&lt;Search For User&gt;&gt; button The user profile will be showing or will not be found.</li><li>- <b>A1: UserName not found [SRS-AH-REQ301]:</b></li></ul></li><li>3. <b>E1: Logout from System [SRS-AH-REQ302]:</b> The system redirects the user to the login</li><li>4. <b>Use case ends.</b></li></ol> |

|                         |                                                                                                                                                                                                                                                               |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Alternative Flow</b> | <b>A1: UserName not found [SRS-AH-REQ301]:</b><br>1. After admin click search for user<br>2. There will be error message that shown UserName not found<br>3. Admin can click <<Search Again>> button.<br>4. The use case returns to Step 2 of the Basic Flow. |
| <b>Exception Flow</b>   | <b>E1: Logout from System [SRS-AH-REQ302]:</b><br>1. User click logout symbol.<br>2. The user will be redirected to Log in page.                                                                                                                              |
| <b>Post-Conditions</b>  | Search, add, update, and remove operations can only be carried out by authorized users.                                                                                                                                                                       |
| <b>Rules</b>            | Not applicable.                                                                                                                                                                                                                                               |
| <b>Constraints</b>      | Not applicable.                                                                                                                                                                                                                                               |

### 3.3.2 Manage user profile Sequence Diagram




Figure 3.2 Basic Flow for Manage user profile




Figure 3.3 Alternative Flow for Manage registration




Figure 3.4 Exception Flow for Manage user profile



3.3.3 Manage user profile User Interface




Figure 3.5 Manage user profile For Public User




Figure 3.6 Manage User Profile For Adminstrator

**AuthenticityHub** Search ... Agency

Home  
Your Inquiries  
**Profile Menu**

**Profile Menu** Login & Security Notifications

Agency Name  
Agency

Email  
Agency@gmail.com

Username  
Agency

Phone number  
+60 1122334455

Address  
Agency Address

Alternate Email (Optional)  
Alternate Contact

Profile Bio (Optional)  
Alternate Contact

Update Profile

Figure 3.7 Manage User Profile For Agency

**AuthenticityHub** Search ... Welcome Administrator

Home  
Assign Inquiry  
review Inquiries  
Profile Menu  
**Search For User**  
Report

**Search For User**

Enter UserName  
Public User

Search For User

Figure 3.8 Manage User Profile For Administrator




Figure 3.9 Manage User Profile -Error- For Administrator

Table 3.6 Manage user profile - User Interface Description

| Manage user profile                                          | Description                                                                                                                                                                                                                          |
|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 3.5<br>Manage user profile for Public User And Agency | 1- Views their profile information (e.g., name, email, and contact details).<br>2- Updates fields like the contact number or changes their password securely.<br>1- Deletes their account if needed.<br>2- Add to there account info |
| Figure 3.6<br>Manage user profile for Administrator          | 1- Views their profile information (e.g., name, email, and contact details).<br>2- Updates fields like the contact number or changes their password securely.<br>3- Deletes their account if needed.<br>4- Add to there account info |
| Figure 3.7<br>Manage user profile for Agency                 | 1- Views their profile information (e.g., name, email, and contact details).<br>2- Updates fields like the contact number.<br>3-Deletes their account if needed.<br>4- Add to there account info                                     |

|                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Figure 3.8<br/>Manage User Profile<br/>For Administrator</p>          | <p>1-Administrator have option to see all users data.<br/>2- Updates or deletes public user accounts if necessary to maintain system integrity.<br/>3- Reviews actions related to user account creation and modifications.<br/>4- Views their profile information (e.g., name, email, and contact details).<br/>5- Updates fields like the contact number or changes their password securely.</p> |
| <p>Figure 3.9<br/>Manage User Profile -<br/>Error- For Administrator</p> | <p>Receive masage said Not found UserName, and admin can search again for UserName by clicking on &lt;&lt;Search Again&gt;&gt; button.</p>                                                                                                                                                                                                                                                        |

### 3.4 Manage Reports




Figure 3.9 Manage Reports

#### 3.4.1 Manage Reports Description

Table 3.7 Use Case Description for Use Case Name

|                          |                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | SRS-AH-UC700                                                                                                                                                                                                                                                                                                          |
| <b>Brief Description</b> | This use case allows the administrator to generate a report displaying the total number of new users (Public use or Agency) on the system within a specified timeframe.                                                                                                                                               |
| <b>Actor</b>             | Administrator                                                                                                                                                                                                                                                                                                         |
| <b>Pre-Conditions</b>    | <ul style="list-style-type: none"><li>- The administrator must be logged into the system.</li><li>- The system must have recorded user data.</li></ul>                                                                                                                                                                |
| <b>Basic Flow</b>        | <ol style="list-style-type: none"><li>1. The administrator Choose "Reports" section .</li><li>2. The system displays report options.</li><li>3. The administrator click the &lt;&lt;NEW USERS REPORT&gt;&gt; button.</li><li>5. The administrator will select the Date Range that he wanted for the report.</li></ol> |

|                         |                                                                                                                                                                                                                                                                                                                   |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         | 6. The system retrieves users data for the specified timeframe.<br>7. The system generates a report displaying the total number of new users registered.<br>8. The Admin can click either Export or Print Option.<br>9. The system will display to admin either exported or printed report.<br>10. Use case ends. |
| <b>Alternative Flow</b> | Not applicable.                                                                                                                                                                                                                                                                                                   |
| <b>Exception Flow</b>   | Not applicable.                                                                                                                                                                                                                                                                                                   |
| <b>Post-Conditions</b>  | The report is successfully generated and available for review or download by the administrator.                                                                                                                                                                                                                   |
| <b>Rules</b>            | The report must be accurate and comply with data privacy policies.                                                                                                                                                                                                                                                |
| <b>Constraints</b>      | Not applicable.                                                                                                                                                                                                                                                                                                   |

### 3.4.2 Manage Report Sequence Diagram




Figure 3.10 Basic Flow for Manage Report




Figure -- Alternative Flow for Manage Report




Figure -- Exception Flow for Use Manage Report




Figure 3.11 Manage Report for Administrator (Main Page For Reports)

3.4.3 Manage Report User Interface



Figure 3.12 Manage Report for Administrator



*Table 3.8* Manage Report - User Interface Description

| User Interface Name                                                          | Description                                                                                                                                       |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 3.11<br>Manage Report for<br>Administrator (Main<br>Page For Reports) | When the administrator clicks the report, he will have more than one option for the report, so he will choose for my module <<NEW USERS REPORT>>. |
| Figure 3.12<br>Basic Manage Report<br>Interface                              | Allows administrators to generate, view and make activity reports and allow for Administrator to select time period, for new user registrations.  |

4. EXTERNAL INTERFACE REQUIREMENTS

4.1 USER INTERFACES




Figure 4.1 Dialog Diagram for AuthenticityHub




Figure 4.2 Dialog Diagram for AuthenticityHub




Figure 4.3 Dialog Diagram for AuthenticityHub




Figure 4.4 Dialog Diagram for AuthenticityHub




Figure 4.5 Dialog Diagram for AuthenticityHub




Figure 4.6 Dialog Diagram for AuthenticityHub




Figure 4.7 Dialog Diagram for AuthenticityHub






Figure 4.8 Dialog Diagram for AuthenticityHub




Figure 4.9 Dialog Diagram for AuthenticityHub




Figure 4.10 Dialog Diagram for AuthenticityHub




Figure 4.11 All Dialog Diagram for AuthenticityHub

## **4.2 HARDWARE INTERFACES**

Not applicable.

### **4.3 SOFTWARE INTERFACES**

Not applicable.

## 5. REQUIREMENT TRACEABILITY

*Table 5.1* Requirement Traceability for AuthenticityHub

| Requirement ID  | Description                                                                                                                                                                                                                                                                                                                                                                   | Interface ID                           |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| [SRS-AH-REQ101] | The system validates user-submitted data to ensure completeness, correct format (e.g., email, password), and uniqueness (e.g., email or username). If validation fails, it returns specific error messages, allowing users to correct and resubmit. Upon success, the system proceeds with the requested action.                                                              | Refer Figure 1.7                       |
| [SRS-AH-REQ201] | The system must validate user login credentials, including email and password, against stored records. If credentials are incorrect, it returns an error message (e.g., "Invalid email or password") without revealing sensitive details. Users can retry login or opt to reset their password.                                                                               | Refer Figure (2.11, 2.12, 2.13)        |
| [SRS-AH-REQ202] | The system must allow users to reset their password by entering their registered email. Upon validation, it sends a secure password reset link or code to the user's email, enabling them to create a new password and regain access to their account.                                                                                                                        | Refer Figure (3.14, 3.15, 3.16)        |
| [SRS-AH-REQ301] | The system will check for the UserName profile if it exists or not, so if it does not exist, the error message will appear that says UserName not found, and the admin can search again by clicking the <<Search Again>> button.                                                                                                                                              | Refer Figure (3.8, 3.9)                |
| [SRS-AH-REQ302] | The system must automatically log out users under specific conditions, such as session expiration, security policy violations, or manual logout actions. Upon logout, the system redirects users to the login page and displays an appropriate notification (e.g., "Your session has expired. Please log in again."). This ensures security and prevents unauthorized access. | Refer Figure (3.4, 3.5, 3.6, 3.7, 3.8) |

## 6. ACRONYMS AND ABBREVIATION

Table 6.1 for ACRONYMS AND ABBREVIATION

| Acronyms and Abbreviation | Meaning                                             |
|---------------------------|-----------------------------------------------------|
| SRS                       | Software Requirement Specification.                 |
| AH                        | AuthenticityHub.                                    |
| REQ                       | Requirement.                                        |
| UC                        | Use Case.                                           |
| MCMC                      | Malaysian Communications and Multimedia Commission. |
| UI                        | User Interface                                      |