

# Machine Problem 1

## Abstract

This machine problem introduces you to a bare-bones HTTP client that can get data from any web server. This is the kind of code that is running in your browser. You will also create a HTTP server that can serve data to other clients much like how a real server would function.

## 1 Introduction

In this assignment, you will implement a simple HTTP client and server. The client will be able to GET correctly from standard web servers, and browsers will be able to GET correctly from your server. The test setup will be two VMs, one server and one client. Each test will use your client or `wget`, and your server or `thttpd`. Your client doesn't have to support caching or recursively retrieving embedded objects. HTTP uses TCP – you can use Beej's `client.c` and `server.c` as a base. Your server must support concurrent connections: if one client is downloading a 10MB object, another client that comes looking for a 10KB object shouldn't have to wait for the first to finish.

## 2 What is expected in this MP?

### 2.1 HTTP Client

Your client should run as

```
./http_client http://hostname[:port]/path/to/file
```

e.g.

```
./http_client http://127.0.0.1/index.html
```

```
./http_client http://illinois.edu/index.html
```

```
./http_client http://12.34.56.78:8888/somefile.txt
```

```
./http_client http://localhost:5678/somedir/anotherfile.html
```

If there is no `:port`, assume port 80 – the standard HTTP port. **You should write the file that you receive to a file called “output” (no file extension, like `txt` or `html`).**

Here's the very simple HTTP GET that `wget` uses:

```
GET /test.txt HTTP/1.1
```

```
User-Agent: Wget/1.12 (linux-gnu)
```

Host: localhost:3490

Connection: Keep-Alive

The GET /test.txt instructs the server to return the file called test.txt in the server's top-level web directory. User-Agent identifies the type of client. Host is the URL that the client was originally told to get from – exactly what the user typed. This is useful in case a single server has multiple domain names resolving to it (maybe www.cs.illinois.edu and www.math.illinois.edu), and each domain name actually refers to different content. This could be a bare IP address, if that's what the user had typed. The 3490 is the port – this server was listening on 3490, so I called “wget localhost:3490/test.txt”. Finally, Connection: Keep-Alive refers to TCP connection reuse, which will be discussed in class.

**Note that the newlines are technically supposed to be CRLF – so, “\r\n” on a Unix machine.**

Only the first line is essential for a server to know what file to give back, so **your HTTP GETs can be just that first line**. HTTP specifies that the end of a request should be marked by a blank line — so **be sure to have two newlines at the end**. (This demarcation is necessary because TCP presents you with a stream of **bytes**, rather than **packets**.)

## 2.2 HTTP Server

Now for the HTTP response. Here's what Google returns for a simple GET of /index.html:

```
HTTP/1.0 200 OK
Date: Wed, 21 May 2014 17:39:46 GMT
Expires: -1
Cache-Control: private, max-age=0
Content-Type: text/html; charset=ISO-8859-1
Set-Cookie: PREF=ID=d985d415c1aaf0cc:FF=0:TM=1400693986:LM=1400693986:S=jBoFRLMuiYWpB6sl;
expires=Fri, 20-May-2016 17:39:46 GMT; path=/; domain=.google.com
Set-Cookie: NID=67=UEN1ApahELM_UhkJDWgHbwLmw1thhjwfucoYpC2E-
UpqH6bwR8Rq9YAqY1ptRu3qCeljkHLBwY867JmRn4fzFQzJpgld1TLzXhBhLjAKCpGx0DQpVSDFjAPByCQo37
K4; expires=Thu, 20-Nov-2014 17:39:46 GMT; path=/; domain=.google.com; HttpOnly
P3P: CP="This is not a P3P policy! See http://www.google.com/support/accounts/bin/answer.py?
hl=en&answer=151657 for more info."
Server: gws
X-XSS-Protection: 1; mode=block
X-Frame-Options: SAMEORIGIN
Alternate-Protocol: 80:quic
```

Your server's headers will be much simpler (but still correct and complete): only include the response code. When correctly returning the requested document, use **HTTP/1.1 200 OK**, like this example. When the client requests a non-existent file, return **HTTP/1.1 404**

**Not Found.** Note that you can still have document text on a 404 – allowing for nicely formatted / more informative “whoops, file not found!” messages. For any other errors, you may simply return **400 Bad Request**. An important note: see how there’s a blank line between the header and document text in the Google response? That’s a well defined part of the protocol, marking the end of the header. Your server must include this blank line. Again, HTTP newlines are CRLF. Your server should take the port to run on as a command line argument, and should treat all filepaths it’s asked for as being relative to its current working directory. (Meaning just pass the client’s request directly to `fopen`: if the client asks for **GET /somedir/somefile.txt**, the correct argument to **fopen** is `somedir/somefile.txt`). Your server executable should be called `http_server`, e.g.:

```
sudo ./http_server 80
```

```
./http_server 8888
```

(The sudo is there because using any port <1024 requires root access.)

### 3 VM Setup

You’ll need 2 VMs to test your client and server together. Unfortunately, VirtualBox’s default setup does not allow its VMs to talk to the host or each other. There is a simple fix, but then that prevents them from talking to the internet. So, be sure you have done all of your apt-get installs before doing the following! (To be sure, just run: **sudo apt-get install gcc make gdb valgrind iperf tcpdump** ) Make sure the VMs are fully shut down. Go to each of their Settings menus, and go to the Network section. Switch the Adapter Type from NAT to “host-only”, and click ok (or you can add another host-only network adapter also). When you start them, you should be able to ssh to them from the host, and it should be able to ping the other VM. You can use **ifconfig** to find out the VMs’ IP addresses. If they both get the same address, **sudo ifconfig eth0 newipaddr** will change it. (If you make the 2nd VM by cloning the first + choosing reinitialize MAC address, that should give different addresses.)

### 4 Autograder and submission

We use the autograder to grade your MPs, the submission process is simple.

First, open the autograder web page:

**http://10.105.100.204.**

This is a ZJUI-private IP. If your device is not accessing it through the campus network, please use VPN to get a private IP

You will see two sections. **MP Submission** allows you to submit your assignment. You can do this by entering your Student ID (start with 320), selecting which MP you are submitting, selecting the file extension of your files and uploading your MP files. **Note:** only C/Cpp

files are accepted. When uploading files, **add your files one by one, do not choose multiple files to add at one time**. **Submission History** section allows you to check your submission history and grade. You can do this by entering your student ID.

Caution: The queue can only handle 200 submissions at one time, so remember to check your submission status in **Submission History** after you submit your assignment. During the hours leading up to the submission, the queue could be long. So it is advisable to get your work done early.

## 5 Grade Breakdown

25%: you submitted your assignment correctly and it compiles correctly on the autograder (You must have at least successfully committed your files into git to benefit from this.)

25%: wget can retrieve files from your HTTP server

25%: your client can retrieve files from your HTTP server

25%: your server does concurrency correctly: 1 very long download does not block many smaller downloads from starting immediately.

(We will use diff to compare the server's copy with the downloaded copy, and you should do the same. If diff produces any output, you aren't transferring the file correctly.)

## 6 Notes

- You must use C or C++.  
common mistake: libraries must go at the end of the compile command.
- Do not use a public github repo. You will be held partially responsible for any resultant plagiarism.
- Your code must be your own. You can discuss very general concepts with others, but if you find yourself looking at a screenful/whiteboard of pseudocode (let alone real code), you're going too far.
- Refer to the class slides and official student handbook for academic integrity policy. In summary, the standard for guilt is "more probable than not probable", and penalties range from warnings to recommending suspension/expulsion, based entirely on the instructor's impression of the situation.
- You can use libraries from wherever for data structures. You **MUST** acknowledge the source in a README. Algorithms (e.g. Dijkstra's) should be your own.
- Your code must run on the test setup, which is just some Ubuntu 16.04 LTS Server VMs, running on VirtualBox.
- We will not look at your program on your laptop or EWS.

- Input files on the grader are READ-ONLY. Do not use the “rb+” mode to read them; the “+” asks for write permission. (In general, you shouldn’t use “rb+” unless you need it, which should be rare.)
- Input files on the grader are general binary data, NOT text.