


phpMyAdmin
Recent
Favorites
New
blog_site
exhibition_db
New
cars
information_schema
mysql
performance_schema
phpmyadmin
student_db
test
Server: 127.0.0.1 » Database: exhibition_db » Table: cars
Browse
Structure
SQL
Search
Insert
Export
Import
Privileges
Operations
Tracking
Triggers
Run SQL query/queries on table exhibition_db.cars:
CREATE TABLE cars (
car_id INT NOT NULL AUTO_INCREMENT PRIMARY KEY,
make VARCHAR(25) NOT NULL,
model VARCHAR(40) NOT NULL,
price FLOAT NOT NULL,
yom INT NOT NULL
);
car_id
make
model
price
yom
SELECT *
SELECT
INSERT
UPDATE
DELETE
Clear
Format
Get auto-saved query
<<
Bind parameters
Bookmark this SQL query:
Delimiter
;
Show this query here again
Retain query box
Rollback when finished
Enable foreign key checks
Go


phpMyAdmin
Recent
Favorites
New
blog_site
exhibition_db
New
cars
Columns
New
car_id (PRI, int)
make (varchar)
model (varchar)
price (float)
yom (int)
Indexes
information_schema
mysql
performance_schema
phpmyadmin
student_db
test
Server: 127.0.0.1 » Database: exhibition_db » Table: cars
Browse
Structure
SQL
Search
Insert
Export
Import
Privileges
Operations
Tracking
Triggers
Run SQL query/queries on table exhibition_db.cars:
INSERT INTO cars (make, model, price, yom) VALUES
('Holden', 'Astra', 14000, 2009),
('BMW', 'X3', 35000, 2010),
('Ford', 'Falcon', 39000, 2013),
('Toyota', 'Corolla', 20000, 2012),
('Holden', 'Commodore', 28000, 2009);
car_id
make
model
price
yom
SELECT *
SELECT
INSERT
UPDATE
DELETE
Clear
Format
Get auto-saved query
<<
Bind parameters
Bookmark this SQL query:
Delimiter
;
Show this query here again
Retain query box
Rollback when finished
Enable foreign key checks
Go
Console