



TENSORFLOW

HOT OR NOT?

HOT OR NOT?




```
dependencies {  
    implementation 'org.tensorflow:tensorflow-android:1.5.0'  
}
```


```
dependencies {  
    implementation 'org.tensorflow:tensorflow-android:1.2.0'  
}
```


```
dependencies {  
    implementation 'org.tensorflow:tensorflow-android:1.2.0'  
}
```


```
dependencies {  
    implementation 'org.tensorflow:tensorflow-android:1.5.0'  
}
```





Classifier
































DATA




















Machine learning











Deep Learning

Neural Networks








DATA

HOT




DATA

Fatkun Batch Download Image

Offered by Image Downloader

★★★★★ (1513) | [Photos](#) | 155,929 users

OVERVIEW REVIEWS SUPPORT RELATED



An useful image batch download extension. You can filter by resolution or link.

Just one click to download all images which selected on the pages.



Can use your own rules to download images list.


Can batch rename downloaded images.


[Report Abuse](#)



Additional Information



Version: 2.17
Updated: February 1, 2018
Size: 396KIB
Languages: See all 47
























Ech...














`int[] → float[]`











IMAGE_SIZE

224







`int[] → float[]`



IMAGE_SIZE
224










`int[] → float[]`





IMAGE_SIZE
224














MOBILENET

Model	TF-Slim File	Checkpoint	Top-1 Accuracy	Top-5 Accuracy
Inception V1	Code	inception_v1_2016_08_28.tar.gz	69.8	89.6
Inception V2	Code	inception_v2_2016_08_28.tar.gz	73.9	91.8
Inception V3	Code	inception_v3_2016_08_28.tar.gz	78.0	93.9
Inception V4	Code	inception_v4_2016_09_09.tar.gz	80.2	95.2
Inception-ResNet-v2	Code	inception_resnet_v2_2016_08_30.tar.gz	80.4	95.3
ResNet V1 50	Code	resnet_v1_50_2016_08_28.tar.gz	75.2	92.2
ResNet V1 101	Code	resnet_v1_101_2016_08_28.tar.gz	76.4	92.9
ResNet V1 152	Code	resnet_v1_152_2016_08_28.tar.gz	76.8	93.2
ResNet V2 50^	Code	resnet_v2_50_2017_04_14.tar.gz	75.6	92.8
ResNet V2 101^	Code	resnet_v2_101_2017_04_14.tar.gz	77.0	93.7
ResNet V2 152^	Code	resnet_v2_152_2017_04_14.tar.gz	77.8	94.1
ResNet V2 200	Code	TBA	79.9*	95.2*
VGG 16	Code	vgg_16_2016_08_28.tar.gz	71.5	89.8
VGG 19	Code	vgg_19_2016_08_28.tar.gz	71.1	89.8
MobileNet_v1_1.0_224	Code	mobilenet_v1_1.0_224_2017_06_14.tar.gz	70.7	89.5
MobileNet_v1_0.50_160	Code	mobilenet_v1_0.50_160_2017_06_14.tar.gz	59.9	82.5
MobileNet_v1_0.25_128	Code	mobilenet_v1_0.25_128_2017_06_14.tar.gz	41.3	66.2
NASNet-A_Mobile_224#	Code	nasnet-a_mobile_04_10_2017.tar.gz	74.0	91.6
NASNet-A_Large_331#	Code	nasnet-a_large_04_10_2017.tar.gz	82.7	96.2


MOBILENET - 19MB

Model	TF-Slim File	Checkpoint	Top-1 Accuracy	Top-5 Accuracy
Inception V1	Code	inception_v1_2016_08_28.tar.gz	69.8	89.6
Inception V2	Code	inception_v2_2016_08_28.tar.gz	73.9	91.8
Inception V3	Code	inception_v3_2016_08_28.tar.gz	78.0	93.9
Inception V4	Code	inception_v4_2016_09_09.tar.gz	80.2	95.2
Inception-ResNet-v2	Code	inception_resnet_v2_2016_08_30.tar.gz	80.4	95.3
70.7		89.5		92.9
ResNet V2 50^	Code	resnet_v2_50_2017_04_14.tar.gz	75.6	92.8
ResNet V2 101^	Code	resnet_v2_101_2017_04_14.tar.gz	77.0	93.7
ResNet V2 152^	Code	resnet_v2_152_2017_04_14.tar.gz	77.8	94.1
ResNet V2 200	Code	TBA	79.9*	95.2*
VGG 16	Code	vgg_16_2016_08_28.tar.gz	71.5	89.8
VGG 19	Code	vgg_19_2016_08_28.tar.gz	71.1	89.8
MobileNet_v1_1.0_224	Code	mobilenet_v1_1.0_224_2017_06_14.tar.gz	70.7	89.5
MobileNet_v1_0.50_160	Code	mobilenet_v1_0.50_160_2017_06_14.tar.gz	59.9	82.5
MobileNet_v1_0.25_128	Code	mobilenet_v1_0.25_128_2017_06_14.tar.gz	41.3	66.2
NASNet-A_Mobile_224#	Code	nasnet-a_mobile_04_10_2017.tar.gz	74.0	91.6
NASNet-A_Large_331#	Code	nasnet-a_large_04_10_2017.tar.gz	82.7	96.2

INCEPTION - 95MB


Model	TF-Slim File	Checkpoint	Top-1 Accuracy	Top-5 Accuracy
Inception V1	Code	inception_v1_2016_08_28.tar.gz	69.8	89.6
Inception V2	Code	inception_v2_2016_08_28.tar.gz	73.9	91.8
Inception V3	Code	inception_v3_2016_08_28.tar.gz	78.0	93.9
Inception V4	Code	inception_v4_2016_09_09.tar.gz	80.2	95.2
Inception-ResNet-v2	Code	inception_resnet_v2_2016_08_30.tar.gz	80.4	95.3
ResNet V1 50	Code	resnet_v1_50_2016_08_28.tar.gz	75.2	92.2
ResNet V1 101	Code	resnet_v1_101_2016_08_28.tar.gz	76.4	92.9
ResNet V1 152	Code	resnet_v1_152_2016_08_28.tar.gz	76.8	93.2
R			8	
R		80.2	95.2	7
R				.1
ResNet V2 200	Code	TBA	79.9*	95.2*
VGG 16	Code	vgg_16_2016_08_28.tar.gz	71.5	89.8
VGG 19	Code	vgg_19_2016_08_28.tar.gz	71.1	89.8
MobileNet_v1_1.0_224	Code	mobilenet_v1_1.0_224_2017_06_14.tar.gz	70.7	89.5
MobileNet_v1_0.50_160	Code	mobilenet_v1_0.50_160_2017_06_14.tar.gz	59.9	82.5
MobileNet_v1_0.25_128	Code	mobilenet_v1_0.25_128_2017_06_14.tar.gz	41.3	66.2
NASNet-A_Mobile_224#	Code	nasnet-a_mobile_04_10_2017.tar.gz	74.0	91.6
NASNet-A_Large_331#	Code	nasnet-a_large_04_10_2017.tar.gz	82.7	96.2

MOBILENET



MOBILENET

This repository Search Pull requests Issues Marketplace Explore

 Watch ▾ 7,393  Star 88,376  Fork 43,072

 Code  Issues 1,246  Pull requests 181  Projects 0  Insights

Branch: master  tensorflow / tensorflow / examples / image_retraining /  Create new file  Upload files  Find file 

 **yongtang** and **caisq** Fix logging format error in retrain.py (#16738)  Latest commit bd0d204 2 days ago

..

	data	Add <code>label_image.py</code> that works with <code>retrain.py</code> .	9 months ago
	BUILD	Delete duplicate <code>label_image</code> script.	3 months ago
	README.md	Create documentation for <code>retrain.py</code> to describe addition of fixed poi...	3 months ago
	<code>__init__.py</code>	Fix <code>retrain_test</code> pip package issue	2 years ago
	<code>retrain.py</code>	Fix logging format error in <code>retrain.py</code> (#16738)	2 days ago
	<code>retrain_test.py</code>	Clear softmax_v2 warning for <code>image_retraining</code> and <code>speech_commands</code> tut...	2 months ago

MOBILENET

This repository Search Pull requests Issues Marketplace Explore

tensorflow / tensorflow Watch 7,393 Star 88,376 Fork 43,072

Code Issues 1,246 Pull requests 181 Projects 0 Insights

Branch: master tensorflow / tensorflow / examples / image_retraining / Create new file Upload files Find file History

yongtang and caisq Fix logging format error in retrain.py ..

data Add label_image.py then remove it. Rename it to retrain.py. 9 months ago

BUILD Delete duplicate label_image script. 3 months ago

README.md Create documentation for retrain.py to describe addition of fixed poi... 3 months ago


__init__.py Fix retrain_test pip package issue 2 years ago

retrain.py Fix logging format error in retrain.py (#16738) 2 days ago

retrain_test.py Clear softmax_v2 warning for image_retraining and speech_commands tut... 2 months ago

retrain.py

MOBILENET



MOBILENET



ANACONDA[®]

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
> --how_many_training_steps=500 \
> --output_graph=hot_or_not/retrained_graph.pb \
> --output_labels=hot_or_not/retrained_labels.txt \
> --architecture=mobilenet_0.50_224 \
> --image_dir=hot_or_not/photos
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
>   --how_many_training_steps=500 \
>   --output_graph=hot_or_not/retrained_graph.pb \
>   --output_labels=hot_or_not/retrained_labels.txt \
>   --architecture=mobilenet_0.50_224 \
>   --image_dir=hot_or_not/photos
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
>   --how_many_training_steps=500 \
>   --output_graph=hot_or_not/retrained_graph.pb \
>   --output_labels=hot_or_not/retrained_labels.txt \
>   --architecture=mobilenet_0.50_224 \
>   --image_dir=hot_or_not/photos
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
> --how_many_training_steps=500 \
> --output_graph=hot_or_not/retrained_graph.pb \
> --output_labels=hot_or_not/retrained_labels.txt \
> --architecture=mobilenet_0.50_224 \
> --image_dir=hot_or_not/photos
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
> --how_many_training_steps=500 \
> --output_graph=hot_or_not/retrained_graph.pb \
> --output_labels=hot_or_not/retrained_labels.txt \
> --architecture=mobilenet_0.50_224 \
> --image_dir=hot_or_not/photos
```


MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
> --how_many_training_steps=500 \
> --output_graph=hot_or_not/retrained_graph.pb \
> --output_labels=hot_or_not/retrained_labels.txt \
> --architecture=mobilenet_0.50_224 \
> --image_dir=hot_or_not/photos
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> retrain \
> --how_many_training_steps=500 \
> --output_graph=hot_or_not/retrained_graph.pb \
> --output_labels=hot_or_not/retrained_labels.txt \
> --architecture=mobilenet_0.50_224 \
> --image_dir=hot_or_not/photos
```

MOBILENET



MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> tensorflow.python.tools.optimize_for_inference \
>   --input=hot_or_not/retrained_graph.pb \
>   --output=hot_or_not/optimized_graph.pb \
>   --input_names="input" \
>   --output_names="final_result"
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow workspace Makor$ python -m \
> tensorflow.python.tools.optimize_for_inference \
>   --input=hot_or_not/retrained_graph.pb \
>   --output=hot_or_not/optimized_graph.pb \
>   --input_names="input" \
>   --output_names="final_result"
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> tensorflow.python.tools.optimize_for_inference \
> --input=hot_or_not/retrained_graph.pb \
> --output=hot_or_not/optimized_graph.pb \
> --input_names="input" \
> --output_names="final_result"
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> tensorflow.python.tools.optimize_for_inference \
>   --input=hot_or_not/retrained_graph.pb \
>   --output=hot_or_not/optimized_graph.pb \
>   --input_names="input" \
>   --output_names="final_result"
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> tensorflow.python.tools.optimize_for_inference \
>   --input=hot_or_not/retrained_graph.pb \
>   --output=hot_or_not/optimized_graph.pb \
>   --input_names="input" \
>   --output_names="final_result"
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> tensorflow.python.tools.optimize_for_inference \
>   --input=hot_or_not/retrained_graph.pb \
>   --output=hot_or_not/optimized_graph.pb \
>   --input_names="input" \
>   --output_names="final_result"
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:hot_or_not Makor$ ls -lh  
total 21360  
-rw-r--r-- 1 Makor  staff  5.2M Feb 12 16:45 optimized_graph.pb  
drwxr-xr-x 5 Makor  staff  160B Feb 10 11:14 photos  
-rw-r--r-- 1 Makor  staff  5.2M Feb 12 16:45 retrained_graph.pb  
-rw-r--r-- 1 Makor  staff   8B Feb 12 16:45 retrained_labels.txt  
(tfexample) Mateuszs-MacBook-Pro-5:hot_or_not Makor$
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \  
 > quantize_graph \  
 >   --input=hot_or_not/optimized_graph.pb \  
 >   --output=hot_or_not/rounded_graph.pb \  
 >   --output_node_names=final_result \  
 >   --mode=weights_rounded
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> quantize_graph \
>   --input=hot_or_not/optimized_graph.pb \
>   --output=hot_or_not/rounded_graph.pb \
>   --output_node_names=final_result \
>   --mode=weights_rounded
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> quantize_graph \
>   --input=hot_or_not/optimized_graph.pb \
>   --output=hot_or_not/rounded_graph.pb \
>   --output_node_names=final_result \
>   --mode=weights_rounded
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> quantize_graph \
>   --input=hot_or_not/optimized_graph.pb \
>   --output=hot_or_not/rounded_graph.pb \
>   --output_node_names=final_result \
>   --mode=weights_rounded
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> quantize_graph \
>   --input=hot_or_not/optimized_graph.pb \
>   --output=hot_or_not/rounded_graph.pb \
>   --output_node_names=final_result \
>   --mode=weights_rounded
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ python -m \
> quantize_graph \
>   --input=hot_or_not/optimized_graph.pb \
>   --output=hot_or_not/rounded_graph.pb \
>   --output_node_names=final_result \
>   --mode=weights_rounded
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/optimized_graph.pb > hot_or_not/optimized_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/rounded_graph.pb > hot_or_not/rounded_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/optimized_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      5018643       5448628    7.8%  hot_or_not/optimized_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/rounded_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      1624813       5448647   70.1%  hot_or_not/rounded_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/optimized_graph.pb > hot_or_not/optimized_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/rounded_graph.pb > hot_or_not/rounded_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/optimized_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      5018643       5448628    7.8%  hot_or_not/optimized_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/rounded_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      1624813       5448647   70.1%  hot_or_not/rounded_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$
```

MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/optimized_graph.pb > hot_or_not/optimized_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/rounded_graph.pb > hot_or_not/rounded_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/optimized_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      5018643       5448628    7.8%  hot_or_not/optimized_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/rounded_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      1624813       5448647   70.1%  hot_or_not/rounded_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$
```

MOBILENET


```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/optimized_graph.pb > hot_or_not/optimized_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/rounded_graph.pb > hot_or_not/rounded_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/optimized_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      5018643       5448628    7.8%  hot_or_not/optimized_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/rounded_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      1624813       5448647   70.1%  hot_or_not/rounded_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$
```



MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/optimized_graph.pb > hot_or_not/optimized_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/rounded_graph.pb > hot_or_not/rounded_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/optimized_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      5018643        5448628    7.8%  hot_or_not/optimized_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/rounded_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      1624813        5448647   70.1%  hot_or_not/rounded_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$
```


MOBILENET

```
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/optimized_graph.pb > hot_or_not/optimized_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -c \
> hot_or_not/rounded_graph.pb > hot_or_not/rounded_graph.pb.gz
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/optimized_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      5018643       5448628    7.8%  hot_or_not/optimized_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$ gzip -l \
> hot_or_not/rounded_graph.pb.gz
      compressed   uncompressed   ratio   uncompressed_name
      1624813       5448647   70.1%  hot_or_not/rounded_graph.pb
(tfexample) Mateuszs-MacBook-Pro-5:Tensorflow_workspace Makor$
```









@MateuszBudzar



mateuszmakor.budzar



Mateusz Budzar



@mateuszbudzar



makorowy

THANKS!

Q&A

LINKS

1. Android Example:

<https://github.com/tensorflow/tensorflow/tree/master/tensorflow/examples/android>

2. Codelabs - TensorFlow for Poets:

<https://codelabs.developers.google.com/?cat=TensorFlow>

3. Pre-trained Models:

<https://github.com/tensorflow/models/blob/master/research/slim/README.md>

4. Quick Guide to Deep Learning:

<https://medium.freecodecamp.org/want-to-know-how-deep-learning-works-heres-a-quick-guide-for-everyone-1aedeca88076>

5. Complete Guide to TensorFlow for Deep Learning with Python:

<https://www.udemy.com/complete-guide-to-tensorflow-for-deep-learning-with-python/learn/v4/overview>

6. Anaconda + Jupyter (pip install tensorflow, pip install jupyter):

<https://www.anaconda.com/download/>

<http://jupyter.org/>

7. Learning TensorFlow:

<https://learningtensorflow.com/index.html>

LINKI

8. Building TensorFlow for Android:

https://www.tensorflow.org/mobile/android_build

9. Introduction to TensorFlow Mobile:

https://www.tensorflow.org/mobile/mobile_intro

10.Understanding Neural Network with TensorFlow Playground:

<https://cloud.google.com/blog/big-data/2016/07/understanding-neural-networks-with-tensorflow-playground>

11.TensorFlow Tutorial: 10 minutes practical TensorFlow Lesson for quick learners:

<http://cv-tricks.com/artificial-intelligence/deep-learning/deep-learning-frameworks/tensorflow/tensorflow-tutorial/>

12.TensorFlow Tutorial 2: Image classifier using Convolutional Neural Network:

<http://cv-tricks.com/tensorflow-tutorial/training-convolutional-neural-network-for-image-classification/>

13.Creating custom mode for Android using TensorFlow:

<https://blog.mindorks.com/creating-custom-model-for-android-using-tensorflow-3f963d270bfb>

14.Convolutional Neural Network - Image kernels for the rescue:

<http://setosa.io/ev/image-kernels/>