



SOUS VIDE



SPECIFIKAT TEKNIKE

	FIMAR-SV25	FIMAR-RH50
Fuqia	2 kW	2 kW
Kapaciteti	25 litra	50 litra
Furnizimi me energji	230V	230V
Dimensioni	52x41x36h/cm	-
	<i>5 programe te gatimit, tregues te temperaturove se ujit dhe kohemates. Senzor te ndalimit te makines ne rast te mungeses se ujit.</i>	<i>5 programe te gatimit, tregues te temperaturove se ujit dhe kohemates. Senzor te ndalimit te makines ne rast te mungeses se ujit.</i>



MAKINE VAKUMI



SPECIFIKAT TEKNIKE

	FIMAR-MSD300P	FIMAR-MCD420ECO
Fuqia	500W	900W
Dimensioni	32cm	42cm
Furnizimi me energji	230V	230V



MIKROVALE



SPECIFIKAT TEKNIKE

	FIMAR-MSD300P	FIMAR-MCD420ECO
Fuqia	1450W	1600W
Kapaciteti	25 litra	30 litra
Dim i mbrendshëm	33x35x20h/cm	33x35x22h/cm
Dimensioni	51x43x30h/cm	55x46x32h/cm
Furnizimi me energji	230V	230V

**MAKINE PER
ZIERJE TE ORIZIT**



SPECIFIKAT TEKNIKE

B-150524

B-150513

Fuqia	650W	1.95 kW
Kapaciteti	1.80 litra	8 litra
Dimensioni	21ø - 28h/cm	32ø - 35h/cm
Furnizimi me energji	230V	230V

RESHO INDUKSIONI



SPECIFIKAT TEKNIKE

B-105843

B-105832

Fuqia	3.5 kW	3.5 kW
Temperatura	60 - 240°C	60 - 240°C
Hapsira punuese	24ø/cm	30ø/cm
Furnizimi me energji	230V	230V
Dimensioni	34x45x12h/cm	35x44x17h/cm
Ekran touch, 10 nivele te temperatures. Senzor kunder tejxehmjies.		Ekran touch me kohemates dhe mundesi te rregullimit te kohes prej 5 deri ne 120 minuta. 10 nivele te temperatures. Senzor kunder tejxehmjies.



**BAIN MARIE DHE
APARAT HOT DOGU**

SPECIFIKAT TEKNIKE

B-A120408

FIMAR-BM7700

Fuqia	960W	1.20 kW
Kapaciteti	40°C - 100°C	18 litra
Dimensioni	50x28x39h/cm	53x32.5x15h/cm
Furnizimi me energji	230V	230V

**NGROHES
PER PJATA**

**SPECIFIKAT
TEKNIKE**

	B-103065	B-103063	B-103122
Kapaciteti	100 pjata - 30ø/cm	60 pjata - 32ø/cm	120 pjata - 32ø/cm
Temperatura	30 - 110°C	85°C	85°C
Dimensioni	43x80x102h/cm	45x45x85h/cm	75x45x85h/cm



**MAKINE
PER PALPETE**



SPECIFIKAT TEKNIKE

FIMAR-CRPN

FIMAR-CRP2N

Fuqia	2400W	4800W
Temperatura	0 - 300°C	0 - 300°C
Dimensioni	35ø/cm	2 X 35ø/cm
Furnizimi me energji	230V	230V



MAKINE DONERI

SIL-2161

SIL-2162

SIL-2166A4

Dimensioni	46x55x93h/cm	51x55x93h/cm	55x71x105h/cm
------------	--------------	--------------	---------------