From Curvature to Connection: Revisiting the Geometric Origin of Conservation Laws

Satoshi Hanamura*

(Dated: March 1, 2026 (v2))

The Einstein field equation is conventionally interpreted as a dynamical law equating spacetime curvature with the stress–energy tensor of matter. In this work, we revisit an alternative perspective that has repeatedly appeared throughout the history of theoretical physics: whether curvature or the stress–energy tensor are truly fundamental, or whether the underlying structure is instead encoded in connections and their associated conservation properties. We review historical attempts by Einstein, Weyl, Cartan, Palatini, and Ashtekar to reformulate gravity in geometric terms, identify the precise point at which these approaches encountered conceptual or empirical limitations, and clarify the nature of the unresolved problem. Building on recent results within the 0-Sphere model, we argue that conservation laws may be understood as consequences of connection-based phase accumulation along thermal geodesics, with stress–energy emerging as a derived, rather than fundamental, quantity. A further section, added in the present version, develops the interpretation of the Einstein equation as a global consistency condition within this framework: rather than generating curvature from matter, the equation serves as an a posteriori verification that accumulated phase along worldlines remains globally self-coherent.

I. INTRODUCTION

General relativity is traditionally formulated as an equality between geometry and matter,

$$G_{\mu\nu} = 8\pi G\, T_{\mu\nu}, \tag{I.1}$$

where the Einstein tensor $G_{\mu\nu}$ encodes spacetime curvature and the stress–energy tensor $T_{\mu\nu}$ represents the distribution of energy and momentum [1–3]. This equation is often read causally, as asserting that matter determines spacetime curvature. However, such an interpretation obscures a deeper structural aspect of the theory.

A defining feature of the Einstein tensor is that it satisfies the contracted Bianchi identity,

$$\nabla^{\mu} G_{\mu\nu} \equiv 0, \tag{I.2}$$

as a purely geometric identity [3]. Consequently, the stress–energy tensor appearing on the right-hand side must satisfy

$$\nabla^{\mu} T_{\mu\nu} = 0, \tag{I.3}$$

which is interpreted as local conservation of energy and momentum. From this viewpoint, the Einstein equation functions **not primarily as a dynamical law, but as a consistency condition** ensuring the mutual compatibility of geometric and physical conservation structures.

This observation highlights a longstanding conceptual issue: curvature and the stress–energy tensor may not be fundamental, but rather secondary constructs potentially derivable from a more primitive geometric framework. Variants of this perspective have guided multiple reformulation attempts throughout the twentieth century. Despite their conceptual depth, none of these approaches succeeded in replacing the Einstein equation with a fully satisfactory alternative. Variants of this question have guided multiple reformulation attempts throughout the twentieth century.

The present work pursues two objectives. First, we provide a concise historical analysis of major attempts to elevate connections, rather than curvature or the stress–energy tensor, to a foundational role in gravitational theory, identifying the specific points at which these approaches encountered conceptual or empirical limitations. Second, we demonstrate that recent results within the 0-Sphere model offer a concrete resolution of this limitation by expressing conservation laws in terms of the geometric phase accumulated along connections traced by the thermal geodesic [4].

This paper proposes a reformulation of gravitational dynamics in which connection-based geometric structures, rather than curvature or externally imposed energy–momentum sources, play the primary role. Section II reviews historical attempts to recenter gravity around geometric variables beyond the metric, including connection-based and affine formulations, and identifies their common limitations. Section III isolates the unresolved conceptual issue shared by these approaches, namely the absence of a geometric mechanism producing experimentally meaningful conservation laws. In Section IV, we introduce the present framework, where accumulated connection, phase, and proper-time structure define an internal consistency condition associated with energy conservation. Section VI develops the interpretation of the Einstein equation as a global consistency condition within the connection-based framework, drawing a structural analogy with distributed consistency verification. We conclude in Section VII with a discussion of conceptual implications and future directions.

* hana.tensor@gmail.com

II. HISTORICAL ATTEMPTS TO RECENTER GEOMETRY

A. Einstein and the Search for a Purely Geometric Theory

Einstein himself regarded the appearance of the stress–energy tensor as provisional. In his later work on unified field theories, he attempted to absorb matter into geometry by considering non-symmetric metrics and generalized connections [5]. The guiding idea was that a sufficiently rich geometric structure might eliminate the need for an external matter source.

These efforts achieved mathematical generality but failed to reproduce observed particle properties, such as discrete charge and mass spectra. More fundamentally, they lacked a consistent incorporation of quantum principles. While geometric consistency was maintained, the link to experimentally accessible conservation laws remained obscure.

B. Weyl Geometry and the Primacy of the Connection

Weyl proposed that the connection, rather than the metric, should be regarded as fundamental, introducing a scale connection that later inspired gauge theory [6]. In this framework, parallel transport, not distance, defined physical structure.

However, Weyl's theory predicted path-dependent clock rates and atomic spectra inconsistent with observation, a point emphasized by Einstein himself. Although the conceptual importance of gauge connections endured, the specific geometric realization proved untenable.

C. Cartan Geometry and Torsion

Cartan generalized Riemannian geometry by allowing torsion in addition to curvature, providing a natural geometric coupling to spin [7]. This framework clarified the geometric meaning of local inertial frames and influenced later developments in gauge gravity.

Yet torsion effects are suppressed under ordinary conditions, rendering the theory difficult to test experimentally. Moreover, while spin could be accommodated geometrically, the origin and conservation of energy remained external inputs rather than emergent consequences.

D. Palatini Formalism

The Palatini approach treats the metric and connection as independent variables in the action principle [8]. Varying both yields the Einstein equations, demonstrating that the Levi–Civita connection emerges dynamically rather than being imposed.

Despite this conceptual clarification, the resulting theory is physically equivalent to standard general relativity. The reformulation does not alter the role of curvature or the stress–energy tensor, nor does it provide new insight into the origin of conservation laws.

E. Ashtekar Variables and Quantum Geometry

Ashtekar introduced a connection-based formulation of general relativity that enabled nonperturbative quantization and led to loop quantum gravity [9]. In this framework, holonomies and fluxes replace metric components as basic variables.

While this approach successfully quantizes geometry in a background-independent manner, it encounters difficulties in recovering the classical low-energy limit and in coupling consistently to standard-model matter. The interpretation of energy and momentum as conserved quantities remains indirect.

F. Summary and Perspective

To clarify the structural position of the present approach within this historical line of development, Table I summarizes several representative attempts to recenter gravitational theory around geometric variables beyond curvature alone. Rather than evaluating these approaches in terms of success or failure, the comparison highlights the choice of fundamental variables and the specific points at which each formulation encountered conceptual or empirical limitations. A common pattern emerges: while connections, holonomies, or affine structures were repeatedly identified as more primitive than the metric itself, energy–momentum conservation and experimentally accessible observables remained external inputs or were recovered only indirectly. The present formulation differs in that energy conservation is treated as an internal geometric consistency condition arising from accumulated connection and proper-time structure, allowing the Einstein field equation to be recovered a posteriori as a consistency check rather than postulated as a fundamental dynamical law.

III. THE UNRESOLVED CORE PROBLEM

The common thread across these approaches is the elevation of connections and parallel transport to central roles, accompanied by a relative demotion of curvature. Nevertheless, all encountered a shared limitation: none provided a clear mechanism by which experimentally meaningful conservation laws arise directly from geometric principles.

A formulation based on local curvature tensors is ill-suited for systems with intrinsic internal structure under strict background independence. In such cases, physically

Table I. Comparison of Geometric Foundations in Classical and Modern Approaches to Gravity

Previous approach	**Core geometric focus**	**Limitation encountered**
Einstein (GR, 1915)	Metric and curvature $g_{\mu\nu}, R_{\mu\nu}$	Energy–momentum tensor required as an external source; dynamical origin of $T_{\mu\nu}$ left unexplained
Weyl (1918)	Connection-based geometry with scale gauge	Path-dependent length scale incompatible with atomic spectra and clock stability
Cartan (1922)	Affine connection with torsion	Torsion effects largely unobservable in conventional matter; lack of distinctive experimental predictions
Palatini formulation	Independent variation of metric and connection	Reduces back to Levi-Civita connection; no new physical degrees of freedom emerge
Ashtekar variables / LQG	Connection and holonomy as fundamental variables	Difficulty in recovering low-energy matter dynamics and experimental observables
0-Sphere model (present work)	Accumulated connection, phase, and proper-time structure	Predictive internal structure constrained by energy conservation and causal consistency

Note: The comparison emphasizes differences in the choice of fundamental geometric variables and the points at which each approach encounters conceptual or empirical limitations. In contrast to earlier formulations, the 0-Sphere model treats energy conservation as an emergent geometric constraint arising from accumulated connection and proper-time structure, rather than as an externally imposed source term.

meaningful quantities must be associated with histories rather than points, naturally leading to a connection-based, line-integral description.

Energy and momentum are not abstract constructs; they are measured through operational procedures involving clocks, trajectories, and phase accumulation. A purely geometric reformulation must therefore explain not only mathematical consistency, but also why conserved quantities appear as robust observables. The failure to bridge this gap marks the true boundary of these historical approaches. This highlights a limitation of local curvature-based descriptions when physical observables are fundamentally associated with histories rather than points.

IV. CONNECTION-BASED CONSERVATION IN THE 0-SPHERE MODEL

Recent work within the 0-Sphere model offers a concrete realization of how conservation laws may emerge from connection-based geometry [4, 10]. In this framework, energy transport between localized kernels is governed by a variational principle formulated in terms of particle-wise proper time τ [11], leading to what is termed a thermal geodesic.

The thermal geodesic equation, first introduced in [12] for the electron internal kernel, reads

$$\frac{d^2x^\mu}{d\tau^2} + \Gamma^\mu_{\nu\rho}(T)\,\frac{dx^\nu}{d\tau}\frac{dx^\rho}{d\tau} = 0, \tag{IV.1}$$

where the Christoffel symbols $\Gamma^\mu_{\nu\rho}(T)$ are derived from a temperature-dependent thermal metric $\mathcal{G}_{\mu\nu}(T)$. In the present work, this formulation is extended to photon spheres, allowing the internal energy distribution to determine the trajectory of the energy center through the thermal metric.

In homogeneous regions, the thermal geodesic reduces to a straight trajectory in real space. Importantly, this geometric simplicity does not imply trivial internal dynamics. Along the same worldline, relativistic kinematics induce a spinorial connection through Thomas precession [13, 14]. The physically relevant quantity is not curvature integrated over a surface, but the line integral of the corresponding connection one-form along the worldline parametrized by proper time,

$$\Phi = \int_\gamma \omega. \tag{IV.2}$$

This phase accumulation is invariant under deformations that preserve the geodesic structure. The energy conservation identity $E_0 = E_0[\cos^4(\omega t/2) + \sin^4(\omega t/2) + (1/2)\sin^2(\omega t)]$ demonstrates that the kernel dynamics exhibit 4π periodicity in the fermionic terms $\cos^4(\omega t/2)$ and $\sin^4(\omega t/2)$, while the photon sphere contribution $(1/2)\sin^2(\omega t)$ exhibits 2π periodicity [15, 16], consistent with the spinorial structure discussed in Refs. [17, 18].

Energy conservation emerges as a consequence of the closed topological structure: the energy identity holds identically for all values of the internal phase $\theta = \omega t/2$, ensuring that total energy remains constant throughout the oscillatory cycle. Internal phase coherence is maintained because the accumulated phase Φ along the thermal geodesic must satisfy consistency conditions imposed by the requirement that physical observables return to their initial values after one complete cycle [19].

This framework was first demonstrated in Ref. [20], where the time-dependent Hamiltonian formulation showed that energy conservation and momentum conservation are maintained through the internal oscillatory structure, with the conserved momentum given by $p = m(t)\dot{x} =$ constant despite explicit time dependence in the mass term $m(t) = m_0[1 - (1/2)\sin^2(\omega t)]$.

Crucially, the stress–energy tensor does not enter as a fundamental source term in this description. Instead, effective energy and momentum densities may be read off from the accumulated phase structure along geodesics. In this sense, $T_{\mu\nu}$ is demoted from a causal agent to a descriptive quantity, encoding the macroscopic manifestation of underlying geometric consistency.

From this viewpoint, the Einstein field equation may be regarded not as a fundamental dynamical law, but as a posterior consistency condition—effectively a geometric checksum—verifying that the accumulated connection-based structure underlying energy transport remains self-consistent.

V. GEOMETRIC INTERPRETATION OF PHASE ACCUMULATION

The central quantity appearing in the present formulation is the accumulated geometric phase

$$\Phi = \int_\gamma \omega, \tag{V.1}$$

where γ denotes a worldline parametrized by proper time τ, and ω is a connection one-form acting on internal degrees of freedom. This expression encapsulates a shift in perspective: physical observables are not associated with local curvature tensors or instantaneous field values, but with the cumulative effect of parallel transport along a physically realized trajectory.

The curve γ is not an abstract mathematical path, but corresponds to the actual spacetime history of a localized excitation or kernel evolving along a thermal geodesic. Proper time provides a natural, observer-independent parameter along this trajectory, ensuring that the accumulated phase is invariant under reparametrization and coordinate transformations. As a consequence, Φ is intrinsically tied to measurable clock readings rather than to arbitrary coordinate time.

It is crucial to emphasize that the thermal geodesics considered here are generally **open curves**, rather than closed loops. This distinction underpins the operational definition of energy and momentum: physical observables correspond to cumulative geometric effects along the actual trajectories of the centers of mass of localized photon spheres, rather than to abstract field excitations. Unlike surface- or loop-based integrals, which probe geometric structure indirectly, open line integrals taken along proper-time histories directly encode quantities accessible to measurement. In this sense, the reliance on open thermal geodesics represents a fundamental shift in perspective, ensuring that conservation laws emerge as intrinsic geometric constraints rather than as postulated or surface-derived properties.

The connection one-form ω should be understood as an effective geometric object encoding the infinitesimal transformation of internal states under parallel transport. In relativistic settings, such a connection arises naturally from kinematic effects, including Thomas precession, and may be represented by a spinorial or Lorentz-algebra-valued one-form evaluated along the worldline. Importantly, the local value of ω is generally gauge dependent and does not, by itself, constitute a physical observable; only its accumulated integral along γ acquires invariant significance.

Only its integral along a complete history yields a gauge-invariant quantity, defined modulo the appropriate phase periodicity.

The accumulated phase Φ plays a role analogous to geometric phases familiar from quantum mechanics, including Berry and Aharonov–Bohm phases [21], while differing in a crucial respect: the integration parameter is proper time, and the connection is induced by spacetime geometry and kinematics rather than by an externally prescribed gauge field. As a result, the phase accumulation reflects intrinsic geometric properties of motion rather than environmental or background-dependent effects.

Within the 0-Sphere model, energy conservation is encoded in the requirement that phase accumulation along admissible trajectories remain globally consistent. Discontinuities or ambiguities in Φ would signal a breakdown of the underlying geometric structure and, consequently, of the physical description. In this sense, conserved energy is not introduced as an independent postulate but emerges as a condition ensuring the coherence of accumulated phase along the thermal geodesic.

This viewpoint clarifies why curvature-based quantities play a secondary role in the present framework. Curvature characterizes the noncommutativity of parallel transport around closed loops and is naturally associated with

surface integrals. However, physical particles trace worldlines rather than surfaces, and experimentally accessible quantities are accumulated along such lines. The connection integral therefore constitutes the primary geometric observable, with curvature appearing only as a derived descriptor of consistency across families of trajectories.

From this perspective, the Einstein field equation is reinterpreted as an a posteriori consistency condition. Rather than generating dynamics directly, it ensures that the emergent stress–energy tensor inferred from phase accumulation is compatible with the global structure of spacetime connections. The equation thus functions as a **geometric checksum,** verifying that the **accumulated connection-based description** of energy transport remains **self-consistent.**

It is worth noting that many geometric approaches to gravity emphasize surface-based quantities such as curvature and holonomy, whereas the present formulation is intrinsically line-based, reflecting the fact that physical excitations probe spacetime only through their worldlines.

VI. THE EINSTEIN EQUATION AS A GLOBAL CONSISTENCY CONDITION

The preceding analysis suggests a reinterpretation of the Einstein field equation that follows naturally from the connection-based framework developed above. Rather than functioning as a generative dynamical law—one that *produces* spacetime curvature from matter distribution—the Einstein equation may be understood as a global consistency condition verifying that the accumulated phase structure along worldlines remains self-coherent across spacetime.

A. From Generation to Verification

In standard formulations, the Einstein equation

$$G_{\mu\nu} = 8\pi G\, T_{\mu\nu} \tag{VI.1}$$

is interpreted causally: matter determines geometry. Within the connection-based framework, however, the logical emphasis may be regarded as shifted. Energy and momentum are not prescribed externally as sources; they emerge as macroscopic descriptors of accumulated phase along thermal geodesics. The stress–energy tensor $T_{\mu\nu}$ is therefore not a fundamental input but a derived quantity encoding the net effect of underlying geometric transport.

In this reading, the Einstein equation does not generate spacetime curvature from matter. Instead, it serves as a verification step: it checks whether the effective stress–energy tensor inferred from bottom-up phase accumulation is compatible with the global structure of spacetime connections. The contracted Bianchi identity

$$\nabla^\mu G_{\mu\nu} \equiv 0 \tag{VI.2}$$

is not a subsidiary constraint appended to the field equations, but the primary geometric statement. The condition

$$\nabla^\mu T_{\mu\nu} = 0 \tag{VI.3}$$

follows as a consistency requirement: the macroscopic energy–momentum distribution inferred from phase accumulation must satisfy global conservation.

B. Functional Analogy with Distributed Consistency Verification

This operational role may be clarified through a functional analogy with consistency verification in distributed systems. In network protocols, a checksum is computed from transmitted data fragments and compared at the receiver to detect errors. The checksum does not generate the data; it verifies that independently transmitted fragments remain mutually consistent.

A structurally similar mechanism operates in the connection-based gravitational framework. Each worldline γ_i contributes independently to the accumulated geometric phase,

$$\Phi_i = \int_{\gamma_i} \omega_i, \tag{VI.4}$$

reflecting the history of a localized excitation. These contributions are accumulated locally, without requiring global communication. The Einstein equation does not constrain individual contributions; it verifies that their aggregate remains globally coherent, in the sense that the effective stress–energy tensor inferred from the full collection of phase histories satisfies the conservation condition $\nabla^\mu T_{\mu\nu} = 0$.

This analogy should not be pressed beyond its functional scope. Gravitational dynamics involve genuine geometric constraints absent in engineered systems, and the Einstein equation encodes differential geometry rather than discrete arithmetic. Nevertheless, the structural parallel clarifies how distributed, history-dependent processes can be coordinated through a global consistency condition, without requiring point-by-point dynamical correspondence between curvature and matter.

C. Microscopic Flexibility and Macroscopic Coherence

A further consequence of this interpretation concerns the coexistence of quantum indeterminacy and macroscopic conservation. In the present framework, individual worldline histories may exhibit fluctuations at the level of phase accumulation. The global consistency condition encoded in the Einstein equation ensures that macroscopic averages remain coherent: local quantum fluctuations do not disrupt the large-scale conservation structure.

This separation provides a conceptual bridge between the probabilistic character of quantum mechanics and the deterministic coherence of general relativistic conservation laws. Rather than imposing point-by-point correspondence between quantum events and spacetime geometry, the framework accommodates both regimes through a single structural principle: locally accumulated phase, globally verified for consistency.

This reinterpretation is fully consistent with all empirical predictions of general relativity. It does not modify the field equations, alter their solutions, or contradict any established result. What changes is the logical status of the equation within the geometric hierarchy: from a generative dynamical law to an **a posteriori consistency condition** within a connection-based, line-integral framework.

VII. CONCLUSION

The historical development of gravitational theory reveals a persistent insight: curvature and the stress–energy tensor may not be fundamental. Although multiple reformulations elevated connections and geometry, none succeeded in deriving conservation laws as direct, measurable consequences of geometric structure.

The 0-Sphere model shows that this remaining step can be accomplished by considering the geometric phase accumulated along connections traced by the thermal geodesic. In this framework, conservation laws emerge naturally, and the stress–energy tensor appears as an effective descriptor rather than a fundamental input.

This perspective neither contradicts nor replaces general relativity. Instead, it reinterprets the Einstein equation as a secondary consistency condition within a broader geometric framework. Future work will aim to formalize this viewpoint into an explicit geometric equation of energy conservation and to explore its implications for quantum-gravitational unification.

ACKNOWLEDGEMENTS

The author acknowledges the use of large language models (LLMs) in the preparation of this manuscript. In particular, LLMs were employed for language polishing, structural refinement, and for assisting in the organization of historical context concerning the development of geometric formulations of gravity from Einstein to later connection-based approaches. The scientific content, interpretations, and conclusions presented in this work are solely the responsibility of the author.

[1] A. Einstein, "Die Feldgleichungen der Gravitation," Sitzungsberichte der Preussischen Akademie der Wissenschaften, 844–847 (1915).
[2] C. W. Misner, K. S. Thorne, and J. A. Wheeler, *Gravitation*, W. H. Freeman (1973).
[3] R. M. Wald, *General Relativity*, University of Chicago Press (1984).
[4] S. Hanamura, "Quantum Oscillations in the 0-Sphere Model: Bridging Zitterbewegung, Geodesic Paths, and Proper Time Through Radiative Energy Transfer," Zenodo (2024). https://doi.org/10.5281/zenodo.17765017
[5] A. Einstein, "The Meaning of Relativity," Princeton University Press (1922).
[6] H. Weyl, "Gravitation und Elektrizität," Sitzungsberichte der Preussischen Akademie der Wissenschaften, 465–480 (1918).
[7] É. Cartan, "Sur une généralisation de la notion de courbure de Riemann," C. R. Acad. Sci. Paris **174**, 593–595 (1922).
[8] A. Palatini, "Deduzione invariantiva delle equazioni gravitazionali dal principio di Hamilton," Rend. Circ. Mat. Palermo **43**, 203–212 (1919).
[9] A. Ashtekar, "New variables for classical and quantum gravity," Phys. Rev. Lett. **57**, 2244–2247 (1986).
[10] S. Hanamura, "A Noetherian Inversion: From Einsteinian Geometry to Emergent Symmetry," Zenodo (2025). https://doi.org/10.5281/zenodo.18064535
[11] E. C. G. Stueckelberg, "Remarque à propos de la création de paires de particules en théorie de relativité," Helv. Phys. Acta **14**, 588–594 (1941).
[12] S. Hanamura, "Thermal Geodesics in the 0-Sphere Model: Extending General Relativity through Internal Thermodynamic Structure," Zenodo (2025). https://doi.org/10.5281/zenodo.17765349
[13] L. H. Thomas, "The motion of the spinning electron," Nature **117**, 514 (1926).
[14] J. D. Jackson, *Classical Electrodynamics*, 3rd ed., Wiley (1999).
[15] S. Hanamura, "Challenging the Uncertainty Principle: A Deterministic Interpretation of Measurement and Reality," Zenodo (2025). https://doi.org/10.5281/zenodo.17982104
[16] S. Hanamura, "From Clock Synchronization to Electromagnetism: A Realist Construction of U(1) Gauge Theory," Zenodo (2025). https://doi.org/10.5281/zenodo.17765136
[17] J. J. Sakurai and J. Napolitano, *Modern Quantum Mechanics*, Cambridge University Press (2017).
[18] M. Nakahara, *Geometry, Topology and Physics*, IOP Publishing (2003).
[19] S. Hanamura, "A Noetherian Inversion: From Einsteinian Geometry to Emergent Symmetry," Zenodo (2025). https://doi.org/10.5281/zenodo.17765244
[20] S. Hanamura, "Time-Dependent Mass in the 0-Sphere Model: A Hamiltonian Approach to Thermal Modulation," Zenodo (2025). https://doi.org/10.5281/zenodo.17765200
[21] M. V. Berry, "Quantal phase factors accompanying adiabatic changes," Proc. R. Soc. Lond. A **392**, 45–57 (1984).