

## Pokémon Capture Rate Monte Carlo Simulation

Jingchen Liu (jl288) and David Luo (hanbol3)

# Introduction

Pokémon is a popular game created by Game Freak, it first released in 1996. In the game, players take on the role of a Pokémon Trainer, capturing various wild Pokémon to build a powerful team. Players use Poké Balls to catch Pokémon they encounter in the wild, and the success of the capture depends on the Pokémon's health, Ball types and other factors. Each turn only can allow throwing one ball.

## Goals

Our project aims to develop a Monte Carlo simulation to analyze and optimize Pokémon capture strategies in the popular Pokémon video game series. We will simulate various factors that affect capture rates, including different Poké Ball types, Pokémon status conditions, remaining HP, and Pokémon species rarity. The goal is to determine the most effective capture strategies for different scenarios.



# Hypotheses


- 1. Using Ultra Balls on legendary Pokémon with low HP and a status condition will result in a capture rate twice as high as using standard Poké Balls on the same Pokémon.
- 2. The capture rate for common Pokémon species will be less affected by Poké Ball type compared to rare or legendary Pokémon.
- 3. The most cost-effective method of capturing Pokémon is using Great Balls, regardless of the Pokémon's species, HP level, or status condition.
- 4. The shortest average time to capture Pokémon is achieved by using Quick Balls, regardless of the Pokémon's species or condition.



#### Variable Effected Capture Rate

- 1. Pokémon species (common, rare, legendary)
- 2. Pokémon's current HP (percentage of max HP)
- 3. Pokémon's status condition (none, paralyzed, asleep, etc.)
- 4. Poké Ball type (standard, Great Ball, Ultra Ball, etc.)
- 5. Used turns







## Pokémon Species



Mewtwo catch\_rate: 3 max\_hp: 200 legendary



Pikachu catch\_rate: 190 max\_hp: 100 common



Charizard catch\_rate: 45 max\_hp: 180 rare



Gengar



Snorlax



Gyarados



Dragonite

#### Pokémon Species

```
# Create Pokémon and Poké Balls based on Serebii's data
# Real Catch Rate = catch_rate / 255
mewtwo = Pokemon( name: "Mewtwo", catch_rate: 3, max_hp: 200)
pikachu = Pokemon( name: "Pikachu", catch_rate: 190, max_hp: 100)
charizard = Pokemon( name: "Charizard", catch_rate: 45, max_hp: 180)
snorlax = Pokemon( name: "Snorlax", catch_rate: 25, max_hp: 250)
gyarados = Pokemon( name: "Gyarados", catch_rate: 45, max_hp: 190)
gengar = Pokemon( name: "Gengar", catch_rate: 45, max_hp: 150)
dragonite = Pokemon( name: "Dragonite", catch_rate: 45, max_hp: 200)
pokeballs = [
    PokeBall( name: "Poke Ball", catch_rate_multiplier: 1, price: 200).
    PokeBall( name: "Great Ball", catch_rate_multiplier: 1.5, price: 600),
    PokeBall( name: "Ultra Ball", catch_rate_multiplier: 2, price: 800),
    PokeBall( name: "Quick Ball", catch_rate_multiplier: 5, price: 1000), # Enhanced on Turn 1
    PokeBall( name: "Timer Ball", catch_rate_multiplier: 1, price: 1000), # Improves with turns passed (up to x4 multiplier)
# Run simulations and analyze minimum cost for each Pokémon
```

pokemon\_list = [mewtwo, pikachu, charizard, snorlax, gyarados, gengar, dragonite]

#### **Current HP Status**

- 1. The lower a Pokémon's HP, the higher its capture rate.
- 2. Can't be lower than 0
- 3. if HP is lower than 0, battle will automatically end.



#### Status Condition

- 1. Pokemon's different status condition can also effect capture rate
- 2. SLP and FRZ will bonus 2.5, other status condition will bonus 1.5
- 3. Usually use Paralysis to capture, because it is more stable
- 4. Burn will cause a 1/16 HP decrease each turn. PSN will cause ½ decrease.
- 5. when the pokemon HP=0, the capture failed













#### Different Balls have Different Capture Rate



- 1. The PokeBall has low cost but low capture rate
- 2. The Timer Ball's capture rate increases as the number of turns in a battle grows(\*5 maximum)..
- 3. Quick Ball only have more Capture rate (\*5)on the first turn, next turn capture rate will come back to the same as pokeball.

#### Basic Capture Rate Formula


CatchValue = hp\_factor \* status bonus \* pokeball.catch\_rate\_multiplier \* pokemon.catch\_rate

E.g.: Quick Ball (pokeball.catch\_rate\_multiplier = 5):


CatchValue =

((3 \* Max HP - 2 \* HP) / (3 \* Max HP)) \* Status Modifier \* (pokeball.catch\_rate\_multiplier \* Catch Rate)


#### Pokémon in full HP - 20,000 Simulations




#### Pokémon in low HP - 20,000 Simulations




## Convergence - 2,000 Simulations




#### Convergence - 2,000 Simulations



#### Convergence - 20,000 Simulations




Using Ultra Balls on legendary Pokémon with low HP and a status condition will result in a significantly higher capture rate compared to using standard Poké Balls on the same Pokémon.





## Hypothesis 1 $(\sqrt{})$

Using Ultra Balls on legendary Pokémon with low HP and a status condition will result in a significantly higher capture rate compared to using standard Poké Balls on the same Pokémon.




The capture rate for common Pokémon species will be less affected by Poké Ball type compared to rare or legendary Pokémon.






The capture rate for common Pokémon species will be less affected by Poké Ball type compared to rare or legendary Pokémon.



The capture rate for common Pokémon species will be less affected by Poké Ball type compared to rare or legendary Pokémon.



The most cost-effective method of capturing Pokémon is using Great Balls, regardless of the Pokémon's species, HP level, or status condition.

```
Analyzing minimum cost for capturing Charizard at low HP with status:
Poke Ball: Success Rate = 40.85%, Avg. Turns = 45.82, Avg. Cost = 9164.26
Great Ball: Success Rate = 53.65%, Avg. Turns = 44.08, Avg. Cost = 26446.41
Ultra Ball: Success Rate = 60.55%, Avg. Turns = 43.83, Avg. Cost = 35061.93
Quick Ball: Success Rate = 43.65%, Avg. Turns = 45.63, Avg. Cost = 45632.30
Timer Ball: Success Rate = 74.85%, Avg. Turns = 42.55, Avg. Cost = 42553.77
Recommended Ball at Low HP: Poke Ball with Avg. Cost = 9164.26
Analyzing minimum time for capturing Charizard:
Poke Ball: Avg. Turns = 48.07
Great Ball: Avg. Turns = 43.54
Ultra Ball: Avg. Turns = 42.37
Quick Ball: Avg. Turns = 44.23
Timer Ball: Avg. Turns = 42.47
Recommended Ball for Minimum Time: Ultra Ball with Avg. Turns = 42.37
```

The shortest average time to capture Pokémon is achieved by using Quick Balls, regardless of the Pokémon's species or condition.

```
Analyzing minimum cost for capturing Charizard at low HP with status:
Poke Ball: Success Rate = 40.85%, Avg. Turns = 45.82, Avg. Cost = 9164.26
Great Ball: Success Rate = 53.65%, Avg. Turns = 44.08, Avg. Cost = 26446.41
Ultra Ball: Success Rate = 60.55%, Avg. Turns = 43.83, Avg. Cost = 35061.93
Quick Ball: Success Rate = 43.65%, Avg. Turns = 45.63, Avg. Cost = 45632.30
Timer Ball: Success Rate = 74.85%, Avg. Turns = 42.55, Avg. Cost = 42553.77
Recommended Ball at Low HP: Poke Ball with Avg. Cost = 9164.26
Analyzing minimum time for capturing Charizard:
Poke Ball: Avg. Turns = 48.07
Great Ball: Avg. Turns = 43.54
Ultra Ball: Avg. Turns = 42.37
Quick Ball: Avg. Turns = 44.23
Timer Ball: Avg. Turns = 42.47
Recommended Ball for Minimum Time: Ultra Ball with Avg. Turns = 42.37
```

#### Discussion

- For common species, first mitigate their HP and then just use the most basic Poke Ball! The effects are almost at the same level.
- Most of the time, the more expensive ball works better.
- Great Balls are not always 'great', and Quick Balls are not always 'quick'.
- Applying negative status conditions provides a more stable outcome.

#### **Future Works**

Make a more powerful and realistic design:

**Escape Rate:** A pokemon may escape from a battle after a certain turns;

**Status condition duration:** Some Pokémon may have resistances to certain status conditions, causing the applied status conditions to wear off after a few turns.

Code improvement:

Write doctests and detailed docstrings for each function;

Optimize the code logic to reduce redundant calculations in similar situations.

#### References

[1] Bulbapedia. (2024, November 22). Catch rate. https://bulbapedia.bulbagarden.net/wiki/Catch\_rate

[2] Capturing pokémon. Serebii.net Header. (n.d.). https://www.serebii.net/games/capture.shtml