

<!DOCTYPE html>

WAPH-Hanchijd

<div id="top">

<h1>Web Application Programming and Hacking</h1>

<h2>Front-end Web Development Lab</h2>

<h3>Instructor: Dr. Phu Phung</h3>

</div>

<div id="menubar">

<h3>Student: Jack Hanchin</h3>

<div id="digit-clock"></div>

<canvas id="analog-clock" width="150" height="150" style="background-color:#999"></canvas>

<script src="https://waph-phung.github.io/clock.js"></script>

<script>

function jQueryAjax() {

var input = \$("#data").val();

if (input.length == 0) return;

\$.get("echo.php?data="+input,

function(result) {

\$("#response").html("Response from the server:" + result);

}

);

\$("#data").val("");

}

function jQueryAjaxPost() {

var input = \$("#data").val();

if (input.length == 0) return;

\$.post("echo.php",{data: input},

function(result) {

\$("#response").html("Response from the server:" + result);

}

);

\$("#data").val("");

}

</script>

<script>

var canvas = document.getElementById("analog-clock");

var ctx = canvas.getContext("2d");

var radius = canvas.height / 2;

ctx.translate(radius, radius);

radius = radius * 0.90

setInterval(drawClock, 1000);

function drawClock() {

drawFace(ctx, radius);

```

        drawNumbers(ctx, radius);
        drawTime(ctx, radius);
    }
</script>
<script>
    function getEcho() {
        var input = document.getElementById("data").value;
        if (input.length == 0) {
            return;
        }
        var xhttp = new XMLHttpRequest();
        xhttp.onreadystatechange = function() {
            if (this.readyState == 4 &&
                this.status == 200) {
                console.log("Received data="+xhttp.responseText);
                document.getElementById("response").innerText=
                    "Response from server:" + xhttp.responseText;
                //code to show the data, did not copy/paste.
            }
        }
        xhttp.open("GET","echo.php?data="+input, true);
        //code to create an Ajax request, did not copy/paste.
        xhttp.send(); //code to send the request, did not copy/paste
        document.getElementById("data").value="";
    }
</script>
<script type="text/javascript">
    function displayTime() {
        document.getElementById('digit-clock').innerHTML = "Current time:" + new Date().toLocaleTimeString();
    }
    setInterval(displayTime,500);
</script>
<div id="email" onclick="showhideEmail()">Show my email</div>
<script src="email.js"></script>
</div>
<div id="main">
    <p>A simple HTML page</p>
    Using the <a href="https://www.w3schools.com/html"> W3Schools template</a>
    <hr>
    <b>Interaction with forms</b>
    <div>
        <i>Form with an HTTP GET Request</i>
        <form action="/echo.php" method="GET">
            Your input: <input name="data">
            <input type="submit" value="Submit">
        </form>
    </div>
</div>

```

```

</div>
<div>
    <i>Form with an HTTP POST Request</i>
    <form action ="/echo.php" method="POST" name="echo_post">
        Your input: <input name="data">
        <input type="submit" value="Submit">
    </form>
</div>
<div>
    <i>Ajax requests</i><br>
    Your input:
    <input name="data"
        onkeypress="console.log('You have pressed a key')" id="data">
    <input type="button" value="Submit" onclick="getEcho()">
    <div id="response"></div>
</div>
<input class="button round" type="button" value="jQuery Ajax GET Echo" onclick="jQueryA
<input class="button round" type="button" value="jQuery Ajax POST Echo" onclick="jQueryA
<script>
    function daJokerBB() {
        $.get("https://sv443.net/jokeapi/v2/joke/Programming?type=single",
            function(result) {
                console.log("From jokeAPI: " + JSON.stringify(result));
                $("#response" ).html( "A programming joke of the minute: " + result.joke);
            });
    }

    daJokerBB();

    setInterval(daJokerBB, 60000);
</script>
<!-- <img id="apod" width="600">
<p id="apod-info"></p> -->
<hr>
<b>Experiments with JavaScript code</b><br>
<i>Inlined Javascript</i>
<div id="data" onclick="document.getElementById('date').innerHTML= Date()">Click here to
</div>
<p id="welcome"></p>
<div id="menubar">
    <a href="#">Home</a>
    <a href="#">APOD</a>
    <a href="#">Jokes</a>
    <a href="#">Contact</a>
</div>

```

```

<div id="disclaimer">
    This page displays content retrieved from public third-party APIs
    All external data is generated by those services, and I am not responsible for the c
</div>

<hr class="divider">
<div id="apod-container">
    <img id="apod" />
    <h3 id="apod-title"></h3>
    <p id="apod-info"></p>
</div>
<div id="tracker">
    <a href="https://info.flagcounter.com/8y2v">Today's Astronomy Picture of the Day i
                }
            }
        }
    })
    NASAexe();

```

```

});

</script>
<script>
    function setCookie(name, value, days) { const d = new Date(); d.setTime(d.getTime() + days * 24 * 60 * 60 * 1000); document.cookie = name + "=" + value + "; expires=" + d.toISOString().slice(0,10) + "T00:00:00" + "; path=/"; }

    function getCookie(name) { let cname = name + "="; let decodedCookie = decodeURIComponent(document.cookie); let arr = decodedCookie.split(cname); let cookie; if (arr.length > 0) { cookie = arr[arr.length - 1]; } return cookie; }

    function checkVisit() { let lastVisit = getCookie("lastVisit"); let now = new Date().getTime();

    if (lastVisit === "") {
        // First time ever
        document.getElementById("welcome").innerHTML =
            "Welcome to my homepage for the first time!";
    } else {
        // Returning visitor
        document.getElementById("welcome").innerHTML =
            "Welcome back! Your last visit was " + lastVisit;
    }

    // Update cookie for next time
    setCookie("lastVisit", now, 365);
    }

    checkVisit();
</script>

```