


origin_withdraw (8 nodes, 9 links)




reroute (8 nodes, 10 links)



metadata_gap (6 nodes, 7 links)




multi_origin (8 nodes, 9 links)




ibgp_border (4 nodes, 3 links)




ibgp_origin (3 nodes, 2 links)



fanout (14 nodes, 21 links)




mrai_cascade (9 nodes, 10 links)




chain_withdraw (8 nodes, 7 links)




star_withdraw (9 nodes, 8 links)




tree_withdraw (15 nodes, 14 links)




independent_failure (4 nodes, 4 links)




ring_failure (8 nodes, 8 links)




grid_failure (9 nodes, 12 links)




clique6_withdraw (6 nodes, 15 links)




clique8_withdraw (8 nodes, 28 links)




clique_cut (7 nodes, 16 links)




tiered_failure (6 nodes, 9 links)




layered_failure (13 nodes, 21 links)




fanout2 (8 nodes, 9 links)




fanout4 (10 nodes, 13 links)




fanout16 (22 nodes, 37 links)




fanout32 (38 nodes, 69 links)




fanout8_reverse (14 nodes, 21 links)




fanout8_equal (14 nodes, 21 links)



fanout8_shuffled_7 (14 nodes, 21 links)



fanout8_shuffled_19 (14 nodes, 21 links)



fanout8_shuffled_42 (14 nodes, 21 links)

