

## CHECK LIST

1

P/N : 11-1-7050-1  
T-11 PERSONNEL PARACHUTE SYSTEM

ITEM	PART NUMBER	DESCRIPTION	QTY	
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM	REF.	<del>✓</del>
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	<del>✓</del>
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN	1	<del>✓</del>
		SN: T11DB-RB 11829		
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)	REF.	<del>✓</del>
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN	1	✓
		SN: T11M-RB 11825		
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY	REF.	<del>✓</del>
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY	1	✓
		SN: T11R 95088		
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	<del>✓</del>
-	11-1-9769-1	SOFT-LINK ASSY	1	<del>✓</del>
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11R	1	✓

PACKED BY: QWABDATE: 08/31/22

## CHECK LIST

2

P/N : 11-1-7050-1  
T-11 PERSONNEL PARACHUTE SYSTEM

ITEM	PART NUMBER	DESCRIPTION	QTY	
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM	REF.	<del>XX</del>
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN SN: T11DB-RB 11789	1	✓
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)	REF.	<del>XX</del>
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN SN: T11M-RB 11820	1	✓
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY	REF.	<del>XX</del>
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY SN: T11R 95099	1	✓
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	<del>XX</del>
-	11-1-9769-1	SOFT-LINK ASSY	1	<del>XX</del>
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11R	1	✓

PACKED BY: OmarDATE: 08/31/22

## CHECK LIST

3

P/N : 11-1-7050-1  
T-11 PERSONNEL PARACHUTE SYSTEM

ITEM	PART NUMBER	DESCRIPTION	QTY	
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM	REF.	<del>✓</del>
1	11-1-7719-1	RISER SET, T-11	2	<del>✓</del>
2	11-1-7722-1	HARNESS ASSY., T-11	1	<del>✓</del>
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	<del>✓</del>
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN SN: T11DB-RB <u>11770</u>	1	<del>✓</del>
5	11-1-6993-3	USL MODIFIED	1	<del>✓</del>
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	<del>✓</del>
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	<del>✓</del>
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)	REF.	<del>✓</del>
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN SN: T11M-RB <u>11799</u>	1	<del>✓</del>
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	<del>✓</del>
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	<del>✓</del>
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	<del>✓</del>
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY	REF.	<del>✓</del>
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY SN: T11R <u>95110</u>	1	<del>✓</del>
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	<del>✓</del>
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	<del>✓</del>
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	<del>✓</del>
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	<del>✓</del>
-	11-1-9776-1	BRIDLE LEG	10	<del>✓</del>
-	11-1-9769-1	SOFT-LINK ASSY	1	<del>✓</del>
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	<del>✓</del>
18	11-1-7729-1	RISER SET, T-11R	1	<del>✓</del>

PACKED BY: QmbDATE: 09/07/22

## CHECK LIST

4

P/N : 11-1-7050-1  
T-11 PERSONNEL PARACHUTE SYSTEM

ITEM	PART NUMBER	DESCRIPTION	QTY	REF.
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM		
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN SN: T11DB-RB 11787	1	✓
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)		
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN SN: T11M-RB 11748	1	✓
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY		
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY SN: T11R 95078	1	✓
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	
-	11-1-9769-1	SOFT-LINK ASSY	1	
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11	1	✓

PACKED BY: DavidDATE: 08/31/22

## CHECK LIST

P/N : 11-1-7050-1  
**T-11 PERSONNEL PARACHUTE SYSTEM**

ITEM	PART NUMBER	DESCRIPTION	QTY	REF.
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM		X
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	✓
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN SN: T11DB-RB 11852	1	✓
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)		X
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN SN: T11M-RB 11847	1	✓
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY		X
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY SN: T11R 95117	1	✓
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	X
-	11-1-9769-1	SOFT-LINK ASSY	1	X
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11R	1	✓

PACKED BY: \_\_\_\_\_

DATE: 09/12/2022

## CHECK LIST

6

P/N : 11-1-7050-1  
T-11 PERSONNEL PARACHUTE SYSTEM

ITEM	PART NUMBER	DESCRIPTION	QTY	
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM	REF.	X
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	✓
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN SN: T11DB-RB 11856	1	✓
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)	REF.	X
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN SN: T11M-RB 11906	1	✓
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY	REF.	X
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY SN: T11R 95158	1	✓
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	X
-	11-1-9769-1	SOFT-LINK ASSY	1	X
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11R	1	✓

PACKED BY: \_\_\_\_\_

DATE: 09/12/2022

## CHECK LIST

7

P/N : 11-1-7050-1  
T-11 PERSONNEL PARACHUTE SYSTEM

ITEM	PART NUMBER	DESCRIPTION	QTY	
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM	REF.	X
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	✓
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN SN: T11DB-RB 11924	1	✓
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)	REF.	X
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN SN: T11M-RB 11999	1	✓
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY	REF.	X
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY SN: T11R 95219	1	✓
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	X
-	11-1-9769-1	SOFT-LINK ASSY	1	X
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11R	1	✓

PACKED BY: \_\_\_\_\_

DATE: 09/12/2022

## CHECK LIST

P/N : 11-1-7050-1  
**T-11 PERSONNEL PARACHUTE SYSTEM**

ITEM	PART NUMBER	DESCRIPTION	QTY	
-	11-1-7050-1	T-11 PERSONNEL PARACHUTE SYSTEM	REF.	X
1	11-1-7719-1	RISER SET, T-11	2	✓
2	11-1-7722-1	HARNESS ASSY., T-11	1	✓
3	11-1-7720-1	PACKTRAY ASSEMBLY, T-11	1	✓
4	11-1-7063-1	DEPLOYMENT BAG ASSEMBLY, T-11 MAIN  SN: T11DB-RB 11895	1	✓
5	11-1-6993-3	USL MODIFIED	1	✓
6	11-1-6993-2	USL, 5 FT. EXTENSION	1	✓
7	11-1-6991-1	SNAP HOOK ASSY., PARA. STATIC LINE	1	✓
-	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN WITH SLIDER (11-1-7059-1)	REF.	X
8	11-1-7051-1	PARACHUTE ASSEMBLY, T-11 MAIN  SN: T11M-RB 12012	1	✓
9	11-1-7062-1	BRIDLE ASSEMBLY, T-11 MAIN	1	✓
10	11-1-7060-1	DROGUE ASSEMBLY, T-11 MAIN	1	✓
11	11-1-7061-1	DEPLOYMENT SLEEVE ASSEMBLY, T-11 MAIN	1	✓
-	11-1-10005-1	T-11R SINGLE PIN PARACHUTE ASSEMBLY	REF.	X
12	11-1-9922-1	T-11R SINGLE PIN CANOPY ASSEMBLY  SN: T11R 95227	1	✓
13	11-1-9609-1	PACK TRAY ASSY, T-11R SINGLE PIN	1	✓
14	11-1-9606-1	RIPCORD ASSY, T-11R SINGLE PIN	1	✓
15	11-1-10008-1	EJECTOR SPRING ASSY, T-11R SINGLE PIN	1	✓
16	11-1-9771-1	EXTRACTOR ASSY, T-11R SINGLE PIN	1	✓
-	11-1-9776-1	BRIDLE LEG	10	X
-	11-1-9769-1	SOFT-LINK ASSY	1	X
17	11-1-7091-1	CLOSING LOOP ASSY, T-11R	1	✓
18	11-1-7729-1	RISER SET, T-11R	1	✓

PACKED BY: \_\_\_\_\_

DATE: 09/12/2022

**EXTERIOR CASE**

**1670 – 01 – 539 – 4525**

**CAGE 05QR4**

**PN 11 – 1 – 7050 – 1**

**1 EA**

**W911QY – 21 – F – 0213**

**MFD DATE 09/22**

**EXP DATE 09/41**

**WT 65**

**SER NO**

**T11M – RB12012**

**ID data includes UII(s)**



**EXTERIOR CASE**

**1670 – 01 – 539 – 4525**

**CAGE 05QR4**

**PN 11 – 1 – 7050 – 1**

**1 EA**

**W911QY – 21 – F – 0213**

**MFD DATE 09/22**

**EXP DATE 09/41**

**WT 65**

**SER NO**

**T11M – RB11999**

**ID data includes UII(s)**



**2F1203035515234000023630**



**CN: 7296 P: 206250 C: 206259**

**OdysseyDCS.com**

**EXTERIOR CASE**

**1670 – 01 – 539 – 4525**

**CAGE 05QR4**

**PN 11 – 1 – 7050 – 1**

**1 EA**

**W911QY – 21 – F – 0213**

**MFD DATE 09/22**

**EXP DATE 09/41**

**WT 65**

**SER NO**

**T11M – RB11947**

**ID data includes UII(s)**



**EXTERIOR CASE**

**1670 – 01 – 539 – 4525**

**CAGE 05QR4**

**PN 11 – 1 – 7050 – 1**

**1 EA**

**W911QY – 21 – F – 0213**

**MFD DATE 09/22**

**EXP DATE 09/41**

**WT 65**

**SER NO**

**T11M – RB11906**

**ID data includes UII(s)**



**2F120303551523400002362D**



**CN: 7296 P: 206250 C: 206253**

**OdysseyDCS.com**

**EXTERIOR CASE**

1670 - 01 - 539 - 4525

CAGE 05QR4

PN 11 - 1 - 7050 - 1

1 EA

W911QY - 21 - F - 0213

MFD DATE 08/22

EXP DATE 08/41

WT 65

**SER NO**

T11M - RB11799

ID data includes UII(s)

**EXTERIOR CASE**

1670 - 01 - 539 - 4525

CAGE 05QR4

PN 11 - 1 - 7050 - 1

1 EA

W911QY - 21 - F - 0213

MFD DATE 08/22

EXP DATE 08/41

WT 65

**SER NO**

T11M - RB11825

ID data includes UII(s)



2F120303551523400002357E



CN: 7260 P: 205908 C: 205921

OdysseyDCS.com

**EXTERIOR CASE**

1670 - 01 - 539 - 4525

CAGE 05QR4

PN 11 - 1 - 7050 - 1

1 EA

W911QY - 21 - F - 0213

MFD DATE 08/22

EXP DATE 08/41

WT 65

**SER NO**

T11M - RB11820

ID data includes UII(s)

**EXTERIOR CASE**

1670 - 01 - 539 - 4525

CAGE 05QR4

PN 11 - 1 - 7050 - 1

1 EA

W911QY - 21 - F - 0213

MFD DATE 08/22

EXP DATE 08/41

WT 65

**SER NO**

T11M - RB11748

ID data includes UII(s)



2F1203035515234000023554



CN: 7252 P: 205832 C: 205841 OdysseyDCS.com

Box #1	T11 Bridle Package 3	DoM: 8/22	Inspection Date: Sep 12 '22	Inspector: Gary ✓			
	Min	Max	Drawing	Sheet	Zone	Top	Bottom
6	Overall Length	118	122	11-1-7062	1	F4	120 1/4
Visual Inspection (GO/NO GO):		<i>(initials)</i>					
Visual Inspection Notes:							

Box #1	Deployment Sleeve Package 3	DoM: 9/22	Inspection Date: Sep 12 '22	Inspector: Gary ✓			
	Min	Max	Drawing	Sheet	Zone	Left	Right
5	Edge Fold Width	7/16	9/16	11-1-7061	2	G7	1 1/2
6	Flap Length	8 3/8	8 5/8	11-1-7061	2	B4	8 3/8
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	11 7/8
Visual Inspection (GO/NO GO):		<i>(initials)</i>					
Visual Inspection Notes:							

Box #2	T11 Bridle Package 3	DoM: 8/22	Inspection Date: Sept 12 <sup>nd</sup>			Inspector: Gary ✓		
		Min	Max	Drawing	Sheet	Zone	Top	Bottom
5	Length to First Bartack	1 13/16	1 15/16	11-1-7062	1	F1	1 7/8	1 7/8
Visual Inspection (GO/NO GO):		(GO)						
Visual Inspection Notes:								

Box #2	Deployment Sleeve Package 3	DoM:	Inspection Date:			Inspector:		
		Min	Max	Drawing	Sheet	Zone	Left	Right
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6	16.00	
2	Top Width	12 1/4		11-1-7061	1	E1	12 1/4	
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3	12 3/4	NOTE: 24" from flap
4	Overall Length	223	229	11-1-7061	1	C4	225 1/2	NOTE: 3-5lb Tension
Visual Inspection (GO/NO GO):		(GO)						
Visual Inspection Notes:								

Box #3	T11 Bridle Package 3	DoM: 6/22	Inspection Date: Sept 12 <sup>22</sup>			Inspector: Gary ✓		
		Min	Max	Drawing	Sheet	Zone	Top	Bottom
4	End Fold Length	3 1/8	3 5/8	11-1-7062	1	F2	3 3/8	/
Visual Inspection (GO/NO GO):		<i>GO</i>						
Visual Inspection Notes:								

Box #3	Deployment Sleeve Package 3	DoM: 8/22	Inspection Date: Sept 12 <sup>22</sup>			Inspector: Gary ✓		
		Min	Max	Drawing	Sheet	Zone	Left	Right
8	Stow Flap Webbing Length (Front)	1 3/8	1 5/8	11-1-7119	1	C7	1 1/2	1 1/2
Visual Inspection (GO/NO GO):		<i>GO</i>						
Visual Inspection Notes:								

<b>Box #4</b>	<b>T11 Bridle</b>	DoM: 8/22		Inspection Date: 8/12/22		Inspector: GARY ✓	
	<b>Package 3</b>	Min	Max	Drawing	Sheet	Zone	Top
<b>6</b>	Overall Length	118	122	11-1-7062	1	F4	120 Y4
<b>Visual Inspection (GO/NO GO):</b>		(Go)					
<b>Visual Inspection Notes:</b>							

<b>Box #4</b>	<b>Deployment Sleeve</b>	DoM:		Inspection Date:			<b>Inspector:</b>
	<b>Package 3</b>	Min	Max	Drawing	Sheet	Zone	Length along FN6
<b>6</b>	Flap Length	8 3/8	8 5/8	11-1-7061	2	B4	8 3/8
<b>7</b>	Flap Loop Length	4 3/8	4 5/8	11-1-7061	2	B3	4 Y2
<b>Visual Inspection (GO/NO GO):</b>		(Go)					
<b>Visual Inspection Notes:</b>							

Box #5	T11 Bridle Package 3	DoM: 8/22	Inspection Date: Sep 12 '22	Inspector: Gary ✓
		Min	Max	Drawing
1	Sleeve Width	1 1/4	1 1/2	11-1-7062
Visual Inspection (GO/NO GO) :				
Visual Inspection Notes:				

Box #5	Deployment Sleeve Package 3	DoM: 8/22	Inspection Date: Sep 12 '22	Inspector: Gary ✓
		Min	Max	Drawing
1	Bottom Width	15 1/2	16 1/2	11-1-7061
2	Top Width	12 1/4		11-1-7061
3	Overall Width	12 1/2	13 1/2	11-1-7061
4	Overall Length	223	229	11-1-7061
Visual Inspection (GO/NO GO) :				
Visual Inspection Notes:				

Box #6	T11 Bridle Package 3	DoM: 9/22	Inspection Date: Spt 12'22			Inspector: Gary ✓		
		Min	Max	Drawing	Sheet	Zone	Top	Bottom
3	Sleeve Length	35 1/2	36 1/2	11-1-7062	1	D5	36 1/4	
Visual Inspection (GO/NO GO) : <b>GO</b>								
Visual Inspection Notes:								

Box #6	Deployment Sleeve Package 3	DoM: 9/22	Inspection Date: Spt 12'22			Inspector: Gary ✓		
		Min	Max	Drawing	Sheet	Zone	Left	Right
9	Stow Flap Webbing Length (Rear)	1 7/8	2 1/8	11-1-7119	1	D1	115/16	115/16
Visual Inspection (GO/NO GO) : <b>GO</b>								
Visual Inspection Notes:								

<b>Box</b>	<b>T11 Bridle</b>	<b>DoM:</b>	<b>9/22</b>	<b>Inspection Date:</b> <i>Sept 12 '22</i>			<b>Inspector:</b> <i>Galey V</i>	
<b>#7</b>	<b>Package 3</b>	<b>Min</b>	<b>Max</b>	<b>Drawing</b>	<b>Sheet</b>	<b>Zone</b>	<b>Top</b>	<b>Bottom</b>
<b>6</b>	Overall Length	118	122	11-1-7062	1	F4	<i>120 1/2</i>	
<b>Visual Inspection (GO/NO GO):</b> <i>(G)</i>								
<b>Visual Inspection Notes:</b>								

<b>Box</b>	<b>Deployment Sleeve</b>	<b>DoM:</b>	<b>8/27</b>	<b>Inspection Date:</b> <i>Sept 12 '22</i>			<b>Inspector:</b> <i>Galey V</i>	
<b>#7</b>	<b>Package 3</b>	<b>Min</b>	<b>Max</b>	<b>Drawing</b>	<b>Sheet</b>	<b>Zone</b>	<b>Left</b>	<b>Right</b>
<b>6</b>	Flap Length	8 3/8	8 5/8	11-1-7061	2	B4	<i>8 3/8</i>	<i>8 3/8</i>
<b>10</b>	Stow Flap Webbing Placement (Rear)	1 5/8	1 7/8	11-1-7119	1	C1	<i>1 3/4</i>	<i>1 3/4</i>
<b>Visual Inspection (GO/NO GO):</b> <i>(G)</i>								
<b>Visual Inspection Notes:</b>								

<b>Box #8</b>	<b>T11 Bridle</b> <b>Package 3</b>	<b>DoM:</b> 9/22	<b>Inspection Date:</b> 8/12/22			<b>Inspector:</b> Gary V		
		Min	Max	Drawing	Sheet	Zone	Top	Bottom
2	Start Length to Sleeve	(2 1/4)	2 3/4	11-1-7062	1	D6		
<b>Visual Inspection (GO/NO GO):</b>		GO						
<b>Visual Inspection Notes:</b>								

<b>Box #8</b>	<b>Deployment Sleeve</b> <b>Package 3</b>	<b>DoM:</b> 8/22	<b>Inspection Date:</b> 8/12/22			<b>Inspector:</b> Gary V		
		Min	Max	Drawing	Sheet	Zone	Left	Right
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6	15 3/4	
2	Top Width	12 1/4		11-1-7061	1	E1	12 1/2	
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3	12 3/4	NOTE: 24" from flap
4	Overall Length	223	229	11-1-7061	1	C4	227 1/4	NOTE: 3-5lb Tension
<b>Visual Inspection (GO/NO GO):</b>		OK						
<b>Visual Inspection Notes:</b>								

Box #1		T11 Risers			DoM: 8/22			Inspection Date: 9/12/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	27 3/4	28 1/4	11-1-7719	1	F4	28	28	28	28		
2	Riser Leg Offset		1/4	11-1-7719	1	G4	0		0			
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): <i>(Green)</i>												
Inspector: <i>BS/H</i>												
Visual Inspection Notes: <i>ZD Reads 11-1-7051-1, T11R-KB11825</i>												

Box #1		T11R Risers			DoM: 9/22			Inspection Date: 9/12/22				
		Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	47 1/2	48 1/2	11-1-7729	1	F5	48	48	48	48		
2	Webbing Leg Offset		1/4	11-1-7729	1	C1	0		0			
3	Riser Set Offset		1/2	11-1-7729	1	F5	0					
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO): <i>(Green)</i>												
Inspector: <i>Vandevoord</i>												
Visual Inspection Notes: <i>ZD Reads 11-1-9922-1, T11R-95088</i>												

Box #2		T11 Risers			DoM: 8/22			Inspection Date: 9/12/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
9	4-Point Stitching Length	1 7/8	2 1/8	11-1-7719	1	E2	2	1 5/16	2	1 5/16		
11	Slip Assist Loop Length	6 7/8	7 1/8	11-1-7719	1	B3	7	7	7	7		
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes: 2D Reads 11-1-7051-1, T11M-2B11820												

Box #2		T11R Risers			DoM: 9/22			Inspection Date: 9/12/22				
		Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
4	Length of Hook / Pile Tape	14 5/8	14 7/8	11-1-7729	1	F3	14 7/8	14 7/8	14 7/8	14 7/8		
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes: 2D Reads 11-1-7922-1, T11R-95099												

Box #3		T11 Risers			DoM: 8/22			Inspection Date: 9/12/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
3	First Tab Placement	8 1/8	8 3/8	11-1-7719	1	F5	8 1/4	8 1/4	8 1/4	8 1/4		
4	Second Tab Placement	5 7/8	6 1/8	11-1-7719	1	F4	6	6	6	6		
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes: 2D Roads - 11-1-7051-1, THM-RB11729												

Box #3		T11R Risers			DoM: 9/22			Inspection Date: 9/12/22				
		Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
6	Riser Webbing Fold Over	3 3/8	3 5/8	11-1-7729	1	F2	3 1/2	3 1/2	3 1/2	3 1/2		
7	Spreader Bar Length	25 3/4	26 1/4	11-1-7729	2	G5	26					
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes: 2D Roads 11-1-9922-1, TIR-45110												

Box #4		T11 Risers			DoM: 8/22			Inspection Date: 9/12/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	27 3/4	28 1/4	11-1-7719	1	F4	28	28	28	28		
2	Riser Leg Offset		1/4	11-1-7719	1	G4	0	0	0	0		
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):								GO				
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #4		T11R Risers			DoM: 9/22			Inspection Date: 9/12/22				
		Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	47 1/2	48 1/2	11-1-7729	1	F5	48	48	48	48		
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO):					GO							
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #5		T11 Risers			DoM: 8/22			Inspection Date: 9/13/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
7	Log Record Pocket Placement	7	7 1/2	11-1-7719	1	F6	7 3/8	/	7 3/8	/		
8	Reinforcing Tape Placement	3/4	1	11-1-7719	1	F6	7/8	/	7/8	/		
9	4-Point Stitching Length	1 7/8	2 1/8	11-1-7719	1	E2	2	2	2	2		
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):								GO				
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #5		T11R Risers			DoM: 9/22			Inspection Date: 9/13/22				
	Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right			
5	Hook / Pile Tape Offset	0	1/4	11-1-7729	1	F2	O	O	O	1/4		
8	Center WW Stitch Location	16 3/4	17 1/4	11-1-7729	2	G5	17					
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO):												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #6		T11 Risers			DoM: 8/22			Inspection Date: 9/13/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
5	Third Tab Placement	5 7/8	6 1/8	11-1-7719	1	F3	6	6	6	6		
6	Label Placement	10 1/16	10 9/16	11-1-7719	1	F5	10 3/8	10 3/8	10 3/8	10 3/8		
7	Log Record Pocket Placement	7	7 1/2	11-1-7719	1	F6	7 3/8	7 3/8	7 3/8	7 3/8		
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #6		T11R Risers			DoM: 9/22			Inspection Date: 9/15/22				
	Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right			
4	Length of Hook / Pile Tape	14 5/8	14 7/8	11-1-7729	1	F3	14 7/8	14 7/8	14 7/8	14 7/8		
5	Hook / Pile Tape Offset	0	1/4	11-1-7729	1	F2	0	0	0	0		
6	Riser Webbing Fold Over	3 3/8	3 5/8	11-1-7729	1	F2	3 1/2	3 1/2	3 1/2	3 1/2		
7	Spreader Bar Length	25 3/4	26 1/4	11-1-7729	2	G5	26					
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #7		T11 Risers			DoM: 9/22			Inspection Date: 9/13/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	27 3/4	28 1/4	11-1-7719	1	F4	28	28	28	28		
2	Riser Leg Offset		1/4	11-1-7719	1	G4	0		0			
12	Glue - Riser set - Check thread presents	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): <b>GO</b>												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #7		T11R Risers			DoM: 9/22			Inspection Date: 9/13/22				
	Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right			
4	Length of Hook / Pile Tape	14 5/8	14 7/8	11-1-7729	1	F3	14 7/8	14 7/8	14 7/8	14 7/8		
5	Hook / Pile Tape Offset	0	1/4	11-1-7729	1	F2	0	0	0	0		
6	Riser Webbing Fold Over	3 3/8	3 5/8	11-1-7729	1	F2	3 1/2	3 1/2	3 1/2	3 1/2		
7	Spreader Bar Length	25 3/4	26 1/4	11-1-7729	2	G5	26					
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO): <b>GO</b>												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #8		T11 Risers			DoM: 8/122			Inspection Date: 9/13/22				
	Package 5	Min	Max	DWG	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
9	4-Point Stitching Length	1 7/8	2 1/8	11-1-7719	1	E2	2	2	2	2		
10	4-Point Stitching Placement	3 1/2	3 3/4	11-1-7719	1	B2	3 5/8	3 5/8	3 5/8	3 5/8		
12	Glue - Riser set - Main	Go/No-Go		11-1-7719	1	B2/B5	GO	GO	GO	GO		
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #8		T11R Risers			DoM: 9/122			Inspection Date: 9/13/22				
		Min	Max	Drawing	Sheet	Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	47 1/2	48 1/2	11-1-7729	1	F5	48	48	48	48 1/8		
2	Webbing Leg Offset		1/4	11-1-7729	1	C1	0		1/8			
3	Riser Set Offset		1/2	11-1-7729	1	F5	1/8					
9	Glue - Riser Set - 11R - Check for Thread presents	Go/no go		11-1-7729	1	Several	GO					
10	Glue - Spreader bar - Check for "WW" thread	Go/no go		11-1-7729	2	Several	GO					
Visual Inspection (GO/NO GO): GO												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #1		Main Pack Tray		DoM: 7/22		Inspection Date: 9/12/22									
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right							
1	Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1	C5	2 1/8								
5	Side Flap Bartacked Webbing Length	4	4 1/4	11-1-7130	1	B4	4	4							
Visual Inspection (GO/NO GO): <i>CD</i>															
Inspector: <i>Whiteman</i>															
Visual Inspection Notes: <i>Snaps Good</i>															

Box #2		Main Pack Tray		DoM: 7/22		Inspection Date: 9/12/22									
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right							
6	Side Flap Bartacked Webbing Left Spacing	1 1/8	1 3/8	11-1-7130	1	B4	1 1/4	1 1/4							
Visual Inspection (GO/NO GO): <i>CD</i>															
Inspector: <i>Whiteman</i>															
Visual Inspection Notes: <i>Snaps Good</i>															

Box #3		Main Pack Tray		DoM: 7/22		Inspection Date: 9/12/22									
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right							
7	Side Flap Bartacked Webbing Middle Spacing	1 1/8	1 3/8	11-1-7130	1	B4	1 1/8	1 1/8							
Visual Inspection (GO/NO GO): <i>CD</i>															
Inspector: <i>Whiteman</i>															
Visual Inspection Notes: <i>Snaps Good</i>															

Box #4		Main Pack Tray		DoM: 7/22		Inspection Date: 9/12/22									
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right							
9	Attachment Strap Angle	45	45	11-1-7721	1	F6	45	45							
10	Attachment Strap Length	3 7/8	4 1/8	11-1-7721	1	E4	3 7/8	3 7/8							
Visual Inspection (GO/NO GO):															
Inspector: <i>Whiteman</i>															
Visual Inspection Notes: <i>Snaps Good</i>															

Box #5		Main Pack Tray		DoM: 8/22		Inspection Date: 9/12/22		
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right
1	Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1	C5	2 1/8	
8	Lower Zig Zag Length (Inside)	2 5/8	2 7/8	11-1-7720	2	F3	2 3/4	2 3/4
Visual Inspection (GO/NO GO): <b>GO</b>								
Inspector: Whitteman								
Visual Inspection Notes: Snaps Good								

Box #6		Main Pack Tray		DoM: 8/22		Inspection Date: 9/12/22		
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right
2	Top Flap Distance to Bartacked Webbing	6 1/8	6 3/8	11-1-7129	1	E3	6 1/4	
11	Lower Back Strap Vertical Location	2 7/8	3 1/8	11-1-7721	1	D6	3	3
Visual Inspection (GO/NO GO): <b>GO</b>								
Inspector: Whitteman								
Visual Inspection Notes: Snaps Good								

Box #7		Main Pack Tray		DoM: 8/22		Inspection Date: 9/12/22		
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right
12	Belly Band Box-X Width	5/8	7/8	11-1-7721	1	B4	3/4	3/4
14	Lower Back Strap Box-X Spacing	2 1/8	2 3/8	11-1-7721	1	A4	2 1/4	2 1/4
Visual Inspection (GO/NO GO): <b>GO</b>								
Inspector: Whitteman								
Visual Inspection Notes: Snaps Good								

Box #8		Main Pack Tray		DoM: 8/22		Inspection Date: 9/12/22		
	Package 6	Min	Max	DWG	Sheet	Zone	Left	Right
1	Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1	C5	2 1/4	
15	Top Flap Grommet Placement	13 3/4	14 1/4	11-1-7721	2	F2	13 7/8	
16	Vertical Stow Bar Length	2 7/8	3 1/8	11-1-7721	3	B4	2 17/16	2 15/16
Visual Inspection (GO/NO GO): <b>GO</b>								
Inspector: Whitteman								
Visual Inspection Notes: Snaps good								

Box #1		Reserve Pack Tray			DoM:	8/22	Inspection Date:	9/13/22							
	Package 7	Min	Max	Drawing	Sheet	Zone	<del>1/2</del>								
1	Closing Loop (1) length	1 3/8	1 5/8	11-1-7091	1	C5	1 1/2								
2	Clothing Loop Fabric	7/8	1 1/8	11-1-7091	1	C6	7/8								
3	Bartack 1/8 over 4 places	Go/No Go		11-1-9596	1	E5	GO	GO							
4	Bartack size (1/8 x 1) 4 places	Go/No Go		11-1-9596	1	E2	GO	GO							
5	Grommet location	13/16	15/16	11-1-9596	1	G5	7/8	7/8							
6	Grommet location (wing)	3 1/2	3 3/4	11-1-9609	2	G5	3 5/8	3 5/8							
7	Small Grommet location (container)	9/16	11/16	11-1-9609	2	G7	5/8	5/8							
8	Distance between Small Grommet	11/16	13/16	11-1-9609	2	G7	11/16	3/4							
Visual Inspection (GO/NO GO):		GO													
Inspector: <i>[Signature]</i>															
Visual Inspection Notes:															

Box # 2		Reserve Pack Tray			DoM:	8/22	Inspection Date:	9/13/22								
	Package 7	Min	Max	Drawing	Sheet	Zone										
9	FN 5 inner edge from binding edge	2 1/2	2 3/4	11-1-9609	3	D2	2 5/8									
10	FN 5 outer edge from binding edge	1 1/16	1 3/16	11-1-9609	3	D2	1 1/8									
11	308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	F5, C5	1 3/4									
12	308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	E6, E3	1 3/4									
Visual Inspection (GO/NO GO):			GO													
Inspector: <i>[Signature]</i>																
Visual Inspection Notes:																

Box #3		Reserve Pack Tray			DoM:	8/22	Inspection Date:	9/13/22						
	Package 7	Min	Max	Drawing	Sheet	Zone								
14	Gromment location (long wing)	9/16	11/16	11-1-9594	1	F5	5/8	5/8						
15	Gromment location (long wing)	13/16	15/16	11-1-9594	1	G2	7/8	7/8						
16	Belt loop	3 3/8	3 5/8	11-1-9592	2	E6	3 1/2	3 1/2						
17	Visual - Delta 7 stitching - 8 plances - (go/nogo)	1 stitch min over edge		11-1-9592	1	B7	GO	GO						
18	Stow Flap Cover Webbing Placement	3 3/8	3 5/8	11-1-9590	1	D7	3 3/8	3 1/2						
19	Vertical Stow Bar overall Length	5 1/8	5 3/8	11-1-9590	1	C7	5 1/8	5 1/8						
Visual Inspection (GO/NO GO) :			GO											
Inspector: <u>BSF</u>														
Visual Inspection Notes:														

Box #4		Reserve Pack Tray			DoM:	8/22	Inspection Date:	9/13/22								
	Package 7	Min	Max	Drawing	Sheet	Zone										
20	Vertical stow bar loop height	1 1/2	1 3/4	11-1-9590	1	C8	1 5/8	1 5/8								
21	Upper store bar 1st loop width	2 3/16	2 7/16	11-1-9590	1	C4	2 1/4	2 5/16								
22	Upper store bar 2st loop width	4 3/4	5	11-1-9590	1	C4	4 1/2	4 1/2								
23	Bottom stow bar 1st loop	2 3/8	2 5/8	11-1-9590	1	B4	2 1/2	2 1/2								
24	Bottom Stow Bar 2nd Loop Width	4 1/8	4 3/8	11-1-9590	1	B4	4 1/4	4 3/8								
25	Stow Flap Cover Webbing Length	8	8 1/4	11-1-9590	1	F4, F5	8	8								
26	Stow Flap Cover Webbing location	1/2	1/4	11-1-9590	1	G3, G5	5/8	5/8								
27	Bartack size verification (18 Total) 1/8 x 3/4	Go/ No Go		11-1-9590	1	Several	GO									
Visual Inspection (GO/NO GO) :			GO													
Inspector: <u>BSF</u>																
Visual Inspection Notes:																

Box #5		Reserve Pack Tray			DoM:	8/22		Inspection Date:	9/13/22										
	Package 7	Min	Max	Drawing	Sheet	Zone													
20	Vertical stow bar loop height	1 1/2	1 3/4	11-1-9590	1	C8	1 5/8	1 5/8	1 1/4										
21	Upper store bar 1st loop width	2 3/16	2 7/16	11-1-9590	1	C4	2 1/4	2 1/4											
22	Upper store bar 2st loop width	4 3/4	5	11-1-9590	1	C4	4 3/4	4 3/4											
23	Bottom stow bar 1st loop	2 3/8	2 5/8	11-1-9590	1	B4	2 7/8	2 7/8											
24	Bottom Stow Bar 2nd Loop Width	4 1/8	4 3/8	11-1-9590	1	B4	4 1/8	4 1/4											
25	Stow Flap Cover Webbing Length	8	8 1/4	11-1-9590	1	F4, F5	8	8 1/4											
26	Stow Flap Cover Webbing location	1/2	3/4	11-1-9590	1	G3, G5	5/8	5/8											
27	Bartack size verification (18 Total) 1/8 x 3/4	Go/ No Go		11-1-9590	1	Several	GO												
Visual Inspection (GO/NO GO) :			GO																
Inspector: <u>BJH</u>																			
Visual Inspection Notes:																			

Box #6		Reserve Pack Tray			DoM:	8/22		Inspection Date:	9/13/22							
	Package 7	Min	Max	Drawing	Sheet	Zone										
13	Visual - Bartack - (3/4 x 1/8) - 4 places	Go/No Go		11-1-9609	4	D3	GO	GO	GO GO							
14	Gromment location (long wing)	9/16	11/16	11-1-9594	1	F5	5/8	5/8								
15	Gromment location (long wing)	13/16	15/16	11-1-9594	1	G2	7/8	7/8								
16	Belt loop	3 3/8	3 5/8	11-1-9592	2	E6	3 1/2	3 1/2								
17	Visual - Delta 7 stitching - 8 plances - (go/nogo)	1 stitch min over edge		11-1-9592	1	B7	GO	GO								
18	Stow Flap Cover Webbing Placement	3 3/8	3 5/8	11-1-9590	1	D7	3 3/8	3 3/8								
Visual Inspection (GO/NO GO) :			GO													
Inspector: <u>BJH</u>																
Visual Inspection Notes:																

Box #7		Reserve Pack Tray			DoM:	8/22	Inspection Date:							
	Package 7	Min	Max	Drawing	Sheet	Zone								
9	FN 5 inner edge from binding edge	2 1/2	2 3/4	11-1-9609	3	D2	2 5/8	2 5/8						
10	FN 5 outer edge from binding edge	1 1/16	1 3/16	11-1-9609	3	D2	1 1/8	1 1/8						
11	308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	F5, C5	1 3/4	1 3/4						
12	308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	E6, E3	1 3/4	1 3/4						
13	Visual - Bartack - (3/4 x 1/8) - 4 places	Go/No Go		11-1-9609	4	D3	GO	GO						
Visual Inspection (GO/NO GO):			GO											
Inspector: <i>BSK</i>														
Visual Inspection Notes:														

Box #8		Reserve Pack Tray			DoM:	8/22	Inspection Date:							
	Package 7	Min	Max	Drawing	Sheet	Zone								
1	Closing Loop (1) length	1 3/8	1 5/8	11-1-7091	1	C5	1 1/2							
2	Clothing Loop Fabric	7/8	1 1/8	11-1-7091	1	C6	7/8							
3	Bartack 1/8 over 4 places	Go/No Go		11-1-9596	1	E5	GO	GO						
4	Bartack size (1/8 x 1) 4 places	Go/No Go		11-1-9596	1	E2	GO	GO						
5	Gromment location	13/16	15/16	11-1-9596	1	G5	7/8	7/8						
6	Gromment location (wing)	3 1/2	3 3/4	11-1-9609	2	G5	3 5/8	3 5/8						
7	Small Grommet location (container)	9/16	11/16	11-1-9609	2	G7	5/8	5/8						
8	Distance between Small Grommet	11/16	13/16	11-1-9609	2	G7	3/4	3/4						
Visual Inspection (GO/NO GO):			GO											
Inspector: <i>BSK</i>														
Visual Inspection Notes:														

Box #1		T11R Ripcord Handle			DoM:	8/22	Inspection Date: Sept 12 22	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3	7 3/4	
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2	8 3/4	
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4	3/4	3/4
Visual Inspection (GO/NO GO)								
Inspector: GAY V. (GO)								
Visual Inspection Notes:								

Box #1		T11R Ejector Spring (change)			DoM:	8/22		
Package 8		Inspection Date: Sept 12 22						
		Min	Max	Drawing	Sheet	Zone		
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	7 1/8	
2	Top Tab Edge	15/16	1 1/16	11-1-10006	2	E6	1.0	
Visual Inspection (GO/NO GO): (GO)								
Inspector: GAY V.								
Visual Inspection Notes:								

Box #2		T11R Ripcord Handle			DoM:	8/22	Inspection Date: 8/22	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	7/8	7/8
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	0
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	5/8	
Visual Inspection (GO/NO GO): (GO)								
Inspector: GAY V.								
Visual Inspection Notes:								

Box #2		T11R Ejector Spring (change)			DoM:	8/22		
Package 8		Inspection Date: Sept 12 '22						
		Min	Max	Drawing	Sheet	Zone		
3	Bottom Tab Length	8 1/4	8 3/4	11-1-10006	2	F4	8 3/8	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	15/16 / 15/16	
Visual Inspection (GO/NO GO): (GO)								
Inspector: GAY V.								
Visual Inspection Notes:								

Box #3		T11R Ripcord Handle			DoM:		Inspection Date:	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	7/8	7/8
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	0
Visual Inspection (GO/NO GO)		GO						
Inspector: Gary V.		Visual Inspection Notes:						

Box #3		T11R Ejector Spring (change)			DoM:	8/22	
Package 8		Inspection Date: Sept 12 '22					
		Min	Max	Drawing	Sheet	Zone	
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	7 1/4
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	1 5/8 / 1 5/8
Visual Inspection (GO/NO GO):		GO					
Inspector: Gary V.		Visual Inspection Notes:					
Visual Inspection Notes:							

Box #4		T11R Ripcord Handle			DoM:	8/22	Inspection Date: Sept 13 '22	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	0
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	5/8	
8	Lanyard Length	3 1/4	3 1/2	11-1-9606	2	C3	3 3/8	
9	Lanyard Bartack (2 x 1/8 x 7/8)	Go/No Go	11-1-9606		2	C3	7/8	7/8
Visual Inspection (GO/NO GO):		GO						
Inspector: Gary V.		Visual Inspection Notes:						
Visual Inspection Notes:								

Box #4		T11R Ejector Spring (change)			DoM:	8/22
Package 8		Inspection Date: Sept 12 '22				
		Min	Max	Drawing	Sheet	Zone
				11-1-10006		
Visual Inspection (GO/NO GO):		GO				
Inspector: Gary V.		Visual Inspection Notes:				
Visual Inspection Notes:						

Box #5		T11R Ripcord Handle			DoM:		Inspection Date:			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right		
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3	7 3/4			
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2	8 3/4			
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4	3/4	3/4		
10	Identifier detail label (Delta 6)	Go/ No Go		11-1-9606	1, 2	F8, F7	GO			
Visual Inspection (GO/NO GO)										
Inspector: <i>GP</i>										
Visual Inspection Notes:										

Box #5		T11R Ejector Spring (change) <i>Dom 8/22</i>				
Package 8		Inspection Date: <i>Sept 12 '22</i>				
		Min	Max	Drawing	Sheet	Zone
				11-1-10006		
Visual Inspection (GO/NO GO): <i>GO</i>						
Inspector: <i>GP</i>						
Visual Inspection Notes:						

Box #6		T11R Ripcord Handle			DoM:		Inspection Date:			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right		
8	Lanyard Length	3 1/4	3 1/2	11-1-9606	2	C3	3 3/8			
9	Lanyard Bartack (2 x 1/8 x 7/8)	Go/No Go		11-1-9606	2	C3	7/8	7/8		
10	Identifier detail label (Delta 6)	Go/ No Go		11-1-9606	1, 2	F8, F7	GO			
Visual Inspection (GO/NO GO)							GO			
Inspector: <i>GP</i>							V			
Visual Inspection Notes:										

Box #6		T11R Ejector Spring (change) <i>Dom 8/22</i>					
Package 8		Inspection Date: <i>Sept 12 '22</i>					
		Min	Max	Drawing	Sheet	Zone	
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	7 1/8
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	1 5/8 / 1 5/8
Visual Inspection (GO/NO GO): <i>GO</i>							
Inspector: <i>GP</i>							
Visual Inspection Notes:							

Box #7		T11R Ripcord Handle			DoM:	8/22	Inspection Date: Sept 13 '22			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right		
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	7/8	7/8		
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4		
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	0		
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	5/8			
Visual Inspection (GO/NO GO)							GO			
Inspector: Galey ✓										
Visual Inspection Notes:										

Box #7		T11R Ejector Spring (change)					
Package 8		Inspection Date: Sept 12 '22					
		Min	Max	Drawing	Sheet	Zone	
3	Bottom Tab Length	8 1/4	8 3/4	11-1-10006	2	F4	0 3/8
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	1 5/8 / 1 5/2
Visual Inspection (GO/NO GO):							
Inspector: Galey ✓							
Visual Inspection Notes:							

Box #8		T11R Ripcord Handle			DoM:	8/22	Inspection Date: Sept 13 '22			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right		
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3	7 3/4			
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2	8 3/4			
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4	3/4	3/4		
Visual Inspection (GO/NO GO):							GO			
Inspector:										
Visual Inspection Notes:										

Box #8		T11R Ejector Spring (change)						
Package 8		Inspection Date: Sept 12 '22						
		Min	Max	Drawing	Sheet	Zone		
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	7 1/8	
2	Top Tab Edge	15/16	1 1/16	11-1-10006	2	E6	1.0 / 1.0	
Visual Inspection (GO/NO GO):							GO	
Inspector: Galey ✓								
Visual Inspection Notes:								

Box #1		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
1	Overall Length	177	179	11-1-6993	1	D3	178 $\frac{7}{8}$
4	Small Loop WW Length	3 7/8	4 1/8	11-1-6993	1	D2	4 $\frac{1}{16}$
9	Overall Length	70	71	11-1-6993	2	F5	70 $\frac{5}{8}$
Visual Inspection (GO/NO GO): <b>GO</b>							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #1		Snap Hook	DoM: 5/20		Inspection Date: 9/21/22		
			Drawing	Sheet	Zone		
1	Snap Hook assembly - note 3	Go/no go	11-1-6991	1	F5	GO	
Visual Inspection (GO/NO GO): <b>GO</b>							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #2		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
8	Pin Location	2 3/8	2 5/8	11-1-6993	2	C4	2 $\frac{1}{2}$
10	Small Loop Length	1 7/8	2 1/8	11-1-6993	2	G8	2
Visual Inspection (GO/NO GO): <b>GO</b>							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #2		Snap Hook	DoM: 5/20		Inspection Date: 9/12/22		
			Drawing	Sheet	Zone		
1	Snap Hook assembly - note 3	Go/no go	11-1-6991	1	F5	GO	
Visual Inspection (GO/NO GO): <b>GO</b>							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #3		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
2	Large Loop Length	5 7/8	6 1/8	11-1-6993	1	D7	6
11	Small Loop WW Location	1/16	3/16	11-1-6993	2	G8	1/8
Visual Inspection (GO/NO GO): <b>GO</b>							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #3		Snap Hook		DoM: 5/20		Inspection Date: 9/12/22	
				Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3	Go/no go		11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #4		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
1	Overall Length	177	179	11-1-6993	1	D3	178 $\frac{1}{8}$
9	Overall Length	70	71	11-1-6993	2	F5	70 $\frac{1}{2}$
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #4		Snap Hook		DoM: 5/20		Inspection Date: 9/12/22	
				Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3	Go/no go		11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #5		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
5	Sheath Length	23 3/4	24 1/4	11-1-6993	1	D5	24
8	Pin Location	2 3/8	2 5/8	11-1-6993	2	C4	2 $\frac{1}{2}$
12	Small Loop WW Length	3 7/8	4 1/8	11-1-6993	2	G7	4
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #5		Snap Hook		DoM: 5/20		Inspection Date: 9/12/22	
				Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3	Go/no go		11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #6		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
3	Small Loop Length	3 3/8	3 5/8	11-1-6993	1	D1	3 $\frac{5}{8}$
13	Large Loop Length	3 3/8	3 5/8	11-1-6993	2	G3	3 $\frac{1}{2}$
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #6		Snap Hook		DoM: 5/20		Inspection Date: 9/12/22	
				Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3	Go/no go		11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #7		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
1	Overall Length	177	179	11-1-6993	1	D3	178 1/2
7	Box Stitch Length	1 7/16	1 9/16	11-1-6993	2	B3	1 1/2
14	Large Loop WW Length	3 7/8	4 1/8	11-1-6993	2	G4	4
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #7		Snap Hook		DoM: 5/20		Inspection Date: 9/12/22	
				Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3	Go/no go		11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #8		USL	DoM: 8/22		Inspection Date: 9/12/22		
	Package 9	Low	High	Drawing	Sheet	Zone	
8	Pin Location	2 3/8	2 5/8	11-1-6993	2	C4	2 1/2
9	Overall Length	70	71	11-1-6993	2	F5	70 5/8
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #8		Snap Hook		DoM: 5/20		Inspection Date: 9/12/22	
				Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3	Go/no go		11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO): GO							
Inspector: <i>[Signature]</i>							
Visual Inspection Notes:							

Box #1		Deployment Bag			S/N: TCB 11829			DoM: 8/22		Inspection Date: 9/13/22		
	Package 10		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right	
12	Stow Loop Panel Length of Elastic Section	7 1/8	7 5/8	11-1-7140	1	D5	7 3/8			7 3/8		
22	Distance b/w Locking Stow Loops	6 1/8	6 3/8	11-1-7147	2	E8	6 1/8					
24	Distance b/w Stow Loop Panels	5 3/8	5 5/8	11-1-7147	2	E7	5 1/2					
29	Reinforcement Panel Length	8 1/4	8 3/4	11-1-7147	4	D6	8 3/8			8 3/8		
Visual Inspection (GO/NO GO): <b>GO</b>												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												
Box #2		Deployment Bag			S/N: TCB 11784			DoM: 8/22		Inspection Date: 9/13/22		
	Package 10		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right	
4	Tuck Flap Spacing	3/8	5/8	11-1-7063	2	H8	3/8			3/8		
5	Tuck Flap Length	7 7/8	8 1/8	11-1-7063	2	G6	8			8		
6	Closing Flap Width	7 3/8	7 5/8	11-1-7063	2	G1	7 1/2					
Visual Inspection (GO/NO GO): <b>GO</b>												
Inspector: <i>[Signature]</i>												
Visual Inspection Notes:												

Box #3		Deployment Bag			S/N: 2311770			DoM: 8/22		Inspection Date: 9/12/22		
	Package 10	Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right		
1	Distance Between Small Loops (Front)	11 1/4	11 3/4	11-1-7063	1	G4	11 1/2					
2	Distance from Centerline to Small Loop (Front)	5 5/8	5 7/8	11-1-7063	1	F3	5 3/4					
14	Stow Loop Panel Height of Loops	7/8	1 1/8	11-1-7140	1	C3	1	1	1	1	1	1
Inspector: <i>[Signature]</i>		Visual Inspection (GO/NO GO): <i>GO</i>										
Visual Inspection Notes:												
Box #4		Deployment Bag			S/N: 2311787			DoM: 8/22		Inspection Date: 9/13/22		
	Package 10	Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right		
7	Small Loop Opening (Front)	15/16	1 1/16	11-1-7063	3	G7	1			1		
8	Small Loop Height (Front)	1 7/8	2 1/8	11-1-7063	3	G6	2		2			
9	Small Loop Opening (Rear)	15/16	1 1/16	11-1-7063	3	C7	1			1		
10	Small Loop Height (Rear)	1 7/8	2 1/8	11-1-7063	3	C6	2		2			
Inspector: <i>[Signature]</i>		Visual Inspection (GO/NO GO): <i>GO</i>										
Visual Inspection Notes:												

Box #5		Deployment Bag			S/N: RB11857		DoM: 8/22		Inspection Date: 9/13/22				
	Package 10		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right		
12	Stow Loop Panel Length of Elastic Section		7 1/8	7 5/8	11-1-7140	1	D5	7 1/4		7 1/4			
28	Locking Stow Loop Length		3	3 1/4	11-1-7147	4	G7	3		3			
29	Reinforcement Panel Length		8 1/4	8 3/4	11-1-7147	4	D6	8 3/8					
Inspector: <i>[Signature]</i>													
Visual Inspection (GO/NO GO): <i>GO</i>													
Visual Inspection Notes:													
Box #6		Deployment Bag			S/N: RB11856		DoM: 8/22		Inspection Date: 9/13/22				
	Package 10		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right		
16	Closing Flap Loop Placement (Left)		1 7/8	2 1/8	11-1-7144	1	F6	2					
17	Closing Flap Loop Placement (Right)		1 7/8	2 1/8	11-1-7144	1	F4	2					
18	Closing Flap Loop Opening Height		15/16	1 1/16	11-1-7144	1	E7	1		1			
19	Closing Flap Loop Opening Width		15/16	1 1/16	11-1-7144	1	F6	1		1			
Inspector: <i>[Signature]</i>													
Visual Inspection (GO/NO GO): <i>GO</i>													
Visual Inspection Notes:													

Box #7		Deployment Bag			S/N: R311924		DoM: 8/22		Inspection Date: 9/13/22					
	Package 10	Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left		Right			
3	Cover Flap Placement	13 1/4	13 3/4	11-1-7063	1	D2	13 1/2				13 1/2	NOTE: Both sides within 1/4		
15	Stow Loop Panel Loop Spacing	5/16	7/16	11-1-7140	1	C5	3/8	3/8	3/8	0	0			
Inspector:														
Visual Inspection (GO/NO GO):														
Visual Inspection Notes:														
Box #8		Deployment Bag			S/N: R311895		DoM: 8/22		Inspection Date: 9/13/22					
	Package 10	Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left		Right			
12	Stow Loop Panel Length of Elastic Section	7 1/8	7 5/8	11-1-7140	1	D5	7 1/4				7 1/4			
20	Cover Flap Loop Placement	1 3/16	1 5/16	11-1-7145	1	D6	1 1/4				1 1/4			
21	Cover Flap Width	15 3/4	16 1/4	11-1-7145	1	C3	15 7/8							
29	Reinforcement Panel Length	8 1/4	8 3/4	11-1-7147	4	D6	8 3/8				8 3/8			
Inspector: <i>DSF</i>														
Visual Inspection (GO/NO GO): <i>GO</i>														
Visual Inspection Notes:														

Box #1		Harness	DoM: 9/22		Inspection Date: 9/14/22							
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side				
1	Chest Strap Length (Textile)	23 1/2	24 1/2	11-1-7723	2	B6	24 1/4					
2	Equipment Ring Location	5 7/8	6 1/8	11-1-7723	2	E3	6	6				
3	D Ring Location	3 3/4	4	11-1-7723	2	F4	3 7/8	3 7/8				
14	Inspect Glued area for thread/structure	Go/No Go		11-1-7723	1 & 2	several	GO					
15	Inspect Glued area for thread/structure	Go/No Go		11-1-7162	2	C7/C6	GO					
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO					
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO					
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO					
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b> <i>GO</i>												
Inspector: <i>BJH</i>												
Visual Inspection Notes:												
<i>GOOD</i>												

Box #2		Harness	DoM: 9/22		Inspection Date: 9/14/22							
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side				
4	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6	20 5/8	20 5/8				
5	Saddle Adapter Horizontal Location	1 7/8	2 1/8	11-1-7162	1	C7	1 7/8	2				
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO					
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO					
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO					
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO					
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO					
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b> <i>GO</i>												
Inspector: <i>BJH</i>												
Visual Inspection Notes:												
<i>GOOD</i>												

Box #3		Harness	DoM:	9/22	Inspection Date: 9/14/22					
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side		
7	Width Between Leg Straps	1 7/8	2 1/8	11-1-7162	2	D4	2			
10	Box X Webbing Location	3/4	1	11-1-7162	2	C7	1	1		
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO			
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO			
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO			
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO			
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO			
Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):							GO			
Inspector: <u>BSJ</u>										
Visual Inspection Notes:  GOOD										

Box #4		Harness	DoM:	9/22	Inspection Date: 9/14/22					
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side		
8	Leg Strap Angle Location	2 1/4	2 1/2	11-1-7162	2	D4	2 3/8	2 3/8		
9	Leg Strap Location	7 5/8	7 7/8	11-1-7162	2	D5	7 3/4	7 3/4		
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO			
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO			
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO			
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO			
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO			
Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):							GO			
Inspector: <u>BSJ</u>										
Visual Inspection Notes:  GOOD										

Box #5		Harness	DoM: 9/22	Inspection Date: 9/14/22							
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side			
4	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6	20 5/8	20 5/8			
6	Saddle Adapter Vertical Location	1	1 1/4	11-1-7162	1	D7	1 1/8	1 1/8			
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO				
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO				
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO				
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO				
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO				
Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO): GO											
Inspector: <i>[Signature]</i>											
Visual Inspection Notes:  <i>Good</i>											

Box #6		Harness	DoM: 9/22	Inspection Date: 9/14/22							
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side			
11	Webbing Location	4 3/4	5 1/4	11-1-7162	2	C7	5	5			
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO				
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO				
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO				
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO				
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO				
Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO): GO											
Inspector: <i>[Signature]</i>											
Visual Inspection Notes:  <i>Good</i>											

Box #7		Harness	DoM:	9/22	Inspection Date: 9/14/22					
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side		
12	Webbing Length	3 1/8	3 3/8	11-1-7162	2	C6	3 3/8	3 3/8		
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO			
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO			
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO			
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO			
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO			
Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO): GO										
Inspector: <i>[Signature]</i>										
Visual Inspection Notes: <i>Good</i>										

Box #8		Harness	DoM:	9/22	Inspection Date: 9/14/22					
	Package 11	Low	High	Drawing	Sheet	Zone	Left Side	Right Side		
4	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6	20 5/8	20 5/8		
13	V Ring Location	15/16	1 1/16	11-1-7162	2	B7	1	1		
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	GO			
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	GO			
16	Inspect Glued area for thread/structure	Go/No Go		11-1-7725	1	C4	GO			
17	Inspect Glued area for thread/structure	Go/No Go		11-1-7724	1	C3	GO			
18	Inspect Glued area for thread/structure	Go/No Go		11-1-7161	1	F3	GO			
Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO): GO										
Inspector: <i>[Signature]</i>										
Visual Inspection Notes: <i>Good</i>										

Box #1	Drogue	DoM:	8/22	Inspection Date:			9/13/22														
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry														
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	48	48												
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	31	NOTE: Measure flat												
Visual Inspection (GO/NO GO):		GO																			
Inspector: <i>[Signature]</i>																					
Visual Inspection Notes:																					

Box #2	Drogue	DoM:	8/22	Inspection Date:			9/13/22														
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry														
2	Main Seam Length	21	22	11-1-7060	1	D3	1/2	22	22	22	22										
Visual Inspection (GO/NO GO):		GO																			
Inspector: <i>[Signature]</i>																					
Visual Inspection Notes:																					

Box #3	Drogue	DoM:	8/22	Inspection Date:			9/15/22														
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry														
2	Main Seam Length	21	22	11-1-7060	1	D3	1/2	22	22	22	22										
Visual Inspection (GO/NO GO):		GO																			
Inspector: <i>[Signature]</i>																					
Visual Inspection Notes:																					

Box #4	Drogue	DoM:	8/22	Inspection Date:		9/13/22											
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry										
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47	47								
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	31	NOTE: Measure flat								
Visual Inspection (GO/NO GO):		GO															
Inspector: Whiteman																	
Visual Inspection Notes: — Good																	

Box #5	Drogue	DoM:	8/22	Inspection Date:		9/13/22											
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry										
3	Bridle Length	5 3/4	6 1/4	11-1-7060	1	C4	1/4	5 7/8	5 7/8								
Visual Inspection (GO/NO GO):		GO															
Inspector: Whiteman																	
Visual Inspection Notes: No Issues																	

Box #6	Drogue	DoM:	8/22	Inspection Date:		9/13/22											
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry										
3	Bridle Length	5 3/4	6 1/4	11-1-7060	1	C4	1/4	6	6								
Visual Inspection (GO/NO GO):		GO															
Inspector: Whiteman																	
Visual Inspection Notes: No Issues																	

Box #7	Drogue	DoM:	8/22	Inspection Date:			9/13/22			
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47	47	
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	30 3/4	NOTE: Measure flat	
Visual Inspection (GO/NO GO): <i>GO</i>										
Inspector: <i>Whiteman</i>										
Visual Inspection Notes: <i>No Issues</i>										

Box #8	Drogue	DoM:	8/22	Inspection Date:			9/13/22			
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
5	Centerline Loop Length	1 5/8	1 7/8	11-1-7060	2	G8	N/A	1 3/4	NOTE: Measure flat	
6	Centerline Loop Bartack Spacing	1/8	1/4	11-1-7060	2	F7	N/A	1/4		
7	Bridle Tail Bartack Height	2 5/8	2 7/8	11-1-7060	2	C6	N/A	2 3/4		
Visual Inspection (GO/NO GO): <i>GO</i>										
Inspector: <i>Whiteman</i>										
Visual Inspection Notes: <i>No issues</i>										

Box #1	T11R Extractor	DoM:	8/22			Inspection Date:	9/13/22			Lot Number		659843											
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12		
1	Centerline Length	48 1/2	49 1/2			8 - 12 lb	11-1-9771	2	F7	48 1/4													
2	Centerline finger trap stitch	2 1/4	2 3/4				11-1-9771	1	C7	2 1/2													
3	Line Length	39 1/2	40 1/2			8 - 12 lb	11-1-9771	/ 1	C6	39 1/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8		
4	Verify Symmetry items 3 (Go/No Go)			1/2			11-1-9771	1	C6	0													
Inspector: <i>BHF</i>		Visual Inspection Notes: <i>GOOD</i>																					

Box #2	T11R Extractor	DoM:	8/22			Inspection Date:	9/13/22			Lot Number		659843											
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12		
5	Line finger trap stitch (Measure 12)	2 1/4	2 3/4				11-1-9774	1	D3	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	2 1/6	
6	Canopy Diameter	59	61				11-1-9772	2	G1	59 1/4													
7	Center Line Thru Canopy (View D and section E-E)	Go/No Go					11-1-9771	2	C2, G7	GO													
8	Canopy Bar Tack (12 - 1/8 x 1)	7/8	1 1/8				11-1-9771	1	E6	1/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	
Visual Inspection (GO/NO GO): <i>GO</i>		Visual Inspection Notes: <i>GOOD</i>																					
Inspector: <i>BHF</i>		Visual Inspection Notes: <i>GOOD</i>																					

Box #3	T11R Extractor	DoM:	8/22			Inspection Date:	9/13/22			Lot Number		659843											
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12		
6	Canopy Diameter	59	61				11-1-9772	2	G1	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	59 1/2	
Visual Inspection (GO/NO GO): <i>GO</i>		Visual Inspection Notes: <i>GOOD</i>																					
9	Extractor Bridle Assembly Length	14 1/4	14 5/8			3-5 lb	11-1-9776	1	C4	14 1/4	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8				11-1-9776	1	D7, E2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)	Go/No Go					11-1-9776	1	E7, E2	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO
Visual Inspection extractor assembly (GO/NO GO): <i>GO</i>		Visual Inspection Notes: <i>GOOD</i>																					
Inspector: <i>BHF</i>		Visual Inspection Notes: <i>GOOD</i>																					

Box #4	T11R Extractor	DoM:	8/22		Inspection Date:			9/13/22		Lot Number		659843											
	Package 4																						
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12			
1	Centerline Length	48 1/2	49 1/2		8 - 12 lb	11-1-9771	2	F7	48 1/2														
2	Centerline finger trap stitch	2 1/4	2 3/4			11-1-9771	1	C7	2 1/2														
3	Line Length	39 1/2	40 1/2		8 - 12 lb	11-1-9771	1	C6	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2			
4	Verify Symmetry items 3 (Go/No Go)			1/2		11-1-9771	1	C6	O														
Visual Inspection (GO/NO GO):		GO																					
Inspector:	BT																		Visual Inspection Notes:				
GOOD																							

Box #5	T11R Extractor	DoM:	8/22		Inspection Date:			9/13/22		Lot Number		659903											
	Package 4																						
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12			
3	Line Length	39 1/2	40 1/2		8 - 12 lb	11-1-9771	1	C6	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2			
4	Verify Symmetry items 3 (Go/No Go)			1/2		11-1-9771	1	C6	O														
Visual Inspection (GO/NO GO):		GO																					
9	Extractor Bridle Assembly Length	14 3/8	14 5/8		3-5 lb	11-1-9776	1	C4	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8			
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8			11-1-9776	1	D7, E2	1	1	1	1	1	1	1	1	1	1	1	1			
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)				Go/No Go		11-1-9776	1	E7, E2	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO			
Visual Inspection extractor assembly (GO/NO GO):		GO																					
Inspector:	BT																		Visual Inspection Notes:				
GOOD																							

Box #6	T11R Extractor	DoM:	8/22		Inspection Date:			9/13/22		Lot Number		659903											
	Package 4																						
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12			
9	Extractor Bridle Assembly Length	14 3/8	14 5/8		3-5 lb	11-1-9776	1	C4	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8	14 3/8			
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8			11-1-9776	1	D7, E2	1	1	1	1	1	1	1	1	1	1	1	1			
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)				Go/No Go		11-1-9776	1	E7, E2	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO			
Visual Inspection extractor assembly (GO/NO GO):		GO																		Visual Inspection Notes:			
Inspector:	BT GOOD																						

Box #7	T11R Extractor	DoM:	8/22		Inspection Date:		9/13/22		Lot Number		659903													
			Package 4																					
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12			
5	Line finger trap stitch (Measure 12)	2 1/4	2 3/4			11-1-9774		1	D3	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8			
6	Canopy Diameter	59	61			11-1-9772		2	G1	59 3/8														
7	Center Line Thru Canopy (View D and section E-E)	Go/No Go				11-1-9771		2	C2, G7	GO														
8	Canopy Bar Tack (12 - 1/8 x 1)	7/8	1 1/8			11-1-9771		1	E6	1	1	1	1	1	1	1	1	1	1	1	1	1		
Visual Inspection (GO/NO GO):			GO																					
Visual Inspection extractor assembly (GO/NO GO):			GO																					
Inspector:																								
			GOOD												Visual Inspection Notes:									

Box #8	T11R Extractor	DoM:			Inspection Date:		9/13/22		Lot Number		659903													
			Package 4																					
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12			
1	Centerline Length	48 1/2	49 1/2			8 - 12 lb	11-1-9771	2	F7	48 7/8														
2	Centerline finger trap stitch	2 1/4	2 3/4				11-1-9771	1	C7	2 7/8														
3	Line Length	39 1/2	40 1/2			8 - 12 lb	11-1-9771	1	C6	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	
4	Verify Symmetry Items 3 (Go/No Go)	1/2				11-1-9771		1	C6	0														
Visual Inspection (GO/NO GO):			GO																					
Inspector:															Visual Inspection Notes:									
			Good																					







#### **Visual Inspection + Line Continuity (GO/NO GO):**

### **Visual Inspection Notes:**

Verify Symmetry items 1, 13, 16 and 22 (Go/No Go)

Item 1 GO Item 13 GO Item 16 GO Item 22 Yes

Box #2	T11 Canopy		S/N:		RB11820			DoM:		08/22									Inspection Date:		9/12/22		Inspector:					Young / Robinson														
	Package 1	Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28						
1	Center Section Main Seams	297	303	5 - 8 lb	3	11-1-7104		1	E2	297	297	297	300	299	300	299	43.5	43.5																								
4	Center Section Corner Tabs	3 7/8	4 1/8			11-1-7107		2	E2	3/4	4	3/4	4																													
9	Rein. Panel Alignment		1/4			11-1-7108		4	F5	1/8	0	0	1/8																													
11	Slider Large Spacing	6 1/2	7 1/2			11-1-7059		1	F2	3/4	6	3/4	6																													
12	Slider Small Spacing	1 1/2	2			11-1-7059		1	C1	1/4	1/8	1/4	1/4																													
13	Vent Length	96	100	3 - 5 lb	2	11-1-7104		2	F6					96	96																		96	96								
16	Arm Section Main Seams	127	132	3 - 5 lb	2	11-1-7104		3	F2	131	130	131	130	130	130	130	129	130	130	130	129	129	130	130	129	129	129	129	129	129	129	129	129	129	129	129						
24	Verify Symmetry items 1, 13, 16 and 22 (Go/No Go)								Item 1	GO	Item 13	GO	Item 16		Item 22																											
Visual Inspection + Line Continuity (GO/NO GO):										GO																																
Visual Inspection Notes:										N/A																																

#### **Visual Inspection + Line Continuity (GO/NO GO):**

#### **Visual Inspection Notes:**

60





**Visual Inspection + Line Continuity (GO/NO GO):**

**Visual Inspection Notes:**

Box #1	T11R Canopy	S/N: 95088	DoM: 8-22	Inspection Date: 9-13-22								Inspector: Robinson / Reece																
	Package 2		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8	344 5/8	344 1/2	344 1/4	344 3/4	243 1/2	244 1/4	244 1/2	244 1/4	244 1/4	244 1/4	244 3/8	244 1/8	244 1/2	244 1/2	243 1/8	243 3/4	243 5/8	243 1/2	247 7/8		
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	
5	Skirt Band Width	37 1/4	38 1/4		11-1-9923	7	C4	37 7/8	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	38 3/4	
Visual Inspection + Line Continuity (GO/NO GO):					GO																							
Visual Inspection Notes:																												

Box #2	T11R Canopy	S/N: 95099	DoM: 8-22	Inspection Date: 9-13-22								Inspector: Robinson / Reece																	
	Package 2		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5	34 3/8	34 3/8	34 3/8	34 3/16	34 4/8	34 3/16	34 3/8	34 3/16														
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5	181 1/4	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2		
6	Line Attach Loop Length	7/8	1 1/8		11-1-9923	8	C6	1 1/16	1	1	1	1	1	1	1	1 1/16	1	1	1	1	1 1/8	1	1	1 1/16	1	1 1/16	1		
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7									1 1/16										1 1/16			
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5	39 1/4																					
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/8	0	0	1/16	4/8	1/8																
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/8	1/16	0	1/16	1/8	1/16																
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	0	1/16	0	1/16	0	0																
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0	1/16	0	1/16	1/16	1/8																
Visual Inspection + Line Continuity (GO/NO GO): GO																													
Visual Inspection Notes:																													

Box #3	T11R Canopy	S/N: 95110	DoM: 8/22	Inspection Date: 9-13-22					Inspector: Quigley/Reece																		
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/4	1/8	1/16	1/16	0	0	0	0	1/8	1/8										
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0	1/16	1/8	1/8	0	0	1/16	1/8	1/16	1/8										
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	1/8	0	0	0	1/16	0	0	0	0	0										
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0	1/8	1/16	1/8	1/16	1/8	0	1/8	1/16	0										
Visual Inspection + Line Continuity (GO/NO GO):					GO																						
Visual Inspection Notes:																											

Box #4	T11R Canopy	S/N: 95078	DoM: 8/22	Inspection Date: 9-13-22					Inspector: Quigley/Reece																			
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8	2 1/4 1/2	2 1/5 1/4	2 1/4 1/2	2 1/4 1/4	2 1/4 1/2	2 1/5 1/4	2 1/4 1/2	2 1/4 1/2													
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	19 1/8 5/8	
5	Skirt Band Width	37 1/4	38 1/4		11-1-9923	7	C4	37 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8	38 1/8 3/8		
Visual Inspection + Line Continuity (GO/NO GO):					GO																							
Visual Inspection Notes:																												

Box #5	T11R Canopy	S/N: 95157	DoM: 9-22	Inspection Date: 9-13-22						Inspector: Quigley / Reece																			
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5	34	33 1/8	33 1/8	34	33 1/8	33 1/8	34	33 1/8	34	33 1/8	34	33 1/8	33 1/8	33 1/8	34	33 1/8	34	33 1/8	33 1/8	33 1/8		
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	
7	Line Attach Webbing Length	4 3/8	4 5/8		11-1-9923	8	C6	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7			1		1 1/16					1		1			1 1/16		1		1		1	
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5	38 1/8																					
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/16	0	1/8	1/8	0																	
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0	1/16	1/8	1/16	1/16																	
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	1/16	1/8	1/8	0	0																	
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/16	1/8	1/16	1/8	1/16																	
Visual Inspection + Line Continuity (GO/NO GO):				Go																									
Visual Inspection Notes:																													

Box #6	T11R Canopy	S/N: 95158	DoM: 9-22	Inspection Date: 9-13-22						Inspector: Quigley / Reece																			
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6											0	1/16	0	0	1/8	1/8	0	1/16	0	0	0	0
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6											0	1/8	0	0	0	0	0	0	0	0	1/8	
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6											0	1/16	0	0	1/8	0	1/16	0	0	0	0	
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6											0	1/16	1/32	1/16	1/8	1/16	1/8	0	0	0	1/16	
Visual Inspection + Line Continuity (GO/NO GO):				Go																									
Visual Inspection Notes:																													

Box #7	T11R Canopy	S/N: 95219	DoM: 9/22	Inspection Date: 9-13-22					Inspector: Quigley / Reece																					
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8	244 2 1/4	244 2 1/4	244 2 1/4	244 2 1/4	244 2 1/8	244 2 1/4	244 2 1/8	243 2 1/4	243 2 1/8	244 2 1/8	244 2 1/8	245 2 1/8	244 2 1/8	245 2 1/8	244 2 1/8	244 2 1/8	243 2 1/8						
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5	19 1/2 1 1/2	19 1/8 3 1/8	19 1/8 3 1/8	19 1/2 3 1/2	19 1/8 3 1/8	19 1/4 3 1/4	19 1/8 3 1/8	19 1/2 3 1/2	19 1/2 3 1/8	19 1/8 3 1/8	19 1/2 3 1/8	19 1/8 3 1/8	19 1/2 3 1/2	19 1/2 3 1/8	19 1/8 3 1/8	19 1/2 3 1/8							
5	Skirt Band Width	37 1/4	38 1/4			11-1-9923	7	C4	38 3 1/8	38 3 1/8	38 3 1/8	38 3 1/4	38 3 1/16	38 3 1/4	38 3 1/4	38 3 1/16														
Visual Inspection + Line Continuity (GO/NO GO): <b>GO</b>																														
Visual Inspection Notes:																														

Box #8	T11R Canopy	S/N: 95227	DoM: 9/22	Inspection Date: 9-14-22					Inspector: Quigley / Reece																					
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5	34 1/8 18 1/2	34 1/8 18 1/8	34 1/8 18 1/2	34 1/8 18 1/2	34 1/16 18 1/12	34 3/16 18 1/2	34 1/4 18 1/12	34 1/4 18 1/8	34 1/4 18 1/4	34 1/4 18 1/2													
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5	182 19 1/2	18 1/8 20	18 1/8 19 1/2	18 1/8 19 1/8	18 1/2 19 1/4	18 1/2 19 1/4	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2	18 1/2 19 1/2		
8	Break Tab Location	19 1/2	20			11-1-9923	8	E6	19 1/8 5 1/8	19 1/4 3 1/4	19 1/8 3 1/8	19 1/8 3 1/8	19 1/4 3 1/4	19 1/4 3 1/4	19 1/2 3 1/2															
9	Scoop Tab Length	7/8	1 1/8			11-1-9923	5	H7																						
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5	38 15 1/16																						
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																							
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																							
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6																							
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																							
Visual Inspection + Line Continuity (GO/NO GO):																														
Visual Inspection Notes:																														