

## T-11 SYSTEM

Box	T11 Canopy		S/N: 14175					DoM: 8/23					Inspection Date: 9/26/23												Inspector: Rajiv I Robinson																			
#1	Package 1	Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28								
21	Skirt Band Width	38	39	3 - 5 lb		11-1-7104	4	D4	38 1/4	38 1/4	38 1/2	38 1/2	38 1/4	38 1/4	38 1/8	38 1/8	38	38 1/2	38 1/2	38 1/8	38 1/4	38 1/8	38 1/2	38 1/2	38 1/8	38 1/4	38 1/4	38 1/2	38 1/2	38 1/8	38 1/4	38 1/4	38 1/2	38 1/2	38 1/8	38 1/4	38 1/4							
22	Suspension Line Length	254	258	8 - 12 lb	2	11-1-7081	1	D4	257	256	253	251	257	257	256	3/4	257	256	253	251	257	257	256	7/8	256	7/8	257	7/8	257	257	257	256	3/4	257	251	257	257							
23	Verification of corner vent stow bar with stitching measured	7/16	9/16	0		11-1-7105	2	B6			1/2	1/16									1/2	9/16															1/2	1/2						
24	Verify Symmetry items 1, 13, 16 and 22 (Go/No Go)										Item 1		Item 13		Item 16		Item 22	GO																										
Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):										GO/GO																																		
Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):										GO																																		
Visual Inspection + Line Continuity (GO/NO GO):																																												
Visual Inspection Notes:										RR ✓ WR QC																																		

## T-11 SYSTEM

Box #	T11 Canopy		S/N: 14182					DoM: 08/23				Inspection Date: 9/26/23										Inspector: Ratnaj / Robinson														
	Package 1	Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
																						NOTE: Start @ corner w/ lowest # gore for 1st canopy. Rotate to next corner for following canopies.														
1	Center Section Main Seams	297	303	5 - 8 lb	3	11-1-7104	1	E2	299 3/4	300	299 3/4	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
4	Center Section Corner Tabs	3 7/8	4 1/8			11-1-7107	2	E2	4	4	4	4																								
9	Rein. Panel Alignment		1/4			11-1-7108	4	F5	1/8	1/16	3/16	0																								
11	Slider Large Spacing	6 1/2	7 1/2			11-1-7059	1	F2	6 3/4	5 15/16	7 11/16	6 15/16																								
12	Slider Small Spacing	1 1/2	2			11-1-7059	1	C1	2	2	15/16	15/16																								
13	Vent Length	96	100	3 - 5 lb	2	11-1-7104	2	F6				99																								
16	Arm Section Main Seams	127	132	3 - 5 lb	2	11-1-7104	3	F2	130 1/2	130 1/2	130 3/4	130 1/4	130 1/8	130 1/8	130 1/8	130 1/2	130 1/2	130 1/2	130 1/2	130 1/2	130 1/2	130 1/2	130 1/2	130 1/2	130 1/2											
23	Verification of corner vent stow bar with stitching measured	7/16	9/16	0		11-1-7105	2	B6			1/2	1/2																								
24	Verify Symmetry Items 1, 13, 16 and 22 (Go/No Go)								Item 1	GO	Item 13	GO	Item 16	GO	Item 22																					
Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):								GO/GO																RR JWR												
Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):								GO																												
Visual Inspection + Line Continuity (GO/NO GO):																																				
Visual Inspection Notes:																																				

## T-11 SYSTEM

**Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):**

GO / GO

3. Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):

Go Go Go

**Visual Inspection + Line Continuity (GO/NO GO):**

Go Go

**Visual Inspection Notes:**

DR  
PR ✓ HR

## T-11 SYSTEM

Box	T11 Canopy		S/N: 14202					DoM: 09/23				Inspection Date: 9/26/23										Inspector: Rataj / Robinson																	
#5	Package 1		Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28		
1	Center Section Main Seams		297	303	5 - 8 lb	3	11-1-7104	1	E2	299 3/4	299 4/2	299 4/2	299 4/2	299 3/8	299 4/4	299 5/8	299 3/4	299 4/2																					
13	Vent Length		96	100	3 - 5 lb	2	11-1-7104	2	F6					98 3/4																					98 3/4				
14	Vent Top Box-X Vertical Space		1/8	1/4			11-1-7105	2	F7					1/4																					1/4				
15	Vent Top Box-X Horizontal Space		1/8	1/4			11-1-7105	2	F7					1/4																					1/4				
16	Arm Section Main Seams		127	132	3 - 5 lb	2	11-1-7104	3	F2	130 1/8	130 7/8	130 7/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	130 1/8	130 7/8	130 3/4	916 1/2			
23	Verification of corner vent stow bar with stitching measured		7/16	9/16	0		11-1-7105	2	B6					1/2																									
24	Verify Symmetry items 1, 13, 16 and 22 (Go/No Go)									Item 1 GO	Item 13 GO	Item 16 GO	Item 22																										
Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):																																							
Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):																																							
Visual Inspection + Line Continuity (GO/NO GO):																																							
Visual Inspection Notes:																																							

Box	T11 Canopy		S/N: 14206					DoM: 09/23				Inspection Date: 9/26/23										Inspector: Rataj / Robinson																
#6	Package 1		Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
2	Center Section Long Tabs		4 7/8	5 1/8			11-1-7107	2	B7	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8	4 7/8				
3	Center Section Short Tabs		3 7/8	4 1/8			11-1-7107	2	C7	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4			
5	Center Section Space b/w Long & Short Tabs		20 1/4	21 1/4			11-1-7107	2	F8	20 3/4	20 3/4	21 3/4	20 3/4	20 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4	21 3/4											
Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):																																						
Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):																																						
Visual Inspection + Line Continuity (GO/NO GO):																																						
Visual Inspection Notes:																																						

T-11 SYSTEM

## T-11 SYSTEM

Box #	T11 Canopy		S/N: 14248					DoM: 09/23				Inspection Date: 9/27/23										Inspector: Rataj / Robinson																			
	#10 Package 1		Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28				
1	Center Section Main Seams	297	303	5 - 8 lb	3	11-1-7104	1	E2	299 3/4	299 4	299 1/2	299 1/2	299 5/8	299 3/4	299 7/8	299 7/8																									
4	Center Section Corner Tabs	3 7/8	4 1/8			11-1-7107	2	E2	4	4	4	4																													
9	Rein. Panel Alignment		1/4			11-1-7108	4	F5	1/16	1/8	1/16	0																													
11	Slider Large Spacing	6 1/2	7 1/2			11-1-7059	1	F2	6 7/8	7	7	7																													
12	Slider Small Spacing	1 1/2	2			11-1-7059	1	C1	2	17/8	17/8	17/8																													
13	Vent Length	96	100	3 - 5 lb	2	11-1-7104	2	F6					99 1/8																												
16	Arm Section Main Seams	127	132	3 - 5 lb	2	11-1-7104	3	F2	129 1/2	129 3/4	130		130	129 1/8	129 3/4	130	129 1/8	130	99																						
23	Verification of corner vent stow bar with stitching measured	7/16	9/16	0		11-1-7105	2	B6			1/2	1/2																													
24	Verify Symmetry items 1, 13, 16 and 22 (Go/No Go)							Item 1	GO	Item 13	GO	Item 16	GO	Item 22																											
Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):								GO/GO								GO								RP of VULR																	
Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):																																									
Visual Inspection + Line Continuity (GO/NO GO):																																									
Visual Inspection Notes:																																									

T-11 SYSTEM

**Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):**

Go Go / Go

**Is Every S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):**

**Visual Inspection + Line Continuity (GO/NO GO):**

**Visual Inspection Notes:**

RR DR 11/11

## T-11 SYSTEM

Inspection Date: 9/28/23

Inspector: Rataj / Robinson

Box #13	T11 Canopy		S/N: 14276					DoM: 09/23				Inspection Date: 9/28/23												Inspector: Rataj / Robinson																		
	Package 1		Min	Max	Tension	Sym	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28					
1	Center Section Main Seams	297	303	5 - 8 lb	3	11-1-7104	1	E2	299	299	299	299	299	299	299	299	300																									
13	Vent Length	96	100	3 - 5 lb	2	11-1-7104	2	F6																																		
14	Vent Top Box-X Vertical Space	1/8	1/4			11-1-7105	2	F7																																		
15	Vent Top Box-X Horizontal Space	1/8	1/4			11-1-7105	2	F7																																		
16	Arm Section Main Seams	127	132	3 - 5 lb	2	11-1-7104	3	F2	129 1/2	129 1/2	129 1/2	3/8		129 5/8	129 1/2	129 1/2	129 3/8	129 1/4	129 1/2																							
23	Verification of corner vent stow bar with stitching measured	7/16	9/16	0		11-1-7105	2	B6																																		
24	Verify Symmetry items 1, 13, 16 and 22 (Go/No Go)								Item 1 Go	Item 13 Go	Item 16 Go	Item 22																														
Confirm S/N on Canopy Matches S/N on Inspection Card (GO/NO GO):										Go/Go																				OK		OK		OK								
Confirm S/N on Canopy Matches S/N on Inspection Sheet (GO/NO GO):										GO																				RP		WWR		OK								
Visual Inspection Notes:																																										

**T-11 SYSTEM**

Box #1	T11R Canopy	S/N: 96731	DoM: 8-23	Inspection Date: 9-25-23					Inspector: Reece												17	18	19	20		
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	QR SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8	37 3/4	37 7/8	37 7/8	37 3/4	37 3/4	37 7/8	37 3/4	37 3/4	37 5/8	37 7/8	37 3/4	37 3/4	37 3/4	37 7/8	37 3/4	37 3/4	37 3/4	37 1/2	
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5	19 2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2	19 1/2
5	QR SL Overall Skirt Band Width	37 1/4	38 1/4		11-1-9923	7	C4	244 7/8	244 7/8	243 7/8	244															
Visual Inspection + Line Continuity (GO/NO GO): GO																										
Visual Inspection Notes:																										

switched

Box #2	T11R Canopy	S/N: 96738	DoM: 8-23	Inspection Date: 9-25-23					Inspector: Reece												17	18	19	20			
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5	34 34	34 1/8	34 34																	
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	182 182	
6	Line Attach Loop Length	7/8	1 1/8		11-1-9923	8	C6	7/8 7/8	7/8 1	7/8 7/8	7/8 1	7/8 7/8															
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7																				
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5	38 5/8																			
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
Visual Inspection + Line Continuity (GO/NO GO): GO																											
Visual Inspection Notes:																											

WDR QR RP

**T-11 SYSTEM**

Box #3	T11R Canopy	S/N: 96741		DoM: 8-23		Inspection Date: 9-26-23					Inspector: Reece																
		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	Package 2																										
11	Cross-Seam Mis-Alignment Seam	-	1/4			11-1-9923	2	G6	1/8	1/16	1/8	1/16	0	1/16	0	1/8	1/8										
12	Cross-Seam Mis-Alignment Seam	-	1/4			11-1-9923	2	G6	1/8	0	0	0	0	1/8	0	0	0										
13	Cross-Seam Mis-Alignment Seam	-	1/8			11-1-9923	2	G6	0	0	0	0	0	0	0	1/16	0	0									
14	Cross-Seam Mis-Alignment Seam	-	1/4			11-1-9923	2	G6	1/8	0	0	1/16	0	0	1/8	0	0										
Visual Inspection + Line Continuity (GO/NO GO):		GO																									
Visual Inspection Notes:																											

RR VJWR OK

Box #4	T11R Canopy	S/N: 96751		DoM: 8-23		Inspection Date: 9-26-23					Inspector: Reece																
		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	Package 2																										
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8	244 1/8	244 1/16	244 1/16	244 1/16	244 1/8	244 1/8	243 1/8	244 1/8	244 1/8	244 1/8	243 1/8	244 1/8	244 1/8	244 1/16						
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8	19 5/8
5	Skirt Band Width	37 1/4	38 1/4			11-1-9923	7	C4	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	37 7/8	
Visual Inspection + Line Continuity (GO/NO GO):		GO																									
Visual Inspection Notes:																											

RR VJWR OK

**T-11 SYSTEM**

Box #5	T11R Canopy	S/N: 96758		DoM: 8-23		Inspection Date: 9-26-23		Inspector: Reece																						
		Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5	34 1/4	34 1/8																					
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5	189 1/2	181 1/2	181 1/2	182 1/2	181 1/2	181 1/2	181 1/2	181 1/2	181 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	182 1/2	181 1/2	181 1/2	181 1/2	181 1/2	181 1/2	181 1/2		
7	Line Attach Webbing Length	4 3/8	4 5/8		11-1-9923	8	C6	45/8 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2	41/2 4 1/2		
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7			1		15/16																		
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5	40																						
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0	1/16 0		
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	1/8 0	0 0	0 0																			

GO

OR

RR

VJWR

OS

Visual Inspection + Line Continuity (GO/NO GO):

Visual Inspection Notes:

Box #6	T11R Canopy	S/N: 96762		DoM: 8-23		Inspection Date: 9-26-23		Inspector: Reece																				
		Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6												1/8 0	1/16 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6												0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6												1/16 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6												0 0	1/8 0	0 0	0 0	1/8 0	0 0	0 0	0 0	0 0	0 0

GO

RR ✓ JWR

OS

Visual Inspection + Line Continuity (GO/NO GO):

Visual Inspection Notes:

**T-11 SYSTEM**

Box #7	T11R Canopy	S/N: 96773	DoM: 8-23	Inspection Date: 9-26-23				Inspector: Reece																			
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8																				
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5																				
5	Skirt Band Width	37 1/4	38 1/4		11-1-9923	7	C4																				
Visual Inspection + Line Continuity (GO/NO GO):								GO																			
Visual Inspection Notes:																											

Box #8	T11R Canopy	S/N: 96783	DoM: 8-23	Inspection Date: 9-26-23				Inspector: Reece																		
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5																			
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5																			
8	Break Tab Location	19 1/2	20		11-1-9923	8	E6																			
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7																			
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5																			
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																			
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																			
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6																			
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																			
Visual Inspection + Line Continuity (GO/NO GO):								GO																		
Visual Inspection Notes:																										

**T-11 SYSTEM**

Box #9	T11R Canopy	S/N:	96799	DoM:	9-23	Inspection Date:	9-26-23	Inspector:	Reece												14	15	16	17	18	19	20
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8																				
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5																				
5	Skirt Band Width	37 1/4	38 1/4		11-1-9923	7	C4																				
Visual Inspection + Line Continuity (GO/NO GO):								GO																			
Visual Inspection Notes:																											

VWR RP OR

switched

Box #10	T11R Canopy	S/N:	96804	DoM:	9-23	Inspection Date:	9-26-23	Inspector:	Reece												14	15	16	17	18	19	20
	Package 2	Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
2	SL Long Leg length	180 33 3/4	184 34 1/4	8 - 12 lb	11-1-7083	1	DS	181 181	181 181	181 181	181 181	180 181	181 181														
4	SL Long leg Main Seam length	33 3/4 180	34 1/4 184	3 - 5 lb	11-1-9923	2	G5	34 1/4 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	34 34	
6	Line Attach Loop Length	7/8	1 1/8		11-1-9923	8	C6	7/8 1	1 1	7/8 15/16	15/16 7/8	7/8 15/16															
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7																				
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5	39 1/2																			
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/8 0	1/8 1/16	1/8 3/16	1/8 1/16	0 0	1/16 0	1/16 0	0 0	0 0	1/8 1/16	1/8 1/16	0 0	1/16 1/16							
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	1/16 0	3/16 1/16	1/16 1/16	1/8 0	0 0	0 0	4/16 0	1/16 0	0 0	1/16 1/16	1/8 1/16	0 0	0 0	1/16 1/16	1/16 1/16	0 0	1/16 1/16	0 0	
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	4/16 0	0 0	0 0	0 0	1/16 0	1/16 0	0 0								
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	4/16 0	4/16 0	0 0								
Visual Inspection + Line Continuity (GO/NO GO):								GO																			
Visual Inspection Notes:																											

RP VWR OC

**T-11 SYSTEM**

Box #11	T11R Canopy	S/N: 96823		DoM: 9/23		Inspection Date: 9-28-23		Inspector: Reece																			
		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	1/16	0	0	0	0	1/8	0	0	0	0	0	0	0	0	0	1/16	1/16	1/8	1/8	1/8
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0	0	0	0	0	0	1/16	1/16	0	0	0	0	0	0	0	0	0	0	0	1/8
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6	0	0	0	0	1/16	0	0	1/16	0	0	0	0	0	0	0	0	0	0	0	0
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6	0	0	0	0	1/8	0	0	0	1/8	0	0	0	0	0	0	0	0	0	0	1/16

Visual Inspection + Line Continuity (GO/NO GO): **GO**

Visual Inspection Notes:

RR ✓ WR

OR

Box #12	T11R Canopy	S/N: 96829		DoM: 9/23		Inspection Date: 9-28-23		Inspector: Reece																				
		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	SL Overall Length	242	246	8 - 12 lb	11-1-9922	1	D8																					
3	SL Short Leg Length	19 1/4	19 3/4	8 - 12 lb	11-1-7083	1	F5																					
5	Skirt Band Width	37 1/4	38 1/4		11-1-9923	7	C4																					

Visual Inspection + Line Continuity (GO/NO GO): **GO**

Visual Inspection Notes:

RR ✓ WR

OR

Box #13	T11R Canopy	S/N: 96832		DoM: 9/23		Inspection Date: 9-28-23		Inspector: Reece																				
		Min	Max	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
2	SL Long Leg Length	33 3/4	34 1/4	8 - 12 lb	11-1-7083	1	D5																					
4	Main Seam Length	180	184	3 - 5 lb	11-1-9923	2	G5																					
7	Line Attach Webbing Length	4 3/8	4 5/8		11-1-9923	8	C6																					
9	Scoop Tab Length	7/8	1 1/8		11-1-9923	5	H7																					
10	Apex Half-Circumference	38 1/2	41	3 - 5 lb	11-1-9923	6	B5																					
11	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																					
12	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																					
13	Cross-Seam Mis-Alignment Seam	-	1/8		11-1-9923	2	G6																					
14	Cross-Seam Mis-Alignment Seam	-	1/4		11-1-9923	2	G6																					

Visual Inspection + Line Continuity (GO/NO GO): **GO**

Visual Inspection Notes:

RR ✓ WR

OR

## T-11 SYSTEM

Box	T11 Bridle	DoM:	8/27	Inspection Date:	9/20/27	Inspector:	K. GRANT
#1	Package 3	Min	Max	Drawing	Sheet	Zone	Top
6	Overall Length	118	122	11-1-7062	1	F4	119 $\frac{1}{2}$
Visual Inspection (GO/NO GO):	Go						
Visual Inspection Notes:							

Box	Deployment Sleeve	DoM:	9/27	Inspection Date:	9/20/27	Inspector:	K. GRANT
#1	Package 3	Min	Max	Drawing	Sheet	Zone	Left
5	Edge Fold Width	7/16	9/16	11-1-7061	2	G7	1 $\frac{1}{2}$
6	Flap Length	8 3/8	8 5/8	11-1-7061	2	B4	8 3/8
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	11 3/4
Visual Inspection (GO/NO GO):	Go						
Visual Inspection Notes:							

## T-11 SYSTEM

<b>Box #2</b>	<b>T11 Bridle</b>	<b>DoM:</b> 9/27	<b>Inspection Date:</b> 9/20/27		<b>Inspector:</b> K. GRANT	
4	End Fold Length	3 1/8	3 5/8	11-1-7062	1	F2
6	Overall Length	118	122	11-1-7062	1	F4
<b>Visual Inspection (GO/NO GO):</b> Go						
<b>Visual Inspection Notes:</b>						

<b>Box #2</b>	<b>Deployment Sleeve</b>	<b>DoM:</b> 8/23	<b>Inspection Date:</b> 9/20/27		<b>Inspector:</b> K. GRANT	
	Package 3	Min	Max	Drawing	Sheet	Zone
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6
2	Top Width	12 1/4		11-1-7061	1	E1
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5
<b>Visual Inspection (GO/NO GO):</b> Go						
<b>Visual Inspection Notes:</b>						

### T-11 SYSTEM

<b>Box #3</b>	<b>T11 Bridle</b>	<b>DoM:</b> 9/23	<b>Inspection Date:</b> 9/20/23		<b>Inspector:</b> K. GRANT
3	Sleeve Length	35 1/2	36 1/2	11-1-7062	1 D5
6	Overall Length	118	122	11-1-7062	1 F4
<b>Visual Inspection (GO/NO GO):</b>		Go			
<b>Visual Inspection Notes:</b>					

<b>Box #3</b>	<b>Deployment Sleeve</b>	<b>DoM:</b> 8/23	<b>Inspection Date:</b> 9/20/23		<b>Inspector:</b> K. GRANT
7	Flap Loop Length	4 3/8	4 5/8	11-1-7061	2 B3
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1 F5
<b>Visual Inspection (GO/NO GO):</b>		Go			
<b>Visual Inspection Notes:</b>					

## T-11 SYSTEM

<b>Box #4</b>	<b>T11 Bridle</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>		<b>9/20/23</b>	<b>Inspector:</b>	<b>K. GRANT</b>
<b>5</b>	Length to First Bartack	1 13/16	1 15/16	11-1-7062	1	F1	$1\frac{13}{16}$	$1\frac{13}{16}$
<b>6</b>	Overall Length	118	122	11-1-7062	1	F4	$120\frac{3}{4}$	
<b>Visual Inspection (GO/NO GO):</b>		Go						

<b>Box #4</b>	<b>Deployment Sleeve</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>		<b>9/20/23</b>	<b>Inspector:</b>	<b>K. GRANT</b>
<b>5</b>	Edge Fold Width	7/16	9/16	11-1-7061	2	G7	$\frac{1}{2}$	$\frac{1}{2}$
<b>6</b>	Flap Length	8 3/8	8 5/8	11-1-7061	2	B4	$8\frac{3}{8}$	$8\frac{3}{8}$
<b>11</b>	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	$11\frac{7}{8}$	
<b>Visual Inspection (GO/NO GO):</b>		Go						
<b>Visual Inspection Notes:</b>								

## T-11 SYSTEM

Box #5	<b>T11 Bridle</b>	DoM: 9/23		Inspection Date: 9/25/23		Inspector: K. GRANT	
	<b>Package 3</b>	Min	Max	Drawing	Sheet	Zone	Top
6	Overall Length	118	122	11-1-7062	1	F4	120 $\frac{1}{4}$
<b>Visual Inspection (GO/NO GO):</b> Go							
<b>Visual Inspection Notes:</b>							

Box #5	<b>Deployment Sleeve</b>	DoM: 9/23		Inspection Date: 9/25/23		Inspector: K. GRANT	
	<b>Package 3</b>	Min	Max	Drawing	Sheet	Zone	Left
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6	16
2	Top Width	12 1/4		11-1-7061	1	E1	12 $\frac{1}{2}$
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3	13
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	12
<b>Visual Inspection (GO/NO GO):</b> Go							
<b>Visual Inspection Notes:</b>							

## T-11 SYSTEM

Box #6	T11 Bridle	DoM:	9/23	Inspection Date:	9/25/23	Inspector:	K. GRANT
2	Start Length to Sleeve	2 1/4	2 3/4	11-1-7062	1	D6	2 1/2
6	Overall Length	118	122	11-1-7062	1	F4	120 1/2
Visual Inspection (GO/NO GO):		Go					
Visual Inspection Notes:							

Box #6	Deployment Sleeve	DoM:	9/23	Inspection Date:	9/25/23	Inspector:	K. GRANT
8	Stow Flap Webbing Length (Front)	1 3/8	1 5/8	11-1-7119	1	C7	1 5/8
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	12
Visual Inspection (GO/NO GO):		Go					
Visual Inspection Notes:							

## T-11 SYSTEM

<b>Box #7</b>	<b>T11 Bridle</b>	<b>DoM:</b> 9/23	<b>Inspection Date:</b> 9/25/23		<b>Inspector:</b> K. GRANT	
5	Length to First Bartack	1 13/16	1 15/16	11-1-7062	1	F1
6	Overall Length	118	122	11-1-7062	1	F4
<b>Visual Inspection (GO/NO GO):</b> Go						
<b>Visual Inspection Notes:</b>						

<b>Box #7</b>	<b>Deployment Sleeve</b>	<b>DoM:</b> 9/23	<b>Inspection Date:</b> 9/25/23		<b>Inspector:</b> K. GRANT	
5	Edge Fold Width	7/16	9/16	11-1-7061	2	G7
9	Stow Flap Webbing Length (Rear)	1 7/8	2 1/8	11-1-7119	1	D1
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5
<b>Visual Inspection (GO/NO GO):</b> Go						
<b>Visual Inspection Notes:</b>						

## T-11 SYSTEM

Box #8	T11 Bridle	DoM:	9/23	Inspection Date:		9/26/23	Inspector:	K. GRANT
1	Sleeve Width	1 1/4	1 1/2	11-1-7062	1	E7	1 3/8	
6	Overall Length	118	122	11-1-7062	1	F4	120 1/2	
Visual Inspection (GO/NO GO):			Go					
Visual Inspection Notes:								

Box #8	Deployment Sleeve	DoM:	9/23	Inspection Date:		9/26/23	Inspector:	K. GRANT
	Package 3	Min	Max	Drawing	Sheet	Zone	Left	Right
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6	16	
2	Top Width	12 1/4		11-1-7061	1	E1	12 1/2	
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3	13	NOTE: 24" from flap
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	12	
Visual Inspection (GO/NO GO):			Go					
Visual Inspection Notes:								

## T-11 SYSTEM

<b>Box #9</b>	<b>T11 Bridle</b>	<b>DoM:</b> 9/27	<b>Inspection Date:</b> 9/26/27			<b>Inspector:</b> K. GRANT
5	Length to First Bartack	1 13/16	1 15/16	11-1-7062	1	F1
6	Overall Length	118	122	11-1-7062	1	F4
<b>Visual Inspection (GO/NO GO):</b>		GO				
<b>Visual Inspection Notes:</b>						

<b>Box #9</b>	<b>Deployment Sleeve</b>	<b>DoM:</b> 9/27	<b>Inspection Date:</b> 9/26/27			<b>Inspector:</b> K. GRANT
4	Overall Length	223	229	11-1-7061	1	C4
5	Edge Fold Width	7/16	9/16	11-1-7061	2	G7
10	Stow Flap Webbing Placement (Rear)	1 5/8	1 7/8	11-1-7119	1	C1
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5
<b>Visual Inspection (GO/NO GO):</b>		GO				
<b>Visual Inspection Notes:</b>						

### T-11 SYSTEM

Box #10	T11 Bridle	DoM: 9/23	Inspection Date: 9/26/23	Inspector: K. GRANT
4	End Fold Length	3 1/8	3 5/8	11-1-7062 1 F2 $3\frac{3}{8}$
6	Overall Length	118	122	11-1-7062 1 F4 $120\frac{1}{2}$
Visual Inspection (GO/NO GO): <b>Go</b>				
Visual Inspection Notes:				

Box #10	Deployment Sleeve	DoM: 9/23	Inspection Date: 9/26/23	Inspector: K. GRANT			
	Package 3	Min	Max	Drawing	Sheet	Zone	Left Right
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6	$16$
2	Top Width	12 1/4		11-1-7061	1	E1	$12\frac{1}{2}$
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3	$13$
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	$12$
Visual Inspection (GO/NO GO): <b>Go</b>							
Visual Inspection Notes:							

### T-11 SYSTEM

Box #11	<b>T11 Bridle</b>	DoM:	9/23	Inspection Date:	9/28/23	Inspector:	K. GRANT
3	Sleeve Length	35 1/2	36 1/2	11-1-7062	1	D5	36 1/4
6	Overall Length	118	122	11-1-7062	1	F4	120 1/2
<b>Visual Inspection (GO/NO GO):</b>		Go					
<b>Visual Inspection Notes:</b>							

Box #11	<b>Deployment Sleeve</b>	DoM:	9/23	Inspection Date:	9/28/23	Inspector:	K. GRANT
7	Flap Loop Length	4 3/8	4 5/8	11-1-7061	2	B3	4 1/2
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	12
<b>Visual Inspection (GO/NO GO):</b>		Go					
<b>Visual Inspection Notes:</b>							

## T-11 SYSTEM

<b>Box #12</b>	<b>T11 Bridle</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>		<b>9/28/23</b>	<b>Inspector:</b>	<b>K. GRANT</b>
5	Length to First Bartack	1 13/16	1 15/16	11-1-7062	1	F1	1 9/16	1 9/16
6	Overall Length	118	122	11-1-7062	1	F4	120 3/4	
<b>Visual Inspection (GO/NO GO):</b>		Go						
<b>Visual Inspection Notes:</b>								

<b>Box #12</b>	<b>Deployment Sleeve</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>		<b>9/28/23</b>	<b>Inspector:</b>	<b>K. GRANT</b>
5	Edge Fold Width	7/16	9/16	11-1-7061	2	G7	1/2	1/2
6	Flap Length	8 3/8	8 5/8	11-1-7061	2	B4	8 3/8	8 3/8
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	12	
<b>Visual Inspection (GO/NO GO):</b>		Go						
<b>Visual Inspection Notes:</b>								

## T-11 SYSTEM

Box #13	T11 Bridle	DoM: 9/23		Inspection Date: 9/28/23		Inspector: K. GRANT			
	Package 3		Min	Max	Drawing	Sheet	Zone	Top	Bottom
6	Overall Length	118	122	11-1-7062	1	F4	12 1/2		
Visual Inspection (GO/NO GO):		Go							
Visual Inspection Notes:									

Box #13	Deployment Sleeve	DoM: 9/23		Inspection Date: 9/28/23		Inspector: K. GRANT			
	Package 3		Min	Max	Drawing	Sheet	Zone	Left	Right
1	Bottom Width	15 1/2	16 1/2	11-1-7061	1	E6	16		
2	Top Width	12 1/4		11-1-7061	1	E1	12 1/4		
3	Overall Width	12 1/2	13 1/2	11-1-7061	1	C3	13	NOTE: 24" from flap	
11	Stow Flap Width	11 3/4	12 1/4	11-1-7119	1	F5	12		
Visual Inspection (GO/NO GO):		Go							
Visual Inspection Notes:									

## T-11 SYSTEM

Box #1	T11R Extractor	DoM:	9/23			Inspection Date:	9/19/23			Lot Number																									
			Package A																																
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12														
1	Centerline Length	48 1/2	49 1/2			8 - 12 lb	11-1-9771	2	F7	49																									
2	Centerline finger trap stitch	2 1/4	2 3/4				11-1-9771	1	G7	2 1/2																									
3	Line Length	39 1/2	40 1/2			8 - 12 lb	11-1-9771	1	C6	39 3/4	39 1/2	39 3/4	39 3/4	39 3/4	39 3/4	39 3/4	39 3/4	39 3/8	39 3/4	39 3/4	39 3/4														
Visual Inspection (GO/NO GO):											Go																								
Inspector:	K. GRANT																																		
Visual Inspection Notes:																																			

Box #2	T11R Extractor	DoM:	9/23			Inspection Date:	9/19/23			Lot Number																									
			Package A																																
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12														
5	Line finger trap stitch (Measure 12)	2 1/4	2 3/4				11-1-9774	1	D3	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2														
6	Canopy Diameter	58 5/8	61 1/8				11-1-9772	2	G1	58 3/4																									
7	Center Line Thru Canopy (View D and section E-E)	Go/No Go					11-1-9771	2	C2, G7	Go																									
8	Canopy Bar Tack (12 - 1/8 x 1)	13 7/8	11 1/8				11-1-9771	1	E6	7/8	13/16	13/16	13/16	13/16	7/8	13/16	13/16	13/16	13/16	13/16	13/16														
Visual Inspection (GO/NO GO):											Go																								
Inspector:	K. GRANT																																		
Visual Inspection Notes:																																			

Box #3	T11R Extractor	DoM:	9/23			Inspection Date:	9/19/23			Lot Number																												
			Package A																																			
			Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12																	
6	Canopy Diameter	58 5/8	61 1/8				11-1-9772	2	G1	59	58 3/4	/	/	/	/	/	/	/	/	/	/	/																
Visual Inspection (GO/NO GO):											Go																											
9	Extractor Bridle Assembly Length	14 3/8	14 5/8			3-5 lb	11-1-9776	1	C4	14 5/8	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2																	
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8				11-1-9776	1	D7, E2	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8																	
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)	Go/No Go				11-1-9776	1	E7, E2	Go	Go	Go	Go	Go	Go	Go	Go	Go	Go	Go	Go	Go	Go																
Visual Inspection extractor assembly (GO/NO GO):											Go																											
Inspector:	K. GRANT																																					
Visual Inspection Notes:																																						

9/23

## T-11 SYSTEM

Box #4	T11R Extractor	DoM:	Inspection Date:		9/19/23		Lot Number														
	Package 4																				
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	
1	Centerline Length	48 1/2	49 1/2		8-12 lb	11-1-9771	2	F7	49 1/8												
2	Centerline finger trap stitch	2 1/4	2 3/4			11-1-9771	1	G7	2 1/2												
3	Line Length	39 1/2	40 1/2		8-12 lb	11-1-9771	1	C6	39 5/8	39 5/8	39 5/8	39 1/2	39 5/8	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	39 1/2	
4	Verify Symmetry Items 3 (Go/No Go)		1/2			11-1-9771	1	C6	Go												
Visual Inspection (GO/NO GO):		Go																			
Inspector:	K. GRANT																Visual Inspection Notes:				

9/23

Inspection Date: 9/25/23

Lot Number

Box #5	T11R Extractor	DoM:	Inspection Date:		9/25/23		Lot Number														
	Package 4																				
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	
3	Line Length	39 1/2	40 1/2		8-12 lb	11-1-9771	1	C6	39 5/8	39 5/8	39 5/8	39 5/8	39 5/8	39 1/2	39 5/8	39 1/2	39 5/8	39 5/8	39 5/8	39 5/8	
4	Verify Symmetry Items 3 (Go/No Go)		1/2			11-1-9771	1	C6	Go												
Visual Inspection (GO/NO GO):		Go																			
9	Extractor Bridle Assembly Length	14 3/8	14 5/8		3-5 lb	11-1-9776	1	C4	14 1/2	14 1/2	14 1/2	14 5/8	14 5/8	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8			11-1-9776	1	D7, E2	15/16	15/16	15/16	15/16	15/16	15/16	15/16	15/16	15/16	15/16	15/16	15/16	
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)		Go/No Go			11-1-9776	1	E7, E2	Go	Go	Go	Go									
Visual Inspection extractor assembly (GO/NO GO):		Go																			
Inspector:	K. GRANT																Visual Inspection Notes:				

9/23

Inspection Date: 9/25/23

Lot Number

Box #6	T11R Extractor	DoM:	Inspection Date:		9/25/23		Lot Number														
	Package 4																				
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	
9	Extractor Bridle Assembly Length	14 3/8	14 5/8		3-5 lb	11-1-9776	1	C4	14 5/8	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 1/2	14 5/8	
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8			11-1-9776	1	D7, E2	15/16	15/16	15/16	7/8	7/8	7/8	15/16	7/8	7/8	7/8	7/8	7/8	
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)		Go/No Go			11-1-9776	1	E7, E2	Go	Go	Go	Go									
Visual Inspection extractor assembly (GO/NO GO):		Go																			
Inspector:	K. GRANT																Visual Inspection Notes:				

## T-11 SYSTEM

Box #7	T11R Extractor	DoM:	9/23		Inspection Date:		9/25/23		Lot Number												
	Package A																				
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12	
5	Line finger trap stitch (Measure 12)	2 1/4	2 3/4			11-1-9774	1	D3					V/O								
6	Canopy Diameter	59	61			11-1-9772	2	G1													
7	Center Line Thru Canopy (View D and section E-E)	Go/No Go				11-1-9771	2	C2, G7													
8	Canopy Bar Tack (12 - 1/8 x 1)	7/8	1 1/8			11-1-9771	1	E6													
Visual Inspection (GO/NO GO):		Go																			
Visual Inspection extractor assembly (GO/NO GO):		Go																			
Inspector: K. GRAM																					
Visual Inspection Notes:																					

Box #8	T11R Extractor	DoM:	9/23		Inspection Date:		9/26/23		Lot Number													
	Package A																					
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12		
1	Centerline Length	48 1/2	49 1/2		8 - 12 lb	11-1-9771	2	F7														
2	Centerline finger trap stitch	2 1/4	2 3/4			11-1-9771	1	G7	V/O													
3	Line Length	39 1/2	40 1/2		8 - 12 lb	11-1-9771	1	C6														
4	Verify Symmetry items 3 (Go/No Go)	1/2				11-1-9771	1	C6														
Visual Inspection (GO/NO GO):		Go																				
Inspector: K. GRAM																						
Visual Inspection Notes:																						

Box #9	T11R Extractor	DoM:	9/23		Inspection Date:		9/26/23		Lot Number													
	Package A																					
		Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12		
1	Centerline Length	48 1/2	49 1/2		8 - 12 lb	11-1-9771	2	F7														
2	Centerline finger trap stitch	2 1/4	2 3/4			11-1-9771	1	G7														
3	Line Length	39 1/2	40 1/2		8 - 12 lb	11-1-9771	1	C6														
4	Verify Symmetry items 3 (Go/No Go)	1/2				11-1-9771	1	C6														
5	Line finger trap stitch (Measure 12)	2 1/4	2 3/4			11-1-9774	1	D3	V/O													
6	Canopy Diameter	59	61			11-1-9772	2	G1														
7	Center Line Thru Canopy (View D and section E-E)	Go/No Go				11-1-9771	2	C2, G7														
Visual Inspection (GO/NO GO):		Go																				
Inspector: K. GRAM																						
Visual Inspection Notes:																						

## T-11 SYSTEM

Box #10	T11R Extractor	DoM:	9/23	Inspection Date:		9/26/23	Lot Number															
				Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12
2	Centerline finger trap stitch	2 1/4	2 3/4					11-1-9771	1	C7	2 1/2											
3	Line Length	39 1/2	40 1/2				8 - 12 lb	11-1-9771	1	G6	39 5/8	39 5/8	39 5/8	39 5/8	39 1/2	39 5/8	39 1/2	39 5/8	39 1/2	39 5/8	39 5/8	39 5/8
4	Verify Symmetry items 3 (Go/No Go)			1/2				11-1-9771	1	G6	GO											
5	Line finger trap stitch (Measure 12)	2 1/4	2 3/4					11-1-9774	1	D3	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
6	Center Line Thru Canopy (View D and section E-E)	Go/No Go						11-1-9771	2	C2, G7	GO											
Visual Inspection (GO/NO GO):		GO																				
Inspector:		K. GRANT																				

Box #11	T11R Extractor	DoM:	9/23	Inspection Date:		9/28/23	Lot Number															
				Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12
1	Line finger trap stitch (Measure 12)	2 1/4	2 3/4					11-1-9774	1	D3	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
2	Canopy Diameter	59	61					11-1-9772	2	G1	59 1/4	59	/	/	/	/	/	/	/	/	/	/
3	Center Line Thru Canopy (View D and section E-E)	Go/No Go						11-1-9771	2	C2, G7	GO											
4	Canopy Bar Tack (12 - 1/8 x 1)	7/8	1 1/8					11-1-9771	1	E6	13/16	13/16	13/16	13/16	13/16	13/16	13/16	13/16	13/16	13/16	13/16	13/16
Visual Inspection (GO/NO GO):		GO																				
Inspector:		K. GRANT																				

Box #12	T11R Extractor	DoM:	9/23	Inspection Date:		9/28/23	Lot Number															
				Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12
9	Extractor Bridle Assembly Length	14 3/8	14 5/8				3.5 lb	11-1-9776	1	C4												
10	Extractor Bridle Assembly Loop (Measure 10)	7/8	1 1/8					11-1-9776	1	D7, E2												
11	Extractor Bridle Assembly Bar tack (2 - 3/16 x 5/8) (Review 10)	Go/No Go						11-1-9776	1	E7, E2	GO											
Visual Inspection extractor assembly (GO/NO GO):		GO																				
Inspector:		K. GRANT																				

Box #13	T11R Extractor	DoM:	9/23	Inspection Date:		9/28/23	Lot Number															
				Min	Max	Symmetry	Tension	Drawing	Sheet	Zone	1	2	3	4	5	6	7	8	9	10	11	12
3	Line Length	39 1/2	40 1/2				8 - 12 lb	11-1-9771	1	G6												
6	Canopy Diameter	59	61					11-1-9772	2	G1												
Visual Inspection (GO/NO GO):		K. GRANT GO																				
Inspector:		K. GRANT																				

## T-11 SYSTEM

Box #1				T11 Risers				DoM: 9/23				Inspection Date: 9/9/23			
Package 5		Min	Max	DWG		Sheet	Zone	Top Left		Bottom Left		Top Right		Bottom Right	
1	Overall Length	27	3/4	28	1/4	11-1-7719	1	F4	28	28	28	28	28	1/4	28
2	Riser Leg Offset			1/4		11-1-7719	1	G4	0				1/4		
3	Glue - Riser set - Check thread presents	GO/NO GO	GO/NO GO	11-1-7719	1	B2/B5	GO	GO	GO	GO	GO	GO	GO	GO	GO

Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): **G O**

Inspector: K. Grant

Visual Inspection Notes:

Box #1				T11R Risers				DoM: 9/23				Inspection Date: 9/9/23			
Min		Max	Drawing	Sheet		Zone	Top Left	Bottom Left		Top Right		Bottom Right			
1	Overall Length	47	1/2	48	1/2	11-1-7729	1	F5	47 3/4	47 1/2	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4
2	Webbing Leg Offset			1/4		11-1-7729	1	C1	1/4			0			
3	Riser Set Offset			1/2		11-1-7729	1	F5	1/4						
4	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	GO/NO GO	11-1-7729	1	Several	GO								
5	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	GO/NO GO	11-1-7729	2	Several	GO								

Visual Inspection (GO/NO GO): **G O**

Inspector: K. Grant

Visual Inspection Notes:

## T-11 SYSTEM

Box #2		T11 Risers		DoM: 9/23		Inspection Date: 9/19/23	
Package	5	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left
9	4-Point Stitching Length	1 7/8	2 1/8	11-1-7719	1	E2	2
11	Slip Assist Loop Length	6 7/8	7 1/8	11-1-7719	1	B3	6 7/8
12	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G <sub>o</sub>	G <sub>o</sub>
<b>Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):</b> G <sub>o</sub>							
Inspector:	K. Grant						
Visual Inspection Notes:							

Box #2		T11R Risers		DoM: 9/23		Inspection Date: 9/19/23	
Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
47 1/2	48 1/2	11-1-7729	1	F5	47 3/4	47 3/4	47 3/4
1	Overall Length						
2	Webbing Leg Offset	1/4	11-1-7729	1	C1	O	O
3	Riser Set Offset	1/2	11-1-7729	1	F5	O	
9	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G <sub>o</sub>	
10	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G <sub>o</sub>	
<b>Visual Inspection (GO/NO GO):</b> G <sub>o</sub>							
Inspector:	L. Grant						
Visual Inspection Notes:							

## T-11 SYSTEM

Box #3		T11 Risers		DoM: 9/27		Inspection Date: 9/19/23	
	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right
1	Overall Length	27 3/4	28 1/4	11-1-7719	1	F4	28 1/4
2	Riser Leg Offset		1/4	11-1-7719	1	G4	1/4
3	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G <sub>2</sub>	G <sub>2</sub>
4	<b>Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):</b>		G <sub>2</sub>				
5	Inspector:	K. Grant					
6	Visual Inspection Notes:						

Box #3		T11R Risers		DoM: 9/27		Inspection Date: 9/19/23	
	Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right
1	Overall Length	47 1/2	48 1/2	11-1-7729	1	F5	47 3/4
2	Webbing Leg Offset		1/4	11-1-7729	1	C1	O
3	Riser Set Offset		1/2	11-1-7729	1	F5	O
4							
5	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G <sub>2</sub>	
6	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G <sub>2</sub>	
7	<b>Visual Inspection (GO/NO GO):</b>		G <sub>2</sub>				
8	Inspector:	K. Grant					
9	Visual Inspection Notes:						

## T-11 SYSTEM

Box #4							T11 Risers							DoM: 9/23							Inspection Date: 9/19/23						
Package 5		Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right	Top Left		Bottom Left	Top Right	Bottom Right	Top Left		Bottom Left	Top Right	Bottom Right								
1	Overall Length	27	3/4	28	1/4	11-1-7719	1	F4	28 1/4	28	28	28	28	28	28	28	28	28	28								
2	Riser Leg Offset			1/4	11-1-7719	1	G4	1/8					0														
12	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G0	G0	G0	G0	GO	GO	GO	GO	GO	GO	GO	GO	GO	GO								
<b>Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):</b>							<b>GO</b>																				
Inspector:	K. Grant																										
Visual Inspection Notes:																											

Box #4							T11R Risers							DoM: 9/23							Inspection Date: 9/19/23						
Package 5		Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right	Top Left		Bottom Left	Top Right	Bottom Right	Top Left		Bottom Left	Top Right	Bottom Right								
1	Overall Length	47	1/2	48	1/2	11-1-7729	1	F5	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4	47 3/4			
2	Webbing Leg Offset			1/4	11-1-7729	1	C1	0					0														
3	Riser Set Offset			1/2	11-1-7729	1	F5	0					0														
9	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G0																					
10	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G0																					
<b>Visual Inspection (GO/NO GO):</b>							<b>G0</b>																				
Inspector:	L. Grant																										
Visual Inspection Notes:																											

## T-11 SYSTEM

Box #5		T11R Risers		DoM: 9/21		Inspection Date: 9/25/23	
	Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right
Package 5	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right
1 Overall Length	27	3/4	28 1/4	11-1-7719	1	F4	28 1/4
2 Riser Leg Offset		1/4	11-1-7719	1	G4	1/4	1/4
12 Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G <sub>o</sub>	G <sub>o</sub>	G <sub>o</sub>
<b>Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):</b>		<b>Go</b>					
Inspector:	L. Grant						
Visual Inspection Notes:							

Box #5		T11R Risers		DoM: 9/21		Inspection Date: 9/25/23	
	Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right
1 Overall Length	47	1/2	48 1/2	11-1-7729	1	F5	47 1/8
2 Webbing Leg Offset		1/4	11-1-7729	1	C1	0	0
3 Riser Set Offset		1/2	11-1-7729	1	F5	1/8	
9 Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G <sub>o</sub>		
10 Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G <sub>o</sub>		
<b>Visual Inspection (GO/NO GO):</b>		<b>Go</b>					
Inspector:	K. Grant						
Visual Inspection Notes:							

## T-11 SYSTEM

Box #6		T11 Risers		DoM: 9/23		Inspection Date: 9/25/23	
	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right
<b>Package 5</b>							
<b>1</b> Overall Length	27	3/4	28 1/4	11-1-7719	1	F4	28 1/8
<b>2</b> Riser Leg Offset		1/4		11-1-7719	1	G4	1/8
<b>3</b> Glue - Riser set - Check							1/8
<b>4</b> thread presents			GO/NO GO	11-1-7719	1	B2/B5	GO
<b>5</b> Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):							GO
Inspector:	K. Grant						
Visual Inspection Notes:							

Box #6		T11R Risers		DoM: 9/23		Inspection Date: 9/25/23	
	Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right
<b>1</b> Overall Length	47	1/2	48 1/2	11-1-7729	1	F5	47 7/8
<b>2</b> Webbing Leg Offset			1/4	11-1-7729	1	C1	0
<b>3</b> Riser Set Offset		1/2		11-1-7729	1	F5	1/8
<b>4</b> Glue - Riser Set - 11R - Check for Thread presents			GO/NO GO	11-1-7729	1	Several	GO
<b>5</b> Glue - Spreader bar - Check for "WW" thread			GO/NO GO	11-1-7729	2	Several	GO
<b>6</b> Visual Inspection (GO/NO GO):							GO
Inspector:	K. Grant						
Visual Inspection Notes:							

## T-11 SYSTEM

Box #7		T11 Risers		DoM: 9/17		Inspection Date: 9/15/23			
Package	5	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
1	Overall Length	27	3/4	28	1/4	11-1-7719	1	F4	28
2	Riser Leg Offset			1/4	11-1-7719	1	G4	O	O
12	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G0	G0	G0	G0
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): <b>GO</b>									
Inspector:	K. GRANT								
Visual Inspection Notes:									

Box #7		T11R Risers		DoM: 9/17		Inspection Date: 9/15/23			
Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right		
1	Overall Length	47	1/2	48	1/2	11-1-7729	1	F5	V/0
2	Webbing Leg Offset			1/4	11-1-7729	1	C1		
3	Riser Set Offset			1/2	11-1-7729	1	F5		
9	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G0			
10	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G0			
Visual Inspection (GO/NO GO): <b>GO</b>									
Inspector:	K. GRANT								
Visual Inspection Notes:									

## T-11 SYSTEM

Box #8		T11 Risers		DoM: 9/17		Inspection Date: 9/24 / 23			
	Package 5	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
<b>1</b>	Overall Length	27 3/4	28 1/4	11-1-7719	1	F4	28	28 1/8	28
<b>2</b>	Riser Leg Offset		1/4	11-1-7719	1	G4	0		1/8
<b>12</b>	Glue - Riser set - Main	GO/NO GO	11-1-7719	1	B2/B5	G0	G0	G0	G0
<b>Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):</b> <b>GO</b>									
Inspector:	K. Grant								
Visual Inspection Notes:									
Box #8		T11R Risers		DoM: 9/21		Inspection Date: 9/24 / 23			
	Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right	
<b>1</b>	Overall Length	47 1/2	48 1/2	11-1-7729	1	F5			
<b>2</b>	Webbing Leg Offset		1/4	11-1-7729	1	C1	Y/0		
<b>3</b>	Riser Set Offset		1/2	11-1-7729	1	F5			
<b>9</b>	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO		11-1-7729	1	Several	G0		
<b>10</b>	Glue - Spreader bar - Check for "WW" thread	GO/NO GO		11-1-7729	2	Several	G0		
<b>Visual Inspection (GO/NO GO):</b> <b>GO</b>									
Inspector:	K. Grant								
Visual Inspection Notes:									

## T-11 SYSTEM

Box #9		T11 Risers			DoM: 9/23		Inspection Date: 9/26/23		
Package 5		Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
1	Overall Length	27	3/4	28	1/4	11-1-7719	1	F4	28 $\frac{1}{8}$
2	Riser Leg Offset			1/4	11-1-7719	1	G4	$\frac{1}{8}$	$\frac{1}{8}$
12	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G <sub>o</sub>	G <sub>o</sub>	G <sub>o</sub>	G <sub>o</sub>

**Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):**

Inspector:

Visual Inspection Notes:

Box #9		T11R Risers			DoM: 9/23		Inspection Date: 9/26/23	
Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right	
1	Overall Length	47	1/2	48	1/2	11-1-7729	1	F5
2	Webbing Leg Offset		1/4	11-1-7729	1	C1	Y/0	
3	Riser Set Offset		1/2	11-1-7729	1	F5		
9	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G <sub>o</sub>		
10	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G <sub>o</sub>		
	<b>Visual Inspection (GO/NO GO):</b>							
	Inspector: K. Grant							

Visual Inspection Notes:

**T-11 SYSTEM**

9/23 Ins

Box #10		T11 Risers		DoM: <del>9/28</del>		Inspection Date: 9/26/28	
Package	5	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left
9	4-Point Stitching Length	1 7/8	2 1/8	11-1-7719	1	E2	2
11	Slip Assist Loop Length	6 7/8	7 1/8	11-1-7719	1	B3	6 7/8
12	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G <sub>o</sub>	G <sub>o</sub>

Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):

L. Grant

Visual Inspection Notes:

9/23 Ins

Box #10		T11R Risers		DoM: <del>9/28</del>		Inspection Date: 9/26/28	
Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
1	Overall Length	47 1/2	48 1/2	11-1-7729	1	F5	47 3/4
2	Webbing Leg Offset		1/4	11-1-7729	1	C1	1/8
3	Riser Set Offset		1/2	11-1-7729	1	F5	1/8
9	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G <sub>o</sub>	
10	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G <sub>o</sub>	

Visual Inspection (GO/NO GO):

L. Grant

Visual Inspection Notes:

7/14

## T-11 SYSTEM

Box #11							T11 Risers							DoM: 9/27							Inspection Date: 9/28/23						
Package 5			Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right																	
1	Overall Length	27	3/4	28	1/4	11-1-7719	1	F4	28 1/8	28	28 1/8	28															
2	Riser Leg Offset				1/4	11-1-7719	1	G4	1/8																		
3	Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G0	G0	G0	G0	G0																	

Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO):

Inspector: L. Grant

Visual Inspection Notes:

Box #11							T11R Risers							DoM: 9/23							Inspection Date: 9/28/23						
Min			Max			Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right																
1	Overall Length	47	1/2	48	1/2	11-1-7729	1	F5	47 1/4	47 7/8	47 7/8																
2	Webbing Leg Offset				1/4	11-1-7729	1	C1	1/8		O																
3	Riser Set Offset				1/2	11-1-7729	1	F5	1/8																		
9	Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G0																					
10	Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G0																					

Visual Inspection (GO/NO GO):

Inspector: L. Grant

Visual Inspection Notes:

## T-11 SYSTEM

Box #12		T11 Risers			DoM: 9/27		Inspection Date: 9/28/23	
Packaged	Min	Max	DWG	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
1 Overall Length	27 3/4	28 1/4	11-1-7719	1	F4	28	28 1/4	28
2 Riser Leg Offset		1/4	11-1-7719	1	G4	0	1/8	1/8
12 Glue - Riser set - Check thread presents	GO/NO GO	11-1-7719	1	B2/B5	G0	G0	G0	G0
Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): <b>GO</b>								
Inspector:	K. GRANT							
Visual Inspection Notes:								

Box #12		T11R Risers			DoM: 9/23		Inspection Date: 9/28/23	
Packaged	Min	Max	Drawing	Sheet Zone	Top Left	Bottom Left	Top Right	Bottom Right
1 Overall Length	47 1/2	48 1/2	11-1-7729	1	F5			
2 Webbing Leg Offset		1/4	11-1-7729	1	C1	V/0		
3 Riser Set Offset		1/2	11-1-7729	1	F5			
9 Glue - Riser Set - 11R - Check for Thread presents	GO/NO GO	11-1-7729	1	Several	G0			
10 Glue - Spreader bar - Check for "WW" thread	GO/NO GO	11-1-7729	2	Several	G0			
Visual Inspection (GO/NO GO): <b>GO</b>								
Inspector:	K. GRANT							
Visual Inspection Notes:								

## T-11 SYSTEM

Box #13						T11 Risers						DoM: 9/23						Inspection Date: 9/28/23								
Package 5			Min			Max			DWG			Sheet Zone			Top Left			Bottom Left			Top Right			Bottom Right		
1	Overall Length	27	3/4	28	1/4	11-1-7719	1	F4	28	1/4	28	1/4	28	1/4	28	1/4	28	1/4	28	1/4	28	1/4	28	1/4	28	1/4
2	Riser Leg Offset					1/4		11-1-7719	1	G4	1/4															
12	Glue - Riser set - Check thread presents					GO/NO GO		11-1-7719	1	B2/B5	60		60		60		60		60		60		60		60	

Visual Inspection + Canopy Release Functional w/ Harness (GO/NO GO): **GO**

Inspector: **K. CHAN**

Visual Inspection Notes:

Box #13						T11R Risers						DoM: 9/23						Inspection Date: 9/28/23								
Box #13			Min			Max			Drawing			Sheet Zone			Top Left			Bottom Left			Top Right			Bottom Right		
1	Overall Length	47	1/2	48	1/2	11-1-7729	1	F5																		
2	Webbing Leg Offset					1/4		11-1-7729	1	C1																
3	Riser Set Offset					1/2		11-1-7729	1	F5																
9	Glue - Riser Set - 11R - Check for Thread presents					GO/NO GO		11-1-7729	1	Several	60															
10	Glue - Spreader bar - Check for "WW" thread					GO/NO GO		11-1-7729	2	Several	60															

Visual Inspection (GO/NO GO): **GO**

Inspector: **K. CHAN**

Visual Inspection Notes:

## T-11 SYSTEM

<b>Box #1</b>	T-11 Main Packtray			DoM: 8/23	Inspection Date:	9/19/23
Package 6	Min	Max	DWG	Sheet Zone	Left	Right
1 Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1	C5 2 1/4	
5 Side Flap Bartacked Webbing Length	4	4 1/4	11-1-7130	1	B4 4	4
<b>Cycle Snaps (GO/NO GO):</b>						
<b>Visual Inspection (GO/NO GO):</b>						
Inspector:	K. GIAWIT					
Visual Inspection Notes:						

<b>Box #2</b>	T-11 Main Packtray			DoM: 8/23	Inspection Date:	9/19/23
Package 6	Min	Max	DWG	Sheet Zone	Left	Right
6 Side Flap Bartacked Webbing Left Spacing	1 1/8	1 3/8	11-1-7130	1	B4 1 1/4	1 1/4
17 Visual tooth and directional function test (GO/NO GO)			11-1-7124	1	C4 G.O.	G.O.
<b>Cycle Snaps (GO/NO GO):</b>						
<b>Visual Inspection (GO/NO GO):</b>						
Inspector:	K. GIAWIT					
Visual Inspection Notes:						

<b>Box #3</b>	T-11 Main Packtray			DoM: 8/23	Inspection Date:	9/19/23
Package 6	Min	Max	DWG	Sheet Zone	Left	Right
7 Side Flap Bartacked Webbing Middle Spacing	1 1/8	1 3/8	11-1-7130	1	B4 1 1/4	1 1/4
17 Visual tooth and directional function test (GO/NO GO)			11-1-7124	1	C4 G.O.	G.O.
<b>Cycle Snaps (GO/NO GO):</b>						
<b>Visual Inspection (GO/NO GO):</b>						
Inspector:	K. GIAWIT					
Visual Inspection Notes:						

<b>Box #4</b>	T-11 Main Packtray			DoM: 8/23	Inspection Date:	9/19/23
Package 6	Min	Max	DWG	Sheet Zone	Left	Right
9 Attachment Strap Angle	43 degree	47 degree	11-1-7721	1	F6 4 4	4 4
10 Attachment Strap Length	3 7/8	4 1/8	11-1-7721	1	E4 4	4
<b>Cycle Snaps (GO/NO GO):</b>						
<b>Visual Inspection (GO/NO GO):</b>						
Inspector:	K. GIAWIT					
Visual Inspection Notes:						

## T-11 SYSTEM

Box #5	T-11 Main Packtray				DoM: 8/21	Inspection Date: 9/25/23
	Min	Max	DWG	Sheet Zone		
Package 6					C5	2 1/8
1 Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1		
8 Lower Zig Zag Length (Inside)	2 5/8	2 7/8	11-1-7720	2	F3	2 3/4
Cycle Snaps (GO/NO GO):	G <sub>O</sub>					2 7/8
Visual Inspection (GO/NO GO):	G <sub>O</sub>					
Inspector:	K. Grant					
Visual Inspection Notes:						

Box #6	T-11 Main Packtray				DoM: 9/23	Inspection Date: 9/25/23
	Min	Max	DWG	Sheet Zone		
2 Top Flap Distance to Bartacked Webbing	6 1/8	6 3/8	11-1-7129	1	E3	6 1/4
11 Lower Back Strap Vertical Location	2 7/8	3 1/8	11-1-7721	1	D6	3
Cycle Snaps (GO/NO GO):	G <sub>O</sub>					
Visual Inspection (GO/NO GO):	G <sub>O</sub>					
Inspector:	K. Grant					
Visual Inspection Notes:						

Box #7	T-11 Main Packtray				DoM: 9/27	Inspection Date: 9/25/23
	Min	Max	DWG	Sheet Zone		
Package 6					A4	2 1/4
14 Lower Back Strap Box-X Spacing	2 1/8	2 3/8	11-1-7721	1		2 1/4
17 Visual tooth and directional function test (GO/NO GO)			11-1-7124	1	C4	G <sub>O</sub>
Cycle Snaps (GO/NO GO):	G <sub>O</sub>					
Visual Inspection (GO/NO GO):	G <sub>O</sub>					
Inspector:	K. Grant					
Visual Inspection Notes:						

Box #8	T-11 Main Packtray				DoM: 9/23	Inspection Date: 9/26/23
	Min	Max	DWG	Sheet Zone		
Package 6					C5	2 1/8
1 Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1		
15 Top Flap Grommet Placement	13 3/4	14 1/4	11-1-7721	2	F2	14
16 Vertical Stow Bar Length	2 7/8	3 1/8	11-1-7721	3	B4	3
17 Visual tooth and directional function test (GO/NO GO)			11-1-7124	1	C4	G <sub>O</sub>
Cycle Snaps (GO/NO GO):	G <sub>O</sub>					
Visual Inspection (GO/NO GO):	G <sub>O</sub>					
Inspector:	K. Grant					
Visual Inspection Notes:						

## T-11 SYSTEM

Box #9	T-11 Main Packtray			DoM: 9/27	Inspection Date: 9/26/23	
Package 6	Min	Max	DWG	Sheet Zone	Left $\frac{1}{4}$	Right
1 Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1 C5	$2 \frac{1}{4}$	
5 Side Flap Bartacked Webbing Length	4	4 1/4	11-1-7130	1 B4	$4 \frac{1}{8}$	$4 \frac{1}{16}$
Cycle Snaps (GO/NO GO):						
Visual Inspection (GO/NO GO):						
Inspector:	K. Grant					
Visual Inspection Notes:						

Box #10	T-11 Main Packtray			DoM: 9/23	Inspection Date: 9/26/23	
Package 6	Min	Max	DWG	Sheet Zone	Left $\frac{1}{4}$	Right
6 Side Flap Bartacking Left Spacing	1 1/8	1 3/8	11-1-7130	1 B4	$1 \frac{1}{4}$	$1 \frac{1}{4}$
17 Visual tooth and directional function test (GO/NO GO)			11-1-7124	1 C4	G <sub>o</sub>	G <sub>o</sub>
Cycle Snaps (GO/NO GO):						
Visual Inspection (GO/NO GO):						
Inspector:	K. Grant					
Visual Inspection Notes:						

Box #11	T-11 Main Packtray			DoM: 9/23	Inspection Date: 9/28/23	
Package 6	Min	Max	DWG	Sheet Zone	Left $\frac{1}{4}$	Right
7 Side Flap Bartacking Middle Spacing	1 1/8	1 3/8	11-1-7130	1 B4	$1 \frac{1}{4}$	$1 \frac{1}{4}$
17 Visual tooth and directional function test (GO/NO GO)			11-1-7124	1 C4	G <sub>o</sub>	G <sub>o</sub>
Cycle Snaps (GO/NO GO):						
Visual Inspection (GO/NO GO):						
Inspector:	K. Grant					
Visual Inspection Notes:						

## T-11 SYSTEM

Box #12		T-11 Main Packtray			DoM: 9/23		Inspection Date: 9/28/23	
Package	6	Min	Max	DWG	Sheet Zone	Left	Right	
9	Attachment Strap Angle	43 degree	47 degree	11-1-7721	1	F6	4 6 "	4 5 "
10	Attachment Strap Length	3 7/8	4 1/8	11-1-7721	1	E4	4	4
Cycle Snaps (GO/NO GO):	GO							
Visual Inspection (GO/NO GO):	GO							
Inspector:	L. GRIFFIN							
Visual Inspection Notes:								

Box #13		T-11 Main Packtray			DoM: 9/23		Inspection Date: 9/28/23	
Package	6	Min	Max	DWG	Sheet Zone	Left	Right	
1	Fabric Loop Length	2 1/8	2 3/8	11-1-7068	1	C5	2 1/2	
8	Lower Zig Zag Length (Inside)	2 5/8	2 7/8	11-1-7720	2	F3	2 3/4	2 3/4
Cycle Snaps (GO/NO GO):	GO							
Visual Inspection (GO/NO GO):	GO							
Inspector:	L. GRIFFIN							
Visual Inspection Notes:								

## T-11 SYSTEM

Box #1			Reserve Pack Tray			DoM: 7/23		Inspection Date: 9/R/21	
Package 7		Min	Max	Drawing	Sheet	Zone			
1	Closing Loop (1) length	1 3/8	1 5/8	11-1-7091	1	C5	1 1/2		
2	Clothing Loop Fabric	7/8	1 1/8	11-1-7091	1	C6	1		
3	Bartack 1/8 over 4 places	Go/No Go	11-1-9596	1	E5	G0	G0	G0	G0
4	Bartack size (1/8 x 1) 4 places	Go/No Go	11-1-9596	1	E2	G0	G0	G0	G0
5	Grommet location	13/16	15/16	11-1-9596	1	G5	7/8		
6	Grommet location (wing)	3 1/2	3 3/4	11-1-9609	2	G5	3 5/8		
7	Small Grommet location (container)	9/16	11/16	11-1-9609	2	G7	5/8		
8	Distance between Small Grommet	11/16	13/16	11-1-9609	2	G7	3/4		

Visual Inspection (GO/NO GO): **G0**

Inspector: K. Grant

Visual Inspection Notes:

Box #2			Reserve Pack Tray			DoM: 7/23		Inspection Date: 9/9/21	
Package 7		Min	Max	Drawing	Sheet	Zone			
9	FN 5 inner edge from binding edge	2 1/2	2 3/4	11-1-9609	3	D2	2 1/2		
10	FN 5 outer edge from binding edge	1 1/16	1 3/16	11-1-9609	3	D2	1 1/8		
11	308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	F5, C5	1 1/16		
12	308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	E6, E3	1 1/16		

Visual Inspection (GO/NO GO): **G0**

Inspector: K. Grant

Visual Inspection Notes:

## T-11 SYSTEM

Box #3 Reserve Pack Tray DoM: 6/23 Inspection Date: 8/11/23

Package 7		Reserve Pack Tray			DoM: 6/23		Inspection Date: 8/11/23	
	Min	Max	Drawing	Sheet	Zone			
14	Grommet location (long wing)	9/16	11/16	11-1-9594	1	F5	5/8	5/8
15	Grommet location (long wing)	13/16	15/16	11-1-9594	1	G2	1 3/12	1 3/12
16	Belt loop	3 3/8	3 5/8	11-1-9592	2	E6	3 1/2	3 5/8
17	Visual - Delta 7 stitching - 8 plances - (go/nogo)	1 stitch min over edge		11-1-9592	1	B7	G0	G0
18	Stow Flap Cover Webbing Placement	3 3/8	3 5/8	11-1-9590	1	D7	G0	G0
19	Vertical Stow Bar overall Length	5 1/8	5 3/8	11-1-9590	1	C7	5 1/4	5 1/4
<b>Visual Inspection (GO/NO GO):</b> G0								
<b>Inspector:</b> K. Gharat								
<b>Visual Inspection Notes:</b>								

Package 7		Reserve Pack Tray			DoM: 7/23		Inspection Date: 9/11/23					
	Min	Max	Drawing	Sheet	Zone							
20	Vertical stow bar loop height	1 1/2	1 3/4	11-1-9590	1	C8	1 5/8	1 1/2				
21	Upper store bar 1st loop width	2 3/16	2 7/16	11-1-9590	1	C4	2 1/4	2 1/2				
22	Upper store bar 2st loop width	4 3/4	5	11-1-9590	1	C4	4 3/4	4 3/4				
23	Bottom stow bar 1st loop	2 3/8	2 5/8	11-1-9590	1	B4	2 1/2	2 1/2				
24	Bottom Stow Bar 2nd Loop Width	4 1/8	4 3/8	11-1-9590	1	B4	4 1/8	4 1/8				
25	Stow Flap Cover Webbing Length	8	8 1/4	11-1-9590	1	F4, F5	8	8				
26	Stow Flap Cover Webbing location	1/4	1/2	11-1-9590	1	G3, G5	1/4	1/4				
27	Bartack size verification (18 Total) 1/8 x 3/4	Go/ No Go		11-1-9590	1	Several	G0					
<b>Visual Inspection (GO/NO GO):</b> G0												
<b>Inspector:</b> K. Gharat												
<b>Visual Inspection Notes:</b>												

9/14

## T-11 SYSTEM

Box #5		Reserve Pack Tray			Dom: 7/23		Inspection Date: 9/25/23	
Package 7		Min	Max	Drawing	Sheet	Zone		
20	Vertical stow bar loop height	1 1/2	1 3/4	11-1-9590	1	C8	1 5/8	1 5/8
21	Upper store bar 1st loop width	2 3/16	2 7/16	11-1-9590	1	C4	2 5/16	2 5/16
22	Upper store bar 2st loop width	4 3/4	5	11-1-9590	1	C4	4 3/4	4 3/4
23	Bottom stow bar 1st loop	2 3/8	2 5/8	11-1-9590	1	B4	2 1/2	2 1/2
24	Bottom Stow Bar 2nd Loop Width	4 1/8	4 3/8	11-1-9590	1	B4	4 1/8	4 1/4
25	Stow Flap Cover Webbing Length	8	8 1/4	11-1-9590	1	F4, F5	8	
26	Stow Flap Cover Webbing location	1/4	1/2	11-1-9590	1	G3, G5	1/2	1/2
27	Bartack size verification (18 Total) Bartack 1/8 x 3/4	Go/ No Go		11-1-9590	1	Several	GO	
<b>Visual Inspection (GO/NO GO):</b>		GO						
<b>Inspector:</b> K. GIAHAN								
<b>Visual Inspection Notes:</b>								

Box #6		Reserve Pack Tray			Dom: 8/23		Inspection Date: 9/25/23	
Package 7		Min	Max	Drawing	Sheet	Zone		
13	Visual - Bartack - (3/4 x 1/8) - 4 places	Go/No Go		11-1-9609	4	D3	GO	GO
14	Gromment location (long wing)	9/16	11/16	11-1-9594	1	F5	5/8	5/8
15	Gromment location (long wing)	13/16	15/16	11-1-9594	1	G2	7/8	7/8
16	Belt loop	3 3/8	3 5/8	11-1-9592	2	E6	3 1/2	3 1/2
17	Visual - Delta 7 stitching - 8 pliances - (go/nogo)	1 stitch min over edge		11-1-9592	1	B7	GO	GO
18	Stow Flap Cover Webbing Placement	3 3/8	3 5/8	11-1-9590	1	D7	3 3/8	3 3/8
<b>Visual Inspection (GO/NO GO):</b>		GO						
<b>Inspector:</b> K. GIAHAN								
<b>Visual Inspection Notes:</b>								

## T-11 SYSTEM

**Box #7 Reserve Pack Tray**      Dom: 8/23      Inspection Date: 9/25/23

Package 7	Min	Max	Drawing	Sheet	Zone
9 FN 5 inner edge from binding edge	2 1/2	2 3/4	11-1-9609	3	D2
10 FN 5 outer edge from binding edge	1 1/16	1 3/16	11-1-9609	3	D2
11 308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	F5, C5
12 308 Zig-zag	1 11/16	1 13/16	11-1-9609	4	E6, E3
Visual - Bartack - (3/4 x 1/8) - 4 places	Go/No Go	11-1-9609	4	D3	G <sub>o</sub>
				G <sub>o</sub>	G <sub>o</sub>
				G <sub>o</sub>	G <sub>o</sub>

**Visual Inspection (GO/NO GO):** G<sub>o</sub>

**Inspector:** K. Grant

Visual Inspection Notes:

**Box #8 Reserve Pack Tray**      Dom: 8/23      Inspection Date: 9/26/23

Package 7	Min	Max	Drawing	Sheet	Zone
1 Closing Loop (1) length	1 3/8	1 5/8	11-1-7091	1	C5
2 Clothing Loop Fabric	7/8	1 1/8	11-1-7091	1	C6
3 Bartack 1/8 over 4 places	Go/No Go	11-1-9596	1	E5	V/V
4 Bartack size (1/8 x 1) 4 places	Go/No Go	11-1-9596	1	E2	
5 Grommet location	13/16	15/16	11-1-9596	1	G5
6 Grommet location (wing)	3 1/2	3 3/4	11-1-9609	2	G5
7 Small Grommet location (container)	9/16	11/16	11-1-9609	2	G7
8 Distance between Small Grommet	11/16	13/16	11-1-9609	2	G7

**Visual Inspection (GO/NO GO):** G<sub>o</sub>

**Inspector:** K. Grant

Visual Inspection Notes:

**Box #9 Reserve Pack Tray**      Dom: 8/23      Inspection Date: 9/26/23

Package 7	Min	Max	Drawing	Sheet	Zone
2 Clothing Loop Fabric	7/8	1 1/8	11-1-7091	1	C6
3 Bartack 1/8 over 4 places	Go/No Go	11-1-9596	1	E5	V/V
6 Grommet location (wing)	3 1/2	3 3/4	11-1-9609	2	G5
8 Distance between Small Grommet	11/16	13/16	11-1-9609	2	G7

**Visual Inspection (GO/NO GO):** G<sub>o</sub>

**Inspector:** K. Grant

Visual Inspection Notes:

9/14

## T-11 SYSTEM

**Box #10 Reserve Pack Tray**      **Dom: 8/23**      **Inspection Date: 9/16/23**

Package 7		Min	Max	Drawing	Sheet	Zone	
1	Closing Loop (1) length	1 3/8	1 5/8	11-1-7091	1	C5	1 5/8
2	Clothing Loop Fabric	7/8	1 1/8	11-1-7091	1	C6	1 5/16
3	Bartack 1/8 over 4 places	Go/No Go	11-1-9596	1	E5	C6	C6
4	Bartack size (1/8 x 1) 4 places	Go/No Go	11-1-9596	1	E2	C6	C6
5	Grommet location	13/16	15/16	11-1-9596	1	G5	1 5/16
6	Grommet location (wing)	3 1/2	3 3/4	11-1-9609	2	G5	3 5/8
7	Small Grommet location (container)	9/16	11/16	11-1-9609	2	G7	5/8
8	Distance between Small Grommet	11/16	13/16	11-1-9609	2	G7	5/8
<b>Visual Inspection (GO/NO GO):</b>		<b>Go</b>					
<b>Inspector:</b> K. GRANT							
Visual Inspection Notes:							

**Box #11 Reserve Pack Tray**      **Dom: 8/23**      **Inspection Date: 9/28/23**

Package 7		Min	Max	Drawing	Sheet	Zone	
9	FN 5 inner edge from binding edge	2 1/2	2 3/4	11-1-9609	3	D2	2 5/8
10	FN 5 outer edge from binding edge	1 1/16	1 3/16	11-1-9609	3	D2	1 1/4
11	308 zig-zag	1 11/16	1 13/16	11-1-9609	4	F5, C5	1 3/4
12	308 zig-zag	1 11/16	1 13/16	11-1-9609	4	E6, E3	1 3/4
<b>Visual Inspection (GO/NO GO):</b>		<b>Go</b>					
<b>Inspector:</b> K. GRANT							
Visual Inspection Notes:							

**Box #12 Reserve Pack Tray**      **Dom: 8/23**      **Inspection Date: 9/28/23**

Package 7		Min	Max	Drawing	Sheet	Zone	
20	Vertical stow bar loop height	1 1/2	1 3/4	11-1-9590	1	C8	
21	Upper store bar 1st loop width	2 3/16	2 7/16	11-1-9590	1	C4	V/0
22	Upper store bar 2st loop width	4 3/4	5	11-1-9590	1	C4	
23	Bottom stow bar 1st loop	2 3/8	2 5/8	11-1-9590	1	B4	
24	Bottom Stow Bar 2nd Loop Width	4 1/8	4 3/8	11-1-9590	1	B4	
25	Stow Flap Cover Webbing Length	8	8 1/4	11-1-9590	1	F4, F5	
26	Stow Flap Cover Webbing location	1/4	1/2	11-1-9590	1	G3, G5	
27	Bartack size verification (18 Total) 1/8 x 3/4	Go/ No Go	11-1-9590	1	Several		
<b>Visual Inspection (GO/NO GO):</b>		<b>Go</b>					
<b>Inspector:</b> K. GRANT							
Visual Inspection Notes:							

9/14

**T-11 SYSTEM**

Box #13      Inspection Date: 9/18/23

Box #13		Reserve Pack Tray			DOM: 8/27		Inspection Date: 9/18/23	
	Package 7	Min	Max	Drawing	Sheet	Zone		
13	Visual - Bartack - (3/4 x 1/8) - 4 places		Go/No Go	11-1-9609	4	D3		
14	Gromment location (long wing)	9/16	11/16	11-1-9594	1	F5	✓/O	
15	Gromment location (long wing)	13/16	15/16	11-1-9594	1	G2		
16	Belt loop	3 3/8	3 5/8	11-1-9592	2	E6		
17	Visual - Delta 7 stitching - 8 pliances - (go/nogo)		1 stitch min over edge	11-1-9592	1	B7		
18	Stow Flap Cover Webbing Placement	3 3/8	3 5/8	11-1-9590	1	D7		

**Visual Inspection (GO/NO GO):***K. Chant*

Visual Inspection Notes:

9/14

## T-11 SYSTEM

Box #1	T11R Ripcord Handle		DoM:	8/23	Inspection Date: 9/19/23			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3	7 3/4	
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2	8 3/4	
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4	11/16	11/16
Visual Inspection (GO/NO GO)		GO						
Inspector:		K. GRANT						
Visual Inspection Notes:								

Box #1	T11R Ejector Spring (change)							
Package 8		Inspection Date: 9/19/23						
	Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right	
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	7 1/8	
2	Top Tab Edge	15/16	1 1/16	11-1-10006	2	E6	1	
Visual Inspection (GO/NO GO):		GO						
Inspector:		K. GRANT						
Visual Inspection Notes: DOM 8/23								

Box #2	T11R Ripcord Handle		DoM:	8/23	Inspection Date: 9/19/23			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	13/16	13/16
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	0
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	9/16	
Visual Inspection (GO/NO GO):		GO						
Inspector:		K. GRANT						
Visual Inspection Notes:								

Box #2	T11R Ejector Spring (change)							
Package 8		Inspection Date: 9/19/23						
	Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right	
3	Bottom Tab Length	8 1/4	8 3/4	11-1-10006	2	F4	8 1/4	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	1 5/8	
Visual Inspection (GO/NO GO):		GO						
Inspector:		K. GRANT						
Visual Inspection Notes: DOM 8/23								

### T-11 SYSTEM

Box #3	T11R Ripcord Handle		DoM:	8/23	Inspection Date: 9/19/23			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	$13/16$	$13/16$
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	$3/4$	$3/4$
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	$1/16$	$1/16$
Visual Inspection (GO/NO GO)		Go						
Inspector: K. GRANT								
Visual Inspection Notes:								

Box #3	T11R Ejector Spring (change)							
Package 8		Inspection Date: 9/19/23						
	Min	Max	Drawing	Sheet	Zone			
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	$7 \frac{1}{8}$	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	$1 \frac{5}{8}$	
Visual Inspection (GO/NO GO):		Go						
Inspector: K. GRANT								
Visual Inspection Notes: Dom 8/23								

Box #4	T11R Ripcord Handle		DoM:	8/23	Inspection Date: 9/19/23			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	0
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	$9/16$	$1/4$
8	Lanyard Length	3 1/4	3 1/2	11-1-9606	2	C3	$3 \frac{1}{2}$	$3 \frac{1}{2}$
9	Lanyard Bartack (2 x 1/8 x 7/8)	Go/No Go	11-1-9606		2	C3	Go	Go
Visual Inspection (GO/NO GO):		Go						
Inspector: K. GRANT								
Visual Inspection Notes:								

Box #4	T11R Ejector Spring (change)							
Package 8		Inspection Date: 9/19/23						
	Min	Max	Drawing	Sheet	Zone			
			11-1-10006					
Visual Inspection (GO/NO GO):		Go						
Inspector: K. GRANT								
Visual Inspection Notes: Dom 8/23								

### T-11 SYSTEM

Box #5		T11R Ripcord Handle		DoM:	8/27	Inspection Date:	9/25/23	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3	$7 \frac{7}{8}$	
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2	$8 \frac{7}{8}$	
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4	$\frac{3}{4}$	$\frac{3}{4}$
10	Identifier detail label (Delta 6)	Go/ No Go	11-1-9606	1, 2	F8, F7	Go		
Visual Inspection (GO/NO GO)		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:								

Box #5		T11R Ejector Spring (change)					
Package 8		Inspection Date: 9/25/ 23					
	Min	Max	Drawing	Sheet	Zone		
			11-1-10006				
Visual Inspection (GO/NO GO):		Go					
Inspector:		K. GRANT					
Visual Inspection Notes:		Dom 8/27					

Box #6		T11R Ripcord Handle		DoM:		Inspection Date:		
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
8	Lanyard Length	3 1/4	3 1/2	11-1-9606	2	C3	$3 \frac{3}{8}$	
9	Lanyard Bartack (2 x 1/8 x 7/8)	Go/No Go	11-1-9606	2	C3	Go	Go	
10	Identifier detail label (Delta 6)	Go/ No Go	11-1-9606	1, 2	F8, F7	Go		
Visual Inspection (GO/NO GO)		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:								

Box #6		T11R Ejector Spring (change)						
Package 8		Inspection Date:						
	Min	Max	Drawing	Sheet	Zone			
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	$7 \frac{1}{8}$	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	$1 \frac{11}{16}$	
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:		Dom 8/27						

## T-11 SYSTEM

Box #7		T11R Ripcord Handle		DoM:	7/23	Inspection Date: 9/25/23		
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
1	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	7/8	7/8
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	○	○
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	9/16	
Visual Inspection (GO/NO GO)		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:								

V/O

Box #7		T11R Ejector Spring (change)						
Package 8		Inspection Date: 9/25/23						
	Min	Max	Drawing	Sheet	Zone			
3	Bottom Tab Length	8 1/4	8 3/4	11-1-10006	2	F4		
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2		
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:		DOM 9/23						

V/O

Box #8		T11R Ripcord Handle						
Package 8		DoM:	8/23	Inspection Date: 9/26/23				
	Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right	
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3		
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2		
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4		
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:								

V/O

Box #8		T11R Ejector Spring (change)						
Package 8		Inspection Date: 9/24/23						
	Min	Max	Drawing	Sheet	Zone			
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	V/O	
2	Top Tab Edge	15/16	1 1/16	11-1-10006	2	E6		
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:		DOM 9/23						

### T-11 SYSTEM

Box #9	T11R Ripcord Handle		DoM:	8/23	Inspection Date:	9/26/23		
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
1	Handle Length	7 5/8	7 7/8	11-1-9606	1	G3	V/0	
2	Handle Width	8 5/8	8 7/8	11-1-9606	1	F2		
3	Pull Handle Location	11/16	13/16	11-1-9606	1	C7/C4		
Visual Inspection (GO/NO GO)			Go					
Inspector: K. GRANT								
Visual Inspection Notes:								

Box #9	T11R Ejector Spring (change)							
Package 8		Inspection Date: 9/26/23						
Package 8		Min	Max	Drawing	Sheet	Zone		
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	V/0	
2	Top Tab Edge	15/16	1 1/16	11-1-10006	2	E6		
Visual Inspection (GO/NO GO):			Go					
Inspector: K. GRANT								
Visual Inspection Notes: Dm 9/23								

Box #10	T11R Ripcord Handle							
Package 8		DoM:	8/23	Inspection Date:	9/26/23			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	7/8	7/8
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	0	1/16
7	Lanyard large loop	9/16	11/16	11-1-9606	2	D3	9/16	
Visual Inspection (GO/NO GO):			Go					
Inspector: K. GRANT								
Visual Inspection Notes:								

Box #10	T11R Ejector Spring (change)							
Package 8		Inspection Date: 9/26/23						
Package 8		Min	Max	Drawing	Sheet	Zone		
3	Bottom Tab Length	8 1/4	8 3/4	11-1-10006	2	F4	8 1/2	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	1 9/16	
Visual Inspection (GO/NO GO):			Go					
Inspector: K. GRANT								
Visual Inspection Notes: Dm 9/23								

## T-11 SYSTEM

Box #11		T11R Ripcord Handle		DoM:	9/23	Inspection Date:	9/28/23	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
4	Box X stitch (Width)	13/16	15/16	11-1-9606	1	D7	7/8	7/8
5	Box X stitch (Height)	11/16	13/16	11-1-9606	1	D7	3/4	3/4
6	Lanyard Holder Tab	- 1/16	1/16	11-1-9606	2	F3	1/16	0
Visual Inspection (GO/NO GO)		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:								

Box #11		T11R Ejector Spring (change)						
Package 8		Inspection Date: 9/28/23						
		Min	Max	Drawing	Sheet	Zone		
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	7 1/8	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2	1 5/8	
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:		DOM 9/23						

Box #12		T11R Ripcord Handle						
Package 8		DoM:	8/23	Inspection Date:	9/28/23			
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
8	Lanyard Length	3 1/4	3 1/2	11-1-9606	2	C3		
9	Lanyard Bartack (2 x 1/8 x 7/8)	Go/No Go		11-1-9606	2	C3	V/O	
10	Identifier detail label (Delta 6)	Go/ No Go		11-1-9606	1, 2	F8, F7	Go	
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:								

Box #12		T11R Ejector Spring (change)						
Package 8		Inspection Date: 9/28/23						
		Min	Max	Drawing	Sheet	Zone		
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	V/O	
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2		
Visual Inspection (GO/NO GO):		Go						
Inspector:		K. GRANT						
Visual Inspection Notes:		DOM 9/23						

### T-11 SYSTEM

Box #13		T11R Ripcord Handle		DoM:	8/23	Inspection Date:	9/28/23	
Package 8		Min	Max	Drawing	Sheet	Zone	Top / Left	Bottom / Right
8	Lanyard Length	3 1/4	3 1/2	11-1-9606	2	C3	V/O	
9	Lanyard Bartack (2 x 1/8 x 7/8)	Go/No Go		11-1-9606	2	C3		
10	Identifier detail label (Delta 6)	Go/ No Go		11-1-9606	1, 2	F8, F7		
Visual Inspection (GO/NO GO)		Go						
Inspector: K GRANT								
Visual Inspection Notes:								

Box #13		T11R Ejector Spring (change)						
Package 8		Inspection Date: 9/28/23						
		Min	Max	Drawing	Sheet	Zone		
1	Top Tab Length (Gromment)	7 1/8	7 3/8	11-1-10006	2	F7	V/O	
2	Top Tab Edge	15/16	1 1/16	11-1-10006	2	E6		
3	Bottom Tab Length	8 1/4	8 3/4	11-1-10006	2	F4		
4	Bottom Tab Edge	1 9/16	1 11/16	11-1-10006	2	D2		
Visual Inspection (GO/NO GO):		Go						
Inspector: K GRANT								
Visual Inspection Notes: DOM 9/27								

## T-11 SYSTEM

Box #1	USL	DoM:	9/23	Inspection Date:	9/20/23
	EXT	DoM:	9/23	Inspection Date:	9/20/23
Package 9	Low	High	Drawing	Sheet	Zone
1 Overall Length (Main)	177	179	11-1-6993	1	D3
4 Small Loop WW Length	3 7/8	4 1/8	11-1-6993	1	D2
9 Overall Length (Ext)	70	71	11-1-6993	2	F5
15 Check WW stitching in Glue Area (Main)	GO/NO GO	GO/NO GO	11-1-6993	2	E2, E7
16 Check WW stitching in Glue Area (Ext)	GO/NO GO	GO/NO GO	11-1-6993	2	G4, G7
Visual Inspection (GO/NO GO):	Go	Go			
Inspector:	K. Grant				
Visual Inspection Notes:					

Box #1	Snap Hook	DoM:	11/22	Inspection Date:	9/20/23
		Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Go
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Grant				
Visual Inspection Notes:					

## T-11 SYSTEM

<b>Box #2</b>	<b>USL</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>	<b>9/20/13</b>
	<b>EXT</b>	<b>DoM:</b>	<b>8/23</b>	<b>Inspection Date:</b>	<b>9/20/13</b>
<b>Package 9</b>	<b>Low</b>	<b>High</b>	<b>Drawing</b>	<b>Sheet</b>	<b>Zone</b>
	2 3/8	2 5/8	11-1-6993	2	C4
<b>8 Pin Location</b>	2 3/8	2 5/8	11-1-6993	2	Z 3/8
<b>10 Small Loop Length (Ext)</b>	1 7/8	2 1/8	11-1-6993	2	G8
<b>11 Check WW stitching in Glue Area (Main)</b>	<b>GO/NO GO</b>		11-1-6993	2	E2, E7
<b>12 Check WW stitching in Glue Area (Ext)</b>	<b>GO/NO GO</b>		11-1-6993	2	G4, G7
<b>Visual Inspection (GO/NO GO):</b>	<b>Go</b>				
<b>Inspector:</b>	<b>K. Chait</b>				
<b>Visual Inspection Notes:</b>					

<b>Box #2</b>	<b>Snap Hook</b>	<b>DoM:</b>	<b>11/22</b>	<b>Inspection Date:</b>	<b>9/20/13</b>
		<b>Drawing</b>	<b>Sheet</b>	<b>Zone</b>	
<b>1 Snap Hook assembly - note 3 - Perform functional test with rod</b>	GO/NO GO	11-1-6991	1	F5	<b>Go</b>
	<b>GO/NO GO:</b>				
<b>Visual Inspection (GO/NO GO):</b>	<b>Go</b>				
<b>Inspector:</b>	<b>K. Chait</b>				
<b>Visual Inspection Notes:</b>					

### T-11 SYSTEM

Box #3	USL		DoM:		Inspection Date:	
	EXT	INT	DoM:	8/23	DoM:	9/20/23
Package 9	Low	High	Drawing	Sheet	Zone	
2 Large Loop Length (Main)	5 7/8	6 1/8	11-1-6993	1	D7	Go
11 Small Loop WW Location (Ext)	1/16	3/16	11-1-6993	2	G8	Go
Check WW stitching in Glue	GO/NO GO		11-1-6993	2	E2, E7	Go
15 Area (Main)						
Check WW stitching in Glue	GO/NO GO		11-1-6993	2	G4, G7	Go
16 Area (Ext)						
Visual Inspection (GO/NO GO):						
Inspector:	K. CHAM					
Visual Inspection Notes:						

Box #3	Snap Hook		DoM:		Inspection Date:	
			Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Go	
Visual Inspection (GO/NO GO):						
Inspector:	K. CHAM					
Visual Inspection Notes:						

## T-11 SYSTEM

Box #4	USL	DoM:	9/23	Inspection Date:	9/20/23
	EXT	DoM:	9/23	Inspection Date:	9/20/23
Package 9	Low	High	Drawing	Sheet	Zone
1 Overall Length (Main)	177	179	11-1-6993	1	D3
9 Overall Length (Ext)	70	71	11-1-6993	2	F5
Check WW stitching in Glue Area (Main)	GO/NO GO	11-1-6993	2	E2, E7	GO
Check WW stitching in Glue Area (Ext)	GO/NO GO	11-1-6993	2	G4, G7	GO
Visual Inspection (GO/NO GO):	GO				
Inspector:	LC	GAANT			
Visual Inspection Notes:					

Box #4	Snap Hook	DoM:	11/22	Inspection Date:	9/20/23
		Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	GO
Visual Inspection (GO/NO GO):	GO				
Inspector:	LC	GIAATI			
Visual Inspection Notes:					

## T-11 SYSTEM

Box #5	USL		DoM: 9/23		Inspection Date: 9/25/23	
	EXT	DoM: 9/23			Inspection Date: 9/25/23	
Package 9		Low	High	Drawing	Sheet	Zone
5 Sheath Length	23	3/4	24	1/4	11-1-6993	1
8 Pin Location	2	3/8	2	5/8	11-1-6993	2
12 Small Loop WW Length	3	7/8	4	1/8	11-1-6993	2
15 Check WW stitching in Glue Area (Main)	GO/NO GO		11-1-6993	2	E2, E7	Go
16 Check WW stitching in Glue Area (Ext)	GO/NO GO		11-1-6993	2	G4, G7	Go
Visual Inspection (GO/NO GO):	Go					
Inspector:	K. Gram					
Visual Inspection Notes:						

Box #5	Snap Hook		DoM: 1 1/2		Inspection Date: 9/25/23	
			Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Go	
Visual Inspection (GO/NO GO):	Go					
Inspector:	K. Gram					
Visual Inspection Notes:						

## T-11 SYSTEM

Box #6	USL	DoM:	9/23	Inspection Date:	9/25/23
	EXT	DoM:	9/23	Inspection Date:	9/25/23
Package 9	Low	High	Drawing	Sheet	Zone
3 Small Loop Length	3 3/8	3 5/8	11-1-6993	1	D1
13 Large Loop Length	3 3/8	3 5/8	11-1-6993	2	G3
Check WW stitching in Glue	GO/NO GO	11-1-6993	2	E2, E7	Go
15 Area (Main)	GO/NO GO	11-1-6993	2	E2, E7	Go
Check WW stitching in Glue	GO/NO GO	11-1-6993	2	G4, G7	Go
16 Area (Ext)	GO/NO GO	11-1-6993	2	G4, G7	Go
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Ahmad				
Visual Inspection Notes:					

Box #6	Snap Hook	1 1/2"	DoM:	1 1/2"	Inspection Date:
			Drawing	Sheet	Zone
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Go
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Ahmad				
Visual Inspection Notes:					

## T-11 SYSTEM

Box #7	USL	DoM:	9/27	Inspection Date:	9/25/23
	EXT	DoM:	9/27	Inspection Date:	9/25/23
<b>Package 9</b>	<b>Low</b>	<b>High</b>	<b>Drawing</b>	<b>Sheet</b>	<b>Zone</b>
<b>1</b> Overall Length (Main)	177	179	11-1-6993	1	D3
<b>7</b> Box Stitch Length	1 7/16	1 9/16	11-1-6993	2	B3
<b>14</b> Large Loop WW Length (Ext)	3 7/8	4 1/8	11-1-6993	2	G4
<b>Check WW stitching in Glue Area (Main)</b>	<b>GO/NO GO</b>	<b>GO/NO GO</b>	11-1-6993	2	E2, E7
<b>Check WW stitching in Glue Area (Ext)</b>	<b>GO/NO GO</b>	<b>GO/NO GO</b>	11-1-6993	2	G4, G7
<b>Visual Inspection (GO/NO GO):</b>	<b>Go</b>				
<b>Inspector:</b>	<b>K. GNAHAT</b>				
<b>Visual Inspection Notes:</b>					

Box #7	Snap Hook	DoM:	11/22	Inspection Date:	9/25/23
		Drawing	Sheet	Zone	
<b>Snap Hook assembly - note 3 - Perform 1 functional test with rod</b>	<b>GO/NO GO</b>	11-1-6991	1	F5	<b>Go</b>
<b>Visual Inspection (GO/NO GO):</b>	<b>Go</b>				
<b>Inspector:</b>	<b>K. GNAHAT</b>				
<b>Visual Inspection Notes:</b>					

## T-11 SYSTEM

<b>Box #8</b>	<b>USL</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>	<b>9/26/23</b>
	<b>EXT</b>	<b>DoM:</b>	<b>9/23</b>	<b>Inspection Date:</b>	<b>9/26/23</b>
	<b>Package 9</b>	<b>Low</b>	<b>High</b>	<b>Drawing</b>	<b>Sheet Zone</b>
<b>8</b>	Pin Location	2 3/8	2 5/8	11-1-6993	2 C4
					<b>✓/O</b>
<b>9</b>	Overall Length (Ext)	70	71	11-1-6993	2 F5
<b>15</b>	Check WW stitching in Glue Area (Main)	GO/NO GO		11-1-6993	2 E2, E7
<b>16</b>	Check WW stitching in Glue Area (Ext)	GO/NO GO		11-1-6993	2 G4, G7
	<b>Visual Inspection (GO/NO GO):</b>	<b>GO</b>			
	<b>Inspector:</b>	<u>L. GANT</u>			
	<b>Visual Inspection Notes:</b>				

<b>Box #8</b>	<b>Snap Hook</b>	<b>DoM:</b>	<b>11/22</b>	<b>Inspection Date:</b>	<b>9/26/23</b>
		<b>Drawing</b>	<b>Sheet</b>	<b>Zone</b>	
<b>1</b>	Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1 F5	<b>✓/O</b>
	<b>Visual Inspection (GO/NO GO):</b>	<b>GO</b>			
	<b>Inspector:</b>	<u>L. GANT</u>			
	<b>Visual Inspection Notes:</b>				

## T-11 SYSTEM

Box #9	USL	DoM:	9/23	Inspection Date:	9/26/23
	EXT	DoM:	9/23	Inspection Date:	9/26/23
Package 9	Low	High	Drawing	Sheet	Zone
1 Overall Length (Main)	177	179	11-1-6993	1	D3
4 Small Loop WW Length	3 7/8	4 1/8	11-1-6993	1	D2
9 Overall Length (Ext)	70	71	11-1-6993	2	F5
Check WW stitching in Glue Area (Main)	GO/NO GO	GO/NO GO	11-1-6993	2	E2, E7
Check WW stitching in Glue Area (Ext)	GO/NO GO	GO/NO GO	11-1-6993	2	G4, G7
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Gammie				
Visual Inspection Notes:					

Box #9	Snap Hook	DoM:	11/22	Inspection Date:	9/26/23
		Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Y/O
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Gammie				
Visual Inspection Notes:					

## T-11 SYSTEM

Box #10		USL	DoM:	9/23	Inspection Date:	9/26/23
EXT		DoM:	9/23	Inspection Date:	9/26/23	
Package 9		Low	High	Drawing	Sheet	Zone
8	Pin Location	2 3/8	2 5/8	11-1-6993	2	C4 2 3/8
10	Small Loop Length	1 7/8	2 1/8	11-1-6993	2	G8 2
11	Check WW stitching in Glue	GO/NO GO	11-1-6993	2	E2, E7	Go
15	Area (Main)	GO/NO GO	11-1-6993	2	G4, G7	Go
16	Check WW stitching in Glue Area (Ext)	GO/NO GO	11-1-6993	2	G4, G7	Go
Visual Inspection (GO/NO GO):		Go				
Inspector:		K. C. AMI				
Visual Inspection Notes:						

Box #10		Snap Hook	DoM:	11/12	Inspection Date:	9/26/23
			Drawing	Sheet	Zone	
1	Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Go
Visual Inspection (GO/NO GO):		Go				
Inspector:		K. C. AMI				
Visual Inspection Notes:						

## T-11 SYSTEM

Box #11	USL	DoM:	9/23	Inspection Date:	9/28/23
	EXT	DoM:	9/27	Inspection Date:	9/28/23
Package 9	Low	High	Drawing	Sheet	Zone
2 Large Loop Length	5 7/8	6 1/8	11-1-6993	1	D7 G
11 Small Loop WW Location (Ext)	1/16	3/16	11-1-6993	2	G8 1/4
15 Check WW stitching in Glue Area (Main)	GO/NO GO		11-1-6993	2	E2, E7 G O
16 Check WW stitching in Glue Area (Ext)	GO/NO GO		11-1-6993	2	G4, G7 G O
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Cramt				
Visual Inspection Notes:					

Box #11	Snap Hook	DoM:	11/22	Inspection Date:	9/28/23
		Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	G O
Visual Inspection (GO/NO GO):	Go				
Inspector:	K. Cramt				
Visual Inspection Notes:					

## T-11 SYSTEM

Box #12		USL	DoM:	9/23	Inspection Date:	9/28/23
EXT		DoM:	9/23	Inspection Date:	9/28/23	
Package 9		Low	High	Drawing	Sheet	Zone
1	Overall Length (Main)	177	179	11-1-6993	1	D3
9	Overall Length (Ext)	70	71	11-1-6993	2	F5
15	Check WW stitching in Glue Area (Main)	GO/NO GO	GO/NO GO	11-1-6993	2	E2, E7
16	Check WW stitching in Glue Area (Ext)	GO/NO GO	GO/NO GO	11-1-6993	2	G4, G7
Visual Inspection (GO/NO GO):		Go				
Inspector: K. GIAU						
Visual Inspection Notes:						

Box #12		Snap Hook	DoM:	11/22	Inspection Date:	7/18/23
EXT		DoM:	9/23	Inspection Date:	9/28/23	
Package 9		Low	High	Drawing	Sheet	Zone
1	Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Y/O
1	Visual Inspection (GO/NO GO):	Go				
1	Inspector:	K. GIAU				
1	Visual Inspection Notes:					

## T-11 SYSTEM

Box #13	USL	DoM:	9/23	Inspection Date:	9/28/23	
	EXT	DoM:	9/23	Inspection Date:	9/28/23	
Package 9	Low	High	Drawing	Sheet	Zone	
5 Sheath Length	23	3/4	24 1/4	11-1-6993	1	D5
8 Pin Location	2	3/8	2 5/8	11-1-6993	2	C4
12 Small Loop WW Length	3	7/8	4 1/8	11-1-6993	2	G7
Check WW stitching in Glue	GO/NO GO		11-1-6993	2	E2, E7	GO
15 Area (Main)	GO/NO GO		11-1-6993	2	E2, E7	GO
Check WW stitching in Glue	GO/NO GO		11-1-6993	2	G4, G7	GO
16 Area (Ext)	GO/NO GO		11-1-6993	2	G4, G7	GO
Visual Inspection (GO/NO GO):	GO					
Inspector:	K. Grant					
Visual Inspection Notes:						

Box #13	Snap Hook	DoM:	11/22	Inspection Date:	9/28/23
		Drawing	Sheet	Zone	
1 Snap Hook assembly - note 3 - Perform functional test with rod	GO/NO GO	11-1-6991	1	F5	Y/O
Visual Inspection (GO/NO GO):	GO				
Inspector:	K. Grant				
Visual Inspection Notes:					

## T-11 SYSTEM

Box #1		Deployment Bag			S/N: 14175		DoM: 9/23		Inspection Date: 9/20/23		
	Package 10						Left		Right		
		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7	Loop 9
12	Stow Loop Panel Length of Elastic Section	7 1/8	7 5/8	11-1-7140	1	D5	7 1/2		7 1/2		
22	Distance b/w Locking Stow Loops	6 1/8	6 3/8	11-1-7147	2	E8	6 1/4				
24	Distance b/w Stow Loop Panels	5 3/8	5 5/8	11-1-7147	2	E7	5 3/8				
29	Reinforcement Panel Length	8 1/4	8 3/4	11-1-7147	4	D6	8 3/8		8 3/8		
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO): Go											
Inspector: K. Grant											
Visual Inspection Notes:											

Box #2		Deployment Bag			S/N: 14182		DoM: 9/23		Inspection Date: 9/20/23		
	Package 10						Left		Right		
		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7	Loop 9
4	Tuck Flap Spacing	3/8	5/8	11-1-7063	2	H8	1/2		1/2		
5	Tuck Flap Length	7 7/8	8 1/8	11-1-7063	2	G6	8		8		
6	Closing Flap Width	7 3/8	7 5/8	11-1-7063	2	G1	7 1/2				
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO): Go											
Inspector: K. Grant											
Visual Inspection Notes:											

## T-11 SYSTEM

Box #3		Deployment Bag		S/N: 14185			DoM: 9/23		Inspection Date: 9/20/23												
	Package 10	Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right	Loop 9										
1	Distance Between Small Loops (Front)	11 1/4	11 3/4	11-1-7063	1	G4	11 1/2														
2	Distance from Centerline to Small Loop (Front)	5 5/8	5 7/8	11-1-7063	1	F3	5 3/4														
14	Stow Loop Panel Height of Loops	7/8	1 1/8	11-1-7140	1	C3	1	1	1	1	1										
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):							Go														
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):							Go														
Visual Inspection (GO/NO GO):		Go																			
Inspector: K. GRANT																					
Visual Inspection Notes:																					

Box #4		Deployment Bag		S/N: 14175			DoM: 9/23		Inspection Date: 9/20/23												
	Package 10	Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Left	Right	Loop 9										
7	Small Loop Opening (Front)	15/16	1 1/16	11-1-7063	3	G7	1		1												
8	Small Loop Height (Front)	1 7/8	2 1/8	11-1-7063	3	G6	1 15/16		1 15/16												
9	Small Loop Opening (Rear)	15/16	1 1/16	11-1-7063	3	C7	1		1												
10	Small Loop Height (Rear)	1 7/8	2 1/8	11-1-7063	3	C6	2		2												
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):							Go														
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):							Go														
Visual Inspection (GO/NO GO):		Go																			
Inspector: K. GRANT																					
Visual Inspection Notes:																					

## T-11 SYSTEM

Box #5		Deployment Bag			S/N: 14202		DoM: 9/27		Inspection Date: 9/25/23		
	Package 10							Left		Right	
			Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7
12	Stow Loop Panel Length of Elastic Section		7 1/8	7 5/8	11-1-7140	1	D5	7/2		7 1/2	
28	Locking Stow Loop Length		3	3 1/4	11-1-7147	4	G7	3 1/4		3 1/4	
29	Reinforcement Panel Length		8 1/4	8 3/4	11-1-7147	4	D6	8 3/8			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):									Go		
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):									Go		
Visual Inspection (GO/NO GO):			Go								
Inspector: K. GRANT											
Visual Inspection Notes:											

Box #6		Deployment Bag			S/N: 14206		DoM: 9/27		Inspection Date: 9/25/23		
	Package 10							Left		Right	
			Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7
16	Closing Flap Loop Placement (Left)		1 7/8	2 1/8	11-1-7144	1	F6	2			
17	Closing Flap Loop Placement (Right)		1 7/8	2 1/8	11-1-7144	1	F4	2			
18	Closing Flap Loop Opening Height		15/16	1 1/16	11-1-7144	1	E7	15/16		15/16	
19	Closing Flap Loop Opening Width		15/16	1 1/16	11-1-7144	1	F6	15/16		15/16	
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):									Go		
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):									Go		
Visual Inspection (GO/NO GO):			Go								
Inspector: K. GRANT											
Visual Inspection Notes:											

## T-11 SYSTEM

Box #7		Deployment Bag			S/N: 14217		DoM: 9/23		Inspection Date: 9/25/23		
	Package 10							Left		Right	
			Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7
3	Cover Flap Placement	13 1/4	13 3/4	11-1-7063	1	D2	$13\frac{3}{8}$		$13\frac{1}{2}$	NOTE: Both sides within 1/4	
15	Stow Loop Panel Loop Spacing	5/16	7/16	11-1-7140	1	C5	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO): Go											
Inspector: K. GRANT											
Visual Inspection Notes:											

Box #8		Deployment Bag			S/N: 14227		DoM: 9/23		Inspection Date: 9/26/23		
	Package 10							Left		Right	
			Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7
12	Stow Loop Panel Length of Elastic Section	7 1/8	7 5/8	11-1-7140	1	D5	$7\frac{1}{2}$		$7\frac{1}{2}$		
20	Cover Flap Loop Placement	1 3/16	1 5/16	11-1-7145	1	D6	$1\frac{1}{4}$		$1\frac{1}{4}$		
21	Cover Flap Width	15 3/4	16 1/4	11-1-7145	1	C3	$1\frac{1}{2}$				
29	Reinforcement Panel Length	8 1/4	8 3/4	11-1-7147	4	D6	$8\frac{7}{16}$		$8\frac{7}{16}$		
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO): Go											
Inspector: K. GRANT											
Visual Inspection Notes:											

### T-11 SYSTEM

9/23 Kwt

9/26/23 Kwt

Box #9		Deployment Bag		S/N: 14247			DoM: 9/23/23		Inspection Date: K. GRANT		
	Package 10						Left		Right		
		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7	Loop 9
12	Stow Loop Panel Length of Elastic Section	7 1/8	7 5/8	11-1-7140	1	D5	$7\frac{1}{2}$		$7\frac{1}{2}$		
22	Distance b/w Locking Stow Loops	6 1/8	6 3/8	11-1-7147	2	E8	$6\frac{1}{4}$				
24	Distance b/w Stow Loop Panels	5 3/8	5 5/8	11-1-7147	2	E7	$5\frac{1}{2}$				
29	Reinforcement Panel Length	8 1/4	8 3/4	11-1-7147	4	D6	$8\frac{3}{8}$		$8\frac{3}{8}$		
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO): Go											
Inspector: K. GRANT											
Visual Inspection Notes:											

Box #10		Deployment Bag		S/N: 14248			DoM: 9/23		Inspection Date: 9/26/23		
	Package 10						Left		Right		
		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7	Loop 9
4	Tuck Flap Spacing	3/8	5/8	11-1-7063	2	H8	$\frac{1}{2}$		$\frac{1}{2}$		
5	Tuck Flap Length	7 7/8	8 1/8	11-1-7063	2	G6	8		8		
6	Closing Flap Width	7 3/8	7 5/8	11-1-7063	2	G1	$7\frac{1}{2}$				
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO): Go											
Inspector: K. GRANT											
Visual Inspection Notes:											

## T-11 SYSTEM

Box #11		Deployment Bag			S/N:	14267		DoM:	9/27	Inspection Date:	9/28/23
	Package 10						Left		Right		
		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7	Loop 9
1	Distance Between Small Loops (Front)	11 1/4	11 3/4	11-1-7063	1	G4	$11\frac{3}{8}$				
2	Distance from Centerline to Small Loop (Front)	5 5/8	5 7/8	11-1-7063	1	F3	$5\frac{11}{16}$				
14	Stow Loop Panel Height of Loops	7/8	1 1/8	11-1-7140	1	C3	1	1	1	1	1
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO):			Go								
Inspector:		L. GRAM									
Visual Inspection Notes:											

Box #12		Deployment Bag			S/N:	142 73		DoM:	9/27	Inspection Date:	9/28/23
	Package 10						Left		Right		
		Min	Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7	Loop 9
7	Small Loop Opening (Front)	15/16	1 1/16	11-1-7063	3	G7	1		1		
8	Small Loop Height (Front)	1 7/8	2 1/8	11-1-7063	3	G6	$1\frac{7}{8}$		2		
9	Small Loop Opening (Rear)	15/16	1 1/16	11-1-7063	3	C7	1		1		
10	Small Loop Height (Rear)	1 7/8	2 1/8	11-1-7063	3	C6	2		2		
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):								Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):								Go			
Visual Inspection (GO/NO GO):			Go								
Inspector:		L. GRAM									
Visual Inspection Notes:											

## T-11 SYSTEM

Box #13		Deployment Bag			S/N: 14276		DoM: 9/23		Inspection Date: 9/28/23	
	Package 10		Left					Right		
Min			Max	Drawing	Sheet	Zone	Top / Loop 1	Bottom / Loop 3	Top / Loop 5	Bottom / Loop 7
12	Stow Loop Panel Length of Elastic Section	7 1/8	7 5/8	11-1-7140	1	D5	$7\frac{1}{2}$		$7\frac{1}{2}$	
28	Locking Stow Loop Length	3	3 1/4	11-1-7147	4	G7	$3\frac{1}{8}$		$3\frac{1}{8}$	
29	Reinforcement Panel Length	8 1/4	8 3/4	11-1-7147	4	D6	$8\frac{1}{4}$			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Card (GO/NO GO):							Go			
Confirm Serial Number on D Bag Matches Serial Number on Contractor Inspection Sheet (GO/NO GO):							Go			
Visual Inspection (GO/NO GO):		Go								
Inspector: L. GRANT										
Visual Inspection Notes:										

## T-11 SYSTEM

Box #1	Package 11	Harness		DoM:		Inspection Date:		
		Low	High	Drawing	Sheet	Zone	Left Side	Right Side
1	Chest Strap Length (Textile)	23 1/2	24 1/2	11-1-7723	2	B6	2 4	
2	Equipment Ring Location	5 7/8	6 1/8	11-1-7723	2	E3	6	5 7/8
3	D Ring Location	3 3/4	4	11-1-7723	2	F4	4	4
14	Inspect Glued area for thread/structure	GO/NO GO		11-1-7723	1 & 2	several G.O.		
15	Inspect Glued area for thread/structure	GO/NO GO		11-1-7162	2	C7/C6	G.O.	
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G.O.	
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7161	1	B7/F2	G.O.	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>								
Inspector:	K. Chan							
Visual Inspection Notes:								

Box #2	Package 11	Harness		DoM:		Inspection Date:		
		Low	High	Drawing	Sheet	Zone	Left Side	Right Side
4	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6	2 0 1/2	2 0 1/2
6	Saddle Adapter Horizontal Location	1 7/8	2 1/8	11-1-7162	1	C7	2	2
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several G.O.		
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G.O.	
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4.	G.O.	
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	G.O.	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>								
Inspector:	K. Chan							
Visual Inspection Notes:								

### T-11 SYSTEM

Box #3		Package 11		Harness		DoM: 8/23		Inspection Date: 9/20/23	
		Low	High	Drawing	Sheet	Zone	Left Side	Right Side	
7	Width Between Leg Straps	1 7/8	2 1/8	11-1-7162	2	D4	2		
10	Box X Webbing Location	3/4	1	11-1-7162	2	C7	7/8	7/8	
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	G <sub>o</sub>		
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G <sub>o</sub>		
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G <sub>o</sub>		
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	G <sub>o</sub>		
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>									
Inspector:		K. Grawit							
<b>Visual Inspection Notes:</b>									

Box #4		Package 11		Harness		DoM: 8/23		Inspection Date: 9/20/23	
		Low	High	Drawing	Sheet	Zone	Left Side	Right Side	
10	Leg Strap Angle Location	2 1/4	2 1/2	11-1-7162	2	D4	2 1/2	2 1/2	
11	Leg Strap Location	7 5/8	7 7/8	11-1-7162	2	D5	7 5/8	7 5/8	
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	G <sub>o</sub>		
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G <sub>o</sub>		
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G <sub>o</sub>		
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	G <sub>o</sub>		
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>									
Inspector:		K. Grawit							
<b>Visual Inspection Notes:</b>									

## T-11 SYSTEM

Box #5	Package 11	Harness		DoM:	Inspection Date:		9/25/23	
		Low	High		Sheet	Zone		
4	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6	20 1/2	20 1/2
7	Saddle Adapter Vertical Location	1	1 1/4	11-1-7162	1	C7	1	1
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	G <sub>o</sub>	
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G <sub>o</sub>	
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G <sub>o</sub>	
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	GO	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>								
Inspector: K - GIAW1								
Visual Inspection Notes:								

Box #6	Package 11	Harness		DoM:	Inspection Date:		9/25/23	
		Low	High		Sheet	Zone		
11	Webbing Location	4 3/4	5 1/4	11-1-7162	2	C7	S	S
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	G <sub>o</sub>	
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G <sub>o</sub>	
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G <sub>o</sub>	
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	G <sub>o</sub>	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>								
Inspector: K - GIAW1								
Visual Inspection Notes:								

## T-11 SYSTEM

Box #7	Package 11	Harness		DoM: 8/27	Inspection Date: 9/25/27				
		Low	High		Drawing	Sheet	Zone	Left Side	Right Side
12	Webbing Length	3 1/8	3 3/8	11-1-7162	2	C6	3 1/4	3 1/4	
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	G <sub>o</sub>	G <sub>o</sub>	
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G <sub>o</sub>	G <sub>o</sub>	
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G <sub>o</sub>	G <sub>o</sub>	
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	G <sub>o</sub>	G <sub>o</sub>	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>								<b>G<sub>o</sub></b>	
Inspector:	K. GIAAT								
Visual Inspection Notes:									

Box #8	Package 11	Harness		DoM: 9/25	Inspection Date: 9/26/27				
		Low	High		Drawing	Sheet	Zone		
4	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6			
13	V Ring Location	15/16	1 1/16	11-1-7162	2	B7	V/V		
14	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several	G <sub>o</sub>	G <sub>o</sub>	
15	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6	G <sub>o</sub>	G <sub>o</sub>	
16	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4	G <sub>o</sub>	G <sub>o</sub>	
17	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3	G <sub>o</sub>	G <sub>o</sub>	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>								<b>G<sub>o</sub></b>	
Inspector:	K. GIAAT								
Visual Inspection Notes:									

## T-11 SYSTEM

Box #9		Package 11	Harness	DoM:	9/23	Inspection Date:	9/26 /23		
			Low	High	Drawing	Sheet	Zone	Left Side	Right Side
<b>1</b>	Chest Strap Length (Textile)		23 1/2	24 1/2	11-1-7723	2	B6		
<b>2</b>	Equipment Ring Location	5 7/8	6 1/8	11-1-7723	2	E3		✓/○	
<b>3</b>	D Ring Location	3 3/4	4	11-1-7723	2	F4			
<b>14</b>	Inspect Glued area for thread/structure	GO/NO GO		11-1-7723	1 & 2	several		G○	
<b>15</b>	Inspect Glued area for thread/structure	GO/NO GO		11-1-7162	2	C7/C6		G○	
<b>16</b>	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4		G○	
<b>17</b>	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3		G○	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>									
Inspector: <i>K. G. Hart</i>									
Visual Inspection Notes:									

Box #10		Package 11	Harness	DoM:	9/23	Inspection Date:	9/24 /23		
			Low	High	Drawing	Sheet	Zone	Left Side	Right Side
<b>4</b>	CRA Location	20 3/8	20 7/8	11-1-7723	2	G6	2 1/2	2 1/2	
<b>6</b>	Saddle Adapter Horizontal Location	1 7/8	2 1/8	11-1-7162	1	C7	2	2	
<b>14</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several		G○	
<b>15</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6		G○	
<b>16</b>	Inspect Glued area for thread/structure	GO/NO GO		11-1-7725	1	C4		G○	
<b>17</b>	Inspect Glued area for thread/structure	GO/NO GO		11-1-7724	1	C5/C3		G○	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>									
Inspector: <i>K. G. Hart</i>									
Visual Inspection Notes:									

## T-11 SYSTEM

Box #11	Package 11	Harness	DoM: 09/23	Inspection Date: 9/28/23		
		Low	High	Drawing	Sheet	Zone
<b>7</b>	Width Between Leg Straps	1 7/8	2 1/8	11-1-7162	2	D4
<b>10</b>	Box X Webbing Location	3/4	1	11-1-7162	2	C7
<b>14</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several
<b>15</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6
<b>16</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7725	1	C4	GO
<b>17</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7724	1	C5/C3	GO
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>						
Inspector:	Robinson					
Visual Inspection Notes:	GO					

Box #12	Package 11	Harness	DoM: 09/23	Inspection Date: 9/28/23		
		Low	High	Drawing	Sheet	Zone
<b>8</b>	Leg Strap Angle Location	2 1/4	2 1/2	11-1-7162	2	D4
<b>9</b>	Leg Strap Location	7 5/8	7 7/8	11-1-7162	2	D5
<b>14</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7723	1 & 2	several
<b>15</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6
<b>16</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7725	1	C4	
<b>17</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7724	1	C5/C3	GO
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>						
Inspector:	Robinson					
Visual Inspection Notes:	VO - GO					

Box #13	Package 11	Harness	DoM: 9/23	Inspection Date: 9-28-23		
		Low	High	Drawing	Sheet	Zone
<b>4</b>	CRA Location	1	1 1/4	11-1-7162	1	D7
<b>6</b>	Saddle Adapter Vertical Location	N/A	N/A	11-1-7723	1 & 2	several
<b>14</b>	Inspect Glued area for thread/structure	N/A	N/A	11-1-7162	2	C7/C6
<b>15</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7725	1	C4	
<b>16</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7724	1	C5/C3	GO
<b>17</b>	Inspect Glued area for thread/structure	GO/NO GO	11-1-7724	1	C5/C3	
<b>Visual Inspection + Canopy Release Functional w/ Riser (GO/NO GO):</b>						
Inspector:	Reece					
Visual Inspection Notes:	V/H					

## T-11 SYSTEM

Box #1	Drogue	DoM: 8/23			Inspection Date: 9/20/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47 1/4	47 1/4	
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	31	NOTE: Measure flat	
Visual Inspection (GO/NO GO):		Go								
Inspector: K. GRANT										
Visual Inspection Notes:										

Box #2	Drogue	DoM: 8/23			Inspection Date: 9/20/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
2	Main Seam Length	21	22	11-1-7060	1	D3	1/2	21	21	21
Visual Inspection (GO/NO GO):		Go								
Inspector: K. GRANT										
Visual Inspection Notes:										

Box #3	Drogue	DoM: 9/23			Inspection Date: 9/20/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
2	Main Seam Length	21	22	11-1-7060	1	D3	1/2	21	21	21
Visual Inspection (GO/NO GO):		Go								
Inspector: K. GRANT										
Visual Inspection Notes:										

## T-11 SYSTEM

Box #4	Drogue	DoM: 9/23			Inspection Date: 9/20/23				
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry		
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47 1/4	47 1/4
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	31	NOTE: Measure flat
Visual Inspection (GO/NO GO): Go									
Inspector: K. GRANT									
Visual Inspection Notes:									

Box #5	Drogue	DoM: 9/23			Inspection Date: 9/25/23				
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry		
3	Bridle Length	5 3/4	6 1/4	11-1-7060	1	C4	1/4	6	6
Visual Inspection (GO/NO GO): Go									
Inspector: K. GRANT									
Visual Inspection Notes:									

Box #6	Drogue	DoM: 9/23			Inspection Date: 9/25/23				
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry		
3	Bridle Length	5 3/4	6 1/4	11-1-7060	1	C4	1/4	6	6
Visual Inspection (GO/NO GO): Go									
Inspector: K. GRANT									
Visual Inspection Notes:									

## T-11 SYSTEM

Box #7	Drogue	DoM: 9/23			Inspection Date: 9/25/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47 1/2	47 1/4	
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	31	NOTE: Measure flat	
Visual Inspection (GO/NO GO): Go										
Inspector: K. GRANT										
Visual Inspection Notes:										

Box #8	Drogue	DoM: 9/23			Inspection Date: 9/26/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
5	Centerline Loop Length	1 5/8	1 7/8	11-1-7060	2	G8	N/A	1 7/8	NOTE: Measure flat	
6	Centerline Loop Bartack Spacing	1/8	1/4	11-1-7060	2	F7	N/A	1/4		
7	Bridle Tail Bartack Height	2 5/8	2 7/8	11-1-7060	2	C6	N/A	2 3/4		
Visual Inspection (GO/NO GO): Go										
Inspector: K. GRANT										
Visual Inspection Notes:										

Box #9	Drogue	DoM: 9/23			Inspection Date: 9/26/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47 1/4	47 1/4	
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	31	NOTE: Measure flat	
Visual Inspection (GO/NO GO): Go										
Inspector: K. GRANT										
Visual Inspection Notes:										

## T-11 SYSTEM

Box #10	Drogue	DoM: 9/23			Inspection Date: 9/26/23						
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry				
2	Main Seam Length	21	22	11-1-7060	1	D3	1/2	21 1/4	21 5/8	21 1/4	21 1/2
Visual Inspection (GO/NO GO): Go											
Inspector: K. GRANT											
Visual Inspection Notes:											

Box #11	Drogue	DoM: 9/27			Inspection Date: 9/28/23						
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry				
2	Main Seam Length	21	22	11-1-7060	1	D3	1/2	21 1/2	21 3/4	21 1/2	21 3/4
Visual Inspection (GO/NO GO): Go											
Inspector: K. GRANT											
Visual Inspection Notes:											

## T-11 SYSTEM

Box #12	Drogue	DoM: 9/23			Inspection Date: 9/28/23					
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry			
1	Flat Canopy Diameter	46 1/2		11-1-7060	1	F2	1/2	47	47	
4	Centerline Length	30 3/4	31 1/4	11-1-7060	2	E8	N/A	30 3/4	NOTE: Measure flat	
Visual Inspection (GO/NO GO): Go										
Inspector: JC. GRANT										
Visual Inspection Notes:										

Box #13	Drogue	DoM: 9/23			Inspection Date: 9/28/23						
	Package 12	Min	Max	Drawing	Sheet	Zone	Symmetry				
3	Bridle Length	5 3/4	6 1/4	11-1-7060	1	C4	1/4	6	5 3/4	5 3/4	6
Visual Inspection (GO/NO GO): Go											
Inspector: JC. GRANT											
Visual Inspection Notes:											

T-11 SYSTEM

## T-11 SYSTEM

Box #4	T-11R soft link			Inspection Date:			9/19/23		
Package 13		Inspector: K. GRANT							
	Min	Max	Tension	Drawing	Sheet	Zone	Total/Left	Center	Right
1 Soft-link length	5 15/16	6 1/8	3-5 lbs	11-1-9769	1	F6	6 1/8		
2 Bartack length (3 - locations)	9/16	11/16		11-1-9769	1	E6	11/16	11/16	11/16
3 Visual inspect finger trap	Go/No Go			11-1-9769	1	B5	Go		Go
Visual Inspection (GO/NO GO) :				Go					
Visual Inspection Notes:									

Box #5	T-11R soft link			Inspection Date:			9/25/23		
Package 13		Inspector: K. GRANT							
	Min	Max	Tension	Drawing	Sheet	Zone	Total/Left	Center	Right
1 Soft-link length	5 15/16	6 1/8	3-5 lbs	11-1-9769	1	F6	6 1/8		
2 Bartack length (3 - locations)	9/16	11/16		11-1-9769	1	E6	11/16	11/16	11/16
3 Visual inspect finger trap	Go/No Go			11-1-9769	1	B5	Go		Go
Visual Inspection (GO/NO GO) :				Go					
Visual Inspection Notes:									

Box #6	T-11R soft link			Inspection Date:			9/25/23		
Package 13		Inspector: K. GRANT							
	Min	Max	Tension	Drawing	Sheet	Zone	Total/Left	Center	Right
1 Soft-link length	5 15/16	6 1/8	3-5 lbs	11-1-9769	1	F6	6 1/8		
2 Bartack length (3 - locations)	9/16	11/16		11-1-9769	1	E6	11/16	11/16	11/16
3 Visual inspect finger trap	Go/No Go			11-1-9769	1	B5	Go		Go
Visual Inspection (GO/NO GO) :				Go					
Visual Inspection Notes:									

T-11 SYSTEM

T-11 SYSTEM

## T-11 SYSTEM

Box #12	T-11R soft link			Inspection Date:			9/28/23		
Package 13		Inspector: K. GRANT							
		Min	Max	Tension	Drawing	Sheet	Zone	Total/Left	Center
1	Soft-link length	5 15/16	6 1/8	3-5 lbs	11-1-9769	1	F6	X/0	
2	Bartack length (3 - locations)	9/16	11/16		11-1-9769	1	E6		
3	Visual inspect finger trap	Go/No Go			11-1-9769	1	B5		
Visual Inspection (GO/NO GO):					Go				
Visual Inspection Notes:									

Box #13	T-11R soft link			Inspection Date:			9/28/23		
Package 13		Inspector: K. GRANT							
		Min	Max	Tension	Drawing	Sheet	Zone	Total/Left	Center
1	Soft-link length	5 15/16	6 1/8	3-5 lbs	11-1-9769	1	F6	X/0	
2	Bartack length (3 - locations)	9/16	11/16		11-1-9769	1	E6		
3	Visual inspect finger trap	Go/No Go			11-1-9769	1	B5	Go	Go
Visual Inspection (GO/NO GO):					Go				
Visual Inspection Notes:									