

Select الأوامر - geth --datadir node1 --unlock "6370E849F055e4D4Ab4456d41f39aF1c2b9aC9e7" --mine --rpc --allow-insecure-unlock

```
C:\Users\CLICK\GETH1>geth --datadir node1 --unlock "6370E849F055e4D4Ab4456d41f39aF1c2b9aC9e7" --mine --rpc --allow-insecure-unlock
INFO [12-15|08:59:05.762] Bumping default cache on mainnet      provided=1024 updated=4096
WARN [12-15|08:59:05.785] Sanitizing cache to Go's GC limits    provided=4096 updated=1340
INFO [12-15|08:59:05.815] Maximum peer count                    ETH=50 LES=0 total=50
INFO [12-15|08:59:06.160] Starting peer-to-peer node            instance=Geth/v1.9.7-stable-a718daa6/windows-amd64/go1.13.4
INFO [12-15|08:59:06.203] Allocated trie memory caches          clean=335.00MiB dirty=335.00MiB
INFO [12-15|08:59:06.219] Allocated cache and file handles      database=C:\Users\CLICK\GETH1\node1\geth\chaindata cache=670.00MiB handles=8192
INFO [12-15|08:59:07.235] Opened ancient database               database=C:\Users\CLICK\GETH1\node1\geth\chaindata\ancient
INFO [12-15|08:59:07.302] Initialised chain configuration        config="{ChainID: 1313 Homestead: 0 DAO: <nil> DAOSupport: false EIP150: 0 EIP155: 0 EIP158: 0 Byzant
ium: 0 Constantinople: 0 Petersburg: 0 Istanbul: 0 Engine: clique}"
INFO [12-15|08:59:07.384] Initialising Ethereum protocol        versions="[64 63]" network=1 dbversion=<nil>
WARN [12-15|08:59:07.392] Upgrade blockchain database version    from=<nil> to=7
INFO [12-15|08:59:07.636] Loaded most recent local header        number=0 hash=73507d...8808cb td=1 age=14m13s
INFO [12-15|08:59:07.644] Loaded most recent local full block    number=0 hash=73507d...8808cb td=1 age=14m13s
INFO [12-15|08:59:07.667] Loaded most recent local fast block    number=0 hash=73507d...8808cb td=1 age=14m13s
INFO [12-15|08:59:07.699] Regenerated local transaction journal   transactions=0 accounts=0
INFO [12-15|08:59:07.778] Allocated fast sync bloom             size=670.00MiB
INFO [12-15|08:59:07.786] Initialized fast sync bloom            items=4 errorrate=0.000 elapsed=0s
INFO [12-15|08:59:07.864] Stored checkpoint snapshot to disk      number=0 hash=73507d...8808cb
INFO [12-15|08:59:08.237] New local node record                  seq=1 id=3cef2c440f2f20a5 ip=127.0.0.1 udp=30303 tcp=30303
INFO [12-15|08:59:09.171] Started P2P networking                 self=enode://c5e9f25ae0066ad11c2237cae8b1202d782e1b1e2381d60cf7aee8a718403efb5032cd8b33a7eb4cbf0eaf5f
533c3b9da5ac5c881b2cdba70d04dfba265770cc@127.0.0.1:30303
INFO [12-15|08:59:10.455] IPC endpoint opened                    url=\\\\.\\pipe\\geth.ipc
INFO [12-15|08:59:10.984] HTTP endpoint opened                   url=http://127.0.0.1:8545 cors= vhosts=localhost
Unlocking account 6370E849F055e4D4Ab4456d41f39aF1c2b9aC9e7 | Attempt 1/3
Password: INFO [12-15|08:59:12.067] New local node record                  seq=2 id=3cef2c440f2f20a5 ip=168.149.51.31 udp=37433 tcp=30303
INFO [12-15|09:00:42.793] Unlocked account                      address=0x6370E849F055e4D4Ab4456d41f39aF1c2b9aC9e7
INFO [12-15|09:00:43.777] Transaction pool price threshold updated price=1000000000
INFO [12-15|09:00:43.790] Transaction pool price threshold updated price=1000000000
INFO [12-15|09:00:43.796] Etherbase automatically configured    address=0x6370E849F055e4D4Ab4456d41f39aF1c2b9aC9e7
WARN [12-15|09:00:44.019] Block sealing failed                   err="unauthorized signer"
INFO [12-15|09:00:44.101] Commit new mining work                 number=1 sealhash=e5e9a1...ffd6a5 uncles=0 txs=0 gas=0 fees=0 elapsed=200.325ms
INFO [12-15|09:05:22.808] New local node record                  seq=3 id=3cef2c440f2f20a5 ip=37.243.193.102 udp=53205 tcp=30303
INFO [12-15|09:59:07.918] Regenerated local transaction journal   transactions=0 accounts=0
INFO [12-15|10:10:45.862] New local node record                  seq=4 id=3cef2c440f2f20a5 ip=37.243.193.102 udp=57643 tcp=30303
INFO [12-15|10:59:07.749] Regenerated local transaction journal   transactions=0 accounts=0
```

11:33 ص  
٤٣/٠٥/١١

ENG



```
موجه الأوامر - geth --datadir ./node2 --unlock "c1CDEeB939b8E1773B18cb4b3Db81e1A937F4493" --ipcdisable --mine --port 30305 --bootnodes enode://c5e9f25ae0066ad11c2237cae8b1202d782e1b1e2381d60cf7aee8a718403efb5...
WARN [12-15|09:21:14.570] Sanitizing cache to Go's GC limits provided=4096 updated=1340
CRIT [12-15|09:21:14.578] Bootstrap URL invalid enode://c5e9f25ae0066ad11c2237cae8b1202d782e1b1e2381d60cf7aee8a718403efb5032cd8b33a7eb4cbf0eaf5f533c3b9da5ac5c881b2cdba70d04dfba265770cc@127.0.0.1:30303 err="missing 'enr:' prefix for base64-encoded record"

C:\Users\CLICK\GETH1>geth --datadir ./node2 --unlock "c1CDEeB939b8E1773B18cb4b3Db81e1A937F4493" --ipcdisable --mine --port 30305 --bootnodes enode://c5e9f25ae0066ad11c2237cae8b1202d782e1b1e2381d60cf7aee8a718403efb5032cd8b33a7eb4cbf0eaf5f533c3b9da5ac5c881b2cdba70d04dfba265770cc@127.0.0.1:30303
INFO [12-15|09:36:16.932] Bumping default cache on mainnet provided=1024 updated=4096
WARN [12-15|09:36:17.000] Sanitizing cache to Go's GC limits provided=4096 updated=1340
INFO [12-15|09:36:17.435] Maximum peer count ETH=50 LES=0 total=50
INFO [12-15|09:36:17.828] Starting peer-to-peer node instance=Geth/v1.9.7-stable-a718daa6/windows-amd64/go1.13.4
INFO [12-15|09:36:17.845] Allocated trie memory caches clean=335.00MiB dirty=335.00MiB
INFO [12-15|09:36:17.858] Allocated cache and file handles database=C:\Users\CLICK\GETH1\1\node2\geth\chaindata cache=670.00MiB handles=8192
INFO [12-15|09:36:20.666] Opened ancient database database=C:\Users\CLICK\GETH1\1\node2\geth\chaindata\ancient
INFO [12-15|09:36:23.482] Initialised chain configuration config="{ChainID: 1313 Homestead: 0 DAO: <nil> DAOsupport: false EIP150: 0 EIP155: 0 EIP158: 0 Byzantium: 0 Constantinople: 0 Petersburg: 0 Istanbul: 0 Engine: clique}"
INFO [12-15|09:36:23.500] Initialising Ethereum protocol versions="[64 63]" network=1 dbversion=<nil>
WARN [12-15|09:36:23.511] Upgrade blockchain database version from=<nil> to=7
INFO [12-15|09:36:23.710] Loaded most recent local header number=0 hash=73507d...8808cb td=1 age=51m29s
INFO [12-15|09:36:23.717] Loaded most recent local full block number=0 hash=73507d...8808cb td=1 age=51m29s
INFO [12-15|09:36:23.725] Loaded most recent local fast block number=0 hash=73507d...8808cb td=1 age=51m29s
INFO [12-15|09:36:23.741] Regenerated local transaction journal transactions=0 accounts=0
INFO [12-15|09:36:23.769] Allocated fast sync bloom size=670.00MiB
INFO [12-15|09:36:23.781] Initialized fast sync bloom items=4 errorrate=0.000 elapsed=996.5µs
INFO [12-15|09:36:23.782] Stored checkpoint snapshot to disk number=0 hash=73507d...8808cb
INFO [12-15|09:36:24.518] New local node record seq=1 id=48628845932a03e1 ip=127.0.0.1 udp=30305 tcp=30305
INFO [12-15|09:36:24.518] Unlocking account c1CDEeB939b8E1773B18cb4b3Db81e1A937F4493 | Attempt 1/3 self=enode://5141d43b7fce0c12cc30dbe14db1484c3fedc3bce5dacac75f96ec9b445b5adf7ff24f6750a44fe57a74fa3c996
9:36:Password: 24.553] Started P2P networking
5d15a541bef5828f7ee30b13a9f45f590d152@127.0.0.1:30305
INFO [12-15|09:36:27.228] New local node record seq=2 id=48628845932a03e1 ip=37.243.193.102 udp=53972 tcp=30305


INFO [12-15|09:39:17.883] Unlocked account address=0xc1CDEeB939b8E1773B18cb4b3Db81e1A937F4493
INFO [12-15|09:39:17.988] Transaction pool price threshold updated price=1000000000
INFO [12-15|09:39:18.004] Transaction pool price threshold updated price=1000000000
INFO [12-15|09:39:18.010] Etherbase automatically configured address=0xc1CDEeB939b8E1773B18cb4b3Db81e1A937F4493
WARN [12-15|09:39:18.087] Block sealing failed err="unauthorized signer"
INFO [12-15|09:39:18.101] Commit new mining work number=1 sealhash=86f43f...d2e8ef uncles=0 txs=0 gas=0 fees=0 elapsed=53.264ms
INFO [12-15|10:10:59.465] New local node record seq=3 id=48628845932a03e1 ip=37.243.193.102 udp=54166 tcp=30305
INFO [12-15|10:36:23.797] Regenerated local transaction journal transactions=0 accounts=0
```

موجة الأوامر - geth --datadir ./node3 --unlock "FF906a1809206b80a772ab41B94Cb54332d70c64" --ipcdisable --mine --port 30306 --bootnodes enode://c5e9f25ae0066ad11c2237cae8b1202d782e1b1e2381d60cf7aee8a718403efb50...

```
C:\Users\CLICK\GETH1>geth --datadir ./node3 --unlock "FF906a1809206b80a772ab41B94Cb54332d70c64" --ipcdisable --mine --port 30306 --bootnodes enode://c5e9f25ae0066ad11c2237cae8b1202d782e1b1e2381d60cf7aee8a718403efb5032cd8b33a7eb4cbf0eaf5f533c3b9da5ac5c881b2cd8ba70d04dfba265770cc@127.0.0.1:30303
INFO [12-15|10:03:14.718] Bumping default cache on mainnet      provided=1024 updated=4096
WARN [12-15|10:03:14.736] Sanitizing cache to Go's GC limits     provided=4096 updated=1340
INFO [12-15|10:03:14.761] Maximum peer count                     ETH=50 LES=0 total=50
INFO [12-15|10:03:14.991] Starting peer-to-peer node             instance=Geth/v1.9.7-stable-a718daa6/windows-amd64/go1.13.4
INFO [12-15|10:03:15.015] Allocated trie memory caches           clean=335.00MiB dirty=335.00MiB
INFO [12-15|10:03:15.024] Allocated cache and file handles       database=C:\\Users\\CLICK\\GETH1\\node3\\geth\\chaindata cache=670.00MiB handles=8192
INFO [12-15|10:03:15.476] Opened ancient database                database=C:\\Users\\CLICK\\GETH1\\node3\\geth\\chaindata\\ancient
INFO [12-15|10:03:15.517] Initialised chain configuration        config="{ChainID: 1313 Homestead: 0 DAO: <nil> DAOSupport: false EIP150: 0 EIP155: 0 EIP158: 0 Byzantium: 0 Constantinople: 0 Petersburg: 0 Istanbul: 0 Engine: clique}"
INFO [12-15|10:03:15.544] Initialising Ethereum protocol         versions="[64 63]" network=1 dbversion=7
INFO [12-15|10:03:15.733] Loaded most recent local header        number=0 hash=73507d...8808cb td=1 age=1h18m21s
INFO [12-15|10:03:15.742] Loaded most recent local full block    number=0 hash=73507d...8808cb td=1 age=1h18m21s
INFO [12-15|10:03:15.750] Loaded most recent local fast block    number=0 hash=73507d...8808cb td=1 age=1h18m21s
INFO [12-15|10:03:15.761] Loaded local transaction journal        transactions=0 dropped=0
INFO [12-15|10:03:15.769] Regenerated local transaction journal   transactions=0 accounts=0
INFO [12-15|10:03:15.828] Allocated fast sync bloom             size=670.00MiB
INFO [12-15|10:03:15.836] Initialized fast sync bloom            items=4 errorrate=0.000 elapsed=0s
INFO [12-15|10:03:16.554] New local node record                 seq=1 id=a436f03f6b89f155 ip=127.0.0.1 udp=30306 tcp=30306
INFO [12-15|10:03:17.173] Started P2P networking                self=enode://5fc2cfa5c6f4a5ac63c8a1879132647c7fc87df4e4b7e7b91da7ce1be641d7fcf8795cd00372563defd05a32
52b3d80a69469b78259372d600d3e7a11d8614ee@127.0.0.1:30306
INFO [12-15|10:03:19.523] New local node record                 seq=2 id=a436f03f6b89f155 ip=37.243.193.102 udp=55363 tcp=30306
Unlocking account FF906a1809206b80a772ab41B94Cb54332d70c64 | Attempt 1/3
Password:
INFO [12-15|10:03:54.730] Unlocked account                     address=0xFF906a1809206b80a772ab41B94Cb54332d70c64
INFO [12-15|10:03:54.739] Transaction pool price threshold updated price=1000000000
INFO [12-15|10:03:54.746] Transaction pool price threshold updated price=1000000000
INFO [12-15|10:03:54.754] Ethereum automatically configured    address=0xFF906a1809206b80a772ab41B94Cb54332d70c64
INFO [12-15|10:03:54.764] Commit new mining work                number=1 sealhash=b67a9f...fd0417 uncles=0 txs=0 gas=0 fees=0 elapsed=0s
WARN [12-15|10:03:54.764] Block sealing failed                  err="unauthorized signer"
INFO [12-15|10:10:22.692] New local node record                 seq=3 id=a436f03f6b89f155 ip=37.243.193.102 udp=56040 tcp=30306
INFO [12-15|11:03:15.844] Regenerated local transaction journal   transactions=0 accounts=0
```

ENG ١١:٣٤ ص ٤٣/٠٥/١١





chrome-extension://nkbihfbeogaeaoehlefnkodbefgpgknn/home.html# | MetaMask

حساب 2  
0x706...1b68

904625697166532776746648320380374280103671755200316906558.2624 ETH

↓ Buy

↗ إرسال

↻ Swap

AssetsActivity

اللائحة (1)

↗ إرسال

فقد الانتظار • To: 0x637...c9e7

تدخلإلغاء

-9046256971665327767466...  
-9046256971665327767466483203803

السجل

لا توجد لديك معاملات

Need help? Contact [MetaMask Support](#)

You are screen sharing Remaining : 00:58:19 Stop Share

ENG ١٢:٠٤ م ٤٣/٠٥/١١