

► All services

Get started with simple wizards and automated workflows.

~~With EC2
2-3 minutes~~



With AWS IoT
5 minutes



▶ See more

With Elastic Beanstalk
6 minutes



With AWS MGN
1-2 minutes



With Lightsail
1-2 minutes



With CodeStar
5 minutes





With Route 53
3 minutes





With Lambda, API Gateway
2 minutes



AWS Console Mobile App now supports four additional regions. Download the AWS Console Mobile App to your iOS or Android mobile device. [Learn more](#) 

AWS AppSync is a fully-managed GraphQL service that improves app performance and developer productivity. [Learn more](#) 

Centrally manage and automate backups across AWS services.
[Learn more](#) 

Discover the top 7 reasons to get AWS Certified. [Learn more](#) 

Respond faster to application issues using new incident response and analysis capabilities. [Learn more](#)

Have feedback?

- 1. Choose AMI
- 2. Choose Instance Type
- 3. Configure Instance
- 4. Add Storage
- 5. Add Tags
- 6. Configure Security Group
- 7. Review

Step 1: Choose an Amazon Machine Image (AMI)

Cancel and Exit

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace; or you can select one of your own AMIs.

Quick Start

My AMIs

AWS Marketplace

Community AMIs

☐ Free tier only ⓘ

Amazon Linux

Free tier eligible

Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5eff06f840b45e9 (64-bit x86) / ami-09d19e919d57453f8 (64-bit Arm)

Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is approaching end of life on December 31, 2020 and has been removed from this wizard.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

macOS Big Sur 11.4 - ami-0459d6b36df3c5ba5

The macOS Big Sur AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

macOS Catalina 10.15.7 - ami-04c57fb416ca98499

The macOS Catalina AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

macOS Mojave 10.14.6 - ami-075723d78cedf20b6

The macOS Mojave AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

Red Hat

Free tier eligible

Red Hat Enterprise Linux 8 (HVM), SSD Volume Type - ami-0b0af3577fe5e3532 (64-bit x86) / ami-01fc429821bf1f4b4 (64-bit Arm)

Red Hat Enterprise Linux version 8 (HVM), EBS General Purpose (SSD) Volume Type

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

Search for an AMI by entering a search term e.g. "Windows"

Search by Systems Manager parameter

1 to 44 of 44 AMIs

Select

64-bit (x86)

64-bit (Arm)

Select

64-bit (Mac)

Select

64-bit (Mac)

Select

64-bit (Mac)

Select

64-bit (x86)

64-bit (Arm)

Explore AWS

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more](#) about Amazon EC2 security groups.

Assign a security group: ☒ Create a new security group
☐ Select an existing security group

Security group name:
Description:

Type <small>i</small>	Protocol <small>i</small>	Port Range <small>i</small>	Source <small>i</small>	Description <small>i</small>	
SSH	TCP	22	Custom 0.0.0.0/0	e.g. SSH for Admin Desktop	✕
All traffic	All	0 - 65535	Anywhere 0.0.0.0, ::/0	e.g. SSH for Admin Desktop	✕

Add Rule



Warning

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Cancel

Previous

Review and Launch

Step 7: Review Instance Launch

⚠ Improve your instances' security. Your security group, launch-wizard-2, is open to the world.
Your instances may be accessible from any IP address. We recommend that you update your security group rules to allow access from known IP addresses only. You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. [Edit security groups](#)

AMI Details



Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5eff06f840b45e

Free tier
eligible

Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for...
Root Device Type: ebs Virtualization type: hvm

Instance Type

Instance Type	ECUs	vCPUs	Memory (GiB)	Instance Profile
t2.micro	-	1	1	EBS optimized

Security Groups

Security group name launch-wizard-2
Description launch-wizard-2 created 2021-06-07T11:30:07.135+05:30

Type ⓘ	Protocol ⓘ	Port Range
SSH	TCP	22
All traffic	All	All
All traffic	All	All

Instance Details

Storage

Tags

[Edit AMI](#)

[Edit instance type](#)

[Edit security groups](#)

[Edit instance details](#)

[Edit storage](#)

[Edit tags](#)

[Cancel](#) [Previous](#) [Launch](#)

Select an existing key pair or create a new key pair

A key pair consists of a **public key** that AWS stores, and a **private key file** that you store. Together, they allow you to connect to your instance securely. For Windows AMIs, the private key file is required to obtain the password used to log into your instance. For Linux AMIs, the private key file allows you to securely SSH into your instance.

Note: The selected key pair will be added to the set of keys authorized for this instance. Learn more about [removing existing key pairs from a public AMI](#).

Create a new key pair

Key pair name

my-movie-play

Download Key Pair



You have to download the **private key file** (*.pem file) before you can continue. **Store it in a secure and accessible location.** You will not be able to download the file again after it's created.

[Cancel](#)

[Launch Instances](#)

←

→

↺

🏠

🔒

https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#Instances:instanceState=running

🌟

🕒

📧

📺

🔍

🔄

⬇️

🔗

👤

aws

Services ▾

🔍 Search for services, features, marketplace products, and docs [Alt+S]

📄

🔔

Corestack_Role/j.riyazu_email @ 6384-0585-2167 ▾

N. Virginia ▾

Support

New EC2 Experience
Tell us what you think

×

EC2 Dashboard New

Events

Tags

Limits

▼ Instances

Instances New

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances New

Dedicated Hosts

Scheduled Instances

Capacity Reservations

▼ Images

AMIs

▼ Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

▼ Network & Security

Instances (1/1) Info

🔄

Connect

Instance state ▾

Actions ▾

Launch instances

🔍 Filter instances

Instance state: running ✕

Clear filters

<input checked="" type="checkbox"/>	Name ▾	Instance ID	Instance state ▾	Instance type ▾	Status check	Alarm status	Availability Zone ▾	Public IPv4 DNS ▾	Public IPv4 ... ▾	Elastic IP
<input checked="" type="checkbox"/>	-	i-0b18d5979f1518b1f	🟢 Running	t2.micro	🕒 Initializing	No alarms +	us-east-1d	ec2-3-87-23-8.compute...	3.87.23.8	-



Connect to instance [Info](#)

Connect to your instance i-0e19201d262ba77e5 using any of these options

EC2 Instance Connect

Session Manager

SSH client

EC2 Serial Console

Instance ID

📄 i-0e19201d262ba77e5

1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is my-movie-plan.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.

📄 `chmod 400 my-movie-plan.pem`

4. Connect to your instance using its Public DNS:

📄 `ec2-52-7-134-66.compute-1.amazonaws.com`

Example:

📄 `ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com`

Note: In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.

Cancel

```
jriya@Riyaz ~/Downloads  
$ chmod 400 my-movie-plan.pem
```

```
jriya@Riyaz ~/Downloads  
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com  
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.  
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvTxE.  
Are you sure you want to continue connecting (yes/no/[fingerprint]): yes  
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.
```

```
  __|  __|_  )  
 _| (    /   Amazon Linux 2 AMI  
---|\---|---
```

```
https://aws.amazon.com/amazon-linux-2/  
6 package(s) needed for security, out of 17 available  
Run "sudo yum update" to apply all updates.  
[ec2-user@ip-172-31-86-0 ~]$ |
```

```
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvtxE.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.
```

```
  __|  __|_  )
 _| (  /   Amazon Linux 2 AMI
---|\---|---
```

```
https://aws.amazon.com/amazon-linux-2/
```

```
6 package(s) needed for security, out of 17 available
```

```
Run "sudo yum update" to apply all updates.
```

```
[ec2-user@ip-172-31-86-0 ~]$ sudo yum update -y
```

```
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
```

```
Resolving Dependencies
```

```
--> Running transaction check
```

```
--> Package chrony.x86_64 0:3.5.1-1.amzn2.0.1 will be updated
```

```
--> Package chrony.x86_64 0:4.0-3.amzn2.0.1 will be an update
```

```
--> Package ec2-utils.noarch 0:1.2-43.amzn2 will be updated
```

```
--> Package ec2-utils.noarch 0:1.2-44.amzn2 will be an update
```

```
--> Package glibc.x86_64 0:2.26-44.amzn2 will be updated
```

```
--> Package glibc.x86_64 0:2.26-45.amzn2 will be an update
```

```
--> Package glibc-all-langpacks.x86_64 0:2.26-44.amzn2 will be updated
```

```
--> Package glibc-all-langpacks.x86_64 0:2.26-45.amzn2 will be an update
```

```
--> Package glibc-common.x86_64 0:2.26-44.amzn2 will be updated
```

```
--> Package glibc-common.x86_64 0:2.26-45.amzn2 will be an update
```

```
--> Package glibc-locale-source.x86_64 0:2.26-44.amzn2 will be updated
```

```
--> Package glibc-locale-source.x86_64 0:2.26-45.amzn2 will be an update
```

```
--> Package glibc-minimal-langpack.x86_64 0:2.26-44.amzn2 will be updated
```

```
--> Package glibc-minimal-langpack.x86_64 0:2.26-45.amzn2 will be an update
```


complete!

```
root@ip-172-31-29-148 ~]# java -version
```

```
openjdk version "1.8.0_282"
```

```
OpenJDK Runtime Environment (build 1.8.0_282-b08)
```

```
OpenJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
```

```
root@ip-172-31-29-148 ~]# sudo yum install java-1.8.0-openjdk
```

```
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
```

```
Package 1:java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64 already installed and latest version
```

```
Nothing to do
```

```
root@ip-172-31-29-148 ~]#
```

```
root@ip-172-31-29-148 ~]# java -version
```

```
openjdk version "1.8.0_282"
```

```
OpenJDK Runtime Environment (build 1.8.0_282-b08)
```

```
OpenJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
```

```
root@ip-172-31-29-148 ~]# |
```

```
xml-commons-resolver.noarch 0:1.2-15.amzn2
```

Complete!

```
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install git
```

Loaded plugins: extras_suggestions, langpacks, priorities, update-motd

Package git-2.23.4-1.amzn2.0.1.x86_64 already installed and latest version

Nothing to do

```
[ec2-user@ip-172-31-29-148 ~]$ git --version
```

git version 2.23.4

```
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install maven
```

Loaded plugins: extras_suggestions, langpacks, priorities, update-motd

Package maven-3.0.5-17.amzn2.noarch already installed and latest version

Nothing to do

```
[ec2-user@ip-172-31-29-148 ~]$ mvn -v
```

Apache Maven 3.0.5 (Red Hat 3.0.5-17)

Maven home: /usr/share/maven

Java version: 1.8.0_282, vendor: Red Hat, Inc.

Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64/jre

Default locale: en_US, platform encoding: UTF-8

OS name: "linux", version: "4.14.231-173.360.amzn2.x86_64", arch: "amd64", family: "unix"

```
[ec2-user@ip-172-31-29-148 ~]$ |
```

```
--|  --|  )  
_| (    /  Amazon Linux 2 AMI  
---|\---|---
```

<https://aws.amazon.com/amazon-linux-2/>

```
[ec2-user@ip-172-31-29-148 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo https://pkg.jenkins.io/redhat-stable/jenkins.repo
```

```
--2021-04-29 05:12:56-- https://pkg.jenkins.io/redhat-stable/jenkins.repo  
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.250.133, 2a04:4e42:2f::645  
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 85  
Saving to: '/etc/yum.repos.d/jenkins.repo'
```

```
100%[=====>] 85          --.-K/s   in 0s
```

```
2021-04-29 05:12:56 (6.00 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]
```

```
[ec2-user@ip-172-31-29-148 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key
```

```
[ec2-user@ip-172-31-29-148 ~]$ yum install jenkins
```

```
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
```

```
You need to be root to perform this command.
```

```
[ec2-user@ip-172-31-29-148 ~]$ sudo -i
```

```
[root@ip-172-31-29-148 ~]# yum install jenkins
```

```
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
```

amzn2-core		3.7 kB	00:00:00
jenkins		2.9 kB	00:00:00
jenkins/primary_db		37 kB	00:00:00

```
Resolving Dependencies
```

```
--> Running transaction check
```

```
[root@ip-172-31-29-148 ~]# sudo systemctl start jenkins  
[root@ip-172-31-29-148 ~]# sudo cat /var/lib/jenkins/secrets/initialAdminPassword  
0811c483fdc84df7906bf37a2906754c  
[root@ip-172-31-29-148 ~]# |
```

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password



Continue

Getting Started

Customize Jenkins

Plugins extend Jenkins with additional features to support many different needs.

Install suggested plugins

Install plugins the Jenkins community finds most useful.

Select plugins to install

Select and install plugins most suitable for your needs.



Enter an item name

mysql-my-movie-plan

Required field



Freestyle project

This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



GitHub Organization

Scans a GitHub organization (or user account) for all repositories matching some defined markers.



GitHub Organization

Scans a GitHub organization (or user account) for all repositories matching some defined markers.



Multibranch Pipeline

Creates a set of Pipeline projects according to detected branches in one SCM repository.

OK

```
45 haproxy2          available [ -stable ]
46 collectd          available [ =stable ]
47 aws-nitro-enclaves-cli available [ =stable ]
48 R4                 available [ =stable ]
49 kernel-5.4         available [ =stable ]
50 selinux-ng         available [ =stable ]
51 php8.0             available [ =stable ]
52 tomcat9            available [ =stable ]
53 unbound1.13        available [ =stable ]
54 mariadb10.5        available [ =stable ]
55 kernel-5.10        available [ =stable ]
56 redis6             available [ -stable ]
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
ec2-user@ip-172-31-86-0 ~]$
```

```
46  aws-nitro-enclaves-cli  available  [ =stable ]
47  R4                      available  [ =stable ]
48  kernel-5.4             available  [ =stable ]
49  selinux-ng             available  [ =stable ]
50  php8.0                 available  [ =stable ]
51  tomcat9                available  [ =stable ]
52  unbound1.13            available  [ =stable ]
53  mariadb10.5            available  [ =stable ]
54  kernel-5.10            available  [ =stable ]
55  redis6                  available  [ =stable ]
```

```
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$ docker images
```

```
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$
```

```
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker jenkins
```

```
ec2-user@ip-172-31-86-0 ~]$
```

Enter an item name

my-movie-plan-backend

» Required field



Freestyle project

This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



GitHub Organization

Scans a GitHub organization (or user account) for all repositories matching some defined markers.



Multibranch Pipeline

Creates a set of Pipeline projects according to detected branches in one SCM repository.

If you want to create a new item from other existing, you can use this option:



Copy from

Type to autocomplete

OK

General Build Triggers Advanced Project Options **Pipeline**

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

https://github.com/JRiyaz/my-movie-plan-backend.git

Credentials

- none - Add

Advanced...

Add Repository

Branches to build

Branch Specifier (blank for 'any')

/main

Add Branch

Repository browser

(Auto)

Additional Behaviours

Add

Script Path

Save Apply

Add Git ▾

Gradle

Gradle installations

Add Gradle

List of Gradle installations on this system

Ant

Ant installations

Add Ant

List of Ant installations on this system

Maven

Maven installations

Add Maven

Maven

Name

maven

MAVEN_HOME

/usr/share/maven

☐ Install automatically



Delete Maven

Add Maven

List of Maven installations on this system

Save

Apply

→ ↺ 🏠

⚠ Not secure | 54.172.237.186:8080/view/all/newJob

🔑 ☆ ⌚ 📧 📺 ⌂ ⚙

Jenkins


🔍 search ? 🔔 1

Dashboard ▶ All ▶


Enter an item name

my-movie-plan-backend


» Required field

 **Freestyle project**


This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

 **Pipeline**


Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

 **Multi-configuration project**


Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 **Folder**

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.


 **GitHub Organization**

Scans a GitHub organization (or user account) for all repositories matching some defined markers.

 **Multibranch Pipeline**

Creates a set of Pipeline projects according to detected branches in one SCM repository.

If you want to create a new item from other existing, you can use this option:

 Copy from

Type to autocomplete

OK

General

Build Triggers

Advanced Project Options

Pipeline

- ☐ Pipeline speed/durability override
- ☐ Preserve stashes from completed builds
- ☐ This project is parameterized
- ☐ Throttle builds



Build Triggers

- ☒ Build after other projects are built



Projects to watch

mysql-my-movie-plan,

- ☒ Trigger only if build is stable
- ☐ Trigger even if the build is unstable
- ☐ Trigger even if the build fails
- ☐ Build periodically
- ☐ GitHub hook trigger for GITScm polling
- ☐ Poll SCM
- ☐ Disable this project
- ☐ Quiet period
- ☐ Trigger builds remotely (e.g., from scripts)



Advanced Project Options

Advanced...

Pipeline

Definition

Pipeline script from SCM



SCM



Git



Repositories



Save

Apply





NOW PLAYING

[view all](#)



Invalid username or password

Login Page

Enter your username

j.riyazu@gmail.com

Enter your password

••••••••




Login

Save password

Microsoft Edge will save and fill your password for this site next time.

[Save](#)[Never](#)

Login Success

[OK](#)

NOW PLAYING

[view all](#)

[Register Here](#)

Enter your Email

Enter your name

+91 Enter your Mobile

Enter your password

Select GenderMale

☒ Agree to terms & conditions

Register

Cinema Halls

INOX

PVR

GOPALAN GRAND MALL

[Add Cinema Hall](#)

Shows

Morning Show | Time: 11:00 AM

Matinee | Time: 02:00 PM

First Show | Time: 06:00 PM

Second Show | Time: 09:00 PM  [Add Show](#)

Movies



Rrr | lang: Telugu | start: June 2, 2021 | end: June 10, 2021

[Add New Movie](#)[Add Movie To The Show](#)

Your profile

Name	Riyaz J
Email	j.riyazu@gmail.com
Mobile	8099531318
Gender	Male

SHOW

Show

Now Playing ▾

FILTERS

▾ Language

Clear

▾ Genre

Clear

Now Playing



Now Playing

[RRR](#)

Now Playing

[RRR](#)

Now Playing

[PUSHPA](#)



Now Playing

PUSHPA : Pushpa

4D

Telugu

2H 30M . Crime, Action, Romance

[Book Tickets](#)

LOADING IN
THEATRES FROM
13
AUGUST 2021

About the Movie

Pushpa is an upcoming Indian Telugu-language action thriller film written and directed by Sukumar. Produced by Naveen Verneeni and V. Ravi



Now Playing

PUSHPA : Pushpa

4D

Telugu

2H 30M . Crime, Action, Romance

[Book Tickets](#)

1

Select the Cinema Hall

2

Select the Show Timing

3

Select the Date

4

Select No.of seats

5


Review

[Next](#)

About the Movie


Pushpa is an upcoming In
Shenkar of Muthri Movie

Yerneni and Y. Ravi
Mike Mendana



Now Playin

PUSHPA : Pushpa



Back next

About the Movie

Payment Gateway (do not refresh the page)

Booking Details

Auditorium	INOX
Show	First Show
Show Timing	06:00 PM
Movie Name	PUSHPA
Movie Lang	Telugu
Date	Jun 15, 2021

Card Number

16 digit card number

Month ▾

Select card expiry month

Year ▾

select card expiry year

CVV



Pay ₹2,200.00

REGISTER NEW AUDITORIUM HERE

1 Auditorium Details

[Next](#)[Add Safeties](#)

ADD NEW MOVIE

1 Movie Details — 2 Add Language — 3 Add Language — 4 Add Cast Details — 5 Add Crew Details — 6 Review



Movie: PUSHPA

NOTE: do not refresh the page

Time: 06:00 PM

Date: Tuesday, June 15, 2021

Seats Selected: F4, F5, F6, F7, E5

Amount: 2000

Proceed

GOLD ₹500.00



SILVER ₹400.00



EXECUTIVE ₹300.00




Screen is this way

Your booking list

Booking 1 2021-06-10

Booking 2 2021-06-10



PUSHPA

INOX

Movie Language	Telugu
Total seats	5
Seat No.	F4, F5, F6, F7, E5
Price	₹2,000.00
Date	Jun 15, 2021
Time	06:00 PM
Status	Confirmed



NMS Cinemas

WE PROVIDE ENTERTAINMENT

About Us

Contact Us

DROP US A LINE, GET IN TOUCH

Write to us by filling in the form below

Your Name

Email Id

Message

Contact Us

Contact Us



Big Tree Entertainment Private Limited Ground Floor, Wajeda House,
Gulmohar Cross Road No. 7, Juhu Scheme, Mumbai, Maharashtra -
400049



nms@cinemas.com



1800-894-4059

EXPLORER

OPEN EDITORS 1 UNSAVED

MY-MOVIE-PLAN

- .vscode
- e2e
- images
- node_modules
- src
 - app
 - classes
 - util
 - validators
 - commons
 - global-constants.spec.ts
 - global-constants.ts
 - components
 - about-us
 - auditorium-form
 - contact-us
 - footer
 - forgot-password
 - header
 - home-page
 - layout
 - login
 - login-layout
 - manage
 - movie
 - movie-form
 - movies
 - my-bookings
 - profile
 - register
 - templates
 - guards
 - admin
 - auth
 - form
 - img
 - interfaces
 - application.ts
 - pipes
 - search.pipe.spec.ts
 - search.pipe.ts

src > app > commons > TS global-constants.ts > GlobalConstants > ROOT_URL

```
public static SHOW_TIMES: string[] = ['Morning Show', 'Afternoon', 'First Show', 'Second Show'];

public static ALL_GENERS: string[] = ['Comedy', 'Romance', 'Action', 'Drama', 'Fantasy', 'Horror', 'Mystery', 'Thriller', 'Crime',

public static ALL_LANGUAGES: string[] = ['English', 'Hindi', 'Telugu', 'Kanada', 'Tamil', 'Malayalam', 'Urdu', 'Marathi', 'Punjabi'

public static HALL_SAFETIES: string[] = ['Thermal Scanning', 'Contactless Security Check', 'Hand Sanitizers Available',
'Sanitization Before Every Show', 'In-Cinema Social Distancing',
'Contactless Food Service', 'Packaged Food and Beverage', 'Daily Temperature Checks for Staff',
'Deep Cleaning of Restrooms', 'Limited Occupancy In Restrooms', 'Sanitized / Sterilized 3D Glasses'];

public static HALL_FACILITIES: string[] = ['MTicket', 'Wheel Chair Facility', 'Recliner Seats', 'Parking Facility', 'Food Court',

public static ROOT_URL = 'http://34.204.2.214:5555/my-movie-plan';

public static REGISTER_URL = `${GlobalConstants.ROOT_URL}/user/sign-up`;

public static CHECK_UNIQUENESS_URL = `${GlobalConstants.ROOT_URL}/user/check`;

public static UPDATE_USER_URL = `${GlobalConstants.ROOT_URL}/user/update`;

public static GET_LOGGED_IN_USER_URL = `${GlobalConstants.ROOT_URL}/user/get-user`;

public static AUTHENTICATE_URL = `${GlobalConstants.ROOT_URL}/user/authenticate`;

public static UNIQUE_USER_URL = `${GlobalConstants.ROOT_URL}/user/check`;

public static FORGOT_PASSWORD_URL = `${GlobalConstants.ROOT_URL}/user/forgot-password`;

public static AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium`;

public static GET_ALL_AUDITORIUMS_URL = `${GlobalConstants.ROOT_URL}/auditorium/all`;

public static ADD_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/add`;

public static UPDATE_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/update`;

public static DELETE_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/delete`;


public static MOVIE_URL = `${GlobalConstants.ROOT_URL}/movie`;


public static NOW_PLAYING_AND_UP_COMING_MOVIES_URL = `${GlobalConstants.MOVIE_URL}/now-playing-up-coming`;


public static NOW_PLAYING_MOVIES_URL = `${GlobalConstants.MOVIE_URL}/now-playing`;
```


OUTLINE

TIMELINE









my-movie-plan-backend D:\Programs\Simplelearn\Projects\capstone\myMoviePlan\my-movie

- > .idea
- > .mvn
- > images
- > src
 - > main
 - > java
 - > resources
 - static
 - templates
 - application.properties
 - application-dev.properties
 - application-prod.properties
 - application-test.properties
 - > test
- > target
- .gitignore
- docker-compose.yml
- Dockerfile
- Dockerfile-mysql
- HELP.md
- Jenkinsfile
- mvnw
- mvnw.cmd
- my-movie-plan-backend.iml
- pom.xml
- README.md

> External Libraries

Scratches and Consoles

```
1 spring.datasource.url=jdbc:mysql://mysql-my-movie-plan:3306/my_movie_plan?useSSL=false
2 spring.datasource.username=mysql
3 spring.datasource.password=root
4 spring.jpa.hibernate.ddl-auto=update
5 spring.jpa.show-sql=true
6 spring.jpa.properties.hibernate.format_sql=true
7 spring.jpa.properties.hibernate.dialect=org.hibernate.dialect.MySQL8Dialect
8 spring.datasource.driver-class-name=com.mysql.jdbc.Driver
9
```