
AZURE DATA PIPELINE - FROM CSV TO TRANSFORM DATA


ARCHITECTURE DIAGRAM:




FIRST CREATE MICROSFT AZURE FREE TRIAL ACCOUNT:

https://azure.microsoft.com/en-us/pricing/purchase-options/azure-account

Once you create it you land on this page.




PART 1:
DATA SOURCE LINKS:
https://github.com/darshilparmar/tokyo-olympic-azure-data-engineering-project/tree/main




There are five csv files. We first load them to Azure Data Lake Service (ADLS) in raw zone and through databricks we move it to the transform zone.

STEP # 01:
CREATE STORAGE ACCOUNT:




CREATE A STORAGE ACCOUNT




Using above properties:
Give a name
Select primary service - Azure Blob Storage

CLICK NEXT:
IN ADVANCE TAB
SELECT HIERARICHAL




IN DATA PROTECTION - DISABLE SOFT DELETE CHECKS:




BY KEEPING EVERY OTHER THING SAME - CREATE THE STORAGE ACCOUNT.
AFTER CREATING STORAGE ACCOUNT -

IN THE LEFT PANEL - SEARCH CONTAINER AND CREATE A CONTAINER AND CREATE FOLDERS IN IT.


RAW_DATA
TRANFORM_DATA







—------ FIRST PART DONE - WHERE DATA WILL BE STORED ----------

NOW WE NEED AZURE DATA FACTORY TO MOVE DATA FROM GITHUB FILES TO ADLS:







Create a data factory with default options.
Launch Data Factory




Author → Pipelines → To create pipeline



Inside pipeline search copy data





Click Copy Data → Click Source → Click HTTP



Click CSV


Go To GitHub → Click specific CSV → copy their path and give to ChatGPT to give you the raw page link.







Select New link service → give your raw github URL in base URL and select authentication type to Anonymous.

Source is Created Now create Sink.



o the native Microsoft Fabric Data Factory experience. Learn m
Validate all
Publish all 1
Validate
Validate copy runtime
Debug
Copy data
Athlete
Copy data
Copy da
General
Source 1
Sink 1
Mapping
Settings
Sink dataset *
Select...
New dataset
In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. Learn more
Select a data store
gen
All
Azure
Database
File
Generic protocol
Azure Data Lake Storage Gen2
Continue
Cancel


Select format
Choose the format type of your data
Avro
Binary
DelimitedText
Iceberg
JSON
ORC

Select CSV



Create a new link service – select storage account and create it.




Always the file path along with filename and its extension.


Now just validate and debug → the files should arrive in the raw folder.

_____ second part complete _____

We need a databrick notebook to connect our ADLS and transform the data and load to transform folder.




We need an access connector. Just create it with the default config.




Once created, copy the resource id on the right.


Then in the search bar – type storage account and go to once you create earlier.



Create an assignment




Select access assigned to managed identity - and choose member – your access connector and create it.




Go to the Azure data bricks notebook.

Create a credential and paste the resource id of the connector.



After that, create an external location.



The url will be your container name, storage account name just like that

```
abfss://tokyoolympicdata@olympicdatastoragenew.dfs.core.windows.net/
```

Then follow the notebook on github.

Home

tokyoolympicdata

Container

Search

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

Add or remove favorites by pressing Ctrl+Shift+F

Add Directory | Upload | Refresh | Delete | Copy | Paste

tokyoolympicdata > transformed-data

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Showing all 5 items

Name	Last modified	Access tier
[..]		
athletes	10/21/2026, 2:06:58 PM	
coaches	10/21/2026, 2:07:06 PM	
entriesgender	10/21/2026, 2:07:13 PM	
medals	10/21/2026, 2:10:28 PM	
teams	10/21/2026, 2:10:35 PM	