

temp1 - API | Sanity.io

Sanity.io API Token Management

https://www.sanity.io/manage/personal/project/16fzsyg2/api#tokens

Hanif Memon temp1 14 days left in trial

Getting started Overview Members Studios Datasets Access Activity Usage Plan API Settings

Webhooks

CORS origins

Tokens

https://hakathon3.vercel.app Allowed 5 days

http://localhost:3000 Allowed 2 weeks

http://localhost:3333 Allowed 2 weeks

Tokens

+ Add API token

Tokens are used to authenticate apps and scripts to access project data.

NAME	PERMISSIONS	CREATED
token	Editor	2 weeks

What's new

Sanity Create Content Mapping, Visual Editing, and Content Releases

ITEMS OPERATIONAL

rights reserved.

File Edit Selection View Go Run Terminal Help

page.tsx ...app M checkout.tsx U TS stripe.ts U TS route.ts U page.tsx ...success U layout.tsx M page.tsx ...slug M TS index.d.ts \$.env.local

EXPLORER

page.tsx sr... M

checkout.tsx... U

TS stripe.ts src... U

TS route.ts api... U

page.tsx sr... U

layout.tsx... M

page.tsx sr... M

TS index.d.ts node...

X \$.env.local

NEW

api

node_modules

public

scripts

src

app

components

lib

sanity

TS middleware.ts

\$.env.local

eslinttrc.json

.gitignore

components.json

TS next-env.d.ts

JS next.config.mjs

package-lock.json M

package.json M

JS postcss.config.mjs

README.md

OUTLINE

TIMELINE

```
1 $ .env.local
2 NEXT_PUBLIC_SANITY_PROJECT_ID="16fzsyg2"
3 NEXT_PUBLIC_SANITY_DATASET="production"
4 SANITY_API_TOKEN="skt5QvJ6cd4MnoyXfCQtC7L1hAV08MUDJm98GIS7uRcripiHbSzJhXl9ze7nxLhK6nrmd6JThpTLorqVEHVDjvntDT5C1FALTzxdgJ2XgWv2IL08tfu6uvvTwyGt1s5fjb"
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24 $ .env.local
25
26
27
28
29
30
31
32
33
34
35
36
37
```

Ln 41, Col 1 Spaces: 4 UTF-8 LF Shell Script Llama Coder Go Live Prettier

5:58 PM 2/5/2025

VS Code interface showing the Explorer, Search, and Run and Debug panels. The Explorer panel displays the file structure of the project, including the package.json file. The Search panel shows the results of a search for "package.json". The Run and Debug panel shows the execution of the command "npm install".

```
package.json
{
  "dependencies": {
    "@clerk/nextjs": "^6.10.4",
    "@radix-ui/react-dialog": "^1.1.4",
    "@radix-ui/react-label": "^2.1.1",
    "@radix-ui/react-navigation-menu": "^1.2.3",
    "@radix-ui/react-slot": "^1.1.1",
    "@reduxjs/toolkit": "^2.5.1",
    "@sanity/client": "^6.25.0",
    "@sanity/image-url": "^1.1.0",
    "@sanity/vision": "^3.70.0",
    "@stripe/stripe-js": "^5.6.0",
    "axios": "^1.7.0",
    "class-variance-authority": "^0.7.1",
    "clsx": "^2.1.1",
    "dotenv": "^16.4.7",
    "embla-carousel-react": "^8.5.2",
    "lucide-react": "^0.473.0",
    "next": "14.2.15",
    "next-sanity": "^9.8.38",
    "react": "18",
    "react-dom": "18",
    "react-icons": "^5.4.0",
    "react-redux": "^9.2.0",
    "sanity": "^3.70.0",
    "sharp": "^0.33.5",
    "stripe": "^17.6.0",
    "styled-components": "^6.1.14",
    "tailwind-merge": "^2.6.0",
    "tailwindcss-animate": "^1.0.7"
  },
  "devDependencies": {
    "@types/node": "20",
    "@types/react": "18",
    "@types/react-dom": "18",
    "eslint": "8.57.1",
    "eslint-config-next": "14.2.15",
  }
}
```

VS Code interface showing the Explorer, Search, and Run and Debug panels. The Explorer panel displays the file structure of the project, including the package.json file. The Search panel shows the results of a search for "package.json". The Run and Debug panel shows the execution of the command "npm install".

```
package.json
{
  "dependencies": {
    "@clerk/nextjs": "^6.10.4",
    "@radix-ui/react-dialog": "^1.1.4",
    "@radix-ui/react-label": "^2.1.1",
    "@radix-ui/react-navigation-menu": "^1.2.3",
    "@radix-ui/react-slot": "^1.1.1",
    "@reduxjs/toolkit": "^2.5.1",
    "@sanity/client": "^6.25.0",
    "@sanity/image-url": "^1.1.0",
    "@sanity/vision": "^3.70.0",
    "@stripe/stripe-js": "^5.6.0",
    "axios": "^1.7.0",
    "class-variance-authority": "^0.7.1",
    "clsx": "^2.1.1",
    "dotenv": "^16.4.7",
    "embla-carousel-react": "^8.5.2",
    "lucide-react": "^0.473.0",
    "next": "14.2.15",
    "next-sanity": "^9.8.38",
    "react": "18",
    "react-dom": "18",
    "react-icons": "^5.4.0",
    "react-redux": "^9.2.0",
    "sanity": "^3.70.0",
    "sharp": "^0.33.5",
    "stripe": "^17.6.0",
    "styled-components": "^6.1.14",
    "tailwind-merge": "^2.6.0",
    "tailwindcss-animate": "^1.0.7"
  },
  "devDependencies": {
    "@types/node": "20",
    "@types/react": "18",
    "@types/react-dom": "18",
    "eslint": "8.57.1",
    "eslint-config-next": "14.2.15",
  }
}
```

temp1 - API | Sanity.io

https://www.sanity.io/manage/personal/project/16fzsyg2/api#cors-origins

S

Hanif Memon

temp1

14 days left in trial

Getting started

Overview

Members

Studios

Datasets

Access

Activity

Usage

Plan

API

Settings

Webhooks

CORS origins

Tokens

CORS origins

+ Add CORS origin

Hosts that can connect to the project API.

ORIGIN	CREDENTIALS	CREATED	
https://hakathon3.vercel.app	Allowed	5 days	
http://localhost:3000	Allowed	2 weeks	
http://localhost:3333	Allowed	2 weeks	

Tokens

+ Add API token

Tokens are used to authenticate apps and scripts to access project data.

NAME	PERMISSIONS	CREATED	
token	Editor	2 weeks	

What's new

Sanity Create Content Mapping, Visual Editing, and Content Releases

DAL - PHI Video highlight

Search

ENG

6:00 PM 2/5/2025