



APPENDIX 1 - CONSERVATION AREAS

Statements of significance	A1-2
CA.1 Birkenhead and Dawson Estates Conservation Area	A1-2
CA.2 Bourketown Conservation Area	A1-5
CA.3 Creewood Street Conservation Area	A1-9
CA.4 Drummoyne Avenue East Conservation Area	A1-11
CA.5 Drummoyne Avenue West Conservation Area	A1-14
CA.6 Drummoyne Park Conservation Area	A1-16
CA.7 Gale Street Inter-War Californian Bungalow Group	A1-19
CA.8 Gale Street Victorian Housing Group	A1-21
CA.9 Gears Avenue Conservation Area	A1-23
CA.10 Gipps Street Conservation Area	A1-25
CA.11 Hampden Road Conservation Area	A1-27
CA.12 Lindfield Avenue Conservation Area	A1-30
CA.13 Majors Bay Road Conservation Area	A1-32
CA.14 Marlborough and Tavistock Streets Conservation Area	A1-34
CA.15 Mons Street and Boronia Avenue Conservation Area	A1-38
CA.16 Moore Street Conservation Area	A1-40
CA.17 Mortlake Workers' Housing Group	A1-42
CA.18 Park Avenue Conservation Area	A1-44
CA.19 Parklands Estate Conservation Area	A1-46
CA.20 Powell's Estate Conservation Area	A1-48
CA.21 Salsbury Street Housing Group	A1-50
CA.22 Thompson Street Conservation Area	A1-52
CA.23 Victoria Road Retail Conservation Area	A1-54
CA.24 Yaralla Estate Conservation Area	A1-56

Statements of significance

CA.1 Birkenhead and Dawson Estates Conservation Area

History

This conservation area includes the subdivisions of two major estates. The first was the 1882 Birkenhead Estate subdivision that included the land bounded by Lyons Road, Victoria Road, Ferry Lane, Ferry Road, and Iron Cove Bay. That was followed in 1901 by two subdivisions of the Dawson Estate that included most of the land to the east of Ferry Lane. A third subdivision of the Dawson Estate in 1908 included the land between Albert Street, Alexander Street and Queen Victoria Road.

Development in this Conservation Area followed the subdivisions and houses from the Victorian period survive in Renwick Street and on Park Avenue, Thornley Street and Day Street. Most of the remaining development is from the Federation period, reflecting the continued development of the Birkenhead Estate and the rapid development of the Dawson Estate subdivisions.

Description

This area contains some of the earliest surviving buildings in Drummoyne with an interesting collection of buildings from the late Victorian period including a number of stone houses in Renwick Street. The area is also of historical interest with the very high retention rate of items of heritage significance in Renwick Street due to its long term road widening affectation which effectively prevented any development for over 20 years. This has resulted in this group of properties surviving as the most intact early and modest housing streetscape in the Municipality.

The styles of housing in the Conservation Area reflects the various subdivisions. Renwick Street was developed early in the development of Drummoyne, along with other streets close to Victoria Road. In contrast the adjoining streets released for development at a later period are more typical of the strong Federation character of Drummoyne.

The scale of building is modest with a large number of simple timber cottages, stone cottages and generally unpretentious buildings. This is particularly seen in Alexandra Street and Day Street.

The area falls into three distinct characters:

- Renwick Street with its late Victorian through to inter-war housing
- Alexandra, Albert and Day Streets which have a predominantly Federation character and
- Thornley Street and Park Avenue which have a mix of Edwardian, Federation and several late Victorian buildings.

The generally narrow allotments (15-16m frontages) has resulted in tightly packed development. Access to the rear of allotments on Alexandra Street and Renwick Street has allowed garages and carports to be built away from the main streetscape.

Statement of Significance

The Birkenhead and Dawson Estates Conservation Area is of high heritage significance for the very intact and complete streetscapes reflecting the intense development of Drummoyne in the late nineteenth and early twentieth century. The styles of housing clearly reflect the pattern of subdivision of the area.

This Conservation Area includes extensive groups of Federation and Edwardian housing interspersed with Victorian cottages and some larger two storey homes. The narrow allotments and generally consistent scale of development create a cohesive and interesting streetscape.

Analysis - Setting

This conservation area has narrow allotments. Setbacks are generally smaller closer to Victoria Road. Street trees are important in contributing to the character of much of this area. The angled junction of Ferry Lane and Thornley Streets gives additional interest to the streetscape in that part of the Conservation Area.

Scale

Most of the housing has single storey frontages to the street, consistent with the narrow allotments. Two storey housing is scattered through the area. Some semi-detached housing utilising double allotments is included in the area and gives the impression of larger scaled housing.

Form

Some of the earlier development has simple rectangular massing with simple hipped roofs and verandahs running across the full width of the houses. The dominant Federation period housing breaks up the overall massing with projecting wings and more complex roof forms. Gables are used either as decorative features or as the main roof form. The two storey housing on the smaller allotments generally has quite simple massing with the main bulk of the building set behind a verandah to help reduce the overall bulk in the streetscape.

Facades usually include verandahs and elements that step forward of the main part of the building. This often adds interest to the roof form as well as the street front of the house. Simple verandahs across the street facades help to soften the impact of the higher two storey facades on the streetscape.

Materials and Colours

Face brickwork is the most common original material. Sandstone and render is found on the earlier Victorian housing. Roofs of the Federation and Edwardian housing are usually terracotta or slate shingled. Some cottages have galvanised corrugated steel roofs.

Doors and Windows

Doors and windows are usually vertically proportioned. Larger openings, when they occur, are divided vertically.

Carparking

Parking is generally at the rear of the property, in some cases taking advantage of rear street access. On steeply sloping sites, some garages have been built into the retaining walls on the street front.

Fencing


A mixture of fencing is used and depends to some extent on the nature of the site and the character of the house.

Masonry retaining walls of face brick or stone are used on sloping sites. Low masonry fences of either face brick or stone are common on the early twentieth century development. On some late Federation and Inter-War housing, the brick piers are linked by a pipe rail. Timber picket fences are usually modern reproductions and are not original to the streetscape.

Garden Elements including Paving and Driveways

Hedges are often used where increased privacy is desired. Driveways are often a pair of concrete strips parallel to the side boundary of the house. Terraces provide a setting on steeply sloping sites where houses are located on the high point to maximise views.

Refer to Figure App1.1



Created on: 2024-10-16

Figure App1.1 Birkenhead and Dawson Estates Conservation Area

Figure App1.1

CA.2 Bourketown Conservation Area

History

Bourketown was initially established in the 1840 period making it one of the first planned developments in the area along with Gipps Town at Five Dock. The subdivision had Bourke Square at its centre and was first offered for sale in 1841.

Although some land was taken up little development took place until the area was linked by the Iron Cove Bridge to the city in 1882. The new bridge resulted in further sales and was the start of the development that currently typifies the area. There appear to be no structures remaining from the pre-1880 period of development.

The area between Formosa Street and South Street was re-subdivided in 1883 as the Tranmere Estate. Further re-subdivision of larger blocks continued into the Inter-War period and is reflected in the housing styles.

The most intensive phase of development in the Bourketown area was the Federation period. Speculative developments of semi-detached houses are concentrated closer to Victoria Road and free-standing Federation period houses dominate other parts of the conservation area. A small number of late Victorian houses survive, primarily in the area closer to Bourketown Square. The dominant Federation phase of development is reinforced with a good range of Inter-War housing.

Statement of Significance

The Bourketown Conservation Area is of high value in reflecting the principal late Victorian and Federation period of development of the Drummoyne Area. The street layout survives from the original Bourketown subdivision, one of the earliest subdivisions of the area. The focal point of Bourketown is Bourke Square and it is in this vicinity that some of the finest individual buildings and groups of buildings are located, along with a small group of commercial buildings and the Drummoyne Public School.

Bourketown is important for its remaining Victorian housing, particularly in the vicinity of Bourke Square, which includes substantial houses on generous allotments as well as a scattering of worker's homes. This development is surrounded by the Federation housing that dominates the streetscapes and, importantly, includes a range of housing from semi-detached speculative development closer to Victoria Road, through to smaller freestanding houses, to large houses of high individual value. These are representative of most styles of residential development from the Federation period and include housing for a variety of social classes.

The conservation area includes a number of important urban buildings including four churches, a public school, commercial buildings and a major water reservoir all relating to the early twentieth century development of the precinct and all of high value both individually and for understanding the development of the area.

Future Character

The future character for this large and mixed area is principally to retain the strong overall heritage urban character of the streets with their mix of one and two storey houses on lots of mixed size.

Existing building stock is predominantly Victorian and Edwardian with some Inter-war pockets of housing and these characters should be retained. Buildings built prior to the Second World War should not be demolished and new buildings should retain the scale and overall character of the immediate area as it relates to bulk, form and use of materials. Given the large lot sizes for much of the area, additions and new buildings can be in a range of forms including good contemporary design with the emphasis on 'fit' into the setting. Garages and carports should not be added in front of the building line.

Analysis - Setting

The area falls into a number of separate zones or precincts that are related to groups of streets.

Firstly the major north-south streets linking to Lyons Road: Gipps; Thompson; Tranmere and College Streets. These streets are wide, have long vistas, established street plantings and strong heritage value. They have a strong suburban character with a sense of spaciousness that relates to the scale of houses. The central street, Thompson Street, contains Bourketown Square which is a major public space of high heritage value that represents the first development of the Drummoyne area and forms a focal point in the area. The location of important civic buildings of high heritage value, such as churches and public utilities on these streets adds to their importance in the townscape.

The secondary north-south streets are narrower and have a smaller scale of housing development, greater use of semi-detached forms and a tighter urban fabric. These streets are: Ullathorne, Henley, and Formosa Streets and South Street (for its northern section). Formosa Street in particular is noted for its fine streetscape of semi-detached Federation housing.

The east-west streets have a completely different character. They are narrow (except for Day Street and sections of Plunket and Broughton Streets which are of varying widths) and contain a much tighter sub-division pattern with generally small blocks and far less pretentious houses. This is particularly seen in Bowman and Polding Streets. The western blocks of Polding and Bowman Streets and Plunkett Street contain the largest scattering of Victorian cottages and houses outside Thompson Street.

The major houses are not confined to one location within Bourketown, but the major groupings are in Thompson Street, the south end of Tranmere and South Streets and Lyons Road. The precinct in Thompson Street from Broughton Street to Bowman Street contains the most substantial and significant group of buildings, but this does not devalue the smaller scale buildings around it.

Another distinctive area of the Bourketown Conservation Area is the Lyons Road frontage from Formosa Street to Thompson Street. This frontage, which effectively forms part of the main road frontage rather than the residential character of the rest of the precinct, contains:

- commercial buildings at both the Drummoyne shopping centre, Tranmere Street and Thompson Street corners, several of which are individually important and intact examples of Inter-war retail buildings
- Drummoyne Fire Station
- Drummoyne Presbyterian Church at a key visual location
- blocks of Inter-war apartments of very fine proportion and detailing set amongst a series of substantial Federation and later homes which indicate the predominant early character of this road frontage.

Scale

The buildings fall into a range of groups. The predominant form for Thompson Street, South Street and Tranmere Street is single residences of significant scale. Most of Formosa Street and its side streets have single storey semi-detached housing built as speculative development. Other streets have small single fronted cottages or large groups of semi-detached dwellings generally speculatively built as seen for much of the length of Formosa and Edwin Streets and part of Day Street and Bowman Street.

Single storey housing is dominant with two storeys housing usually only confined to freestanding homes on larger allotments or for buildings originally incorporating shops.

Form

The dominant Federation period housing in the Bourketown Conservation Area is noted for the use of interesting roof forms with decorative gables providing interest and rhythm to the streetscape.

Siting

The siting of buildings in Bourketown is related to the scale of the building and the size of the site. The closely spaced semi-detached groups have small setbacks. Setbacks generally increase on larger allotments.

Materials and colours

Red face brickwork is the dominant material in the Bourketown Conservation Area. A few surviving Victorian buildings are rendered but this is the exception and these contrast to the general streetscape. The red tones continue in the terracotta roof tiles used either as a main roof material or as a highlight to the grey slate roofs.

Timber is generally used for verandah framing and joinery elements.

Colours were selected from a limited palette and complement the natural tones and textures of the materials.

Doors and Windows

Windows on contributory buildings are almost exclusively timber framed. The dominant Federation period housing has either casement or double hung windows. Larger openings are created by grouping two or three sashes together or by using French doors.

Fencing

The small number of Victorian houses in the area had transparent fencing of either iron pickets between masonry posts or timber pickets. The iron picket fencing could be up to 1.8m high on larger blocks, but clear documentation of physical evidence of this would be needed before reproduction of fencing of that height was approved. Most picket fencing would be a maximum of 1.2m high.

The dominant Federation period housing usually had low masonry fencing with panels of timber pickets or wrought steel up to a maximum of 900mm high.

Inter-war period housing in the Bourketown Conservation area usually had face brick fencing with brick piers separated by low brick panels with horizontal steel pipe rails.

Subdivision

The late nineteenth and early twentieth century subdivision patterns are typically small allotments. Larger allotments are generally only found with surviving free standing houses or are the sites of churches, schools and other public buildings. The subdivision patterns in the Bourketown Conservation Area are closely related to the rhythm of the streetscape.

Refer to Figure App1.2




Figure App1.2 Bourketown Conservation Area

CA.3 Creewood Street Conservation Area

History

Creewood was a prominent house facing Concord Road. The land to the east of the house was developed in two subdivisions creating Creewood Street. The southern and eastern sections were subdivided in 1926 with the northern part of the street subdivided in 1927. Development of Inter-War housing appears to have rapidly followed the subdivision.

Description

The development in this short street is characterised by intact Inter-War California bungalows. The houses feature multiple gables facing the street, verandahs across part of the front elevation, dark face brick walling and tiled roofs. The houses retain their landscaped setting with low brick fences with metal railing complementing the low horizontal lines of the housing. The turn in the street adds to the visual amenity of Creewood Street.

Statement of Significance

Developed in a short period from 1926, Creewood Street is one of the areas finest streetscapes of Inter-War bungalows. The streetscape is remarkable for the integrity of the landscaping and street fencing.

Analysis - Setting

Developed as a cul-de-sac, Creewood Street is a contained streetscape. The bend in the street contributes to the visual quality of the street. Intact fencing, contemporary with the houses is important to the setting of the houses.

Scale

Apart from infill development, the housing in Creewood Avenue is all single storey.

Form

The houses in Creewood Street are exemplars of Inter-War bungalows, incorporating strong horizontal lines created by the low-medium pitched gables, deep verandahs with simple brick balustrades and heavy verandah piers. Verandahs are always incorporated into the front elevation of the houses, giving depth to the façade.

Siting

Setbacks from the front boundary are consistent. Side setbacks include a generous setback on one side to allow driveway access.

Doors and Windows

Window openings are usually divided into sets of casement sashes, sometimes with a flat awning and a decorative brick sill. Doors may be multi-paned glazed leafs, sometimes with pairs of doors opening to the verandah.

Materials and Colours

Face brick walls of liver or redbrick with commons to side and rear walls. Roofs are usually of terracotta roof tile. The gables are often trimmed with shingles or weatherboards. Verandahs are trimmed with bands of cement render and stub columns.

Carparking

Garages and carports are set well behind the building line.

Fencing

Fencing has brick piers between panels of brickwork matching the houses. Pipe rails or wrought metal panels join the piers.

Refer to Figure App1.3




Figure App1.3 Creewood Street Conservation Area

CA.4 Drummoyne Avenue East Conservation Area

History

The subdivision of Drummoyne House in 1894 created suburban allotments at Wrights Point. The proximity to Parramatta River attracted purchasers who could afford to build fine homes, most of which were oriented to the water. This Conservation Area includes some of the finest waterfront houses to survive in Drummoyne. It also includes the house on the southwest corner of Wrights Road and Drummoyne Avenue that, due to its corner location and elevated position, provides a visual link to this group and to the Drummoyne Avenue West Conservation Area.

5 Drummoyne Avenue is the earliest house of the group, probably built soon after the subdivision in 1894. Other houses, with the exception of 8A Drummoyne Avenue, followed in the next 10-15 years.

Description

This Conservation Area includes some of the more significant waterfront houses to survive in the Drummoyne Area. They retain their setting with their major orientation to the water. Most of the group are large and notable examples of the Federation Queen Anne style.

Many of the houses retain important elements of their original gardens. Boatsheds and sea walls also contribute to the setting of the houses.

Statement of Significance

Drummoyne Avenue East Conservation Area forms one of the last intact groups of waterfront residences on the Parramatta River and has high regional as well as local value. They are indicative of the major development form along the eastern Drummoyne waterfront which has been almost completely obliterated by State Government Planning policies since the 1970's period. This is the last major waterfront group in the Canada Bay Council area and a key group of buildings at the entrance to Parramatta River.

Analysis - Setting

The houses in Drummoyne Avenue East Conservation Area respond to their proximity to the water with frontages to Parramatta River as well as to Drummoyne Avenue. Gardens are important to the setting of the houses. Large setbacks from Drummoyne Avenue are used to take advantage of water frontages.

Scale

These are generally large houses of one to two storeys located on large allotments that allowed appropriate setbacks from side boundaries.

Form

Generally interesting roof forms incorporating hipped and gabled forms. The larger houses also include tower and turret elements

These houses use elements such as bay windows, projecting gabled fronts and verandahs to break down the overall mass of the building.

Siting

The houses in this group are sited well back from the street frontage taking advantage of the site depth and river frontage.

Materials and Colours

Roofs are either slate or terracotta tiles or a combination of the two. Walls are generally face brickwork, originally unpainted.

Doors and Windows

A variety of window forms are often used in any one of the Federation houses in this group. Groups of casement windows, usually with toplights, are dominant and might be contrasted with bullseye or keyhole windows. French doors are also used to provide access to balconies.

Carparking

Garages for houses with river frontages have generally been located on the street to minimise impact on the garden setting. For other sites, garages are set back as far as possible from the street boundary.

Garages and carports may be allowed in front of the building line subject to the merit of the design. However they should be located where they will have minimal impact on original or early garden layouts and should avoid blocking important views of the houses from the street.

Garages should not be allowed where they occupy more than 40% of the street boundary.

Fencing

Fencing on the street boundary should generally be not more than 900mm high. Where higher fencing is used, it should be of a transparent design such as simple iron or timber pickets between brick piers.

Landscape Elements Including Paving and Driveways

The gardens are important to the setting of the house and incorporate curved paths, mature trees and areas of lawn. The paths often incorporate a focal element such as a fountain or urn.


Pools are generally located between the houses and the river.

Outbuildings

Outbuildings should be carefully located to avoid impacting on important views of houses from the street or the water. Where outbuildings are visible in important views, they should be designed to relate to the original house.

Small boatsheds are acceptable subject to design merit and approval of the relevant authority (N.S.W. Roads & Maritime Services).

Refer to Figure App1.4



Created on: 2024-10-16

Drummoyne Av East

Figure App1.4 Drummoyne Avenue East Conservation Area

CA.5 Drummoyne Avenue West Conservation Area

History

The subdivision of Drummoyne House in 1894 created suburban allotments at Wrights Point. The land around and including Drummoyne House was re-subdivided in 1907 and housing was built facing the water and with its back to Drummoyne House. The present housing at 15-27 Drummoyne Avenue is an intact part of that prestigious sub-division. It is an important element in the streetscape and the continuous character of Drummoyne Avenue.

Description

This group of housing is from the Federation and Inter-War periods. The group has single storey fronts with high sub-floor spaces taking advantage of the slope of the sites. The four properties at the west end of this group date from the 1907 subdivision. The next house is Post World War II and the last two houses are very fine Inter-war houses with high quality detailing.

Statement of Significance

This group demonstrates the sub-division of one of the major Drummoyne estates and is representative of the prevalent form of housing built in east Drummoyne reflecting the importance of the area. This is a remnant of the once contiguous Federation character of the area.

Objectives

Retain the Federation and Inter-War character of this group and their garden settings.

Additions should be controlled to conserve the streetscape contribution of the group.

Analysis - Setting

The setting of these houses is elevated from Drummoyne Avenue. Low masonry retaining walls on the street boundary provide grassed terraces between the street and the house.

Scale

These houses are single storey with high sub-floor areas facing the street. First floor additions are possible subject to merit. These should generally incorporate the existing roof form facing the street.

Form

Overall bulk is generally broken up with projecting wings either under a gabled or hipped roof. Roofs of houses in this conservation area have medium pitches. Hipped and gabled forms are used on the earlier houses with more simple hipped forms on later houses.

Siting

Houses are set back from Drummoyne Avenue to take advantage of the elevated part of the site.

Materials and Colours

Roofs are either terracotta or glazed roof tiles or slate. Walls are generally face brickwork in red or dark colours. The sub-floor is usually of sandstone or brick.

Doors and Windows

Generally timber framed with pairs or groups of casement and double hung sashes.

Carparking

Garages in this conservation area were originally located to the rear of the site and this pattern continues for the majority of sites in this conservation area.

Fencing

Low masonry retaining walls on the street boundary

Garden Elements including Paving and Driveways

Grassed terraces between the street boundary and the house with low shrubs. Mature trees are placed to minimise interference with the views. Driveways are usually single width running past the house.

Refer to Figure App1.5




Figure App1.5 Drummoyne Avenue West Conservation Area

CA.6 Drummoyne Park Conservation Area

History

The land on the eastern side of the present Victoria Road, north of Lyons Road, was subdivided in 1881-2 as Drummoyne Park Estate. Subsequent development included a number of substantial and well detailed Victorian Italianate houses followed by large Federation Arts and Crafts and Federation Queen Anne style housing. Much of the earlier housing was located on sites where elevated land provided good views of the harbour. This late nineteenth century development was reinforced by smaller Federation and Inter-War housing both on the original allotments of the Drummoyne Park Estate and on the subsequent subdivisions of the larger landholdings in the area.

Statement of Significance

The Drummoyne Park Estate Conservation Area, developed from 1881, includes substantial late nineteenth century homes in prestigious locations, such as nos. 2, 8 and 45 Wrights Road and 5-11 and 23 Collingwood Street, interspersed among smaller early twentieth century housing. The smaller scale of the early twentieth century housing gives the Conservation Area an underlying consistency of scale, materials and form that highlights the larger houses of the late nineteenth century in the streetscape. Apart from the heritage items within the area most of the buildings and features within this precinct are of high local heritage value and a combination of representative and rare examples of their period and style in the Drummoyne context.

Analysis - Setting

Larger late nineteenth century houses have prominence in the streetscape. The surrounding streetscape is dominated by smaller scaled Federation period housing.

Scale

Two to three storey houses occupy larger sites and usually have a garden setting. On smaller sites, single storey houses dominate. Some semi-detached housing utilising double allotments is included in the area and gives the impression of larger scaled housing.

Form

Most of the housing that contributes to the heritage character of this Conservation Areas has prominent roof forms with terracotta being the dominant material followed by slate shingles. Facades usually include verandahs and elements that step forward of the main part of the building. This often adds interest to the roof form as well as the street front of the house. Many of the late Victorian houses incorporate bay windows.

Siting

Most groups of houses in this conservation area have regular setbacks from the front and side boundaries. Deeper setbacks on one side of many allotments has allowed for side driveways and provides space between houses. The earlier houses in the Drummoyne Park Estate sometimes have deeper setbacks relating to the larger scale of the buildings and the larger sites.

Materials and Colours

The majority of housing in the Conservation Area has face brick walling with render or cement sheeting used as a contrast. Rendered walls are restricted to the large Victorian homes in this Conservation Area.

Doors and Windows

Doors and windows are usually vertically proportioned. Wider openings, when they occur, are divided vertically.

Carparking

Parking is generally at the rear of the property, in some cases taking advantage of rear street access. On steeply sloping sites some garages have been built into the retaining walls on the street front.


Fencing

A mixture of fencing is used and depends to some extent on the nature of the site and the character of the house. Masonry retaining walls of face brick or stone are used on sloping sites. Low masonry fences of either face brick or stone are common on the early twentieth century development. On larger houses this might support a higher wrought steel fence. On many late Federation and Inter-War houses, the brick piers are linked by a pipe rail.

Landscape Elements including Paving and Driveways

Terraced gardens provide a setting on steeply sloping sites where houses are located on the high point to maximise views. Hedges are often used where increased privacy is desired. Driveways are often a pair of concrete strips parallel to the side boundary of the house.

Refer to Figure App1.6 and Figure App1.7




Created on: 2024-10-16

Drummoyne Park Estate

Drummoyne Park Conservation Area

Figure App1.6



Created on: 2024-10-16

Figure App1.7 Drummoyne Park Conservation Area - Sheet 1

CA.7 Gale Street Inter-War Californian Bungalow Group

History

Mortlake township began with the establishment of the Australian Gas Light Company's works at Mortlake in 1886. Subdivision of the township took place in the following two years. The group of houses at 36-44 Gale Street were built in the 1920's and appear to have been a speculative development.

Description

The Gale Street Conservation area is a group of five Inter War Californian bungalows all designed to the same pattern with double gable to the front and an inset verandah. The houses have gardens to the front with low brick walls to the street. Most have been altered to some extent.

Statement of Significance

The Gale Street Conservation area is a good example row of five Inter-War Californian style bungalows that form an important group in the streetscape and that have historical associations with the AGL gasworks and the development of the Mortlake Township.

Analysis - Setting

The group is set on identical blocks along a tree lined street with rear lane access to garages and carports. The adjoining scale is predominantly single storey with a mix of Victorian and Federation cottages with some later infill development.

Scale

All the houses in the group are single storey with no second floor additions. There is some later two storey development close by.

Form

The group is in the classic Californian bungalow style in dark face brick with double gables, low pitched roofs and low, brick verandahs to the front.

Siting

The front setbacks are the same with a small garden to the front. The setback of adjoining houses varies.

Materials and Colours

The houses are predominantly in red face brick with terracotta tile roofs and painted timber casement windows. Some of the verandahs have been infilled and external walls rendered.

Car Parking

The rear lanes provide car access to garages and carports.

Fencing

The front fencing is not consistent, with a mix of low masonry walls, timber pickets of various styles and metal palisade fencing.

Landscape Elements including Paving and Driveways

Front gardens are dominated by lawns with perimeter shrub planting with some hedging. There are some street trees with Paperbarks predominant.

Refer to Figure App1.8



Figure App1.8 Gale Street Inter-War Californian Bungalow Group

CA.8 Gale Street Victorian Housing Group

History

Mortlake township began with the establishment of the Australian Gas Light Company's works at Mortlake in 1886. Subdivision of the township took place in the following 2 years. The houses at 37-39 Gale Street were built soon after the subdivision of the township.

Description

The Gale Street Conservation area is a group of two, single storey, Victorian cottages with symmetrical front verandahs.

Statement of Significance

The Gale Street Conservation area is a good example of two Victorian cottages that form an important group in the streetscape that have historical associations with the AGL gasworks and the subdivision of the Mortlake Township.

Analysis - Setting

The group is set on similar blocks along a tree lined street with rear lane access to garages and carports. The adjoining scale is predominantly single storey with a mix of Victorian and Federation cottages with some later infill development.

Scale

The houses are single storey with no second floor additions. There is some later two storey development close by.

Form

The group is in the Victorian cottage form style with double fronted elevations and front verandahs

Siting

The front setbacks are the same with a small garden to the front. The setback of adjoining houses varies.

Materials and Colours

The houses are in different materials. 37 Gale Street is in painted brick with high gables to the side and has a bullnosed verandah with a corrugated metal roof. 39 Gale Street is in weatherboard with a concrete tile roof.

Car Parking

The rear lane provides car access to rear garages and carports.


Fencing

The front fencing varies with a metal tube and wire fence to 39 Gale Street and no fence to 37 Gale Street.

Landscape Elements including Paving and Driveways

The small front gardens are laid to lawn with some shrub planting.

Refer to Figure App1.9



Gale St Victorian Group 1

CA.9 Gears Avenue Conservation Area

History

Gears Garden Estate was subdivided in 1924 creating lots generally with 50 foot frontages to Gears Avenue. The present 17-35 Gears Avenue were re-subdivided in 1926 to create allotments with 40 foot frontages. The housing in the Gears Avenue Conservation Area all appear to have been built in a short period following the subdivisions.

Description

This group of Inter-war houses is an intact group of predominantly bungalow influenced houses with one very good example of the Californian Bungalow style set high up on the rise and well above the street.

Statement of Significance

The Gears Avenue, Drummoyne Conservation Area is a very good example of housing from the Inter-War period and has survived intact with setting, fences and detailing. The vista down the hill towards the water typifies the development of Drummoyne with Lyons Road on the ridge and streets falling towards the water. The regular division of the allotments, consistency of materials and scale of the housing combines with the slope of the land to create an attractive streetscape.

Objectives

Original details of houses should be retained with fencing and garden settings to enhance the character of the street. Additions should reflect the character of the existing buildings in order to retain the streetscape and heritage value of the streetscape. Garages and carports should not be added in front of the building line.

Analysis - Setting

Housing has a consistent setback behind low street fencing and gardens. One side of each allotment has a greater setback to allow a driveway to go to the rear yard.

Scale

The housing in Gears Avenue is mainly single storey facing the street.

Form

The front of the houses are generally broken down with a verandah section and a projecting room with a gabled or hipped roof. The repetition of gables and hipped forms is an important part of the streetscape. The verandahs have low horizontal proportions with heavy masonry piers.

Siting

The houses in this group have regular setbacks from the street boundary. A deeper setback on one side boundary of most houses provides space between houses and vehicular access to the rear of the site.

Materials and Colours

Walls are generally of face brickwork with use of battened fibro on gables as a contrasting element. The roofs are typically glazed tiles.

Doors and Windows

Timber casements in pairs or groups of three or double hung windows in pairs.

Carparking

Single driveways with garages or carports located well behind the building line.

Fencing

Many original fences have survived in this conservation area. They are typically low street fences with brick piers and panels sometimes using pipe rails between piers.


Landscape Elements including Paving and Driveways

Single driveways with concrete driving strips typically run along the side boundary past the house. Gardens to these houses often include a curved path to the front door and hedge type plants behind the front fence.

Subdivision

This conservation area has a regular subdivision pattern of 40 and 50 feet frontages (12.192m and 15.25m).

Refer to Figure App1.10



Created on: 2024-10-16

Gears Ave

Figure App1.10 Gears Avenue Conservation Area

CA.10 Gipps Street Conservation Area

History

Of this small group of buildings, Euroka, at 9 Gipps Street, Drummoyne is the earliest, existing, with its tennis court, on the site in 1912 when the block bounded by Gipps, Therry, Miller and Market Streets was subdivided. The remaining houses in the group appear to have been built soon after the subdivision.

Description

This is a small group of very fine timber and brick dwellings that formed part of the major subdivision around Bourketown but which are now separated from the main conservation area by altered and unsympathetic development.

Statement of Significance

This group forms a fine group stepping down the slope towards the water, each sited with good views towards the city and set up from the road to maximise their setting. They form a complete block which adds to their integrity. They demonstrate the dominant form of the architectural style of Drummoyne and make a very fine contribution to the streetscape and the important views down Gipps Street to the water.

Objectives

All of the buildings in this small group should be retained in their predominant early twentieth century form. Additions should respect the character of the buildings and first floor additions should be controlled to retain the heritage value of the buildings. Garages and carports should not be constructed in front of the building line.

Analysis - Setting

The slope of Gipps Street towards Iron Cove Bay contributes to the setting of these houses. Euroka at 9 Gipps Street, as the house that preceded the subdivision, was the dominant building in the group until 2005.

Scale

The houses in this conservation area include one and two storey houses with the height relative to the size of the allotment.

Form

These are free standing houses with hipped roofs over the main rectangular block of the house. The hipped roofs are relieved in most of the houses by a projecting gabled wing facing the street. For all but one of the houses the roof forms incorporate hipped and gabled forms. Slate with terracotta tile trim is the dominant original roof material, although this has been replaced on some roofs. Glazed tiling to the roofs is not original and could in due course be replaced with more appropriate roofing materials. Verandahs are incorporated into the front elevation, usually offset by a gabled wing.

Materials and Colours

Face brickwork walls dominate, trimmed with battened fibro to the gables. Original roofs surviving in the group are slate with terracotta trim. Verandahs are framed with timber incorporating decorative fretwork and balanced by decorative timberwork to the gables.

Doors and Windows

Various forms of windows and doors are used but are not all combined in a single dwelling. The proportion of wall space to fenestrations is important, as is the vertical proportions of most of the openings.

Carparking

Carparking is set well behind the front building alignment. Driveways utilise side streets where possible, otherwise are restricted to single width.

Fencing

Original fencing is reasonably low and usually incorporates a masonry base of either face brick or sandstone. Transparent panels of either metal or timber pickets are used between piers.

Subdivision

Apart from Euroka at 9 Gipps Street that preceded the subdivision, the allotments of this Conservation Area were of regular size with 40-44 foot frontages.

Landscape Elements including Paving and Driveways

Front gardens are dominated by lawn with plantings of low shrubs.

Refer to Figure App1.11




Figure App1.11 Gipps Street Conservation Area

CA.11 Hampden Road Conservation Area

History

The north and south sides of Hampden Road were subdivided in two separate subdivisions in 1915. The north side of the road was part of the Five Dock Estate subdivision and the south side was part of the Lirylea subdivision. Apart from the Victorian house Faleofa, facing Lyons Road, that preceded the 1915 subdivisions, most of the development of this conservation area followed soon after the subdivisions. Faleofa was further subdivided in 1928 prior to the construction of shops on the corner of Lyons and Hampden Roads.

Description

This is a predominantly residential group with largely intact houses from the late Federation and Inter-War periods as well as the Victorian house Faleofa and some Inter-War shops on the corner of Lyons Road.

The houses include a very fine group of c1915 houses of matching style with terracotta shingle roofs, well set back from the road in garden settings. The group represents the mix of development that took place in the Edwardian period with houses ranging from modest but well detailed semi-detached residences to more impressive two storey houses through to idiosyncratic arts and crafts cottages. The shops on Lyons Road are typical of the Inter-War period. As a substantial Victorian house, Faleofa provides a contrast to the group.

Statement of Significance

The Hampden Road, Drummoyne Conservation area is one of the rare surviving streetscapes on a main road in the municipality. Located on the main road through Drummoyne and Five Dock this group is of high visual value. The group also includes a substantial and attractive Victorian residence, Faleofa, illustrating the earlier development of the area. The commercial building on the corner of Lyons Road and Hampden Road demonstrates the importance of these roads in the local transport network.

Future Character

The Federation to Inter-war housing should be retained without demolition and in its historic form to the street with retention of facade materials and details. Additions should reflect the character of the existing buildings to retain the streetscape and the heritage value. Garages and carports should not be added in front of the building line.

Analysis - Setting

The houses in this group have reasonably deep setbacks from the street. Street trees and the slope of Hampden Road contribute to the setting of this group.

Scale

This conservation area has a consistent single storey scale to Hampden Road with the larger two storey residence Faleofa on a larger site fronting Lyons Road.

Form

The front of the houses are generally broken down with a verandah section and a projecting room with a gabled or hipped roof. Roofs include low to medium pitched hipped and gabled forms, most clad with terracotta tiles or slate. The commercial building contrasts with a solid parapeted form.

The facades typically incorporate verandahs with heavy masonry piers. Awnings are also used to provide interest in the street facades.

Siting

Houses fronting Hampden Road have regular front and side setbacks. The commercial building at the corner of Lyons Road contrasts with these and with Faleofa by having no street setback.

Materials and Colours

Dark face brickwork is almost exclusively used in this conservation area. This blends well with the terracotta and slate roofs.

Doors and Windows

Windows are usually timber casements in pairs or groups of three or double hung windows in groups.

Carparking

Single driveways with garages or carports located well behind the building line.

Fencing

Surviving original fencing is generally low brick or sandstone fencing.

Landscape Elements including Paving and Driveways

Most houses in the group have established gardens with trees and shrubs in the front garden.

Subdivision

The houses in this group fronting Hampden Road have a reasonably regular allotment size.

Refer to Figure App1.12



Created on: 2024-10-16

Hampden Rd

Figure App1.12 Hampden Road Conservation Area

CA.12 Lindfield Avenue Conservation Area

History

Lindfield Avenue was created by a 1928 subdivision and was originally called Ardath Avenue. The Inter-War California Bungalows that line this street were built soon after.

Description

Lindfield Avenue is a short cul-de-sac featuring facing rows of consistent Inter-War California Bungalows, set in period gardens. The buildings display a high degree of integrity, with one notable exception. The street facades of the buildings are remarkably intact, as are fences and period garden features.

Statement of Significance

The Lindfield Avenue Conservation Area is an excellent local example of an Inter-War subdivision, in an area noted for its 1920s and 1930s streetscapes. It is also considered one of the best examples in the Sydney region of a streetscape of Inter-War California Bungalows. The high consistency of design suggests development within a very short time span. The street facades of the buildings are remarkably intact, as are fences and period garden features. The subdivision consists of a street and is unusual locally for its cul-de-sac design.

Analysis - Setting

Designed as a cul-de-sac, Lindfield Avenue is an enclosed streetscape. Street plantings are mixed with some clipped hedges and more recent plantings of native plants.

Scale

Apart from one rear addition, this is a street of single storey houses.

Form

The Inter-War California Bungalow form is exclusively used in this area. It features low to medium pitched gables facing the street with a front verandah an important part of the main elevation of the house.

Siting

The houses have regular setbacks from the street. A deeper setback from one side allows vehicular access to the rear of the allotments.

Materials and Colours

Houses that have not been altered have face brick trimmed with render to lintels and battened fibro to the gables complemented by terracotta tiled roofs.

Doors and Windows

Windows are usually timber casements sashes in groups of two or three, often with horizontal sun hoods. Later houses have groups of double hung windows, sometimes in a chamfered bay. Doors are often glazed and sometimes are paired.

Carparking

Garages and carports are usually set well back from the front building alignment.


Fencing

Original fencing is usually low brick panels between brick piers. Metal rails or wrought metal panels are sometimes used between piers.

Landscape Elements including Paving and Driveways

Street trees are important in this conservation area. Front gardens are usually dominated by lawn with low plantings of shrubs to provide interest.

Refer to Figure App1.13



Created on: 2024-10-16

Lindfield Av

Figure App1.13 Lindfield Avenue Conservation Area

CA.13 Majors Bay Road Conservation Area

History

Commercial development in the early twentieth century tended to be in ribbons lining major transport routes. The development along Majors Bay Road followed this pattern, taking advantage of the importance of the road in connecting Queens Road to the industrial areas at Mortlake. It also relied on the importance of Wellbank Street to provide a direct link to North Strathfield Railway Station.

On the east side of Majors Bay Road between Wellbank Street and Jones Street the Terrabona Estate subdivision of 1915 appears to have provided the impetus for commercial development along Majors Bay Road. The precinct was planned as a commercial boulevard to complement the Inter-War housing boom in Concord.

Description

The commercial precinct of Majors Bay Road between 48-114 Majors Bay Road on the west side and 23-95 Majors Bay Road on the east side is dominated by Inter-War commercial development. The buildings are generally two storey with retail premises on the ground floor and offices or flats on the upper floor. Parapet walls front the street on most buildings and the floors are divided on the facades by cantilevered awnings. Some residential buildings survive on the west side of Majors Bay Road.

Statement of Significance

This commercial precinct reflects the importance of Majors Bay Road and Wellbank Street in providing connections from the main transport links of Queens Road to the south and Strathfield North Railway station to the west with the industrial area of Mortlake and with the growing residential development of Cabarita from the Inter-War period to the late twentieth century.

The Majors Bay Road commercial precinct is a good quality streetscape dominated by Inter-War commercial buildings. The consistent scale and rhythm of facades, and use of materials contributes to an attractive streetscape.

The Majors Bay Road commercial precinct provides a focal point for the local community and continues to function as a popular meeting place.

Analysis - Setting

This conservation area derives its importance from its location at the junction of two important local roads.

Scale

Two storey development is dominant with ground floor used for retailing and the upper floor for office or residential use. A few single storey shops and houses are scattered through the group.

Form

These are two storey buildings usually with no setback from the street or side boundaries creating a continuous wall to the street. The buildings are usually parapeted. Roofs are usually tiled. The buildings have engaged piers at regular intervals reflecting traditional structural spans.

Recessed verandahs were incorporated into the upper floor of many of the commercial buildings, some of these have been filled in. The lower floors of the earlier buildings in the group generally have commercial shopfronts.

The freestanding buildings in the conservation area are more residential in form with hipped and gabled roofs and usually with front verandahs.

Siting

Most buildings in this group have no setbacks from the front and side boundaries.


Materials and Colours

Masonry is used for most buildings. Face brickwork trimmed with rendered or decorative details was the most common wall treatment. Rendered panels in the parapet provide space for signs. Other buildings have rendered facades with decorative rendered details.

Doors and Windows

Windows to the upper floors are often in square or arched openings, infilling the original open verandahs. Some buildings retain the French doors opening to the upper verandahs.

Refer to Figure App1.14



Majors Bay Road

Figure App1.14 Majors Bay Road Conservation Area

CA.14 Marlborough and Tavistock Streets Conservation Area

History

The South Hythe subdivision of the 1870s included all the land west of Lyons Road, between the present Victoria Road and Bayswater Road. It included Tavistock, Marlborough and Westbourne Streets, establishing the general street layout that survives to the present day. Many of the initial purchases were for a number of allotments. Speculative development and subsequent subdivision in the Federation and Inter-War periods created rows of housing of similar scale, form and materials.

The housing on the southeast side of Tavistock Street and from 21 to 39 Westbourne Street appear to have been groups of speculative development built in the Federation period. Groups of semi-detached houses have since been subdivided to allow individual ownership. 43 Marlborough Street also dates from this period.

The houses at 4-8 Tavistock Street were probably built soon after a re-subdivision of land fronting the present Victoria Road in 1915. Those at 10-12 Tavistock Street along with 26-28 Marlborough Street are also part of one development comprising detached and semi-detached houses.

Description

The character of the Marlborough and Tavistock Streets Conservation Area is defined by:

- a consistent row of speculative semi-detached Federation houses in Westbourne Street,
- consistent Federation housing, both semi-detached and free standing, on the southeastern side of Tavistock Street including a very good group of speculative semi-detached Edwardian houses towards Victoria Road.
- a group of Inter-War bungalows on the northwest side of Tavistock Street between Victoria Road and Marlborough Street, extending along Marlborough Street.
- consistent Federation housing on the northeast side of Marlborough Street.

The housing in the Conservation Area is predominantly of c.1910 to 1930 construction. It has a consistent character dominated by single storey housing of dark face brick, terracotta and slate roofing, hipped and gabled roof forms and front verandahs.

Statement of Significance

The Marlborough and Tavistock Streets, Drummoyne Conservation Area is of significance for its largely intact early twentieth century residential development. The group has an overall homogeneity due to consistent use of materials, scale, setbacks and forms. Groups of speculative development also contribute to the regular rhythms in the streetscape.

Objectives

To retain the high level of integrity and homogenous character of the group.

To ensure new development does not detract from established rhythms in the streetscape created by the group.

Analysis - Setting

Groups of houses within each block have regular setbacks. The setbacks of the groups of semi-detached houses are usually less than for the free standing houses.

Plantings of street trees as well as trees in front gardens adds to the amenity of this conservation area.

Scale

This conservation area has a dominant single storey scale facing the street.

Form

The groups of houses within this conservation area have regular form and massing. Front verandahs are an important element of the front of the houses. Gabled elements are used in most of the roofs as either a complement to the main hipped roof or as the main roof form facing the street.

Materials and Colours

Terracotta and/or slate are the dominant materials for roofs and are complemented by face brick walls with some rendered and/or battened fibro sheet for contrast. Verandahs have face brick piers and balustrades with timber posts. Driveways are formed with concrete strips.

Doors and Windows

Casement windows are common with some use of double hung sashes. French doors are also used to provide access to verandahs. Front doors usually have toplights and, where space permits, might have sidelights.

Carparking

Some freestanding houses have space for parking at the rear of the allotment. Many of the semi-detached houses have no space for on-site parking that does not intrude on the front garden.

Fencing

Original fencing is usually low allowing good views from the footpath to the houses. Fencing often incorporates masonry elements including sandstone and low face brick walls, often with pipe rails. More recent fencing has a variety of picket fencing.

Landscape Elements including Paving and Driveways

Street trees are important to the character of this area and are reinforced with mature trees in front gardens. Front gardens should incorporate low shrubs and lawn areas.

Refer to Figure App1.15 and Figure App1.16




Figure App1.15 Marlborough and Tavistock Streets Conservation Area

Created on: 2024-10-16




Figure App1.16 Marlborough and Tavistock Streets Conservation Area - Sheet 2

CA.15 Mons Street and Boronia Avenue Conservation Area

History

This conservation area comprised two subdivisions; the Sunlight Estate subdivision of 1926 creating Mons Road and the Boronia Avenue subdivision of 1927.

Description

The Mons Street and Boronia Avenue Conservation Area is dominated by Inter-War California Bungalow style housing creating a regular rhythm of gables in the streetscape. Street plantings of box hedge in Mons Street have been pruned ensuring the houses have a close relationship to the street.

Statement of Significance

The Mons St and Boronia Avenue Conservation Area contains a very intact group of Inter-war houses representing the major sub-division of the Municipality that took place during this period. The group is one of a small number of excellent groups in the Five Dock/ Russell Lea area that demonstrate the pattern of sub-division of the Municipality and which contain a very fine representative group of houses from one period, mostly with intact settings and detailing. Most houses in the area have not been substantially altered.

Objectives

The high level of integrity of this group is a key feature, which should be retained. With only one or two significant alterations to significant properties there should be no demolition of existing early housing, controls on first floor additions to retain the character of housing and retention of façade details such as windows and wall treatments. Garages and carports should not be added in front of the building line.

Analysis - Setting

The houses in this conservation area have regular setbacks from front boundaries. Side setbacks are wider on one side to allow vehicular access.

Street trees are restricted to clipped box hedges.

Scale

The housing in this conservation area was originally single storey development, consistent with the low horizontal character of the Inter-War California Bungalow style.

Form

The Inter-War California Bungalow style that dominates this Conservation Area has strong low-medium pitched gabled roof forms facing the street. Verandahs are incorporated into the front elevations and emphasise the low horizontal lines of the houses.

Materials and Colours

Face brick walls trimmed with rendered lintels and battened fibro gables. Original roofs are of terracotta tiles.

Doors and Windows

Windows facing the street are grouped sets of casement sashes, often with horizontal sunhoods. Front doors are simple glazed doors, sometimes in pairs.

Carparking

Carparking is provided well behind the building line of most houses.


Fencing

Original surviving fencing is low face brick fencing of piers and panels. The low brick panels usually had a metal pipe or panel above.

Landscape Elements including Paving and Driveways

Single driveways to the side of the house. Front gardens are dominated by lawns with low shrubs providing interest. Street plantings are restricted to clipped hedges.

Refer to Figure App1.17



Created on: 2024-10-16

Mons St & Boronia Av

Figure App1.17 Mons Street and Boronia Avenue Conservation Area

CA.16 Moore Street Conservation Area

History

The Lyonsville subdivision of the 1880s created Moore Street and Short Street. Development of small cottages followed through to the Inter-War period.

Description

The Moore Street Conservation area encompasses a range of building styles and periods of construction, typifying the pattern of development of the central areas of Drummoyne. The earlier development relates to waterfront activity and extends from late nineteenth century through to the Inter-War period with several fine bungalow influenced cottages and semi-detached buildings. The street also contains a very good range of timber buildings from the first decade of the twentieth century or possibly earlier. On the corner of Short Street is a two storey store and commercial building that provides a focal point in the streetscape.

Statement of Significance

The Moore Street Conservation Area includes a variety of houses that, while modest, display fine detailing and varied forms that are not generally seen in Drummoyne. Buildings of particular interest in this conservation area are the large timber house at no 40, the two storey corner store and residence, one of three very good examples in the municipality, the fine timber houses, and several very modest timber and fibro cottages. Together, these buildings represent the early development of the street and its lower status than the south side of Lyons Rd.

Analysis - Setting

Moore Street has a gradual slope down from Lyons Road. Groups of cottages have fairly regular setbacks from the street. The two storey shop at the corner of Short Street provides contrast with no setback from the street frontages. Street trees also contribute to the amenity of the street.

Scale

Single storey scale is dominant in this conservation area.

Form

Most houses have simple rectangular forms with hipped roof forms relieved by gabled elements. Verandahs provide depth to the front elevations of the houses.

Materials and Colours

Weatherboard and face brick are the common wall materials in this group. Roofs were originally either corrugated steel or terracotta tiles.

Doors and Windows

Windows are usually in vertically proportioned openings. Double hung windows are most common with sets of casement windows used in some later houses. Front doorcases usually incorporate toplights and, on larger houses, sidelights.

Carparking

Where space allows, car parking has been set behind the building line. Few carports and garages have been located in front of the main building line in this conservation area.

Fencing

Original surviving fencing includes low masonry fencing of either sandstone or face brick. Some reproduction picket fencing has been introduced.

Landscaping Elements including Paving and Driveways

Front gardens are usually dominated by lawn with low plantings of shrubs to provide interest.

Refer to Figure App1.18




Figure App1.18

Moore Street Conservation Area

Moore St

Created on: 2024-10-16

CA.17 Mortlake Workers' Housing Group

History

Mortlake township began with the establishment of the Australian Gas Light Company's works at Mortlake in 1886. Subdivision of the township took place in the following 2 years. The houses at 46-50 Gale Street were built soon after the subdivision of the township closely followed by the houses at 4-8 Tennyson Road.

Description

A group of single storey houses from the late Victorian and Federation periods.

Statement of Significance

The Tennyson Road conservation area is an interesting group of workers' housing from the late Victorian and Federation period directly relating to the development of the AGL gasworks and the establishment of the Mortlake township. The group makes an important contribution to the streetscape and forms a precinct of great charm and character.

Analysis - Setting

The group is set on various size blocks at the corner of the two streets with rear lane access to garages and carports. The adjoining scale is predominantly single storey with a mix of Victorian and Federation cottages with some later infill development.

Scale

The houses are single storey with no second floor additions. There is some later, two storey development close by.

Form

The group is in the Victorian and Federation cottage form style with double fronted elevations and front verandahs or gables.

Siting

The front setbacks vary due to the angled nature of the lots with small gardens to the front.

Materials and Colours

The houses are in a variety of materials with timber weatherboards, rendered masonry and stone. Roofs are in tile and corrugated metal. 8 Tennyson Street is unusual in being in timber with the boards cut to appear as stone. 48 Gale Street is in sandstone with an Italianate style verandah with decorative lacework.

Car parking

The rear lanes provide car access to rear garages and carports.

Fencing

The front fencing varies with masonry walls, picket and timber fences or with the garden open to the footpath.

Landscape Elements including Paving and Driveways

Small front gardens generally laid to lawn with some shrub planting

Refer to Figure App1.19



Figure App1.19 Mortlake Workers' Housing Group

CA.18 Park Avenue Conservation Area

History

Longbottom Stockade was established in the eighteenth century as an overnight detention centre for convicts on their journey between Sydney and Parramatta. From 1840 to 1842 it was used to house 58 French speaking Canadian rebels. A ramshackle settlement gradually grew around the stockade that was gradually falling into disrepair. In 1843 the Village of Longbottom was laid out to formalise the settlement and included the south side of the present Park Avenue. The large allotments from this settlement generally survive on the south side of Park Avenue, although the west end was re-subdivided in 1927.

Description

A grouping of early homes on large allotments, generally well set back from the street. The group includes a number of Victorian villas, all enjoying an outlook over the park opposite.

Statement of Significance

Park Avenue, Concord is a notable group of heritage homes on large allotments, enjoying an outlook over public parkland. It includes a number of outstanding Victorian villas with large front gardens, rare for Concord. The large lots and deep setbacks are unique in the Council area. The group has considerable aesthetic and historical significance.

Analysis - Setting

Goddard Park on the north side of Park Avenue provides a setting for this conservation area. Street plantings and large front gardens reinforce the amenity provided by the park.

Scale

Park Avenue includes larger one and two storey houses, usually on large allotments.

Form

The houses in this conservation area have a variety of forms. Most of the original houses in the group were built with generous verandahs on the front of the house taking advantage of the northerly aspect and view of Goddard Park.

Siting

Most of the contributory houses in this group have generous setbacks from the front boundaries.

Materials and Colours

Masonry is the dominant wall material with render used on some of the earlier homes. Roofs are either slate or tiled.

Doors and Windows

Vertically proportioned double hung windows are most common in this conservation area. Front doorcases incorporate toplights and sidelights. French doors are also used with verandahs.

Carparking

Garages and carports have usually been set behind the front building line of contributory houses.

Fencing

Only one original fence survives in this group, an iron palisade fence with sandstone gateposts at 2 Park Avenue.

Landscape Elements including Paving and Driveways

Street trees add to the amenity of the area. Gardens are usually generous and incorporate lawns with mature trees and shrubs.

Refer to Figure App1.20




Figure App1.20 Park Avenue Conservation Area

CA.19 Parklands Estate Conservation Area

History

Parklands Estate, between Lyons Road and Barnstaple Road, was subdivided in 1927 creating Bennett Avenue and a cul-de-sac, Mitchell Street. This small group of houses were developed between 1927 and the late 1930s.

Description

The buildings stylistically are predominantly derivatives of Californian Bungalows with several later houses from the immediate post World War Two period at the end of the cul-de-sac which add to the group. All are fine if modest examples of the style and reflect the pattern of further sub-division that took place as larger estates were gradually broken up.

Statement of Significance

Developed in a short period from 1927, Parklands Estate has high heritage value locally as an intact group within an intact streetscape setting reflecting an excellent range of Inter-war housing types. The group is complemented by street planting, fencing and gardens.

Future Character

The high level of integrity of this group is a key feature which should be retained. With only one or two significant alterations to significant properties there should be no demolition of existing Inter-war housing, controls on first floor additions to retain the character of housing and retention of facade details such as windows and wall treatments. The important street planting should be retained. Garages and carports should not be added in front of the building line.

Analysis - Setting

The Parklands Estate has a relatively enclosed streetscape dominated by mature street trees.

Scale

Single storey scale is dominant, consistent with the low horizontal emphasis of the Inter-war housing styles in this estate.

Form

The houses in the Parklands Estate usually have multiple gables and include a deep verandah to offset a projecting room on one side of the street front.

Low-medium pitched roofs of terracotta tiles with multiple gables provide rhythm to the streetscape. Houses in the group from the later part of the Inter-war period have simple hipped roofs with glazed tiles.

Siting

Development in the Parklands Estate has a regular street setback. Side setbacks include a wider setback on one side to allow for vehicular access.

Doors and Windows

Windows are usually arranged in groups with bungalows having sets of casement windows. Later houses in the Parklands Estate have grouped double hung sash windows.

Materials and Colours

Terracotta roof tiles and dark face brick walls with light coloured rendered trim are typical of this streetscape. Windows are generally timber framed.

Carparking

Garages are usually located well behind the building line so that they are not visible in the streetscape.

Fencing

Many houses have reproduction picket fencing which, while not authentic to the Inter-war character of the houses, provides cohesion to the streetscape.

Landscape Elements including Paving and Driveways

Front gardens incorporate large areas of lawn with some planting of shrubs. Driveways are single width usually located to the side of the allotments.

Subdivision

The regularity of the original subdivision is important in establishing the rhythm of the streetscape.

Refer to Figure App1.21



Figure App1.21 Parklands Estate Conservation Area

CA.20 Powell's Estate Conservation Area

History

Powell's Estate was subdivided in 1886 and included housing allotments with regular frontages. The allotments were wider further away from Parramatta Road. Rear lanes were incorporated into the subdivision, originally providing access for night soil collection. Due to the narrow allotment width (20 feet), many houses were built on double allotments. The main period of development of the estate continued through the late Victorian and Federation period. Much of this housing has survived through to the twenty-first century, except where removed to make way for the development of the M4.

Description

Powell's Estate is an area of late Victorian housing interspersed with Federation and Inter-War period housing on small allotments. The development includes a mixture of large individual homes and semi-detached housing. Street plantings add to the amenity of the area.

Statement of Significance

The Powell's Estate Conservation Area is a rare local example of Victorian period development. A number of the original Victorian homes survive, including some fine villas. The area retains considerable historical significance.

Analysis - Setting

The Powell's Estate has regular sized allotments on a rectilinear street layout. Street trees provide amenity to the area. Lanes now allow vehicular access to the rear of the allotments.

Scale

Single storey housing is dominant. A few one and a half and two storey houses are located on double allotments. A notable one and a half storey group faces Concord Road.

Form

The houses in this conservation area include free standing and semi-detached forms. Most have a simple rectilinear footprint to the main front wing and incorporate a verandah in the street elevation. Roofs are usually hipped, sometimes incorporating a gable as a feature.

Siting

Front setbacks are reasonably uniform along each street. Some larger houses have greater setbacks. Side setbacks are small, possibly as a result of the small allotments.

Materials and Colours

Rendered masonry is used for most of the Victorian houses and is complemented by slate roofs (where the original roofing survives). Later houses are face brick with tiled roofs. There are a small number of weatherboard houses with corrugated steel roofs.

Doors and Windows

Windows are vertically proportioned usually with timber double hung sashes. Some of the Victorian houses incorporate bay window elements. A few later homes have sets of timber casement sashes. Front doors usually incorporate a toplight and, in larger homes, sidelights.

Carparking

The rear lanes provide access for parking at the rear of the properties.

Fencing

Few original fences survive. Iron palisades might be expected for some of the larger Victorian houses. Smaller cottages could be expected to have timber picket fences. Later houses appear to have used brick fencing with low brick panels between brick piers.

Landscape Elements including Paving and Driveways

Front gardens are dominated by lawns with plantings of low shrubs.

Refer to Figure App1.22




Figure App1.22 Powell's Estate Conservation Area

CA.21 Sailsbury Street Housing Group

History

This group of houses is located on the 1886 Beaconsfield Square subdivision. They include cottages built soon after the subdivision through to the Inter-War period.

Description

This is a group of single storey verandahed cottages from the 1880s to the Inter-War period. The narrow setback from the street and the consistent scale and simple forms of these houses creates a cohesive streetscape.

Statement of Significance

This is a cohesive streetscape of cottages built soon after the 1886 Beaconsfield Square subdivision. They include cottages built soon after the subdivision through to the Inter-War period.

Analysis - Setting

The group is set on similar blocks with narrow setbacks from the street. The group contrasts with the open space and larger scale building of the public school on the opposite side of the street.

Scale

The houses are originally single storey, with one now having a first floor addition. This is consistent with the narrow width of the street

Form

The group have a range of cottage forms. All are based on simple rectangular cottages with hipped roofs and a front verandah. The later examples have a gabled element on the front elevation to provide interest.

Siting

The front setbacks are quite narrow. Some have a wider setback on one side to allow vehicular access.

Materials and Colours

The houses are in different materials. Traditional materials of weatherboard or face brick is used for walls and, originally, corrugated steel or terracotta tiles for the roof.

Car parking

Some of the cottages have sufficient side setbacks to provide access for rear garages. The narrow street setbacks limit parking in front of the houses.


Fencing

No original fencing survives. Fencing is low to medium height.

Landscape Elements including Paving and Driveways

The small front gardens are laid to lawn with some shrub planting.

Refer to Figure App1.23



Created on: 2024-10-16

Salisbury St Housing Group

Figure App1.23 Salisbury Street Housing Group

CA.22 Thompson Street Conservation Area

History

This terrace of seven houses was built on the 1904 subdivision of the Cometrowe Estate. The terrace remained under one title until 1958 when it was subdivided into individual allotments for each house.

Description

This small group comprises a row of single level terrace style housing with narrow frontages and matching facades. They have a strong Federation Queen Anne character.

Statement of Significance

The terrace of seven houses in Thompson Street is a very rare building form in Drummoyne. This is the only significant terrace in the Canada Bay Council area and is a strong form in the Thompson Street streetscape and illustrates one of the major stages of Drummoyne's development.

Objectives

The integrity of this row is to be retained without any alterations to the street elevations. No further painting of face brick walls should take place and timber joinery details should be retained.

Analysis - Setting

This terrace has a narrow setback from the street. The slope of Thompson Street away from Lyons Road adds interest to the group.

Scale

This is a single storey group.

Form

The houses have a repetitive pattern of verandahs and gabled fronts in front of a main roof slope.

The terracotta tiled roof is a regular gabled form parallel to the street with individual houses separated by parapet walls. Transverse gables are used on the projecting bays.

Siting

This terrace has a small setback from Thompson Street.

Materials and Colours

The face brick walls of this group have been painted. The roof is of terracotta tiles with crenellated ridging and rams horn finials.

Windows

Double hung windows are used in the projecting gabled fronts.

Carparking

No off-street car parking is provided with these houses.

Fencing

The street boundaries are marked by consistent low reproduction picket fencing.

Landscape Elements including Paving and Driveways

The houses have small front gardens sometimes incorporating shrubs and hedges. Paving is restricted to pedestrian paths.

Subdivision

The subdivision pattern of this group related directly to the individual houses.

Refer to Figure App1.24




Figure App1.24 Thompson Street Conservation Area

CA.23 Victoria Road Retail Conservation Area

History

Victoria Road can be clearly seen with its two phases of development; the earlier eastern side from the early years of the twentieth century and the western side which is predominantly post World War II development except where buildings were set well back from the street alignment. The eastern side of Victoria Road is of particular interest as it has survived the numerous road widenings that have removed much of the building stock on the opposite side of the road.

Description

This small group of retail buildings are a very fine example of Edwardian shopping centre development and form an almost intact streetscape across the crown of the hill. The buildings vary in style but the predominant form is the two storey building with shopfront below and residence over. A number of these have cantilevered balconies to the street of design interest and rarity. The other buildings are the post office, several well detailed buildings originally used for banks and the Inter-War commercial building on the northwestern corner of Lyons Road.

Statement of Significance

This Victoria Road, Drummoyne Retail Conservation area is a very good example of early twentieth century retail development, incorporating Edwardian, Classical Revival and Art Deco designs. With the Sutton Place shopping centre and the hotel on the opposite corner, these buildings create a significant townscape at this very busy and prominent corner. All of these buildings form a gateway to Drummoyne and establish a strong and key character. The survival of cantilevered verandahs on a number of the buildings adds particular interest to the group.

Objectives

The strong Federation to Inter-war character of these retail buildings should be retained with their masonry facades, often intact shopfronts, upper floor verandahs, parapet forms and overall consistent and intact streetscape setting. Original shopfronts should be retained. Infill buildings should respect the overall scale of the street development.

Analysis - Setting

This is an urban group with buildings abutting or separated by narrow walkways. They have visual prominence due to the location at the crest of a hill and the absence of a setback from the street alignment.

Scale

Generally two storey buildings, usually divided horizontally by an awning.

Form

Continuous street facades are modulated by cantilevered and recessed verandahs, regularly spaced shopfronts, fenestration patterns, use of piers to divide first floor façade and articulation of the parapet walls. Cantilevered balcony roofs are generally corrugated steel and use a skillion form. The main roofs are generally concealed behind parapet walls. This group is distinctive for the incorporation of cantilevered balconies to a number of the buildings. The first floor façade is generally articulated with engaged piers and a shaped parapet.

Siting

These commercial buildings usually have no setback from the street boundary and little or no setback from the side boundaries, forming a continuous wall to Victoria Road.

Materials and Colours

Walls of masonry contrasting with render. Some Inter-War buildings are finished with render incorporating decorative details. Face brick is important to the character of the Edwardian buildings.

Doors and Windows

A range of window openings are used, generally with a vertical emphasis. Larger window openings are avoided ensuring a regular proportion of wall and windows in the facades. Ground floor shopfronts are generally modern, although a few buildings in the conservation area are notable for being designed as a cohesive façade over both floors, undivided by an awning or balcony.

Carparking

Where available, car parking is at the rear of the site.

Refer to Figure App1.25



Figure App1.25 Victoria Road Retail Conservation Area

CA.24 Yaralla Estate Conservation Area

History

The Yaralla Estate conservation Area comprises a major part of the 1920 release of the Yaralla Park Estate. This was the largest single release of land for urban subdivision in the former Concord Municipality's history. It included the main entrance driveway to the old Walker Estate, retained on its original alignment as The Drive. The rapid development of the subdivision, closely associated with the Main Northern Railway, produced highly consistent Inter-War streetscapes.

The 1920 subdivision extended from Colane Street to the northern side of Wilga Street. The southern side of Wilga Street was developed shortly afterwards.

Description

This is an area of regular subdivision and generally uniform Inter-War housing. The repetition of the gabled roof forms of Inter-War bungalows create a strong rhythm in the streetscape and is reinforced by consistent use of dark brick and tiled roofs. Landra Street at the north of the Conservation Area and Wilga Street at the south of the Conservation Area include groups of Inter-War cottages.

It includes significant street planting, most notably along The Drive. The area's original 1920s townscape character survives essentially unaltered. Subtle bends in the parallel street system add visual interest. The area includes a small neighbourhood shopping centre on Concord Road.

Statement of Significance

This 1920s precinct is representative of Concord's major developmental period. It is one of the best preserved examples of Inter-War streetscapes in the Council area and includes some of the Sydney region's best examples and some outstanding rows of typical 1920s bungalows, for which Concord is noted. The Drive has special significance as the alignment of the original entry to the Walker family's Yaralla estate.

The inclusion of subtle bends in the streetscape and of street planting adds to the distinctive qualities of this Conservation Area.

Analysis - Setting

The Yaralla Estate Conservation Area has long streetscapes of wide streets with subtle bends. Street plantings add to the amenity of the residential streets.

Scale

Single storey housing dominates the residential development in this conservation area. Two storey commercial development and flats facing Concord Road reflect the importance of that road as a main traffic route.

Form

The Inter-War California Bungalow style with its strong gabled form dominates this conservation area. Verandahs on the front of the house provide depth to the street facades. Later housing has a similar scale with verandahs incorporated below hipped roof forms.

Siting

Housing in the Yaralla Conservation Area has regular front setbacks from the streets. Most houses include a wide setback to one side to allow for vehicular access. This provides space between houses and helps reinforce the rhythm in the streetscape.

Materials and Colours

Face brickwork trimmed with render below terracotta or slate roofs is almost uniform in the Yaralla Conservation Area.

Doors and Windows

Windows are usually timber casement sashes in groups of two or three, often with horizontal sun hoods. Later houses have groups of double hung windows, sometimes in a chamfered bay. Doors are often glazed and sometimes are paired.

Carparking

Garages and carports are usually set well back from the front building alignment.


Fencing

Original fencing is usually low brick panels between brick piers. Metal rails or wrought metal panels are sometimes used between piers.

Landscape Elements including Paving and Driveways

Street trees are important in this conservation area. Front gardens are usually dominated by lawn with low plantings of shrubs to provide interest.

Refer to Figure App1.26



Created on: 2024-10-16

Yaralla Estate

Yaralla Estate Conservation Area

Figure App1.26